

# INDEX

---

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

- <A> tag, 659
- Abort buttons, 784–785
- abstraction, 27–28, 247
- Access Control Settings dialog box
  - for auditing, 230–231, 230–231, 577, 577
  - for ownership, 227, 227, 579, 580
  - for permissions, 571, 571
- Access Level Wizard, 550
- access to files and resources. *See* permissions; rights; security
- accessibility options, 16, 159
- Accessibility Options applet, **163–165**, 164
  - Accessibility Wizard for, **165**, 165
  - Magnifier for, **166**, 166
  - Narrator for, **166–167**, 167
  - on-screen keyboard in, **167–168**, 168
  - Utility Manager for, **168**, 168
- Accessibility setting, 398
- Accessibility Wizard, **165**, 165
- Accessories menu
  - Accessibility command, 165–166, 168
  - Address Book command, 428
  - Communications menu
    - Fax command, 358
    - HyperTerminal command, 363
    - Internet Connection Wizard command, 318
    - NetMeeting command, 365
    - Phone Dialer command, 360
  - Entertainment menu
    - CD Player command, 266
    - Sound Recorder command, 269
    - Volume Control command, 270
  - Notepad command, 167
  - On-Screen Keyboard command, 167
  - System Tools menu
    - Backup command, 821, 839
    - Disk Cleanup command, 816
    - Disk Defragmenter command, 815
    - WordPad command, 349
- Account Is Disabled option, 565–566
- accounts, **558–560**
  - creating, **562–566**, 563, 565–566
  - Guest, 559
  - for newsgroups, **431**
  - rights for, **560–562**, 560–561
- ACPI (Advanced Configuration and Power Management), 12
- Action menu
  - Create Partition command, 850, 852
  - Create Striped Volume command, 854
  - Create Volume Set command, 853
  - Format command, 850–851, 854
  - New User command, 564
  - Save As command, 867
  - Security command, 229
- action sets, 715–716
- Activate Remote Desktop Sharing command, 373
- Active Desktop
  - environment settings for, **180–183**, 181
  - options for, **161–163**, 162
- Active Directory (AD), **584**
  - for administration support, **597**
  - administrators for, **590–591**

- for authentication and authorization, **585–586**
- for client-server computing, **588–589**
- connecting to, **598–601**, 599–600
- connectivity and replication in, **593–594**
- delegation in, **591–592**
- as logon server, **587–588**
- for name resolution, **589**
- for namespaces, **595–597**
- as object directory, **586**
- for politics, **592–593**
- for scalability, **594–595**
- active hubs, 505
- active pages, 694
- ActiveX controls, **708–709**
  - Agent, **720–726**, 721–722
  - Filter, **711–715**, 713
  - Multimedia Sequencer, **715–720**, 717
  - security issues with, **708–709**
  - Structured Graphics, **709–711**, 710
- activity indicator, 380, 380
- AD. *See* Active Directory (AD)
- Adapter tab, **189**
- adapters
  - display, **801–802**, 801–802
  - EIDE and IDE, **807**
  - PCMCIA, **807–808**
- Add A Fax Printer button, **349**
- Add A New Device option, 254
- Add button for fax cover pages, 344
- Add Counters dialog box, 863, 863, 865
- Add Directory Server dialog box, 362
- Add Favorite dialog box, 386, 386, 392
- Add File option, 371
- Add Fonts dialog box, 244, 244
- Add Form Feed option, 614
- Add Input Locale dialog box, 883
- Add method, 733
- Add New User dialog box, 563–564, 563
- Add Number To Speed Dial List option, 361
- Add Port option, 216
- Add Prefix dialog box, 315, 315
- Add Printer icon, 197
- Add Printer Wizard, **202–212**, 203–206, 209, 615
- Add/Remove Hardware Wizard
  - for display adapters, 801, 801–802
  - for modems, 306, 306
  - for mouse, 804
  - for sound cards, **253–256**, 253–255
- Add/Remove Programs applet, 159
  - adding programs with, 112, 113
  - removing programs with, 113, 114
- Add/Remove Snap-in dialog box, 575, 575
- Add Sender dialog box, 428, 428
- Add Signature To All Outgoing Message option, 425
- Add Standalone Snap-in dialog box, 575–576, 576
- Add To Favorites command, 386
- Add/Troubleshoot A Device option, 256
- AddFolder method, 758
- adding
  - ports, **216–217**, 216
  - printers, **198–201**
    - drivers for, **201**
    - local, **208–210**, 209
    - network, **202–207**, 203–206
    - unlisted, **210–212**, 211
  - programs, 112, 113
  - sound cards, **805–807**, 806
- Adding A Cover Page screen, 351, 352
- Addins folder, 142
- Additional Commands option, **77**
- Additional Files Or Folders option, **77**
- Additional Mass Storage Drivers option, **76**
- AddPoint method, 715
- Address bar in Internet Explorer, 380, 380, 382
- Address Book, 428
- Address Resolution Protocol (ARP), 404, **930–931**, 931
- addresses
  - in 802.3 standard, 515
  - Base I/O. *See* Base I/O addresses
  - IP, 46, 337–338, **367**, 595, **930–931**
  - for nodes, 474
  - in paging, 464–465
  - for SCSI devices, 803
- AddWindowsPrinterConnection method, **793**
- administration support, Active Directory for, **597**

- Administrative Tools applet, 159
- Administrative Tools folder, 232, 232
- Administrative Tools menu
  - Event Viewer command, 855
  - Performance command, 862
- Administrator Password option, **73**
- administrators and Administrator accounts, 559
  - for Active Directory, **590–591**
  - passwords for, 54, **73**, 85
  - types of, 47
- Administrators group, 559
- ADSL (Asymmetric DSL) service, 325
- Advanced Attributes dialog box, 634, 634, 848–849, 849
- Advanced Audio Properties dialog box, 262
- Advanced Configuration and Power Management (ACPI), 12
- Advanced Control for Volume Control dialog box, 272
- Advanced Controls for Recording Control dialog box, 272
- Advanced dialog box, **188–190**
- Advanced Options tab, **345–349**, 346
- Advanced RISC Computing (ARC) path, **63–64**
- Advanced Security Settings dialog box, 622–623, 622, 629
- Advanced setting in Internet Explorer, 400
- Advanced Settings tab, 194
- Advanced Setup tab, 59
- Advanced Signature Settings dialog box, 425
- Advanced tab
  - in Internet Explorer, 392, **402**, 403
  - for modems, **310–312**
  - for My Computer, 155, 156
  - for printers, 207, 218–219, 218
  - for Start menu and Taskbar, **121–122**, 122
  - for system settings, **894–898**, 895
  - for users, 564
- Agent control, **720–726**, 721–722
- AgentControl\_Command routine, 724–725
- aiff files, 261
- Alert View in Performance Monitor, **866–868**, 867
- Alias constant, 753
- ALIGN attribute, 658
- Align Bottom tool, 358
- Align Left tool, 358
- Align Right tool, 358
- <ALIGN> tag, 646–647
- Align Top tool, 358
- alignment in fax cover pages, 358
- All Frames Individually option, 392
- All Records viewing mode, 857
- ALLFILES.TXT file, 762–763
- Alpha filter, 712
- ALT attribute, 658
- alt newsgroups, 430
- Alt+Enter keys, 149
- Alt+Print Screen keys, 278
- Alt+Tab keys, **108**, 274
- Always On Top Taskbar option, 121
- Always Use This Program To Open These Files option, 110
- ampersands (&) in VBScript, 675–676
- Analysis Report dialog box, 815
- anonymous FTP, 404–405
- Answer File Name option, **77**
- answer files for SYSPREP, 86
- anti-clobber features, **439**
- APIs (Application Programming Interfaces), 92, **446–447**
- Appearance tab, **177–180**, 178
- Append to Log option, 310
- applets, 159–161
- Application layer, 936
- Application log, **856–857**
- Application object, 764
- Application Programming Interfaces (APIs), 92, **446–447**
- Application property, 778
- applications
  - adding to Start menu, **119**
  - automating, **763–769**, 763, 765, 767–768
  - deleting
    - with Control Panel, **113–114**, 114
    - from Start menu, **122–123**
  - DOS. *See* DOS applications
  - finding, **110**, 111
  - installing, **111–112**, 113
  - network-based, **476–477**
  - printing from, **233–235**, 234
  - right-clicking on, 147

- sharing
  - file servers for, **470–471**
  - in NetMeeting, **371, 371**
- Applications log, 20
- Applications tab, **876–877, 877**
- Apply buttons vs. OK buttons, 176
- Approved Sites setting in Internet Explorer, 399
- ARC (Advanced RISC Computing) path, **63–64**
- architecture
  - CPU privilege levels, **438–441**
  - independence in, **441–445**
  - Kernel mode, **27–29, 28**
  - networking, **935–938**
  - robustness in, **445–455, 446–447, 449–450, 452**
  - User mode, **30–31**
- architecture-independent operating systems, **6–7**
- archive attributes, 150
- Archive constant, 753
- Archive Outgoing Faxes In option, 359
- Area Code Rules tab, 314–315
- area codes for modems, 314–315
- ARGS1.VBS script, 777, 777
- ARGS2.VBS script, 777
- Arguments property
  - in Wscript, **775–778**
  - in WshShortcut, 796
- ARP (Address Resolution Protocol), 404, **930–931, 931**
- ARP command, **930–931**
- arranging
  - Explorer items, **129**
  - windows, **119–120**
- arrays, 732
- As Laid Out On Screen option, 391
- ascii command, 405
- ASCII files in FTP, 405
- associations for files, **35, 103, 109–110, 109**
- Asymmetric DSL (ADSL) service, 325
- AT Attachment Protocol Interface (ATAPI), 807
- At method, 715–716
- ATAPI (AT Attachment Protocol Interface), 807
- atapi.sys driver, 807
- AtEndOfLine property, 739
- AtEndOfStream property, 739, 741
- attaching to network resources
  - login scripts for, **554–555, 555**
  - mapping network drives for, **538–539, 539**
  - My Network Places for, **538**
  - UNCs for, **539–544, 540–542**
- attachments, 473
  - attaching, **425, 425**
  - saving, **417, 417**
- attenuation in cabling, **483–484**
- attributes
  - in Novell networks, **606**
  - properties sheets for, 150
- Attributes property
  - in File, **752–754**
  - in Folder, 758–759
- au files, 261
- audio. *See* sound; sound cards
- Audio tab, 260–262, 261
- Audio Tuning Wizard, 365
- Audio-Video-Interleaved (AVI) files, **266**
- Audio/Video tab, 362
- audit events, 856–857
- Audit Policy Change screen, 229
- Audit Policy folder, 228
- auditing
  - files and folders, **574–579, 575–578**
  - printer usage, **228–232**
  - rights for, 562
- Auditing Entry dialog box, 230–231, 230, 577, 578
- Auditing tab, 230–231, 230–231, 577, 577
- authentication, **585–586, 629–630**
- Authenticode Security, 709
- Author mode in MMC, 906
- authorization, **585–586**
- Auto Detect option, 935
- Auto Hide Taskbar option, 121
- Autochk events, 857
- AutoComplete feature, 381–382, 400
- AutoComplete Settings dialog box, 382
- AUTOEXEC.NT file, 821
- automatic installation, **58–59**
- Automatically Detect My Plug And Play Printer option, 208
- Automatically Dial This Initial Connection option, 626

Automatically Fix File System Errors option, 817  
Automatically Reboot option, 898  
automating applications, **763–769**, 763, 765, 767–768  
autorun.bat file, 266  
Autosearch Settings option, 395  
availability times for printers, **218–219**  
AvailableSpace property, 748  
AVI (Audio-Video-Interleaved) files, **266**  
Aviator wireless network adapters, 332  
AXAGENT.HTM document, **722–725**, 722

## B

B channels in ISDN, 329  
<B> tag, 651  
B variable for separator pages, 222  
Back button  
    in Explorer, 129  
    in Internet Explorer, 383  
Back control in Media Player, 265  
backbones, 514  
background  
    in e-mail, **423**  
    patterns for, **171–174**, 172–173  
Background menu  
    Picture command, 423  
    Sound command, 423  
background operations  
    printing, 196–197, **220**  
    priority settings for, 896  
Background Picture dialog box, 423  
Background Sound dialog box, 423  
Background tab, 172  
backslashes (\) for paths, 204  
Backup Log tab, 841  
Backup Operators group, 559  
Backup program, 814  
Backup Type tab, 841  
Backup window, 840, 840  
Backup Wizard, 821, **839**  
backups  
    administrators for, **590–591**  
    for crashes, **813–814**  
    making, **838–842**, 840–841  
    restoring, **842**  
    rights for, 561  
bad sectors, scanning for, 850  
bandwidth, **489–490**  
Base I/O addresses  
    list of, 252  
    for network interface cards, 475, **481**  
    for sound cards, 252, 806  
baseband, 489  
bass control, 272  
batch files for multiple installations  
    SYSPREP for, **84–87**, 86  
    unattended, **66–83**  
/BAUDRATE switch, 65  
bearer channels in ISDN, 329  
BGCOLOR attribute, 654  
bgColor property, 686  
bilinear interpolation, 250  
billing options for ISP Internet connections, 320  
binary command, 405  
binary files in FTP, 405  
bindery in Novell networks, 608  
BIOS Extended Parameter Block, 830  
BIOS Parameter Block, 830  
bit-mapped (.bmp) files for wallpaper, 173–174  
blink rate, cursor, 883  
block characters for separator pages, 222  
Blocked Senders tab, 427  
bluescreening, 18. *See also* crashes  
    forcing, **837**  
    in setup, **923–927**  
Blur filter, 712  
.bmp (bit-mapped) files for wallpaper, 173–174  
BNC cable, **487–490**, 489  
BNC connectors, 494, 494  
<BODY> tag, 649  
bold formatting in HTML, 651  
bookmarks as missing feature, **36–37**  
boot disks, **79–80**  
boot.ini file, **60–63**, 61  
boot records, fixing, **829–830**  
boot sectors, 22  
    fixing, **829–830**  
    viruses in, 924  
booting in Safe Mode, **65–66**  
BORDER attribute, 658, 661  
<BR> tag, 649

- brackets ([]) in batch routines, 70
  - brainstorming in troubleshooting, **913–914**
  - branches in Explorer, **125**
  - Bring to Front tool, 358
  - broadband, 489
  - broken links, **295, 296**
  - Browse dialog box, 105, *105*
  - Browse Folders section, 162
  - Browse For Printer screen, 207
  - Browser And Shell Settings option, **75**
  - buffers, printer, 240
  - bus topology
    - logical, **509–511, 511**
    - physical, **507–508, 507–508**
    - troubleshooting, **508**
  - buses, 811–812
  - Buttons tab, 191, *191*
  - Bytes Total/sec counter, 864
- C**
- C2 security, 23, 33
  - cable modems, **321**
    - advantages and disadvantages of, **322–323**
    - questions for, **323–324**
    - service delivery in, **324–325**
    - speed of, **321–322**
  - cabling, **481–482**
    - coaxial, **487–490, 489**
    - cost of, **482**
    - crosstalk on, **487**
    - distance factors in, **483–485**
    - Ethernet, **498–499**
    - fiber optic, **490–493, 490–491**
    - IBM, **496–498**
    - installing, **482**
    - maintaining, **482**
    - reliability of, **483**
    - requirements for, **475**
    - speed of, **483, 489–490**
    - troubleshooting, **927–928**
    - twisted-pair, **485–487**
  - Cache Manager, 28
  - Calendar page, **688–691, 689**
  - Call menu
    - Directory command, 369
    - Host Meeting command, 369
    - New Call command, 373
  - Call Preferences settings, 311
  - Call Station Identifiers (CSIDs), 348
  - call waiting, 314
  - callback security, **630**
  - caller-ID security, **630–631**
  - Calling Card tab, 316–317, *316*
  - calling cards, **316–318, 317–318**
  - calling with NetMeeting, **366–367**
  - CALLSCR.VBS script, **791–792**
  - Cancel All Documents command, 239
  - Cancel buttons, 784–785
  - Cancel command, 138
  - Cancel Printing command, 239
  - Cancel The Call If Not Connected Within x Seconds setting, 311
  - canceling queue jobs, **238–239**
  - CANs (Citywide Area Networks), 469
  - canyon.mid file, 256
  - captioning area in Media Player, 265
  - capturing screen, **278, 279**
  - carrier-sensing multiple access with collision detection (CSMA/CD), **516–519, 517–518**
  - Cascade Windows command, 119
  - cascading windows, 119
  - Category 1 cable standard, 485
  - Category 2 cable standard, 485
  - Category 3 cable standard, 486
  - Category 4 cable standard, 486
  - Category 5 cable standard, 486–487
  - Category 6 cable standard, 486
  - cd command, 405
  - CD Player, **266–267**
    - editing information for, **268–269, 268**
    - preferences for, **269**
    - time display options for, **269**
  - CD Playlist Editor dialog box, 268, 268
  - CD-ROM drives
    - installing from, **48–49, 80–81**
    - SCSI, **803, 926–927**
  - CD Time Elapsed option, 269
  - CD Time Remaining option, 269
  - central processing unit (CPU) requirements, **40–41, 442–443**
  - Certificate Export Wizard, 635

- Certificate Import Wizard, 636
- certificates
  - exporting, 635–636
  - in Internet Explorer, 400
- Challenge-Handshake Authentication Protocol (CHAP), 630
- Change Default Preferences option, 311
- Change Icon dialog box, 184, 184
- Change permission, 569
- Change Permissions permission, 573
- Change Profile Type dialog box, 893
- Change Source dialog box, 296, 296
- changing. *See* editing
- channels in ISDN, 329
- CHAP (Challenge-Handshake Authentication Protocol), 630
- character-repeat rate setting, 883
- characters for Agent, 721
- Chart View in Performance Monitor, **865–866**, 865
- Chat application, **368**, 368
- Check Disk dialog box, 817
- Check For New Message Every x Minutes option, 414
- CheckBox controls, **680–681**, 681
- CHECKED attribute
  - for CheckBox controls, 680
  - for RadioButton controls, 681
- CheckSpelling method, 731
- /checkupgradeonly parameter, 49
- chkdsk.exe program, 924–925
- Choose A Hardware Device screen, 254, 254, 256, 256, 801
- Choose A Hardware Task screen, 253, 254, 256, 801
- Chroma filter, 712
- Citywide Area Networks (CANs), 469
- cladding for fiber optic cable, 490, 490
- classes
  - in DHTML, 695–696
  - in VB Script, 731
- cleaning up drives, **816–817**, 816
- Clear History button, 388
- clearing
  - Clipboard contents, **283**
  - event logs, 858
  - Internet Explorer history items, 388
  - Click Items As Follows section, 162
- Client for Microsoft Networks, 533, 598–599
- client/server networks, **520–521**, 521
  - Active Directory for, **588–589**
  - advantages of, **521–522**
  - disk servers on, **522–523**
  - file servers on, **523–524**
  - operating systems for, **447–448**, 447, **452–453**
- Client Service for NetWare (CSNW)
  - components of, **604**
  - configuring, **611–614**, 612–614
  - hardware interaction with, **609–611**
  - for server administration, **608–609**
- Client Service for NetWare dialog box, 613–614, 614
- clients in Internet connection sharing, **338**
- Clipboard, **275**, 276
  - clearing contents of, **283**
  - copying to, **275–277**, 276–277
  - vs. OLE, 290
  - operation of, **275**
  - in Outlook Express, 420
  - pasting to, **276–278**, 277, 279
  - retrieving stored contents of, **282–283**
  - saving contents of, **281–282**, 282
  - for screen captures, **278**, 279
  - selecting for, **275–277**
  - viewing contents of, **279–281**, 280–281
- Clipboard Viewer, Clipboard contents in
  - clearing, **283**
  - retrieving, **282–283**
  - saving, **281–282**, 282
  - viewing, **279–281**, 280–281
- ClipBook Page Permissions dialog box, 288, 288
- ClipBook Page Properties dialog box, 288
- ClipBooks, **283–284**
  - connecting to, **288–289**
  - for network users, **287–288**, 287–288
  - operation of, **284**
  - pasting from, **286–287**, 286
  - pasting into, **285–286**, 285
- clock, 121, 252
- Clock icon, 95
- cloning drive images, **84–87**, 86
- Close method, 686
- closed captioning, 164

- closing Explorer windows, 132
- closure in troubleshooting, **914-915**
- clp extension, 281-282
  - /cmd parameter, 49
  - /cmdcons parameter, 49
- CMDLINES.TXT file, 78-79
- CMOS (Complementary Metal Oxide Semiconductor) chips, **41-42**
- coaxial cable, **487-490**, 489
- codecs for fiber optic cable, 491
- Collage Complete program, 278
- collections in VB Script, **732-736**
- collisions, **484**
  - in 802.3 standard, **516-519**, 517-518
  - in 802.4 standard, **519**
  - in bus topologies, **510-511**
  - in token ring topology, 512-513
- color
  - in e-mail, **423**
  - in HTML, **653-654**
  - icon, **185**
  - in Internet Explorer, **398**
- COLOR attribute, 647, 653-654
- Color Management tab, **190**
- color schemes
  - in cloning, 84
  - loading, **178-179**
  - selecting, **179-180**
  - video driver settings for, **186-187**
- Colors setting, **398**
- COLS attribute, 680
- COLSPAN attribute, 661-662
- Column property, 739
- COM ports
  - for modems, 308, 311
  - for printers, 209
- Command buttons, **682**
- command prompt, 106-107, 107, 367
- Command Prompt window, 367
- comments for shares, 536
- communications, **302-303**
  - cable modems for, **321-325**
  - HyperTerminal program for, **362-364**, 363
  - Internet Connection Wizard for, **318-320**, 319
  - messages. *See* e-mail modems for. *See* modems Phone Dialer for, **360-362**, 361 TAPI for, **303-304**
- Communications menu
  - Fax command, 358
  - HyperTerminal command, 363
  - Internet Connection Wizard command, 318
  - NetMeeting command, 365
  - Phone Dialer command, 360
- comp newsgroups, 430
- compact disc-read only memory (CD-ROM) drives
  - installing from, **48-49**, **80-81**
  - SCSI, **803**, **926-927**
- CompareMode property, 734
- compatibility
  - of DOS and Windows applications, **34**
  - Hardware Compatibility List for, 32, **43-44**
  - for printers, **210-211**
  - with Windows 9x, **32-33**
- Complementary Metal Oxide Semiconductor (CMOS) chips, **41-42**
- Completing The Network Identification Wizard dialog box, 551
- Completing the Send Fax Wizard screen, 353
- Components Checked Are Used By This
  - Connection list, 533
- [Components] section, **79**
- Compose tab, 433
- compound documents, 289
- Compress Contents To Save Disk Space option, 634, 849
- Compress Drive To Save Disk Space option, 850
- Compressed constant, 753
- compression
  - on disk drives, 425, **848-850**
  - for modems, 311-312
- Computer Domain screen, 550
- Computer Management window, 546-547, 547, 552, 564, 574, 575, 846, 846
- computer names, **54-55**, **73**, 530-531
- Computer Names option, **73**
- Computer Properties dialog box, 479, 479
- ComputerName property, 792
- COMSPEC environment variable, 782
- concatenation in VBScript, **675-676**

- concentrators, **505–506**
- concurrent applications, **470–471**
- conditional statements, **666–669**, 668
- confidential template, 351
- CONFIG.NT file, 821
- Configuration Manager, **9–11**
- configurations
  - Client Service for NetWare, **611–614**, 612–614
  - Internet connection sharing, **333–338**, 334–337
  - Internet Explorer, **395**
    - Advanced tab, **402**, 403
    - Connections tab, **400–401**, 401
    - Content tab, **399–400**, 400
    - General tab, **395–396**, 397
    - Programs tab, **401**, 402
    - Security tab, **397–398**, 398
  - last known good, **818–819**
  - ports, **217**
  - restoring, **817–819**
  - Taskbar, **108–109**
  - video drivers in, **819**
  - workstation connections to NT4 domains, **551–554**, 552–553
- Configure Drives Independently option, 902
- Configure LPT Port dialog box, 217, 217
- Conflicts/Sharing folder, 874
- Connect As dialog box, **555–556**
- Connect button, 284, 284
- Connect To A Private Network Through The Internet option, 625
- Connect To dialog box, 363
- Connecting To The Network screen, 57, 550
- Connection Description dialog box, 363
- Connection tab, 318, 433
- connections, **531–532**
  - to Active Directory, **598–601**, 599–600
  - to ClipBooks, **288–289**
  - in HyperTerminal, **363–364**, 363
- Internet
  - cable modems in, **321–325**
  - DSL for, **325–328**
  - Internet Connection Wizard for, **318–320**, 319
  - ISDN for, **328–331**
  - sharing, **331–339**, 334–337
  - to network drives, **794–795**
  - to network printers, **792–794**
  - to newsgroups, **431**, 431
  - in Virtual Private Networking, **623–627**, 625–626
  - to workgroups, **534–535**, 534–535
  - workstations to NT4 domains, **549–551**
    - configuration testing in, **551–554**, 552–553
    - Connect As for, **555–556**
    - login scripts for, **554–555**, 555
    - unavailable servers in, **551**
- Connections tab, **400–401**, 401
- connectivity in Active Directory, **593–594**
- connectors
  - for cable modems, 321
  - for networks, **493–495**, 493–495
    - D-shell, **495**, 495
    - data, **495**, 496
    - fiber optic, **496**, 496
    - RJ-45, **495**, 495
- Console menu, Add/Remove Snap-in command, 575
- console roots, 906, 907
- console trees, 906, 906
- Console window, 906, 906
- ConsoleOne tool, 606–607, 607, 609
- consoles, 905
- Contacts pane, 414
- Content Adviser dialog box, 399
- Content tab, 382, **399–400**, 400
- Contents tab, 241
- context-sensitive menus, **96–97**, 97, **146–148**, 147
  - in Explorer, **135–136**
  - manipulating, **788–790**, 789–790
  - printing by, **236**
- Control Panel, **158**
  - accessibility options in, **163–168**, 164
  - for Active Desktop, **161–163**, 162
  - for background and wallpaper, **171–174**, 172–173
  - for devices, **898–899**, 899
  - Effects settings in, **183–185**, 183
  - for keyboard, **882–885**, 882
  - for mouse, **190–194**, 191–193
  - new features in, 8

- opening, **158–161**, 159
- for Recycle Bin, **901–903**, 902
- for regional settings, **885–887**, 886
- for screen appearance, **177–180**, 178
- for screen savers, **174–177**, 174–175
- for system settings, **887–899**
- for time, **169–170**, 169–170
- video driver settings in, **185–190**, 186
- controls
  - ActiveX. *See* ActiveX controls
  - in Media Player, **265–266**
  - in VBScript, **678–685**, 679–682
- conversations in newsgroups, 432
- Convert Now option, 270
- Cookies folder, 141
- cooperative multitasking, **459–461**
- copies in printing, 234
- Copy backups, 841
- Copy button, 284, 284
- copy command
  - in Explorer, 135
  - in Recovery Console, 829
- Copy Here command, 138, 277
- Copy method, 756
- Copy Profile dialog box, 545
- Copy To button, 130
- Copy To dialog box, 86, 86, 548, 548, 894
- /copydir parameter, 50
- CopyFile method, **741**
- COPYFILES.VBS script, **744–745**
- CopyFolder method, **741–742**
- copying
  - to Clipboard, **275–277**, 276–277
  - drive images, **84–87**, 86
  - e-mail, 420
  - files and folders, 119, 130, 132, **137–138**, **744–745**, 829
  - programs to Start menu, **119**
  - user profiles, 548, 894
- /copysource parameter, 50
- core dumps, 18, **837**
- Count property, 734
- COUNTER.HTM page, **717–719**, 717
- Counter Log View in Performance Monitor, **868–869**
- counters in Performance Monitor, **862–866**
- country codes for modem dialing, 314
- cover pages for faxes
  - creating, **353–356**, 354, 356
  - editing, **356–359**, 357, 359–360
- Cover Pages tab, **343–344**, 344, **353–354**
- CPU (central processing unit) requirements, **40–41**, **442–443**
- CPU privilege levels, **438–441**
- crash dumps, 18, **837**
- crashdebug switch, 65
- crashes, **810**
  - from 16-bit applications, 31
  - backups for, **813–814**
  - from drivers, **444–445**, **453–455**, **811**, **813**
  - from environmental hazards, **812**
  - forcing, **837**
  - from hardware, **810–812**
  - from installation problems, 812
  - reduction in, **18**
  - from shutdowns, **813**
- Create Files/Write Data permission, 572
- Create Folder dialog box, 416–417, 416
- Create Folders/Append Data permission, 572
- Create Partition Wizard, 850, 852
- create rights, 605
- Create Shortcut command, 135
- Create Shortcut(s) Here command, 104, 138
- CreateObject function in VBScript, 731, 733, **763–768**, 765, 767
- CreateObject method in Wscript, 778–779
- CreateShortcut method, **783–784**
- CreateTextFile method, **736**
- credit cards with modems, **316–318**, 317–318
- crossover cables, 333
- crosstalk, **487**
- CSIDs (Call Station Identifiers), 348
- CSMA/CD (carrier-sensing multiple access with collision detection), **516–519**, 517–518
- CSNW (Client Services for NetWare)
  - components of, **604**
  - configuring, **611–614**, 612–614
  - hardware interaction with, **609–611**
  - for server administration, **608–609**
- CSRSS front end, **451–452**
- Ctrl key for copying files and folders, 137–138
- Ctrl+Esc keys, 101, 118

CTS/RTS flow control, 312  
 Currency tab, 886  
 cursor blink rate, 883  
 Cursors folder, 142  
 Customize Links option, 383  
 Customize Search Settings dialog box, 395  
 Customize The Software option, **73**  
 Customize Toolbar dialog, 130, 130  
 Customize View dialog box, 861, 861  
 customizing desktop. *See* Control Panel  
 Cut command, 135  
 Cutler, Dave, 7, 18  
 cutting to Clipboard, **275–277**, 276

## D

D channels in ISDN, 329  
 D-shell connectors, **495**, 495  
 D variable for separator pages, 222  
 Daily backups, 841  
 daisy chaining, 507  
 damaged files, replacing, **828–829**  
 data bits for modems, 312  
 data channels in ISDN, 329  
 Data Connection Preferences settings, **311**  
 data connectors, **495**, 496  
 data in 802.3 standard, 515  
 data interception, **621–623**, 622–623  
 Data Link Layer Frame formats, **510**, 511  
 data protocols for modems, 311  
 databases, compressing, 848  
 Date & Time tab, 169, 169  
 Date and Time Sent field, 355  
 Date and Time Settings dialog box, 55  
 DATE command, 170  
 Date function, 676  
 DATE.HTM document, **687**, 688  
 Date tab, 886  
 Date/Time applet, 160  
 DateAdd function, **676–677**  
 DateButton\_onClick routine, 664  
 DateCreated property  
   in File, **754–755**  
   in Folder, 759  
 DateDiff function, **677**  
 DateLastAccessed property  
   in File, 754–755  
   in Folder, 759  
 DateLastModified property  
   in File, 754–755  
   in Folder, 759  
 dates  
   for queued documents, 237  
   regional settings for, 886  
   for separator pages, 222  
   setting, 55, 160, **169–170**, 169–170  
   sorting Explorer items by, 129  
   on Taskbar, 95  
   VBScript functions for, **676–678**  
 Day function, 677  
 Days To Keep Pages In History setting, 387  
 DDE (Dynamic Data Exchange), **292–293**  
 Debug folder, 142  
 debug switch, 65  
 debugging information with boot.ini, **64–65**  
 Debugging Mode option, 66  
 /DEBUGPORT=COM switch, 65  
 dedicated file servers, **524–525**  
 DefaultIcon key, 789  
 defaults  
   gateways, 338  
   printers, 205  
   user folders, 548  
 DEFRAG command, 107  
 defragmenting files, **814–816**, 815  
 delays, keyboard, 883  
 delegation for domain control, **591–592**  
 Delete button  
   in ClipBook Viewer, 284, 284  
   in Explorer, 130  
   for fax cover pages, 344  
 Delete command, 135  
 Delete method, 756  
 Delete permissions, 573, 605  
 Delete Private Key If The Export Is Successful  
   option, 635  
 Delete Subfolders and Files permission, 572  
 Deleted Items folder, 414, 418–419  
 DeleteFile method, **742**  
 DeleteFolder method, **742**

- deleting
  - color schemes, 179
  - e-mail, **418–419**
  - files
    - from queues, **238**
    - to Recycle Bin, 130, 132, **139–140**
  - folders, 130, 132, **139–140**
  - identities, 429
  - in Internet Explorer
    - favorites, 386
    - history items, 388
    - sites, 384
  - language drivers, 884
  - partitions, **830–831**
  - permissions for, 572–573, 605
  - ports, **217**
  - printers from Printers folder, **232–233**
  - programs
    - with Control Panel, **113–114**, 114
    - from Start menu, **122–123**
  - Registry keys, **790**
  - shortcuts, 119
- DEPLOY.CAB file, 70
- depths in color, 186–187
- Description property
  - in Err, 770
  - in WshShortcut, 796
- descriptions
  - for ClipBooks, 284
  - for groups, 566
- desktop, **94**, 94
  - customizing. *See* Control Panel
  - merging Web with, **643–645**, 643
  - My Network Places, **100**, 100
  - remote sharing, 15
  - right-clicking on, 147
  - Start menu on, **95–96**, 96
  - starting Internet Explorer from, **377**
  - Taskbar on, **94–95**
- Desktop folder, 142
- Destination Address screen, 626, 626
- destinations in 802.3 standard, 515
- details pane in MMC, 906, 907
- Details view in Explorer, 127, 128
- Device dialog box, 546
- device drivers. *See* drivers
- Device Manager, 153, **800**, 800, **891–892**, 891, **898–899**, 899
  - for hardware profiles, 546
  - for keyboard, 804
  - for PCMCIA adapters, 807–808
  - for peer-to-peer networks, 533
  - for Plug-and-Play support, 11
  - for SCSI devices, 803
- Device Manager tab, 479
- Device Settings tab, 199, 200
- devices for multimedia, **263**, 263
- DHCP (Dynamic Host Configuration Protocol), 46, **57–58**
- DHTML (Dynamic HTML), 643, **694**
  - ActiveX controls for. *See* ActiveX controls
  - <DIV> tag in, **698–701**, 699, 701
  - mouse events in, **696–698**, 697
  - styles in, **695–701**, 697, 699, 701
    - lists, **703–708**
    - manipulating, **701–703**, 702–703
- Diagnostics tab, **309–310**, 309
- dial control for modems, 308–309
- Dial dialog box, 361
- Dialing Rules tab, **312–318**
- dialing with Phone Dialer, **361–362**
- dictionaries in VB Script, **732–735**
- Dictionary object, 732–734
- dielectrics in coaxial cable, 487, 489
- Differential backups, 841
- digital certificates, 400
- Digital Subscriber Line (DSL) service, **325**
  - advantages and disadvantages of, **326–327**
  - operation of, **325–326**
  - questions for, **327**
  - service delivery for, **328**
  - speed of, **326**
- DIP (dual in-line package) switches, 9
- dir command
  - in FTP, 405
  - in Recovery Console, 829
- direct memory access (DMA) channels
  - list of, 252
  - for Network Interface Cards, 475, **481**
  - Plug and Play support for, **9–11**
  - for sound cards, 252

- direct network resource connects, **539–541**, 540–541
- Direct3D component, 14
- Direct3D Immediate Mode component, 248
- Direct3D Retained Mode API, 249
- DirectAnimation API, 249
- DirectDraw component, 14, **248**
- DirectInput component, 14, 249
- DirectMusic component, **248**
- directories. *See also* folders
  - Active Directory. *See* Active Directory (AD)
  - for NetMeeting, 365
  - in Novell networks, **605**
  - for Phone Dialer, **362**
- Directory constant, 753
- directory servers, **369**, 369
- Directory Services Restore option, 66
- DirectPlay component, 14, 249
- DirectShow API, 249
- DirectSound component, 14, 248
- DirectX architecture, 13–14, 32
  - Foundation layer of, **248**
  - Media layer of, **249–250**
- DirectX Transform API, 250
- disable command, 827
- Disabled All But Basic Accelerations option, 190
- Disabled All Cursor And Advanced Drawing Accelerations option, 190
- Disabled All DirectDraw And Direct3D Accelerations option, 190
- Disabled Cursor And Bitmap Accelerations option, 190
- disabled user accounts, 565–566
- disabling
  - audio, 262
  - services, **826–828**
- Disconnect A Call If Idle More Than setting, 311
- Disconnect button, 284, 284
- disconnect command, 405
- Disconnect method, 778
- Disconnect Network Drive dialog box, 539
- disconnecting
  - from ClipBook Viewer, 284
  - from FTP, 405
  - network drives, 135, 539
- Discount Period Starts/Ends option, 359
- Disk Cleanup tool, **816–817**, 816
- Disk Defragmenter tool, **814–816**, 815
- disk keyword, 62–64
- Disk Management
  - for disk drive setup, **850–855**
  - for dynamic volumes, 855
  - operation of, **846–847**, 846
- Disk Read Bytes/sec counter, 864
- disk servers, **522–523**
- disk utilities, **90–91**
- Disk Write Bytes/sec counter, 864
- disks and drives
  - floppy
    - I/O resources for, 252
    - for installation, **79–80**
    - hard. *See* hard disk drives
  - display. *See* screen display
- display adapters, **801–802**, 801–802
- Display applet, 160, **170–171**
  - for background and wallpaper, **171–174**, 172–173
  - Effects settings in, **183–185**, 183
  - for screen appearance, **177–180**, 178
  - for screen savers, **174–177**, 174–175
  - video driver settings in, **185–190**, 186
  - Web settings in, **180–183**, 181
- display area in Media Player, 265
- Display As icon option, 291
- Display Delete Confirmation Dialog option, 903
- Display folder, 872, 872
- Display Icon On Taskbar option, 345
- Display List Of Operating Systems setting, 898
- Display Power Management Signaling (DPMS) specification, 176
- Display Properties dialog box, 258, 391
- Display Settings option, **73–74**
- Display Settings screen, 165, 165
- Display tab, 164
- Display The Status Monitor option, 345
- Display Troubleshooter, **188**
- distance factors in cabling, **483–485**
- Distribution Folder option, **76**
- Distribution Folder Name option, **76**
- <DIV> tag, 645, **698–701**, 699, 701
- divText\_onClick routine, 715
- DLLs (dynamic-link libraries)
  - folders for, 115
  - network provider, 937

- DMA (direct memory access) channels
  - list of, 252
  - for Network Interface Cards, 475, **481**
  - Plug and Play support for, **9–11**
  - for sound cards, 252, 806
- DNS (Domain Name System)
  - in Internet connection sharing, 336, 338
  - for name resolution, **589**
- Do...Loop loops, **671**
- Do Not Connect This Computer To A Network At This Time option, 56
- Do Not Dial The Initial Connection option, 626
- Do Not List My Name In The Directory option, 365
- Do Not Move Files To The Recycle Bin option, 902
- Docking State Is Unknown option, 546
- docking stations, 546
- docking status, 893
- Document menu, Cancel Printing command, 238
- Document object, **686–688**, 688
- documentation in troubleshooting, **913–914**
- documents, printing, **233–236**, 234
- Documents And Settings folder, 141, 141, 549
- dollar signs (\$) for share names, 210
- domain controllers, 47, 587–588
- Domain Name System (DNS)
  - in Internet connection sharing, 336, 338
  - for name resolution, **589**
- Domain User Name And Password dialog box, 550
- Domain Username And Password dialog box, 600, 600
- domains, 47
  - in cloning, 85
  - delegation of control for, **591–592**
  - installing workstations on, **46, 56–58**, 56
- Don't Allow Personal Cover Pages option, 359
- DOS applications
  - compatibility of, **34**
  - emulators for, **30**, 458
  - performance of, **34**, 92
  - running, **91–92, 106–107, 107**
- DOS prompt, 106–107, 107
- double-click speed, **191**
- Downloaded Programs folder, 143
- Downloading Newsgroups dialog box, 431
- DPMS (Display Power Management Signaling) specification, 176
- Draft folder, 414
- dragging
  - display options for, **185**
  - for moving files and folders, 138
  - for printing, **235–236**
- Drawing toolbar, 356
- drive images, copying, **84–87**, 86
- drive letters for CD-ROM, 48
- Drive object, **748–751**
- Drive property
  - in File, 755
  - in Folder, 759
- DriveLetter property, **748–749**, 749
- Driver Cache folder, 143
- Driver tab
  - for mouse, 194
  - for PCMCIA adapters, 808
- Driver Status tab, 834, 834
- Driver Verifier, **832–835**, 834
- Driver Verifier Manager dialog box, 833–834, 834
- drivers
  - availability of, **32**
  - crashes from, **444–445, 453–455, 811, 813**, 923–924
  - Device Manager for. *See* Device Manager
  - for file systems, **937**
  - for graphics cards, 257–258
  - I/O Manager for, **28, 28**
  - for keyboard, **804–805**, 805
  - for language support, **883–884**, 884
  - managers for, **28, 28**
  - for modems, 304–305
  - for mouse, **804**
  - for printers, **201**, 616
  - rights for, 561
  - for sound cards, **253–256**, 253–255
  - verifying, **832–835**, 834
  - for video, **185–190**, 186
  - virtual, **34**, 92
- drives. *See* hard disk drives; SCSI cards and devices

Drives collection, **747–748**  
 Drives folder, 872–873, 872  
 DRIVES.VBS script, **748–749**, 749  
 DriveType property, 749–750  
 Drop Shadow filter, 712  
 drops in cabling, 507  
 Drvlib folder, 926  
 DSL (Digital Subscriber Line) service, **325**  
   advantages and disadvantages of, **326–327**  
   operation of, **325–326**  
   questions for, **327**  
   service delivery for, **328**  
   speed of, **326**  
 dual boots, **60–64**, **114–115**  
 dual in-line package (DIP) switches, 9  
 dual operating systems, **60–66**  
 dumpexam.exe program, 18  
 dumps, crash, 18, **837**  
 Dvorak keyboard layout, 885  
 Dynamic Data Exchange (DDE), **292–293**  
 Dynamic Host Configuration Protocol (DHCP),  
 46, **57–58**  
 Dynamic HTML (DHTML), 643, **694**  
   ActiveX controls for. *See* ActiveX controls  
   <DIV> tag in, **698–701**, 699, 701  
   mouse events in, **696–698**, 697  
   styles in, **695–701**, 697, 699, 701  
   lists, **703–708**  
   manipulating, **701–703**, 702–703  
 dynamic-link libraries (DLLs)  
   folders for, 115  
   network provider, 937  
 dynamic pages, 694  
 dynamic volumes, **854–855**

## E

e-mail, **412–414**, 413  
   attachments in, **417**, 417, **425**, 425  
   background in, **423**  
   creating, **419–422**, 419, 421–422  
   deleting, **418–419**  
   forwarding, **418**  
   hyperlinks in, **423–424**  
   identities for, **428–429**, 429  
   in Internet Explorer, **388**  
   on LANs, **472–473**  
   marking, **415**  
   message rules for, **426–428**, 426–428  
   moving, **415**  
   pictures in, **422–423**  
   printing, **415**  
   replying to, **417–418**  
   retrieving, **414–415**, 414  
   saving, **415–417**, 416–417  
   signatures for, **424–425**, 424  
   sound in, **423**  
 E variable for separator pages, 223  
 EAP (Extensible Authentication Protocol), 629  
 early releases, **7–8**  
 Echo method, 780  
 Edit Location dialog box, 313–314, 313, 316–  
 317, 316  
 Edit menu  
   Add Directory command, 362  
   Add To Speed Dial List command, 361  
   Copy command  
     for Clipboard, 276  
     for ClipBooks, 287  
     for embedding objects, 290  
     in Explorer, 132, 137  
     for linking objects, 291  
   Copy To Folder command, 133  
   Cut command  
     for Clipboard, 276  
     in Explorer, 132, 136  
   Delete command, 283  
   Empty 'Deleted Items' Folder command, 419  
   in Explorer, **132–133**  
   Invert Select command, 133  
   Links command, 294–296  
   Mark As Unread command, 415  
   Move To Folder command, 133  
   Options command, 362  
   Paste command  
     for Clipboard, 276, 278  
     for ClipBooks, 287  
     in Explorer, 132, 136–137  
   Paste Shortcut command, 104, 133  
   Paste Special command, 290–291  
   Select All command  
     in Explorer, 133

- in Outlook Express, 418
  - Undo command, 132
- Edit User Variable dialog box, 897
- editing
  - boot.ini file, 61
  - CD Player information, **268–269**, 268
  - embedded objects, 290
  - fax cover pages, **356–359**, 357, 359–360
  - linked objects, 292
  - modem properties, **307–318**, 307, 309–310, 313, 315
  - wallpaper patterns, **172–173**, 173
  - wav files, 261
- effects
  - display settings for, **183–185**, 183
  - Multimedia Sequencer control for, **715–720**, 717
- Effects tab, **183–185**, 183
- EFS (encrypting file system), 12, **633–634**, 634
- EIA/TIA-586 cable standards, 485
- EIDE adapters, **807**
- 802.2 frame types, 933
- 802.3 frame types, 933
- 802.3 standard, **515–519**, 517–518
- 802.4 standard, **519**, 519
- 802.5 standard, **520**
- EISA (Extended Industry Standard Architecture)
  - bus, 811–812
- Eject CD control, 266
- ejecting printer pages, 223
- electronic mail. *See* e-mail
- electronic media, 490
- elements in HTML, 646
- Ellipse tool, 358
- Elseif clause, 668
- <EM> tag, 651
- embedding
  - OLE objects, **290–291**, 290–291
  - scripts, **664**
- Emergency Repair Disks (ERDs)
  - creating, **820–823**, 822
  - using, **831–832**
- emphasized formatting in HTML, 651
- Empty Recycle Bin command, 140
- emptying Recycle Bin, **139–140**, 903
- emulation
  - for DOS applications, **30**, 458
  - for Windows 3.1 applications, 458
- Enable Boot Logging option, 65
- Enable Indicator On Taskbar option, 884
- Enable Internet Connection Sharing For This Connection option, 334
- Enable Manual Answer For The First Device Option, 345
- Enable Printer Pooling option, 214
- Enable VGA Mode option, 66
- enabling services, **826–828**
- Encapsulated PostScript (.eps) files, 240
- Encrypt Contents To Secure Data option, 634
- Encrypted Data Recovery Agents folder, 635
- encrypting file system (EFS), 12, **633–634**, 634
- encryption
  - for authentication, **629–630**
  - for RAS, **622–623**
  - in telecommuting, **633–634**, 634
  - in Virtual Private Networking, 627
- energy savings for monitors, **176–177**
- Energy Star monitors, 176–177
- Entertainment menu
  - CD Player command, 266
  - Sound Recorder command, 269
  - Volume Control command, 270
- EnumNetworkDrives method, **794**
- EnumPrinterConnections method, **793**
- Environment property, **781–782**, 781
- environment subsystems
  - OS/2, **461**
  - POSIX, **461**
  - Virtual DOS machines, **461–462**
  - Win32, **457–462**
  - WOWEXEC, **458–461**
- Environment Variables dialog box, **897**, 897
- Environment Variables folder, 875, 875
- Environment Variables option, 155
- environmental hazards, crashes from, **812**
- ENVVARS.VBS script, 781, 781
- EPA Energy Star monitors, 176–177
- .eps (Encapsulated PostScript) files, 240
- ERDs (Emergency Repair Disks)
  - creating, **820–823**, 822
  - using, **831–832**

- Err object, **769–771**
  - error-correction for modems, 311
  - error events, 856
  - Error Logon counter, 864
  - errors. *See also* troubleshooting
    - disk, checking for, **817**, 850
    - in printing, 234–235
    - recording, **20**
    - in VBScript, **769–771**, 769–770
  - escape characters for separator pages, 222–223
  - ESE (Extensible System Engine), 586
  - Ethernet cable and wiring systems, 488, **498–499**
  - Ethernet frame types, 933
  - Ethernet topologies, 507, 507–508, **509–511**
  - Evaluate method, 731, 764
  - Event Properties dialog box, 552, 552
  - Event Viewer, 20, 552, 578, 578
    - for auditing, 231–232
    - operation of, **855–861**, 856–861
  - events, sounds for, **259–260**, 259
  - exchanging data. *See* sharing
  - Exclamation Mark icon, 785
  - Exclude Files tab, 842
  - Execute permissions, 570, 572
  - executing scripts, **774–775**. *See also* Windows Scripting Host
  - Executive Services, **27–29**, 451
  - Exists method, 733
  - Exit Do statement, 671
  - Exit For statement, 670
  - expandability of client/server networks, 521
  - expiring passwords, settings for, 565
  - Explorer, **99**, **123–124**
    - arranging items in, **129**
    - branches in, **125**
    - Edit menu in, **132–133**
    - Favorites menu in, **134**
    - File menu in, **131–132**
    - Help menu in, 135
    - opening vs. exploring in, **124**, 124
    - right-click menus in, **135–136**
    - running applications from, **101–102**
    - starting Internet Explorer from, **378**
    - toolbar in, **129–130**, 130
    - Tools menu in, **135**
    - View menu in, 123, **133–134**
    - views in, **125–129**, 126–128
  - exporting Recovery Agent private keys, **635–636**
  - Extended Industry Standard Architecture (EISA) bus, 811–812
  - extended partitions, **851–852**
  - ExtendOemPartition parameter, **78**
  - Extensible Authentication Protocol (EAP), 629
  - Extensible System Engine (ESE), 586
  - extensions
    - for file associations, **35**, 109
    - in renaming files, 138
    - snap-ins, 905
  - Extra Initialization Commands box, 310–311
  - Extra Settings section, **310–311**
  - extract command, 829
- ## F
- F variable for separator pages, 223
  - F1 key in Explorer, 135
  - FACE attribute, 647, 654
  - FAT (File Allocation Table) file system, **22–23**, **847–848**
    - on disk servers, 522–523
    - on file servers, **523**
    - partitions for, 53
  - FAT32 file system, 847–848
  - Favorites button, 384
  - Favorites folder, 142
  - favorites in Internet Explorer, **384–387**, 384–386
  - Favorites menu, 385, 385
    - Add to Favorites command, 134
    - Organize Favorites command, 134
  - Fax applet, 160
  - Fax Cover Page Editor, **353–354**, 354
  - Fax folder, 348
  - Fax Options tab, 349, 350
  - Fax Properties dialog box
    - Advanced Options tab, **345–349**, 346
    - Cover Pages tab, **343–344**, 344
    - Status Monitor tab, **344–345**, 345
    - User Information tab, **343**, 343
  - Fax Service Management Console, **345–349**, 347–348

- fax services, 15, **342**
  - cover pages in, **353–359**, 354, 356–357, 359–360
  - installing, **342**
  - Send Fax Wizard for, **350–353**, 350–352
- Fax Services On Local Computer Properties dialog box, 358–359
- Fax Status Monitor tool, **344–345**, 345
- fdisk.exe program, 925
- features
  - missing, **16**
  - new, **8–16**
- Features tab, 207
- fgColor property, 686
- fiber optic cable, **490–493**, 490–491
  - advantages and disadvantages of, **492–493**
  - in IBM cabling, 496–497
  - in token ring topology, 513
  - types of, **491–492**
- fiber optic connectors, **496**, 496
- File Allocation Table (FAT) file system, **22–23**, **847–848**
  - on disk servers, 522–523
  - on file servers, **523**
  - partitions for, 53
- File and Printer Sharing for Microsoft Networks, 533
- file forking, 35
- File menu
  - Close command, 132
  - Connect command, 288
  - Create Shortcut command, 104, 132
  - Delete command, 132
  - Disconnect command, 289
  - Empty Recycle Bin command, 140
  - Explore command, 131
  - in Explorer, **131–132**
  - Identities menu
    - Add New Identity command, 429
    - Logoff Identity command, 429
  - Install New Fonts command, 244
  - New command
    - in Explorer, 132
    - Folder command, **416–417**
    - in Sound Recorder, 270
  - New Folder command, 136
  - Open command, 101
    - in ClipBook Viewer, 282
    - in Explorer, 131
    - in Windows Explorer, 377
  - Open With command, 131
  - Print command
    - in Explorer, 131
    - in Internet Explorer, 391
    - in programs, 233–234
  - Properties command, 131–132
  - Rename command, 132, 136, 138
  - Save As command
    - for Clipboard, 282
    - in Internet Explorer, 390
    - in NetMeeting, 368
    - in Outlook Express, 416
    - in Sound Recorder, 270
  - Save Attachments command, 417
  - Search command, 132
  - Send Later command, 420
  - Send To command, 132
  - Share command, 287
  - Work Offline command, 393
- File object, **752**
  - methods in, **756–757**
  - properties in, **752–756**
- file servers, **523–524**
  - dedicated and nondedicated, **524–525**
  - on networks, **474**
- file systems
  - on disk servers, 522–523
  - drivers for, **937**
  - FAT vs. NTFS, **22–23**, **847–848**
  - on file servers, **523**
  - manager for, 28
  - partitions for, **53**
- File Transfer Protocol (FTP)
  - operation of, **404–405**, 404
  - ports for, 337
- file types, sorting Explorer items by, 129
- File Types tab, 135
- FileExists method, **743**
- files
  - associations for, **35**, **109–110**, 109
  - attributes for, **605**
  - auditing, **574–579**, 575–578

- compressing, 425
  - copying, 119, 130, 132, **137–138**, **744–745**, 829
  - creating, 131
  - damaged, replacing, **828–829**
  - defragmenting, **814–816**, 815
  - deleting
    - from queues, **238**
    - to Recycle Bin, 130, 132, **139–140**
    - from Start menu, **122–123**
  - moving, **136–138**, **745–747**
  - names for, 53, 132, **138–139**
  - opening, 101, 103, 131
  - ownership of, **579–581**, 580
  - pasting, 132
  - permissions for, **24–25**, **569**
    - assigning, **573–574**, 574
    - types of, **570–573**, 571
  - printing, 131
  - printing to, **240–241**
  - properties sheets for, **149–150**, 150
  - renaming, 132, **138–139**, **745–747**, 829
  - saving Clipboard contents to, **281–282**, 282
  - saving to Desktop, 137–138
  - sending and receiving, **364**
  - sharing, **470**
  - transferring, **371–372**, **404–405**, 404, **470**
  - versions of, 115
- Files collection, 732, **735–736**, **752**
- FileSystem parameter, 78
- FileSystem property, 750
- FileSystemObject object, 730–731, **736**
- CreateTextFile method, **736**
  - Drive object, **748–751**
  - Drives collection, **747–748**
  - File object, **752–757**
  - Files collection, **752**
  - Folder object, **758–761**
  - Folders collection, **758**
  - methods in, **741–747**
  - OpenTextFile method, **737**
  - in recursive folder scanning, **761–763**
  - TextStream objects, **737–741**
- Filter control, **711–715**, 713
- Filter tab, 857–858, 857
- Filter viewing mode, 857
- FILTER1.HTM page, 713, 713
- FilterKeys keyboard option, 164
- Find A Web Page Containing setting, 394
- Find In Local System dialog box, 860, 860
- Find New Hardware screen, 254, 801, 802
- Find Printers tab, 207
- Find Someone dialog box, 369, 369
- finding
  - by browsing, **105**, 105
  - Internet Explorer history items, 387
  - log events, 860
  - newsgroups, **432**
  - programs, **110**, 111
  - sites, **393–395**, 394
- Finger utility, **406**
- firewalls, 325
- fixing links, **295–297**, 296
- flicker, 259
- FlipH filter, 712
- FlipV filter, 712
- floppy disks
  - I/O resources for, 252
  - for installation, **79–80**
- flow control for modems, 312
- FM synthesis, 251
- Folder object, **758–761**
- Folder Options dialog box, 61, 86, 141, 160, 162, 162
- FolderExists method, **743**
- folders, **97**, 98–99. *See also* directories
  - auditing, **574–579**, 575–578
  - copying, 130, **137–138**
  - creating, **136**, 828–829
  - deleting, 130, 132, **139–140**, 903
  - for DLLs, 115
  - encrypting, 633–634
  - in Explorer, **125**, 129
  - hidden, 141
  - home, **543**
  - moving, **136–138**
  - names for, 136, **138–139**
  - in Outlook Express, **416–417**, 416
  - pasting, 132
  - permissions for
    - assigning, **573–574**, 574
    - types of, **570–573**, 571

- renaming, **138–139**
  - saving to Desktop, 137–138
  - scanning, recursive, **761–763**
  - user profile, **140–142**, 141
  - Folders button, 129
  - Folders collection, **758**
  - Folders List tool, **413–414**
  - Font property, 767
  - <FONT> tag, 647, 653
  - fonts
    - for e-mail, 421
    - in HTML, **653–654**
    - in Internet Explorer, 398
    - in NetMeeting, 368
    - for printing, **243–244**, 243
    - for screen display, 180
    - size of, **188–189**
    - smooth edges for, **185–186**
    - video driver settings for, **188–189**
    - on workstations, 66
  - Fonts applet, 160
  - Fonts folder, 143
  - Fonts setting, 398
  - For Comment word processor, 476
  - For Each...Next loops, 735
  - For...Next loops, **669–670**
  - ForcedEC setting, 311
  - foreground operations, priority settings for, 896
  - Foreign Address information in netstat, 407
  - forests, 595
  - form feeds, 614
  - FORM.HTM page, **682–685**
  - <FORM> tag, 678
  - Format menu
    - Background menu
      - Picture command, 423
      - Sound command, 423
    - Plain Text command, 420
    - Rich Text (HTML) command, 420
    - Word Wrap command, 648
  - FormatDateTime function, 666
  - formats
    - for date and time, 169
    - for packets, **509–511**
  - formatting
    - partitions, **830–831**, **851–852**
    - SCSI drives, 922
    - in workstation installations, **53**
  - formatting tags in HTML, **651–654**, 653
  - Formatting toolbar, 421, 421
  - forms in VBScript, **678–685**, 679
  - Forward button
    - in Explorer, 129
    - in Internet Explorer, 383
  - Forward control in Media Player, 265
  - forwarding e-mail, **418**
  - Foundation layer of DirectX, **248–249**
  - fragmented drives, **814–816**, 815
  - fragmented memory, 464–465
  - frame-checked sequences, 515
  - frames
    - in AVI video, 266
    - in IPX/SPX, 933–934
  - Free Hotmail option, 384
  - FreeSpace property, 750
  - FTP (File Transfer Protocol)
    - operation of, **404–405**, 404
    - ports for, 337
  - FTYPES.VBS script, **745–747**
  - Full Control permissions, 226, 569–571
  - full names for user accounts, 565
  - Full Page button, 284, 284
  - FullName property
    - in Wscript, 778
    - in WshShortcut, 796
  - FullShot 99 program, 278
  - Fully Automated option, **72**
  - FYI template, 351
- ## G
- Game Controllers applet, 160
  - games
    - on LANs, **473**
    - running, 92
  - GDI (Graphics Display Interface), 29, 248, 453–454
  - General MIDI specification, **249**
  - General Protection Faults (GPFs), **439–440**
  - General setting in Internet Explorer, 399
  - General tab
    - for accessibility options, 165

- for backups, 841, **841**
  - for calling cards, 317, 317
  - for compression, 848, 850
  - for devices, 546
  - for Disk Cleanup, 816
  - for event logs, 858–859, 859
  - for faxes, 347, 347, 359
  - for hardware profiles, 893, 893
  - in Internet Explorer, 387–388, **395–396**, 397
  - for modems, 307, **308–309**, **311**
  - for My Computer, 152, 152
  - in Outlook Express, 414, 414, 433, 434
  - for printers, 212, 215, 215, 918
  - for regional settings, 886, 886
  - for Start menu and Taskbar, **121**
  - for system settings, 888, 888
  - for transport protocols, 533, 533
  - for video driver, **188–189**
  - General Setup tab, 59
  - generic template, 351
  - Genie character, 721
  - get command, 405
  - GetFile method, **743**
  - GetFileName method, **744**
  - GetFolder method, **743–744**
  - GetObject function in VBScript, 763, **768–769**
  - GetObject method in Wscript, 779
  - Global tab, 902, 902
  - Glow filter, 712
  - Go To bar in Media Player, 265
  - GoBack command, 725
  - GoForward command, 725
  - Gopher protocol, 337
  - gpedit.msc file, 228
  - GPFs (General Protection Faults), **439–440**
  - graded index multimode fiber optic cable, 492
  - graphics
    - for cover pages, 356, 357
    - in e-mail, **422–423**, 473
    - in HTML, **657–658**
    - Structured Graphics control for, **709–711**, 710
    - for wallpaper, 391
  - graphics boards
    - installing, **257–259**
    - recommendations for, **250–251**
  - Graphics Display Interface (GDI), 29, 248, 453–454
  - Grayscale filter, 712
  - grids for fax cover pages, 354
  - group policies, 597
  - Group Policy window, 228–229, 228
  - groups, **559–560**
    - creating, **566–567**, 566
    - permissions for, 570
    - scheduling, **472**
  - groupware, **476**
  - Guest accounts, 559
  - Guests group, 559
  - GUI Attended option, **72**
  - GUI mode, troubleshooting, **923–927**
- ## H
- H variable for separator pages, 223
  - <H1> tag, 644–645
  - HAL (Hardware Abstraction Layer), 7, 20, **443–444**, 455
    - and Kernel, **27–28**
    - in setup, **923**
  - handles in Cover Page Editor, 356, 356
  - hard disk drives
    - checking for errors on, **817**, 850
    - cleaning up, **816–817**, 816
    - in cloning, 85
    - compression on, **848–850**
    - defragmenting, **814–816**, 815
    - dynamic volumes on, **854–855**
    - extended partitions on, **851–852**
    - logical, **851–852**
    - mapping, **538–539**, 539, **543**
    - moving and copying files and folders
      - between, 137–138
    - network, connecting to, **794–795**
    - SCSI, **803**
    - setting up, **850–855**
    - for setup files, 49, 51
    - striped and spanned volumes on, **852–854**
    - troubleshooting, **920–922**
  - hardware
    - crashes from, **810–812**
    - display adapters, **801–802**, 801–802

- LAN cards. *See* network interface cards (NICs)
- requirements for, **40–44, 442–443**
- SCSI cards and devices, **802–803**
- sound cards, **805–807, 806**
- and Virtual DOS machines, **461–462**
- hardware abstraction, 247
- Hardware Abstraction Layer (HAL), 7, 20, **443–444, 455**
  - and Kernel, **27–28**
  - in setup, **923**
- Hardware Abstraction Layer option, **76**
- Hardware Compatibility List (HCL)
  - consulting, **42–43**
  - drivers in, 32, **43–44**
- hardware profiles, 154
  - creating, **544–546, 545**
  - managing, **546–547, 547**
  - system settings for, **892–893, 892**
- Hardware Profiles applet, 544–545, 545, **892–893, 892**
- hardware resources, Plug-and-Play support for, **9–11**
- Hardware tab
  - for hardware profiles, 544
  - for keyboard, **885**
  - for MIDI, 263, 263
  - for mouse properties, 194
  - for My Computer, 153, 154
  - for system settings, **889–893, 890**
- Hardware Type screen, 254
- Hardware Wizard, 153, **890, 891**
- HCL (Hardware Compatibility List)
  - consulting, **42–43**
  - drivers in, 32, **43–44**
- <HEAD> tag, 649
- Head1\_onClick routine, 707
- Head1\_onmouseout routine, 707
- Head1\_onmouseover routine, 707–708
- HeadOnMouseOut routine, 645
- HeadOnMouseOver routine, 645
- headphones, 255
- HEIGHT attribute
  - in <IMG>, 658
  - in <STYLE>, 700, 701
- help
  - in Explorer, 135
  - in Fax Service Management Console, 349
  - in FTP, 405
  - in Internet Explorer, **379**
  - for printers, **241–243**
  - question mark button for, 151
- Help command, 241
- Help folder, 143
- Help menu
  - Contents And Index command, 379
  - in Explorer, 135
  - For Netscape Users command, 379
  - Online Support command, 379
- Hibernation feature, **14–15**
- hidden attributes, 150
- Hidden constant, 753
- hidden files, 753
- hidden folders, 141
- Hide Pages option, **72**
- Hide Protected Operating System Files (Recommended) option, 61
- hiding
  - keyboard shortcuts, **185**
  - Taskbar, 121
- High Contrast option, 164
- High-Contrast White color scheme, 179
- High security level, 398
- Hijaak program, 278
- History button, 130, 387
- history in Internet Explorer, **387–388, 387, 398**
- history of Windows 2000, **5–8**
- History setting, **398**
- HKEY\_ keys, 789
- home directories and folders, 20, **543**
- Home Page setting, 397–398
- HOMEDRIVE environment variable, 782
- horizontal rules in HTML, 652, 653
- Host A Meeting dialog box, 369, 370
- hosting NetMeeting meetings, **369, 370**
- hostname utility, **929**
- hot Plug-and-Play support, **11**
- HotKey property, 796
- Hotshot program, 278
- Hour function, 677
- <HR> tag, 652
- HREF attribute, 660
- HSPACE attribute, 658

- HTM extension, 649
- HTML (Hypertext Markup Language), 123–124, **640**
- ActiveX controls for. *See* ActiveX controls
  - designing with, **645–648**, 646–647
  - DHTML. *See* DHTML (Dynamic HTML)
  - for e-mail, **420–422**, 421–422
  - essentials for, **648–651**, 649–650
  - hyperlinks in, **659–660**, 659
  - images in, **657–658**
  - lists in, **654–656**, 657
  - for merging Web with Desktop, **643–645**, 643
  - source code for, **378–379**
  - tables in, **660–663**, 661–662
  - text formatting tags in, **651–654**, 653
  - VBScript for. *See* VBScript language
  - voice-enabled pages in, **720–726**, 721–722
- <HTML> tag, 644
- HTTP protocol support, 337
- hubs
- in 10Base-T, 514
  - in star topology, **504–506**
  - in token ring systems, 498
- Hyperlink dialog box, 424
- hyperlinks
- in e-mail, **423–424**
  - in HTML, **659–660**, 659
  - in Internet Explorer, **383–384**
  - starting Internet Explorer from, **377**
- HyperTerminal program, **362**
- connections in, **363–364**, 363
  - sending and receiving files in, **364**
- Hypertext Markup Language. *See* HTML (Hypertext Markup Language)
- I**
- I Connect Through A Phone Line And A Modem option, 320
- I/O Manager, **28**, 28, 455
- I/O resources, 252
- for network interface cards, 475, **478–481**
  - Plug and Play support for, **9–11**
  - for sound cards, 806
- <I> tag, 646, 651
- I variable for separator pages, 223
- I Want To Set Up My Internet Connection
- Manually option, 319
- I Want To Sign Up For A New Internet Account option, 318
- I Want To Transfer My Existing Internet Account To This Computer option, 318
- I386 directory, 69, 83
- IBM cabling, **496–498**
- ICB 2000 utility, 325
- ICMP (Internet Control Message Protocol), 406, 406
- IconLocation property, 797
- icons
- color for, **185**
  - large, **185**
  - settings for, 121
  - small, 121
- ICS (Internet Connection Sharing), 15
- IDE adapters, **807**
- Identification Changes dialog box, 535, 535, 550, 599–600, 599
- identification in networking for workgroups, **534–535**, 534–535
- identities for e-mail, **428–429**, 429
- Identities menu, Logoff Identity command, 429
- IE. *See* Internet Explorer
- IEEE topological protocols
- 802.3, **515–519**, 517–518
  - 802.4, **519**, 519
  - 802.5, **520**
- If...Then...Else statements, **667**
- Ignore buttons, 784–785
- IIS (Internet Information Services), 15, **641–643**
- images
- for cover pages, 356, 357
  - drive, copying, **84–87**, 86
  - in e-mail, 473
  - in HTML, **657–658**
  - Structured Graphics control for, **709–711**, 710
  - for wallpaper, 391
- <IMG> tag, 657–658
- impersonation problems
- callback security for, **630–631**
  - encryption for, **629–630**
  - guidelines for, **628–629**
  - third-party products for, **631–632**

- Inbox folder, 413
- Include All The Prefixes Within This Area option, 315
- Include Message In Reply option, 418
- Include Only The Prefixes In The List Below option, 315
- Incremental backups, 841
- independence in architecture design, **441-445**
- Industry Standard Architecture (ISA) bus, 10-11, 811
- .inf extension, 211
- Inf folder, 143
- information events, 856
- Information icon, 785
- inner conductors in coaxial cable, 487, 489
- Input Locales tab
  - for keyboard settings, 883-884, 884
  - for regional settings, 887
- input/output functions in VBScript, **672-674**, 672-673
- <INPUT> tag, 679-682
- InputBox function, 672, 672
- Insert Attachment dialog box, 425, 425
- Insert menu
  - File Attachment command, 425
  - Horizontal Line command, 421
  - Hyperlink command, 424
  - Message command, 355
  - Picture command, 423
  - Recipient command, 355
  - Sender command, 355
  - Signature command, 425
- InsertAfter method, 767
- InsertBefore method, 767
- Install New Fonts command, 244
- Install New Modem screen, 306, 306
- Install Printers option, **75**
- Install Start Menu Items option, 55
- install utility, **111-112**, 113
- Installation Folder option, **75**
- installing
  - batch routines for
    - SYSPREP for, **84-87**, 86
    - unattended, **66-83**
  - cabling for networks, **482**
  - crashes from, 812
  - display adapters, **801-802**, 801-802
  - domain member workstations, **56-58**, 56
  - fax service, **342**
  - fonts, 66
  - graphics cards, **257-259**
  - modems, **304-306**, 305-306
  - multimedia hardware, **250-251**
  - multiple workstations, **58-59**
  - programs, **111-112**, 113
  - Recovery Console program, **820**, 820
  - SCSI cards and devices, **802-803**
  - sound card drivers, **253-256**
  - sound cards, **251-257**, 253-255
  - stand-alone workstations, **47-56**
- InstallShield Silent (ISS) install files, 76
- InStr function, **675**
- Integrated Services Digital Network (ISDN), 303, **328**
  - advantages and disadvantages of, **329-330**
  - dialing in with, **331**
  - ISPs for, **330-331**
  - modems for, **330**
  - operation of, **329**
  - service delivery for, **331**
- interactive pages, 694
- interception of data, **621-623**, 622-623
- interlaced refresh rate, 189
- internal modems, 920
- Internet
  - connections to
    - cable modems for, **321-325**
    - DSL for, **325-328**
    - Internet Connection Wizard for, **318-320**, 319
    - ISDN for, **328-331**
    - sharing, **331-339**, 334-337
  - utilities for, **403**
    - arp, 404
    - Finger, **406**
    - FTP, **404-405**, 404
    - netstat, **407**, 407
    - ping, **406-407**
    - rcp, **407**
    - REXEC, **407-408**
    - route, **408-409**
    - rsh, **408**

- Telnet, **408**
  - tftp, **410**
  - tracert, **409**, 409
  - Internet Connection Sharing (ICS), 15
  - Internet Connection Sharing Application dialog box, 336, 336
  - Internet Connection Sharing Settings dialog box, 334–335, 335, 337
  - Internet Connection Wizard, **318–320**, 319
  - Internet Control Message Protocol (ICMP), 406, 406
  - Internet Explorer, 8, 15
    - configuring, **395**
      - Advanced tab, **402**, 403
      - Connections tab, **400–401**, 401
      - Content tab, **399–400**, 400
      - General tab, **395–396**, 397
      - Programs tab, **401**, 402
      - Security tab, **397–398**, 398
    - favorites in, **384–387**, 384–386
    - going to sites with, **381–383**, 382
    - help for, **379**
    - history in, **387–388**, 387
    - link management in, **383–384**
    - mail and news in, **388**
    - printing Web pages in, **391–392**, 391
    - for radio, **388–389**, 389
    - saving Web pages in, **389–391**, 390
    - searching with, **393–395**, 394
    - starting, **376**, 377
      - from Desktop, **377**
      - from hyperlinks, **377**
      - from Windows Explorer, **378**
    - tour of, **379–381**, 380
    - working offline in, **392–393**
  - Internet Information Services (IIS), 15, **641–643**
  - Internet Options dialog box, 160, 318, 382, 387–388, 392, 395
  - Internet Protocol (IP) addresses, 46, 595, **930–931**
    - in Internet connection sharing, 337–338
    - for NetMeeting, **367**
  - Internet security zone, 397
  - interrupt requests. *See* IRQs (interrupt requests)
  - % Interrupt Time counter, 864
  - intrinsic controls, 678
  - Invert filter, 712
  - inverting file selections, 133
  - IP (Internet Protocol) addresses, 46, 595, **930–931**
    - in Internet connection sharing, 337–338
    - for NetMeeting, **367**
  - IP Configuration dialog box, 367
  - IP configuration in cloning, 85
  - IP Security (IPSec), 14
  - IPCONFIG utility, 367, 553, 553, **929**, 930
  - IPSec (IP Security), 14
  - IPX/SPX protocol, **933–935**, 934
  - ipxroute.exe utility, 934
  - IRQs (interrupt requests)
    - list of, 252
    - for network interface cards, 475, **478–480**
    - Plug and Play support for, **9–11**
    - for sound cards, 252, 806
  - IRQs folder, 874, 874
  - ISA (Industry Standard Architecture) bus, 10–11, 811
  - IsDate function, 665
  - ISDN (Integrated Services Digital Network), 303, **328**
    - advantages and disadvantages of, **329–330**
    - dialing in with, **331**
    - ISPs for, **330–331**
    - modems for, **330**
    - operation of, **329**
    - service delivery for, **331**
  - ISPs
    - for Internet connections, 319–320
    - for ISDN, **330–331**
  - IsReady property, 750
  - IsRootFolder property, **759**
  - ISS (InstallShield Silent) install files, 76
  - italics formatting in HTML, 651
  - Item property, 734
  - Items method, 734
- ## J
- jackets in coaxial cable, 487, 489
  - jaggies, 185–186
  - Java folder, 143
  - Job menu, Load Selections command, 840

JScript language, host for. *See* Windows Scripting Host  
 jumpers, 9

## K

Kernel, **444**, 455  
 Kernel mode, **27–29**, 28  
   components of, 936, **937–938**  
   privilege levels in, **439–441**  
 Key property, 734  
 keyboard  
   accessibility options for, **163–164**, 164  
   drivers for, **804–805**, 805  
   Hardware settings for, **885**  
   language support for, **883–884**, 884  
   layout of, **883–885**, 884  
   on-screen, **167–168**, 168  
   speed settings for, 882, **883**  
   for Start menu, 101  
 Keyboard applet, 160  
 Keyboard Properties dialog box, **804–805**  
 keyboard shortcuts, hiding, **185**  
 Keyboard tab, **163–164**, 164  
 Keys method, 734  
 keywords in Knowledge Base, 941  
 Knowledge Base, **939**  
   accessing, **939–940**  
   querying, **940–941**

## L

L-2TP (Layer-2 Tunneling Protocol), 14, 627  
 L variable for separator pages, 223  
 LAN-aware applications, **476**  
 LAN cards. *See* network interface cards (NICs)  
 LAN-dependent applications, **476**  
 LAN-hostile applications, **477**  
 LAN-unaware applications, **476–477**  
 language support for keyboard, **883–884**, 884  
 Languages option, **75**  
 Languages setting in Internet Explorer, 398  
 LANs (local area networks), **469**  
   application sharing on, **470–471**  
   benefits of, **469–470**  
   e-mail on, **472–473**  
   file sharing on, **470**  
   games on, **473**  
   group scheduling on, **472**  
   peripheral sharing on, **471–472**  
 laptop computers  
   mouse trails for, 194  
   resolution of, 187  
 Large Fonts option, 189  
 large icons, **185**  
 Large Icons view in Explorer, 125, 126  
 last known good configuration, 66, **818–819**  
 Launch Internet Explorer icon, 95  
 Launch Outlook Express icon, 95  
 Layer-2 Tunneling Protocol (L-2TP), 14, 627  
 layered operating systems, **445–447**, 446  
 layout, keyboard, **883–885**, 884  
 LCCase function, **674**  
 LCD screens, color schemes for, 179  
 LDAP (Lightweight Directory Access Protocol), 588  
 LEDs (light emitting diodes), 490  
 Left function, **674**  
 Left-Handed option, 191  
 Len function, 675  
 LFN (long filenames), 53  
   in Novell networks, 604, **616**  
   in UNC, **542–543**  
 <LI> tag, 655  
 License Agreement option, **72–73**  
 licenses  
   for applications, 471  
   in workstation installations, **52**  
 light emitting diodes (LEDs), 490  
 Light filter, 712  
 Lights effect, **713–715**  
 Lightweight Directory Access Protocol (LDAP), 588  
 limits on share usage, **536–537**  
 Line property, 740  
 Line tool, 357  
 links  
   in e-mail, **423–424**  
   fixing, **295–297**, 296  
   in HTML, **659–660**, 659  
   in Internet Explorer, **383–384**

- for OLE objects, **291–292**
  - for replication, 594
  - updating, **293–297**, 294, 296
  - links bar, 380, 380, **383–384**
  - Links dialog box, 294–297, 294
  - LINKS.HTM page, 696–697, 697
  - Links option, 385
  - List Folder Contents permission, 571
  - List Folder/Read Data permission, 572
  - List view in Explorer, 127, 127
  - lists
    - in DHTML, **706–708**
    - in HTML, **654–656**, 657, **703–706**
  - listsvc utility, 827
  - lnk extension, 36
  - loading
    - color schemes, **178–179**
    - screen savers, **174–176**, 174–175
    - wallpaper patterns, **172**, 172
    - wallpaper slices, **173–174**
  - Local Address information in netstat, 407
  - Local Area Connection Properties dialog box, 532–533, 533
  - local area networks. *See* LANs (local area networks)
  - Local Calls tab, 318
  - Local ClipBook window, 285, 286
  - local domains, network resources in, **542**, 542
  - Local Intranet security zone, 397
  - Local Or Network Printer screen, 203–204, 208
  - Local Port option, 217
  - local printers, adding, **208–210**, 209
  - Local Procedure Call (LPC) facility, 29, 449, 456
  - local profiles, 893
  - Local Security Policy Setting dialog box, 229, 229, 576–577, 576
  - Local Security Settings window, 560–561, 560, 635
  - Local Settings folder, 142
  - local user profiles, 548
  - Local Users And Groups window, 564
  - LocalTalk/AppleTalk network, 511
  - Locate Your Printer screen, 207
  - Location Of Setup Files option, **77–78**
  - Lock command, 107
  - log files. *See* logs
  - Log On tab, 547, 547
  - Log On To A Directory Server When NetMeeting Starts option, 365
  - logical addresses in paging, 464–465
  - logical drives
    - creating, **851–852**
    - formatting, **851–852**
    - size of, 852
  - logical topologies, 475
    - bus, **509–511**, 511
    - token ring, **511–513**
  - logon IDS in client/server networks, 521–522
  - logon servers, **587–588**
  - logons
    - to Active Directory, **600–601**
    - in Novell networks, **605**
    - rights for, 561
    - scripts for. *See* scripts
    - for security, **24**
  - logs, **20**
    - for events, **855–861**
    - for faxes, 347
    - for modems, **309–310**
    - for security, **25**
  - Long Distance tab, 317
  - long filenames (LFN), 53
    - in Novell networks, 604, **616**
    - in UNC's, **542–543**
  - looping statements, **669–671**
  - Lotus Notes, 476
  - Low security level, 398
  - LPC (Local Procedure Call) facility, 29, 449, 456
  - LPT ports, 209
  - ls command, 405
- ## M
- /m parameter, 50
  - MAC (Media Access Control) addresses, 595
  - MACH operating system, 7
  - machine names, 530–531
  - Macintosh OS operating system, **26**
  - Macro menu, Visual Basic Editor command, 767
  - Magnifier utility, **166**, 166
  - mail, electronic. *See* e-mail

- Mail And News menu, Send A Link command, 424
- main window
  - in Internet Explorer, 380, 381
  - in MMC, 906, 906
- mainframe computers, 5
- maintaining cabling, **482**
- Maintenance tab, 433
- Make Available Offline option, 392
- Make New Connection option, 624
- /makelocalsource parameter, 50
- Manage Documents permission, 224–225
- Manage Identities dialog box, 429
- Manage Printers permission, 224–225
- Management Console, 8, **13**, **903**
  - benefits of, **904**
  - Computer Management console in, **907–909**, 908–909
  - terms in, **905–907**, 906
- mandatory user profiles, 548
- MANs (Metropolitan Area Networks), 469
- manual link updating, **293–294**, 294
- map command
  - in Netware, 618
  - in Recovery Console, 831
- Map Network Drive command, 135, 555
- Map Network Drive dialog box, 538–539, 539
- MapNetworkDrive method, **794–795**
- mapped drives, 103
  - for network resources, **538–539**, 539
  - passwords with, 555–556
  - UNCs for, **543**
- marking e-mail, **415**
- Mask filter, 712
- Master Boot Records (MBRs), **829–830**, 924–925
- Master File Tables (MFTs), 22
- masters in RDS, **372–373**
- math parsers, 764
- MATH.VBS script, 764, 769–770, 777–778
- MAUs (multistation access units)
  - in star topology, 505
  - in token ring topology, 512
- Maximum Allowed share limit, 536
- Maximum Strength Encryption option, 623
- MAXLENGTH attribute, 679
- MBRs (Master Boot Records), **829–830**, 924–925
- MCA (MicroChannel Architecture) bus, 811
- md command, 828–829
- Media Access Control (MAC) addresses, 595
- media attachment units, 512
- Media folder, 143
- Media layer of DirectX, **249–250**
- Media option for Internet Explorer favorites, 385
- Media Player, **264**, 265
  - AVI file features in, **266**
  - controls for, **265–266**
- Medium security level, 398
- Medium-Low security level, 398
- meetings. *See* NetMeeting
- MEM command, 924
- memory
  - for 16-bit applications, **21**
  - for Clipboard, 275
  - for graphics boards, 250
  - managing, **462–465**
  - programming mistakes with, **464**
  - protecting, **438–441**
  - requirements for, **41–42**, 443
  - for User mode programs, 448
  - virtual, 29, **464–465**
  - Virtual Memory Manager for, 29, 456
- Memory Manager, **462–465**
- memory spaces, 459
- menus
  - in Internet Explorer, 380, 380
  - personalized, 16
  - shortcut, **96–97**, 97
    - in Explorer, **135–136**
    - manipulating, **788–790**, 789–790
    - printing by, **236**
  - transition effects for, 184
- merging Web with Desktop, **643–645**, 643
- Merlin character, 721–722, 722
- Message menu
  - in Cover Page Editor, 355
  - Flag Message command, 415
  - New using command, 422
  - Set Priority command, 420
- Message Queuing applet, 160
- Message Rules dialog box, 427–428
- message rules for e-mail, **426–428**, 426–428

- Message Rules menu
  - Blocked Senders List command, 427
  - Mail command, 426
- messages
  - in Chat, **368**, 368
  - e-mail. *See* e-mail
- Metal Oxide Varistors (MOVs), 812
- methods in VB Script, **730–732**
- Metropolitan Area Networks (MANs), 469
- MFTs (Master File Tables), 22
- Mickeys measurement unit, 193–194
- MicroChannel Architecture (MCA) bus, 811
- microkernel, 7, **447–448**, 447, **452–453**
- microphones
  - for Agent, 720
  - for NetMeeting, 365–366
- microprocessors
  - requirements for, **40–41**, **442–443**
  - support for, 21
- Microsoft CHAP, 630
- Microsoft Knowledge Base, **939**
  - accessing, **939–940**
  - querying, **940–941**
- Microsoft Management Console (MMC), 8, **13**, **903**
  - benefits of, **904**
  - Computer Management console in, **907–909**, 908–909
  - terms in, **905–907**, 906
- Microsoft Network (MSN) support, 16
- Microsoft Product Support Services tab, 379
- Mid function, **675**
- middleware, 247
- MIDI, **249**
  - synthesizers for, 251
  - tools for, **262–263**, 263
- mini-Explorers, **122**
- Minimize All Windows command, 119
- minimized applications, **106**, 148
- Minimized option, 106
- minimizing windows, 119
- Minute function, 677
- MIPS chips, 16
- mirrored dynamic volumes, 855
- misc newsgroups, 430
- mkdir command, 828–829
- MMC (Microsoft Management Console), 8, **13**, **903**
  - benefits of, **904**
  - Computer Management console in, **907–909**, 908–909
  - terms in, **905–907**, 906
- modal dispersion, 492
- modems
  - Advanced properties for, **310–312**
  - cable, **321–325**
  - calling cards with, **316–318**, 317–318
  - diagnostics properties for, **309–310**, 309
  - dialing rules for, **312–318**, 313, 315
  - General properties for, 307, **308–309**
  - I/O resources for, 252
  - installing, **304–306**, 305–306
  - ISDN, **330**
  - setup information for, 920
  - speed of, 308, 311
- Modems tab, 306–307
- Modify permissions, 571
- modify rights, 605
- modulation setting for modems, 312
- modules
  - environment subsystems, **457–462**
  - HAL, 455
  - I/O manager, 455
  - Kernel, 455
  - OS/2, **461**
  - POSIX, **461**
  - Virtual DOS machines, **461–462**
  - Win32, **457–458**
  - Windows 2000 Executive, **455–457**
  - WOWEXEC, **458–461**
- Monitor tab, **189**
- monitoring processes, **877–878**, 878
- monitors
  - energy savings for, **176–177**
  - multiple, 13
  - refresh rate for, 189, 259
- monomode fiber optic cable, 491
- Month function, 677
- MonthName function, 678
- More Options tab, 817
- motion of pointers, **193–194**, 193
- mouse, 160, **190**
  - accessibility options for, 165

- button settings for, **190–194**, 191
- double-click speed of, **191**
- drivers for, **804**
- hardware settings for, **194**
- I/O resources for, 252
- pointer settings for, **192–193**, 192–193
- setup information for, 920
- switching buttons on, **191**
- mouse events in DHTML, **696–698**, 697
- Mouse Properties dialog box, 194
- Mouse tab, 165
- mouse trails, 194
- Mouse Troubleshooter, 195
- MouseKeys setting, 165
- Move dialog box, 427
- Move Here command, 138, 277
- Move It To The Specific Folder option, 426
- Move method, 756–757
- Move To button, 130
- MoveFile method, **742–743**
- MoveFolder method, **743**
- moving
  - Cover Page Editor fields, 356, 356
  - e-mail, **415**
  - favorites sites, 387
  - files, **136–138**, **745–747**
  - Taskbar, 108
- MOVs (Metal Oxide Varistors), 812
- MRPs (Multiple Provider Routers), 936
- MS-DOS (Microsoft Disk Operating System). *See* DOS applications
- MSAgent folder, 143
- Msapps folder, 143
- MSC extension, 905
- MsgBox function, **672–674**, 672–673
- MSLink\_onMouseOver routine, 697
- MSN (Microsoft Network) support, 16
- MSN option, 385
- Muglia, Bob, 33
- multi keyword, 62–64
- multi-user environments. *See* user profiles
- multihomed computers, 408
- multimedia, 161, **246–247**, 247
  - ActiveX controls, **709**
    - Filter control, **711–715**, 713
    - Multimedia Sequencer control, **715–720**, 717
    - Structured Graphics control, **709–711**, 710
  - CD Player for, **266–269**, 267
  - device information for, **263**
  - file compression for, 848
  - file information for, **264**
  - Foundation layer for, **248–249**
  - graphics cards for, **250–251**, **257–259**
  - Media layer for, **249–250**
  - Media Player for, **264–266**, 265
  - MIDI tools for, **262–263**, 263
  - sound cards for, **251–257**
  - sound handling in, **248–249**
  - Sound Recorder for, **269–270**, 269
  - sound tools for, **260–262**, 261
  - sounds for system events, **259–260**, 259
  - speakers for, **251**
  - video in, **248–249**
  - Volume Control for, **270–272**, 270
- Multimedia Sequencer control, **715–720**, 717
- multimode fiber optic cable, 492
- MULTIPLE attribute, 682
- multiple installations, batch routines for
  - SYSPREP for, **84–87**, 86
  - unattended, **66–83**
- multiple monitors, support for, 13
- multiple operating systems, **46**, **60–66**
- Multiple Provider Routers (MRPs), 936
- Multiple Selection controls, **681–682**, 682
- multiple UNC providers (MUPs), **937**
- multiple workstations, automatic installation on, **58–59**
- multistation access units (MAUs)
  - in star topology, 505
  - in token ring topology, 512
- multitasking
  - protecting memory in, **438–441**
  - with WOWEXEC, **459–461**
- multiuser environments
  - Profiles folder in, **140–142**, 141
  - Windows 2000 folder in, **142–144**
- MUPs (multiple UNC providers), **937**
- Music Boulevard site, 267
- My Company Uses A Network With A Domain option, 57

My Computer, **99**, 99, 124, 124, 538, 554, 555  
 properties sheet for, 149, **152–156**, 152–156  
 right-clicking on, 147  
 My Connection Settings dialog box, 401  
 My Documents folder, 142, 633  
 My Network Drive dialog box, 555  
 My Network Places, **100**, 100, **538**  
 My Pictures folder, 142  
 MyDate procedure, 665–666

## N

N variable for separator pages, 223  
 Name and Organization dialog box, 54  
 Name property  
   in File, 755  
   in Folder, 759  
   in Wscript, 779  
 name resolution, **589**, 596  
 names  
   ClipBook pages, 285  
   color schemes, 179  
   computers, **73**, 530–531  
   in DHTML, 696  
   directories, 362  
   favorites sites, 386–387  
   files, 53, 132, **138–139**, **745–747**, 829  
   folders, 136, **138–139**, 417  
   groups, 566  
   HyperTerminal connections, 363  
   logon servers for, 587  
   network adapters, 333  
   in Novell networks, 604, **616**  
   organizations, 54  
   printers, 199, 204, 210, **212–213**  
   queued documents, 237  
   screen savers, 174  
   separator pages, 223  
   sorting Explorer items by, 129  
   sound schemes, 260  
   user accounts, 565  
   Web pages, 390  
   workstations, **54–55**  
 namespaces, Active Directory for, **595–597**  
 Narrator, **166–167**, 167  
 native frame sizes, 266  
 navigation bar in Media Player, 265  
 NDIS (Network Driver Interface Specification)  
   for network cards, 32  
   purpose of, **938**  
 NDIS-compliant NICs, **938**  
 nested lists, **655–656**, 657  
 Net Use command, **541–544**, 542  
 NETADMIN utility, 606–607, 609  
 NetBEUI (NetBIOS Extended User Interface)  
   protocol, troubleshooting, **935**  
 NetBIOS names, 596  
 NetDDE, 292  
 NetHood folder, 142  
 NetMeeting, **364–365**  
   calling with, **366–367**  
   Chat application in, **368**, 368  
   directory servers in, **369**, 369  
   hosting meetings in, **369**, 370  
   remote control with, **372–373**  
   sharing applications in, **371**, 371  
   starting, **365–366**, 366  
   transferring files in, **371–372**  
   video in, **370**, 370  
 netstat utility, **407**, 407  
 netware.386 file, 615  
 NetWare Link (NWLink) protocol, 933–934  
 NetWare servers  
   access to, **608–609**, **618**  
   administering from workstations, **608–609**  
   interaction with NT, **609–614**, 612–614  
   NT commands for, **615**  
 network adapters for sharing Internet  
   connections, 333  
 Network And Dial-Up Connections applet, 160,  
   532, 598, 622  
 Network And Dial-Up Connections folder, 333  
 network architectures, **502**  
   IEEE topological protocols, **515–520**, 517–  
   518  
   logical topologies, **509–514**, 511, 513  
   physical topologies, **502–508**, 503–504, 507–  
   508  
 Network Connection Type screen, 625, 625  
 Network Connection Wizard, 624–626, 625–626  
 Network Driver Interface Specification (NDIS)  
   for network cards, 32  
   purpose of, **938**

- network drivers, manager for, 28
- network drives
  - connecting, **794–795**
  - disconnecting, 135, 539
  - mapped, 103, 135
    - for network resources, **538–539**, 539
    - UNCs for, **543**
- Network Identification tab, 56
  - for Active Directory, 599
  - for computer name, 534, 534
  - for My Computer, 152–153, 153
  - for workgroup and domain membership, 888, 889
- Network Identification Wizard, **56–57**, 56, 153, **550–551**
- Network Information screen, 550
- network interface cards (NICs)
  - I/O resources for, 475, **478–481**
  - NDIS-compliant, **938**
  - requirements for, **475**
  - setup information for, 920
  - in workstation installation, **58**
- Network Monitor, 935
- Network Neighborhood, 100
- network numbers in IPX/SPX, 934–935
- Network object, **794–795**
- network operating systems, **476**
- network printers, **202–207**, 203–206, **792–794**
- network provider DLLs, 937
- Network Settings option, **74**
- networking, **530–531**
  - attaching to resources in
    - login scripts for, **554–555**, 555
    - mapping network drives for, **538–539**, 539
    - My Network Places for, **538**
    - UNCs for, **539–544**, 540–542
  - server access problems in, **551**
  - transport protocols in, 533
  - troubleshooting, **927**
    - architecture, **935–938**, 936
    - cabling, **927–928**
    - IPX/SPX, **933–935**, 934
    - NetBEUI, **935**
    - TCP/IP, **928–933**, 930–931
- Networking Settings dialog box, 55
- Networking Setup tab, 59
- networks
  - applications for, **476–477**
  - cabling for. *See* cabling
  - client/server, **520–525**, 521
  - ClipBooks on, **287–288**, 287–288
  - connections on. *See* connections
  - connectors for, **493–496**, 493–496
  - early, **468–469**
  - installing workstations on, **56–58**, 56
  - LANs, **469–473**
  - network interface cards for. *See* network interface cards (NICs)
  - Novell. *See* Novell networks
  - peer-to-peer. *See* peer-to-peer networks
  - requirements for, **475–477**
  - sharing printers on, **212–214**, 212
  - terminology for, **473–475**
  - wireless, **477–478**, 477
  - wiring systems for, **496–499**
- New Active Desktop Item dialog box, 182, 182
- New Alert Settings entry, 867, 867
- New Area Code Rule dialog box, 314–315, 315
- New button for fax cover pages, 344
- New Calling Card dialog box, 317–318, 317
- New command, 135
- new features, **8–16**
- New Group dialog box, 566–567, 566
- New Hardware Detection screen, 252
- New Identity dialog box, 429, 429
- New Location dialog box, 314
- New Log Settings command, 868
- New Log Settings dialog box, 868
- New Mail button, 419, 421
- New Mail Rule dialog box, 426, 426
- New menu, Folder command
  - in Explorer, 136
  - in Outlook Express, **416–417**
- New Message window, 388, 419, 419, 421
- New Port Type option, 217
- New Technology File System (NTFS), **847–848**
  - vs. FAT, **22–23**
    - partitions for, 53
    - in security, 23
- New User dialog box, 564–565, 565
- news newsgroups, 430
- Newsgroup Subscriptions dialog box, 431, 431

- newsgroups, **429–430**
    - accounts for, **431**
    - connecting to, **431**, 431
    - finding, **432**
    - in Internet Explorer, **388**
    - posting to, **432–433**
    - reading, **432**
    - subscribing to, **432**
  - Next Track control, 266
  - NICs (network interface cards)
    - I/O resources for, 475, **478–481**
    - NDIS-compliant, **938**
    - requirements for, **475**
    - setup information for, 920
    - in workstation installation, **58**
  - NNTP protocol, 337
  - No Access permission, 573
  - No buttons, 784–785
  - No Encryption Allowed option, 622
  - /NODEBUG switch, 64
  - nodes on networks, **474**
  - noise on network cabling, **481**, **484–485**
  - nondedicated file servers, **524–525**
  - /noreboot parameter, 50
  - Normal backups, 841
  - Normal constant, 753
  - normal user accounts, 559
  - /NoSerialMice switch, 65
  - Not Shared option, 213
  - NotePad for HTML, 648
  - Notify When Printed option, 614
  - Novell Administrator, 609
  - Novell networks, **604**
    - 32-bit drivers in, **616–617**, 617
    - long filename support in, **616**
    - NT commands for, **615**
    - NT interaction with, **609–614**, 612–614
    - printing to, **615–616**
    - security in, **604–606**
    - server access in, **608**, **618**
    - server administration from workstations in, **608–609**
    - utilities for, **606–607**, 607
  - NT versions, **7–8**
  - NT4 domains, connecting workstations to, **549–551**
    - configuration testing in, **551–554**, 552–553
    - Connect As for, **555–556**
    - login scripts for, **554–555**, 555
    - unavailable servers in, **551**
  - ntds.dit file, 586
  - NTFS (New Technology File System), **847–848**
    - vs. FAT, **22–23**
    - partitions for, 53
    - in security, 23
  - ntuser.dat file, 549
  - Num Lock key for ToggleKeys, 164
  - NUMBER\_OF\_PROCESSORS environment variable, 781
  - Number property in Err, 770–771
  - Numbers tab, 886
  - NWADMIN utility, 609
  - nwcalls.dll file, 615
  - nwipxspx.dll file, 615
  - NWLink (NetWare Link) protocol, 933–934
  - NWLink IPX/SPX Properties dialog box, 612, 613
  - nwnetapi.dll file, 615
- ## O
- Object Linking and Embedding, **289–290**
    - embedding objects in, **290–291**, 290–291
    - linking objects in, **291–292**
    - updating links in, **293–297**, 294, 296
  - Object Manager, 29, **456**
  - objects
    - embedding, **290–291**, 290–291
    - linking, **291–292**
    - in Novell networks, 608
    - in VB Script, **730–732**
  - OEM Branding option, **77**
  - Offline Favorite Wizard, 392
  - Offline files, 12
  - Offline Web Pages folder, 143
  - OK buttons
    - vs. Apply buttons, 176
    - in pop-up windows, 784–785
  - <OL> tag, 655
  - OLE (Object Linking and Embedding), **289–290**
    - embedding objects in, **290–291**, 290–291
    - linking objects in, **291–292**
    - updating links in, **293–297**, 294, 296

- On Error Resume Next statement, **769–770**
  - on-screen keyboard, **167–168**, 168
  - 100Base-T systems, **499**
  - 1000Base-X systems, **499**
  - ones based collections, 735
  - onInit event, 716–717
  - Only The Selected Frame option, 392
  - onPlay event, 716
  - Open button, 344
  - Open dialog box, 282
  - Open Fax Service Management Console option, 346
  - Open key, 789
  - Open method, 686
  - Open With dialog box, 109–110, 109
  - OpenAsTextStream method, **757**
  - opening
    - Control Panel, **158–161**, 159
    - vs. exploring, **124**, 124
    - Fax Service Management Console, 346, 346
    - files, 101, 103, 131
    - rights for, 605
  - OpenTextFile method, **737**
  - OpenType fonts, 243
  - Operating System 2 (OS/2), **26**
  - operating systems, 114
    - architecture-independent, **6–7**
    - client/server, **447–448**, 447, 452
    - layered, **445–447**, 446
    - multiple, **46**, **60–66**
    - network, **476**
    - static, **35–36**
  - <OPTION> tag, 681–682
  - Optional Encryption option, 622–623
  - Options dialog box
    - for backups, 840–841, 841
    - in NetMeeting, 370, 370
    - in Outlook Express, 414, 414, 418, 424
    - for Phone Dialer, 362
  - Options menu
    - About CD Player command, 267
    - CD Player Help command, 267
    - Exit command, 267
    - Playlists command, 267
    - Preferences command, 267
    - Tiny View command, 267
    - in Volume Control, **271**
  - ordered lists in HTML, **654–656**
  - organizational units (OUs), 592
  - Organize Favorites dialog box, 387
  - OS/2 (Operating System 2), **26**
  - OS/2 subsystem, 30, **461**
  - OS environment variables, 782
  - os2.nam file, 616
  - Other option for users, 564
  - OUs (organizational units), 592
  - Outbox folder, 413
  - Outlook Express, **412**
    - customizing, **433–434**, 434
    - for e-mail. *See* e-mail
    - for newsgroups, **429–433**, 431
  - Overflow attribute, 700
  - overwrite setting for event logs, 858–859
  - Owner tab, 227, 227, 580, 580
  - ownership
    - of files, **579–581**, 580
    - permissions for, 573
    - of printers, **227**, 227
    - of queued documents, 237
    - rights for, 562
- ## P
- <P> tag, 649
  - packets, 474
    - in bus topologies, **510–511**, 511
    - collisions between. *See* collisions
    - in token ring topology, 512–513
  - page tables, 464–465
  - pages
    - for ClipBooks, 284
    - in virtual memory, **464–465**
  - paging files, 464–465, 896
  - paging object, 863
  - paging requirements, 443
  - PAP (Password Authentication Protocol), 629–630
  - Paragraph Style button, 422
  - ParentFolder property
    - in File, 755
    - in Folder, 760
  - parity for modems, 312
  - partition keyword, 62–64

- Partition menu, Commit Changes Now command, 852–853
- partition tables, 854–855
- partitions
  - creating, 830–831, **850–851**
  - deleting and formatting, **830–831**
  - extended, **851–852**
  - formatting, **851–852**
  - for workstation installations, **52–53**
- passive hubs, 505
- Password Authentication Protocol (PAP), 629–630
- Password Never Expires option, 565
- Password Protected option, 175
- passwords, 17
  - for Active Directory, 600
  - and administrators, **73, 590**
  - in client/server networks, 521–522
  - for ClipBooks, 289
  - in cloning, 85
  - for e-mail, 429
  - for exporting private keys, 636
  - and impersonation, 628–629
  - in Internet Explorer, 399
  - logon servers for, 587
  - with mapped drives, 555–556
  - in network workstation installation, 57
  - in Novell networks, 605
  - in RDS, 372–373
  - for screen savers, 175
  - settings for, 565
  - in stand-alone workstation installation, **54**
  - for user accounts, 564–565
  - for workstations, 550
- Paste ClipBook button, 284, 284
- Paste command, 135
- Paste dialog box, 285, 285
- Paste Link option, 291
- Paste Special dialog box, 290–291, 290
- pasting
  - to Clipboard, **276–278**, 277, 279
  - to ClipBooks, **285–286**, 285
  - from ClipBooks, **286–287**, 286
  - e-mail, 420
  - files, 132
- PATH environment variable, 782
- Path property
  - in Drive, 751
  - in File, **755**
  - in Folder, 760
  - in Wscript, 779
- Path variable, 897
- PATHEXT environment variable, 782
- paths
  - for applications, 105
  - to printers, 204
  - in separator pages, 223
- Pattern dialog box, 172
- Pattern Editor dialog box, 172–173, 173
- patterns for wallpaper
  - editing, **172–173**, 173
  - loading, **172**, 172
- Pause command, 239
- Pause control, 266
- Pause method, 716
- Pause Printing command, 240
- pauses in printing, **239–240**, 239
- payment methods for ISP Internet connections, 320
- PBX (Private Branch Exchange), 303
- PC Card adapters, **807–808**
- PCI (Peripheral Component Interconnect) bus, 10–11, 811–812
- PCL.SEP file, 221
- PCMCIA adapters, **807–808**
- peer-to-peer networks, **525–526**, 525
  - attaching to network resources in, **538–544**, 539–542
  - benefits of, **527**
  - connections for, **531–532**
  - evaluating packages for, **526**
  - hardware profiles in, **544–547**, 545, 547
  - operation of, **526**
  - shares for, **535–538**, 536
  - transport protocols in, **532–534**
  - user profiles in, **548–549**
  - workgroup connections in, **534–535**, 534–535
- performance. *See* speed
- Performance Logs and Alerts entry, 866–867
- Performance Monitor, **861–864**, 862
  - Alert View in, **866–868**, 867

- Chart View in, **865–866**, 865
- Counter Log View in, **868–869**
- Report View in, **869–870**, 870
- Performance Options dialog box, **895–896**, 895
- Performance tab, 876, 876, 878
- Peripheral Component Interconnect (PCI) bus, 10–11, 811–812
- peripherals, sharing, **471–472**
- Permission Entry dialog box, 572–573, 572
- permissions, **567**
  - assigning, **573–574**, 574
  - for ClipBooks, 288, 288
  - for fax services, 359
  - for groups, 570
  - in Novell networks, **605–606**
  - for printers, 24–25, **224–226**, 225–226
  - for security, **24–25**
  - share-level, **567–569**, 568–569
  - types of, **570–573**, 571
- Permissions dialog box, 568–569, 568
- Permitted To Use option, 86
- persistent connections, 543–544
- Personal Editor program, 6
- personalized menus, 16
- Phone And Modem Options applet, 160, 304–306, 305, **312–318**, 363
- Phone Call option, 361
- Phone Dialer, **360**, 361
  - directories for, **362**
  - placing calls with, **361**
  - video calls with, **362**
- photonic media, 490
- physical addresses in paging, 464–465
- physical drives, 850
- physical topologies, 474, **502–504**, 503
  - bus, **507–508**, 507–508
  - star, **504–507**, 504
- physicaldisk object, 864
- Picture dialog box, 423
- Picture Display option, 172
- pictures. *See* graphics
- ping utility, 338–339, **406–407**, 406, **929**
  - in RDS, 373
  - for workstation connections to NT4 domains, 553–554
- piracy, 471
- PixelPop program, 278
- Place A Call dialog box, 367, 367, 373
- Place All Certificates In The Following Store option, 636
- Place Call option, 367
- Platform setting, **71**
- Play A Sound option, 345
- Play control in CD Player, 266
- Play routine, **718–719**
- plenum cable, 497
- Plug-and-Play support, **8–9**
  - Device Manager for, 11
  - hot, **11**
  - as new feature, **8–11**
  - partial systems, **10–11**
  - for sound cards, 252
- Point-to-Point Tunneling Protocol (PPTP), 14, 627
- pointers, settings for, **192–193**, 192–193
- Pointers tab, 192–193, 192
- politics and Active Directory, **592–593**
- Polygon tool, 357
- pooling printers, **214**
- POP3 protocol, ports for, 337
- Popup method, **784–786**
- POPUP.VBS script, 785–786
- ports
  - adding, **216–217**, 216
  - for cable modems, 321
  - configuring, **217**
  - deleting, **217**
  - for DSL, 325
  - for modems, 308, 311
  - for printers, 209, **216–217**, 216
  - for queued documents, 237
  - retrieving, 217
  - setup information for, 920
  - TCP/IP, **336–337**
- Ports tab, **216–217**, 216
- position of Taskbar, 108
- POSIX subsystem, 30, **461**
- posting to newsgroups, **432–433**
- PostScript preambles, 240
- power, 4
- power conditioners, 812
- power management, 12

- Power Options applet, 160–161
- power problems, crashes from, **812**
- Power Schemes tab, 177, 177
- power settings for monitors, **176–177**
- Power Users group, 560
- PowerPC chips, 16
- ppd files, 918
- PPTP (Point-to-Point Tunneling Protocol), 14, 627
- preambles in 802.3 standard, 515
- preexecution environment (PXE), 68
- Preferences dialog box, **269**
- prefixes in modem dialing, 315
- Preview Time interval, 269
- Previous Track control, 266
- Print All Linked Documents option, 392
- Print Background Colors And Images option, 392
- Print Banner option, 614
- Print Banner On Top Of Each Sent Page option, 359
- Print dialog box
  - in Internet Explorer, 391
  - in WordPad, 234, 234, 241
- Print key, 789
- Print On option, 348
- Print permission, 225
- Print Screen key, 278
- Print Spooler service, 917
- Print Table Of Links option, 392
- Print Test Page option, 918
- Print To File dialog box, 240
- Print Troubleshooter, 242–243, 242
- Printer menu, Cancel All Documents command, 239
- Printer Ports dialog box, 216–217, 216
- printers, **196–198**
  - adding, **198–201**
    - drivers for, **201**
    - local, **208–210**, 209
    - network, **202–207**, 203–206
    - unlisted, **210–212**, 211
  - auditing usage of, **228–232**
  - in cloning, 85
  - deleting from Printers folder, **232–233**
  - drivers for, 616
  - fax, **349**, 353
  - I/O resources for, 252
  - names for, 199, 204, 210, **212–213**
  - network, connecting to, **792–794**
  - ownership information for, **227**, 227
  - permissions for, 24–25, **224–226**, 225–226
  - pooling, **214**
  - ports for, 209, **216–217**, 216
  - priorities for, **220–221**
  - right-clicking on, 147
  - scheduling, **218–220**, 218
  - separator pages for, **220–224**
  - sharing, **212–214**, 212
  - unplugged, **916**
- Printers applet, 160
- Printers folder, 197, 199, 203, 203, 229, **232–233**
- Printers tab, 207
- PrintHood folder, 143
- printing, **196–198**
  - by dragging files, **235–236**
  - e-mail, **415**
  - faxes, 348
  - files, 131
  - to files, **240–241**
  - fonts for, **243–244**, 243
  - in Novell networks, **615–616**
  - pausing, **239–240**, 239
  - from programs, **233–235**, 234
  - queues for, **236–240**, 237
  - by right-clicking, **236**
  - troubleshooting, **241–243**, 242, **915–919**
  - Web pages, **391–392**, 391
- priorities
  - for e-mail, 420
  - for print jobs, **220–221**
  - settings for, 896
- privacy with cable modems, 323, 325
- Private Branch Exchange (PBX), 303
- private keys
  - exporting, **635–636**
  - restoring, **636**
- private network adapters, 333
- privilege levels, **438–441**
- % Privileged Time counter, 864
- privileges, security tokens for, 141
- procedures in VBScript, **665–666**

- Process Manager, 29, 456
  - processes, monitoring, **877–878**, 878
  - Processes tab, **877–878**, 878
  - PROCESSOR\_ environment variables, 781–782
  - processor object, 864
  - Processor Performance Object option, 868
  - % Processor Time counter, 864
  - processors, requirements for, **40–41**, **442–443**
  - Product to Install setting, **71**
  - Professional and Server versions, **4–5**
  - profile folders, **140–142**, 141
  - profiles
    - hardware, 154
      - creating, **544–546**, 545
      - managing, **546–547**, 547
      - system settings for, **892–893**, 892
    - user, **548–549**
      - in cloning, 85
      - for desktop, 154
      - folders for, **140–142**, 141
      - system settings for, **893–894**, 894
      - Windows 2000 vs. Windows 9x, **549**
  - Profiles folder, **140–142**, 141
  - Program Files folder, 110, 111
  - program flow in VBScript, **666**
  - programming, memory mistakes in, **464**
  - programs. *See* applications
  - Programs menu, 100
    - Accessories menu
      - Accessibility command, 165–166, 168
      - Address Book command, 428
      - Communications command, 318, 358, 360, 363, 365
      - Entertainment command, 266, 269–270
      - NotePad command, 167
      - On-Screen Keyboard command, 167
      - System Tools command, 815–816, 821, 839
      - WordPad command, 349
    - Internet Explorer command, 377
    - Outlook Express command, 412
  - Programs tab, **401**, 402
  - PROMPT environment variable, 782
  - properties and properties sheets, **148**
    - for applications, 106
    - for faxes, 347–348, 347–348
    - for modems, **307**
      - Advanced, **310–312**
      - Diagnostics, **309–310**, 309
      - Dialing Rules, **312–318**, 313, 315
      - General, 307, **308–309**
    - for multimedia, 260–261, 261
    - for My Computer, 149, **152–156**, 152–156
    - for printers, 215
    - for Start menu and Taskbar, **120–123**, 122
    - uses for, **148–149**
    - using, **149–152**
    - in VB Script, **730–732**
      - for Volume Control, 270–271, **271**
  - Properties command, 120, 135
  - Properties for Sound dialog box, 270
  - protected mode, **19**, 92
  - protecting memory, **438–441**
  - Proto information in netstat, 407
  - protocol statistics, **407**, 407
  - protocols
    - IEEE topological, **515–520**, 517–518
    - for modems, 311
    - transport, **532–534**, 533, **938**
  - Provide Defaults option, **72**
  - PSCRIPT.SEP file, 221
  - Public Key Policies folder, 635
  - public network adapters, 333
  - Public Network screen, 625, 625
  - PXE (preexecution environment), 68
- ## Q
- quality of Sound Recorder, 262
  - Query Modem option, **309**
  - querying Knowledge Base, **940–941**
  - Question Mark icon, 785
  - question marks (?) for help, 151
  - queues for printing, 196, **236–237**, 237
    - canceling jobs in, **238–239**
    - deleting jobs from, **238**
    - pausing in, **239–240**, 239
    - refreshing, **237–238**
    - troubleshooting, **916–917**
  - Quick Launch toolbar, 119
  - QuickFormat feature, 850–851
  - quit command, 405
  - Quit method, 770, 780

## R

- radio, **388–389**, 389
- Radio Station Guide option, 385, 389
- Radio Stations button, 389
- RadioButton controls, **681**, 681
- RAID 5 dynamic volumes, 855
- RAIDs (Redundant Arrays of Inexpensive Disks), 853
- RAM (random access memory). *See* memory
- Range object, 767
- ranges in printing, 234
- RAS (remote access server), securing sessions in, **621–623**, 622–623
- raster fonts, 243
- Ratings setting, 399
- rcp (Remote File Copy) utility, **407**
- rd command, 829
- rdisk keyword, 62–64
- RDISK utility, 820
- RDS (Remote Desktop Sharing) feature, 15, **372–373**
- Read & Execute permission, 570
- Read Attributes permission, 572
- Read Extended Attributes permission, 572
- Read Mail option, 388, 413
- Read method, 738
- read-only files, 753
- Read-Only option, **72**
- read-only permissions
  - in Novell networks, 606
  - properties sheets for, 150
- Read permissions, 569–570, 605
- Read Permissions permission, 573
- Read tab, 433
- read/write rights, 606
- ReadAll method, 738
- reading
  - newsgroups, **432**
  - Registry keys, **786–788**, 788
- ReadLine method, 738
- ReadOnly constant, 753
- Ready to Send/Clear to Send (RTS/CTS) flow control, 312
- real mode, **19**
- Reboot option, 56
- rebooting
  - in cloning, 85
  - necessity of, **35–36**
- rec newsgroups, 430
- RECALC\_onClick routine, 683
- Receipts tab, 433
- Receive File dialog box, 364
- Receive menu, Receive All command, 415
- Received Faxes tab, 348, 348
- Received File folder, 372
- receiving files, **364**
- Recent folder, 143
- Recipient And Dialing Information tab, 351, 351
- Recipient menu, 355
- Record control, 269
- recording, Volume Control in, **271**, 271
- Recording Control window, 271, 272
- Recovery Agent, **634–636**
- Recovery Console program, 14, **819**
  - commands in, **824–826**
  - for Emergency Repair Disks, **820–823**, 822, **831–832**
  - for enabling and disabling services, **826–828**
  - for fixing boot sectors and boot records, **829–830**
  - installing, **820**, 820
  - for partitions, **830–831**
  - repair options in, **823–824**
  - for replacing damaged files, **828–829**
- Recreational Software Advisory Council (RSAC), 399
- Rectangle tool, 357
- recursive folder scanning, **761–763**
- Recycle Bin, **139**
  - emptying, **139–140**
  - restoring items from, **140**
  - sending items to, **139**
  - settings for, **901–903**, 902
- Recycle Bin Properties dialog box, **902–903**, 902
- red splats, 899
- Redundant Arrays of Inexpensive Disks (RAIDs), 853
- refresh rate for monitors, 189, 259
- refreshing print queues, **237–238**
- REGDEL.VBS script, **790**

- RegDelete method, **790**
- regedit.exe program, 24
- Regional Options applet, 160, **885–887**, 886
- Regional Settings dialog box, 54
- Regional Settings option, **74**
- Register Components option, 55
- Registration folder, 143
- Registry, 110, **786**
  - and ERDs, 821, 823
  - for ports, 217
  - RegDelete method for, **790**
  - RegRead method for, **786–788**, 788
  - RegWrite method for, **788**
  - for shortcut menus, **788–790**, 789–790
  - size of, 896
- RegRead method, **786–788**, 788
- REGREAD.VBS script, **787–788**, 788
- RegWrite method, **788**
- REGWRITE.VBS script, **788**
- reliability of cabling, **483**
- remote access server (RAS), securing sessions in, **621–623**, 622–623
- remote control with NetMeeting, **372–373**
- Remote Desktop Sharing (RDS) feature, 15, **372–373**
- Remote Desktop Sharing Wizard, 372
- Remote File Copy (rcp) utility, **407**
- Remote Installation Service (RIS), **68**
- Remote Procedure Calls (RPCs), 594
- Remote Program Execution (REXEC) utility, **407–408**
- Remote Shell/Script (rsh) utility, **408**
- remote shutdowns, rights for, 561
- Remote Terminal (Telnet) utility, **408**
- Remove Shortcuts/Folders dialog box, 123
- Remove Temporary Files option, 56
- RemoveAll method, 733
- RemoveNetworkDrive method, **795**
- RemovePrinterConnection method, **793–794**
- removing. *See* deleting
- Rename command
  - for favorites, 387
  - for files and folders, 138
  - in Recovery Console, 829
  - on shortcut menus, 135
- renaming
  - favorites sites, 387
  - files and folders, 132, 136, **138–139**, **745–747**, 829
- Repair folder, 143
- repeat delay setting, 883
- repeat rate settings, 883
- repeaters, 483–484
  - in 802.3 standard, 516
  - for fiber optic cable, 491
- replacing damaged files, **828–829**
- replication, **593–594**
- Replicator group, 560
- replying to e-mail, **417–418**
- Report View in Performance Monitor, **869–870**, 870
- Requests for Comments (RFCs), 590
- Require A Password option, 429
- Require Encryption option, 623, 623
- Require Security For This Call (Data Only) option, 373
- requirements
  - for hardware, **40–44**, **442–443**
  - for networks, **475–477**
  - for software, **44–45**
- resizing Taskbar, 108–109
- resolution of laptops, 187
- resource forks, 35
- Resource Kit, **941**
- resources
  - attaching to
    - login scripts for, **554–555**, 555
    - mapping network drives for, **538–539**, 539
    - My Network Places for, **538**
    - UNCs for, **539–544**, 540–542
  - I/O, 252
    - for network interface cards, 475, **478–481**
    - Plug and Play support for, **9–11**
    - for sound cards, 806
- Resources tab
  - for mouse, 194
  - for PCMCIA adapters, 808
  - for sound cards, 806, 806
- Restore command, 140
- Restore tab, 841–842
- Restore Wizard, 821, **842**

- restoring
    - backups, **842**
    - configurations, **817–819**
    - Recovery Agent private keys, **636**
    - Recycle Bin items, **140**
    - rights for, 562
  - Restricted Sites security zone, 397
  - Restricted User option, 564
  - resuming printing, **239–240**, 239
  - retrieving. *See also* loading
    - Clipboard contents, **282–283**
    - color schemes, **178–179**, 178
    - e-mail, **414–415**, 414
    - ports, 217
  - Retry buttons, 784–785
  - Retry Characteristics section, 359
  - REXEC (Remote Program Execution) utility, **407–408**
  - RF noise on network cabling, **481**, **484–485**
  - RFCs (Requests for Comments), 590
  - RG-58A/U cable, 488
  - RG-59/U cable, 489
  - RG-62/U cable, 489
  - RGB color, 653–654
  - right-clicking, **96–97**, 97, **146–148**, 147
    - in Explorer, **135–136**
    - printing by, **236**
  - Right function, **674**
  - rights, **24**, **560–562**, 560–561
    - in Novell networks, **605–606**
    - security tokens for, 141
  - rings, privilege, **440–441**
  - ripple in bus topologies, 510
  - RIS (Remote Installation Service), **68**
  - RJ-45 connectors, **495**, 495
  - rmdir command, 829
  - roaming profiles, 154, 548, 893
  - Robby character, 721
  - robustness in architecture
    - client/server operating systems in, **447–448**, 447, 452
    - compromises in, **449–452**, 450, 452
    - layered operating systems in, **445–447**, 446
  - RootFolder property, 751
  - Rounded Rectangle tool, 357
  - route utility, **408–409**
  - ROWS attribute, 680
  - ROWSPAN attribute, 661–662
  - RPCs (Remote Procedure Calls), 594
  - RSAC (Recreational Software Advisory Council), 399
  - rsh (Remote Shell/Script) utility, **408**
  - RTS/CTS (Ready to Send/Clear to Send) flow control, 312
  - rules for e-mail messages, **426–428**, 426–428
  - Run dialog box, **104–105**, 104
  - Run field for shortcuts, 152
  - Run method, **791–792**
  - Run Once option, **75**
  - run-time errors, **769–771**, 769–770
  - running
    - applications
      - from associations, **103**
      - DOS, **91–92**, **106–107**, 107
      - in dual-boot mode, **114–115**
      - from Explorer, **101–102**
      - minimized, **106**
      - from Run dialog box, **104–105**, 104
      - from Search, **102–103**, 102–103
      - from shortcuts, **104**
      - from Start menu, **100–101**
      - Windows 3.x, **91–92**
      - Windows 9x, **93**
    - scripts, **774–775**. *See also* Windows Scripting Host
- ## S
- /s parameter for WINNT32, 49
  - S variable for separator pages, 222
  - S3 chip set, 802
  - SAA (Systems Application Architecture), 498
  - Safe Mode, booting in, **65–66**
  - Safe Mode option, 65
  - Safe Mode With Command Prompt option, 65
  - Safe Mode With Networking option, 65
  - SafeWord product, **631–632**
  - SAM (Security Accounts Manager), 559, 586, 594
  - Save As dialog box
    - for Clipboard, 282, 282
    - in Explorer, 138
    - in Internet Explorer, 390
    - for Performance Monitor views, 865

- Save Attachments dialog box, 417, 417
- Save in Folder option, 348
- Save Message As dialog box, 416, 416
- Save method, 797
- Save Picture As command, 391
- Save Picture dialog box, 391
- Save Settings option, 55
- Save Target As command, 390
- Save Web Page dialog box, 390, 390
- saving
  - Alert log views, 867
  - attachments, **417**, 417
  - Chat sessions, 368
  - Clipboard contents, **281–282**, 282
  - color schemes, 179–180
  - Desktop files and folders, 137–138
  - e-mail, **415–417**, 416–417
  - Performance Monitor views, 865
  - Sound Recorder files, 270
  - Web pages, **389–391**, 390
- SC (subscriber connector), 496
- scalability, 7, **594–595**
- scale-related problems, **31–33**
- Scan Back control, 266
- Scan For And Attempt Recovery Of Bad Sectors option, 817
- Scan Forward control, 266
- SCAN.VBS script, **761–763**
- SCANDISK command, 107
- ScanFolder routine, 761–762
- Scanners And Cameras applet, 160
- scanning
  - disks, **817**, 850
  - folders, **761–763**
- Schedule tab, 183
- Scheduled Tasks applet, 160
- scheduling
  - fax transmissions, 352, 352
  - groups, **472**
  - printers, **218–220**, 218
- Scheduling Transmission screen, 352, 352
- sci newsgroups, 430
- Screen Area settings, 186, **187–188**
- screen captures, **278**, 279
- screen display, **170–171**
  - accessibility options for, 164
  - adapters for, **801–802**, 801–802
  - appearance of, **177–180**, 178
  - background and wallpaper for, **171–174**, 172–173
  - color schemes for
    - driver settings for, **186–187**
    - loading, **178–179**
    - selecting, **179–180**
  - driver settings for, **185–190**, 186
  - Effects settings for, **183–185**, 183
  - screen savers for, **174–177**, 174–175
- Screen Saver tab, **174–176**, 174–175
- screen savers, **174–177**, 174–175
- screw-mounted adapters (SMAs), 496
- <SCRIPT> tag, 664
- SCRIPT.VBS script, 779, 779
- ScriptFullName property, 779
- scripting hosts. *See* Windows Scripting Host
- ScriptName property, 779
- scripts
  - for attaching to network resources, **554–555**, 555
  - executing. *See* Windows Scripting Host
  - with Multimedia Sequencer control, 715–716
  - for Novell networks, 604
  - VBScript for. *See* VBScript language
- SCSI-2 designation, 802
- SCSI-3 designation, 802
- SCSI cards and devices
  - I/O resources for, 252
  - installing, **802–803**
  - setup information for, 920
  - troubleshooting, **922–923**
- scsi keyword, 63
- SDSL (Symmetric DSL) service, 325
- Search button, 129, 394
- Search Results window, 102–103
- Search utility, **102–103**, 102–103
- searching
  - by browsing, **105**, 105
  - Internet Explorer history, 387
  - for log events, 860
  - for newsgroups, **432**
  - for programs, **110**, 111
  - for sites, **393–395**, 394
- Second function, 677

- sections in batch routines, 70
- SecurID product, **631–632**
- security, 17, **23–25**, **558**
  - Active Directory in. *See* Active Directory (AD)
  - with ActiveX controls, **708–709**
  - auditing in, **574–579**, 575–578
  - with cable modems, 323, 325
  - of client/server networks, 521–522
  - for ClipBooks, 288
  - and Guest account, **551**
  - install utility for, 112
  - in Internet Explorer, **397–398**, 398
  - logons for, **24**
  - logs for, **25**
  - in Novell networks, **604–606**
  - in NT file systems, 23
  - ownership in, **579–581**, 580
  - permissions in. *See* permissions
  - problems from, **33–34**
  - rights in. *See* rights
  - in telecommuting. *See* telecommuting
  - token-based, **140–142**, 141
  - user accounts for, **558–560**
  - user management for, 160, 562–564, 563
  - VPNs for, **14**
- Security Accounts Manager (SAM), 559, 586, 594
- Security folder, 144
- Security log, 20
  - for events, **856–857**
  - rights for, 562
- Security Manager, **140–141**
- Security Reference Monitor (SRM), 29, 456
- Security Settings dialog box, 398, 399
- Security subsystem, 30
- Security tab, 25
  - for auditing, 577
  - for fax services, 359, 360
  - in Internet Explorer, **397–398**, 398
  - in Outlook Express, 433
  - for ownership, 579
  - for permissions, 571, 574
  - for printers, 225–226, 225
  - for RAS, 622
- security zone, 380, 381
- seek bar in Media Player, 265
- Select A Device Driver dialog box, 254–255, 255
- Select Case statements, **668–669**, 668
- Select Counters dialog box, 867–868, 867
- Select Group Policy Object dialog box, 576
- Select Network Client dialog box, 612
- Select Network Protocols dialog box, 533
- Select People dialog box, 427, 427
- Select Preferred Logon dialog box, 613, 613
- Select Special Options dialog box, 51–52, 51
- Select Stationery dialog box, 422
- <SELECT> tag, 681–682
- Select The Printer Port screen, 209, 209
- Select tool, 357
- Select User dialog box, 901
- Select Users, Computers, Or Groups dialog box
  - for auditing, 577
  - for groups, 566
  - for permissions, 568, 569, 574
  - for printers, 226, 226, 230, 230
- selecting
  - for Clipboard, **275–277**, 276
  - color schemes, **179–180**
  - folder contents, 133
- Send A Link option, 388
- Send All option, 371, 420
- Send And Receive All option, 420
- Send Fax Wizard, **350–353**, 350–352
- Send File dialog box, 364
- Send Page option, 388
- Send Settings section, 359
- Send tab, 418, 433
- Send to Back tool, 358
- Send To command, 135
- Send To folder, 143
- Send to Local E-mail Inbox option, 348
- Sender menu in Cover Page Editor, 355
- sending files
  - in HyperTerminal, **364**
  - printer, 241
- Sent Items folder, 414
- Sent To folder, 353
- SEP extension, 221
- separator files, 199
- Separator Page dialog box, 221, 221
- separator pages, **220–221**
  - choosing, **221–222**
  - creating, **222–224**
- Seq\_OnInit routine, 718
- Sequencer control, **715–720**, 717

- serial ports
  - for modems, 308, 311
  - for printers, 209
- SerialNumber property, 751
- server object, 864
- Server Resource Kit, **941**
- Server Service, 937
- Server version, **4-5**
- servers
  - disk, **522-523**
  - file, **474, 523-524**
  - logon, **587-588**
  - on networks, **474**
  - in Novell networks, **608, 618**
  - requirements for, **474**
  - troubleshooting, **932-933**
  - unavailable, **551**
- Service Packs, 8, 18, 84-85
- services
  - configuring, **899-901**
  - enabling and disabling, **826-828**
- Services and Applications node, 907, 909
- Services applet, 827
- Services Console, **899-901**
- Services folder, 873, 873
- Sessions Timed Out counter, 864
- Set As Wallpaper command, 391
- Set Up A Newsgroup Account option, 431
- SetDefaultPrinter method, **794**
- SetFillColor method, 711
- SetFillStyle method, 711
- SetFont method, 711
- SetLineColor method, 711
- settings. *See* properties and properties sheets
- Settings menu
  - Control Panel command, 158
  - Network And Dial-Up Connections
    - command, 333, 598, 622
  - Printers command, 158, 197, 203, 229, 232
  - Taskbar & Start Menu command, 847
- Settings tab, **185-190, 186**
- setup, troubleshooting, **919**
  - blue screens, **923-927**
  - boot issues, **926-928**
  - CD-ROM, **926-927**
  - GUI mode, **923-927**
- SCSI, **922-923**
  - text mode setup, **919-922**
- SETUP.LOG file, 821
- Setup Manager, **58-59, 70-78, 71**
- Setup Preferences screen, 54
- Setup programs, 111-112
- setupmgr.exe program, **58-59**
- [SetupParams] section, **78-79**
- SFC (System File Checker), **836-837**
- Shadow filter, 712
- Share button, 284, 284
- Share ClipBook Page dialog box, 286-287, 287
- Share Item Now option, 286
- share-level permissions, **567-569, 568-569**
- share names
  - for network resources, 531
  - for printers, 210, **212-213**
- Share This Folder option, 536
- shareable files, 606
- ShareName property, 751
- shares, creating, **535-538, 536**
- sharing
  - applications
    - file servers for, **470-471**
    - in NetMeeting, **371, 371**
  - data between applications, **274-275**
    - Clipboard for, **275-278, 276**
    - Clipboard Viewer for, **279-281, 280-282**
    - ClipBooks for, **283-289, 284-288**
    - with OLE. *See* OLE (Object Linking and Embedding)
  - files, **470**
  - Internet connections, **331-333**
    - configuring, **333-337, 334-337**
    - configuring clients, **338**
    - troubleshooting, **338-339**
  - on peer-to-peer networks, 526
  - peripherals, **471-472**
  - permissions in. *See* permissions
  - printers, **212-214, 212**
- Sharing dialog box, 371, 371
- Sharing tab, 536, 536, 567
  - for Internet connections, 334, 334
  - for printers, 212-213, 212
- shd files, 917
- Shell key, 789

- shielded twisted-pair (STP) cable, 485–486
- shielding for cabling, 481, 487, 489, 497
- Shift key
  - for moving files and folders, 137–138
  - for StickyKeys and FilterKeys, 164
- Shift+Delete keys, 139
- Shiva Password Authentication Protocol (SPAP), 630
- shortcut menus, **96–97**, 97, **146–148**, 147
  - in Explorer, **135–136**
  - manipulating, **788–790**, 789–790
  - printing by, **236**
- Shortcut object, 783–784
- Shortcut tab, 150–151, 151
- shortcuts
  - in cloning, 84
  - creating, 104, 132
  - deleting, 119
  - drag-and-drop with, 236
  - for fax printers, 353
  - limitations of, **36**
  - properties sheets for, **150–152**
  - running applications from, **104**
  - for Web sites, 388
  - in Windows Scripting Host, **796–798**
- ShortName property
  - in File, 756
  - in Folder, 760
- ShortPath property, 760
- Show All Hardware Of This Device Class option, 805
- Show Clock Taskbar option, 121
- Show Desktop icon, 95
- Show Hidden Files And Folders option, 61, 86, 141
- Show Small Icons In Start Menu option, 121
- Show Volume Control On The Taskbar option, 262
- Show Web Content On My Active Desktop option, 181
- ShowDate\_Click routine, 682
- ShowSounds settings, 164
- shutdowns
  - crashes from, **813**
  - rights for, 561
- signature keyword, 63
- signatures for e-mail, **424–425**, 424
- Signatures tab, 424, 424, 433
- simple dynamic volumes, 855
- single-mode fiber optic cable, 491
- sites
  - favorite, **384–387**, 384–386
  - going to, **381–383**, 382
  - searching for, **393–395**, 394
- 16-bit applications
  - vs. 32-bit, **92–93**
  - crashes in, 31
  - memory for, **21**
- size
  - event logs, 858–860
  - fonts, **188–189**
  - frames, 266
  - logical drives, 852
  - partitions, 850
  - queued documents, 237
  - Recycle Bin, 902–903
  - Registry, 896
  - sorting Explorer items by, 129
  - striped volumes, 854
  - Taskbar, 108–109
  - windows, 121
- SIZE attribute, 647
  - for Multiple Selection controls, 682
  - for Text controls, 679
- Size property
  - in File, 756
  - in Folder, **760**
- Skip method, 738
- SkipLine method, 738
- slaves in RDS, **372–373**
- Small Computer Systems Interface. *See* SCSI
  - cards and devices
- Small Fonts option, 189
- small icons, 121
- Small Icons view in Explorer, 125, 126
- smart boards, 9
- smart hubs
  - in 10Base-T, 514
  - in token ring systems, 498
- Smart-UPS product, 812
- SMAs (screw-mounted adapters), 496
- smooth edges for fonts, **185–186**

- SMTP protocol, 337
- snap-ins, 905
- SneakerNets, **468–469**
- soc newsgroups, 430
- Soderblom, Olaf, 511
- Software Environment folder, 873–874
- software requirements, **44–45**
- solicit successor frames, 512
- sorting
  - event logs, 860
  - Explorer items, **129**
- sound
  - accessibility options for, 164
  - disabling, 262
  - in e-mail, **423**
  - for faxes, 345
  - level of, 261
  - in multimedia, **248–249**
  - for NetMeeting, 365–366
  - quality of, **262**
  - for system events, **259–260**, 259
  - tools for, **260–262**, 261
  - voice-enabled pages, **720–726**, 721–722
- sound cards, **805–807**, 806
  - for Agent, 720
  - drivers for, 32, **253–256**, 253–255
  - I/O resources for, 252
  - Plug-and-Play for, 252
  - recommendations for, **251**
  - setup information for, 920
  - troubleshooting, **256–257**
- Sound Recorder, **269–270**, 269
- Sound tab, 164
- Sounds And Multimedia applet, 160
- Sounds And Multimedia Properties dialog box
  - for information, 263
  - for MIDI tools, **262–263**, 263
  - for sound quality, 262
  - for sound schemes, 259–260, 259, 261
- Sounds tab, 262
- SoundSentry settings, 164
- source addresses in 802.3 standard, 515
- source code for HTML, **378–379**
- source location for files, 49, 51
- Source tab, 869, 869
- Space Across tool, 358
- Space Down tool, 358
- spanned volumes, **852–855**
- SPAP (Shiva Password Authentication Protocol), 630
- speakers
  - disabling, 262
  - in modems, 308
  - recommendations for, **251**
- Special Access, 571
- SpecialFolders property, **782–783**, 783
- Specific Time In The Next 24 Hours option, 352
- Speech folder, 144
- speech recognition, **720–726**, 721–722
- speed, **19–20**
  - cable modems, **321–322**
  - cabling, **483**, **489–490**
  - DOS and Windows 3.x applications, **34**, 92
  - double-click, **191**
  - DSL, **326**
  - keyboard settings for, 882, **883**
  - modems, 308, 311
  - pointers, **193–194**
  - Virtual Private Networking, **627–628**
- Speed tab, 882, 883
- spikes, **812**
- spl files, 917
- Spool Print Documents So Program Finishes
  - Printing Faster option, 220
- spooling, 196–197, **220**
- spring-loaded twist (ST) connectors, 496, 496
- SPSs (standby power supplies), 812
- SQR function, 769
- SRC attribute, 657
- SRM (Security Reference Monitor), 29, 456
- ST (spring-loaded twist) connectors, 496, 496
- stability, 4, **33**
- stand-alone workstations, **46–56**
- Standalone tab, 575, 575
- Standard TCP/IP Port option, 217
- Standard toolbars, 380, 380
- Standard User option, 564
- StandardEC setting, 311
- standby power supplies (SPSs), 812
- star topology, **504**, 504
  - concentrators in, **505–506**
  - hubs in, **504–506**
  - troubleshooting, **506–507**

- StarLAN network, 511
- Start Application On Connect option, 287
- Start button, 95, 147, 147
- Start menu, **95–96**, 96, **118**, 118
  - adding programs to, **119**
  - customizing, **120–123**, 122
  - Document command, 103
  - Help command, 241
  - Programs submenu. *See* Programs menu
  - removing programs from, **122–123**
  - Run command, 104
  - running applications from, **100–101**
  - Search command, 102
  - Settings menu
    - Control Panel command, 112–113, 158
    - Network And Dial-Up Connections command, 333, 598, 622
    - Printers command, 158, 197, 203, 229, 232
    - Taskbar & Start Menu command, 847
- Start Menu folder, 123, 143
- Start method, 716
- Startup And Recovery dialog box, **897–898**, 898
- State information in netstat, 407
- static operating systems, **35–36**
- stationery, **422**
- Stationery Setup Wizard, 422
- status bar
  - in Internet Explorer, 380, 381
  - in Media Player, 266
- Status Monitor Always On Top option, 345
- Status Monitor tab, **344–345**, 345
- status of queued documents, 237
- step index multimode fiber optic cable, 492
- StickyKeys keyboard option, 164
- stop bits for modems, 312
- Stop control
  - in CD Player, 266
  - in Sound Recorder, 269
- Stop icon, 785
- STOP screens, **923–927**
- Stop Sharing button, 284, 284
- Storage node, 907, 909
- storing. *See* saving
- STP (shielded twisted-pair) cable, 485–486
- StrComp function, 675, 734
- STRGRAPH.HTM page, 710–711, 710
- string manipulation functions, **674–676**
- striped volumes, **852–855**
- strong formatting in HTML, 651
- StrReverse function, 675
- Structured Graphics control, **709–711**, 710
- <STYLE> tag, 695
- STYLES.HTM page, 698–699, 699
- styles in DHTML, **695–701**, 697, 699, 701
  - lists, **703–708**
    - manipulating, **701–703**, 702–703
- Subfolders property, **760–761**
- Subject field, 355
- subnet masks, 338
- subscriber connector (SC), 496
- subscribing to newsgroups, **432**
- Super VGA video, 802
- Support Online pages, 940
- surges, **812**
- switches, DIP, 9
- switching
  - mouse buttons, **191**
  - windows, **108**
- SYBEXLINK\_onClick routine, 696
- SYBEXLINK\_onMouseOver routine, 696
- Symmetric DSL (SDSL) service, 325
- synthesizers for MIDI, 251
- sys files, 937–938
- SYSICON utility, 606–608
- /syspart parameter, 50
- SYSPREP.INF file, **86–87**
- SYSPREP tool, **68–69**, **84–87**, 86
- SYSPRINT.SEP file, 221
- SYSPTJ.SEP file, 221
- system administrators, 140
- System applet, 160, **887**
  - Advanced tab, **894–898**, 895
  - General tab, 888, 888
  - Hardware tab, **889–893**, 890
  - Network Identification tab, 888, 889
  - User Profiles tab, **893–894**, 894
- system clock, 252
- system components, 708
- system configuration utility, 606
- system console, 608
- System constant, 753
- system events, sounds for, **259–260**, 259

System File Checker (SFC), **836–837**  
 system files, 753, **836–837**  
 System folder, 144  
 system folders, 115  
 System Information dialog box, 480, 480  
 System Information tool, **870–875**, 871–875  
 System log, 20, **856–857**  
 System Log Properties dialog box, 858–859, 859  
 System menu, right-clicking for, 148  
 System Monitor Properties dialog box, 866, 866, 869, 869  
 system policies, 597  
 System Properties dialog box, 86, 479  
   for network identification, 534, 534  
   for user profiles, 544, 548  
 System Summary folder, 871, 871  
 system time, rights for, 561  
 System Tools menu  
   Backup command, 821, 839  
   Disk Cleanup command, 816  
   Disk Defragmenter command, 815  
 System Tools node, 907–908, 908  
 System32 folder, 144  
 SYSTEMDRIVE environment variable, 782  
 SYSTEMROOT environment variable, 782  
 Systems Application Architecture (SAA), 498

## T

/T command-line switch, 83  
 T-connectors, 493, 493  
 T variable for separator pages, 223  
 T1 lines, 326  
 Table of Contents button, 284, 284  
 <TABLE> tag, 660–661  
 tables in HTML, **660–663**, 661–662  
 tags in HTML, 646  
 Take Ownership permission, 573  
 talk newsgroups, 430  
 tape drives, SCSI, **803**  
 TAPI (Telephone Application Programmers Interface), **303–304**  
 taps in cabling, 507  
 TargetPath property, 797  
 Task Manager, 861, **875–878**, 877–878  
 Task Manager command, 120  
 Taskbar, **94–95**  
   for arranging windows, **119–120**  
   configuring, **108–109**  
   properties sheets for, **120–123**, 122  
   right-clicking on, 147, 147  
   for switching windows, **108**, 108  
 Taskbar And Start Menu Properties dialog box, 847  
 taskmgr command, 876  
 Tasks folder, 144  
 TCP/IP (transmission-control protocol/Internet protocol)  
   in Internet connection sharing, 335–336  
   troubleshooting, **928–933**, 930–931  
   well known ports and services in, **337**  
 <TD> tag, 660–661  
 TDI (Transport Driver Interface), **937–938**  
 TechNet product, 940  
 Technical Support, 939–940  
 telecommuting  
   encryption in, **633–634**, 634  
   impersonation in, **628–632**  
   interception of data in, **621–623**, 622–623  
   Recovery Agent for, **634–636**  
   risks and rewards in, **620–621**  
   Virtual Private Networking in, **623–628**, 625–626  
 Telephone Application Programmers Interface (TAPI), **303–304**  
 Telephony option, **74**  
 Telnet (Remote Terminal) utility, 337, **408**  
 Telnet Server, 16  
 TEMP environment variable, 782  
 Temp folder, 144, 633  
 /tempdrive parameter, 49  
 Templates folder, 143  
 templates for cover pages, 351  
 Temporary Internet Files setting, **398**  
 10Base-2 systems, 488–489, **498**  
 10Base-5 cable, 489  
 10Base-T systems, **498–499**, **513–514**, 513  
 Terminate and Stay Resident (TSRs) programs, **90**  
 termination  
   for networks, 494, 494  
   SCSI, 922

- test pages for printers, **207–208**, 210
- testing in troubleshooting, **914**
- Text controls, **679**
- text files in FTP, 405
- text formatting tags in HTML, **651–654**, 653
- text mode setup, **919–922**
- Text tool, 357
- TextArea controls, **680**, 680
- <TEXTAREA> tag, 680
- TextStream object
  - example using, **740–741**, 740
  - methods for, **737–739**
  - properties for, **739–740**
- TFT (Thin Film Technology), 187
- tftp (Trivial File Transfer Protocol) utility, **410**
- Thicknet systems, 488, 507–508, 507
- Thin Film Technology (TFT), 187
- Thinnet systems, 488, 507–508, 508
- third-party products
  - in cloning, 85
  - for impersonation, **631–632**
- 32-bit drivers in Novell, **616–617**, 617
- 32-bit programs vs. 16-bit, **92–93**
- This Is A Portable Computer option, 546
- threads, 27, 456
- thumbnails
  - in ClipBooks, 284
  - in Explorer, 127, 128
- Thumbnails button, 284, 284
- Thumbnails view, 127, 128
- thinking, 19–20
- Tiffany program, 278
- Tile Windows Horizontally command, 119
- Tile Windows Vertically command, 119
- tiling windows, 119
- time
  - CD Player display options for, **269**
  - for queued documents, 237
  - regional settings for, 886
  - rights for, 561
  - in separator pages, 223
  - setting, 55, 160, **169–170**, 169–170
  - on Taskbar, 95
  - VBScript functions for, **676–678**
- TIME command, 170
- Time function, 676
- time-outs for printers, 217
- Time Range option, 869
- Time tab, 886
- Time To Live (TTL) mechanism, **931–932**
- Time Zone option, **74**
- Time Zone tab, 169, 170
- time zones, 55, 169, 170
- Tips dialog box, 354
- title bars
  - in Internet Explorer, 380, 380
  - right-clicking on, 147
- TMP environment variable, 782
- To Disable Call Waiting option, 314
- ToggleKeys keyboard option, 164
- token-based security, **140–142**, 141
- token packets, 512
- Token Ring frame types, 933
- token ring systems, 498, **511–513**
- toolbars
  - in Explorer, **129–130**, 130
  - in Internet Explorer, 380, 380
- Toolbars command, 119
- Tools menu
  - Disconnect Network Drive command, 135, 539
  - in Explorer, **135**
  - Folder Options command, 135, 162
  - Internet Options command, 382, 387, 392, 395
  - Macro command, 767
  - Mail And News command, 412, 424
  - Map Network Drive command, 135
  - Message Rules menu
    - Blocked Senders List command, 427
    - Mail command, 426
  - New Account Signup command, 412
  - Options command
    - for backups, 840–841
    - in NetMeeting, 370
    - in Outlook Express, 414, 418, 424
  - Remote Desktop Sharing command, 372
  - Send command, 415
  - Show Related Links command, 394
  - Synchronize command, 135, 183, 393
- tooltips
  - in Internet Explorer, 379
  - transition effects for, 184

- topologies, **475–476**
  - in 10Base-T, **513–514**, 513
  - logical, **509–514**, 511, 513
  - physical, **502–508**, 503, 507–508
  - requirements for, **474–475**
- TotalSize property, 751
- <TR> tag, 660–661
- tracert (Trace Route) utility, **409**, 409, **931–932**
- Track Time Elapsed option, 269
- Track Time Remaining option, 269
- Transfer menu
  - Capture To Printer command, 364
  - Receive File command, 364
  - Send File command, 364
- transferring files
  - in FTP, **404–405**, 404
  - on LANs, **470**
  - in NetMeeting, **371–372**
- transition effects, 184
- transmission-control protocol/Internet protocol (TCP/IP)
  - in Internet connection sharing, 335–336
  - troubleshooting, **928–933**, 930–931
  - well known ports and services in, **337**
- Transmission Retry setting, 217
- Transmitter Station Identifiers (TSIDs), 347
- Transport Driver Interface (TDI), **937–938**
- transport protocols, **532–534**, 533, **938**
- trapping errors, **769–771**, 769–770
- Traverse Folder/Execute File permission, 572
- treble controls, 272
- Tree view in Disk Management, 846
- trees
  - in Active Directory, 595
  - in Novell networks, 608
- Trivial File Transfer Protocol (tftp) utility, **410**
- Troubleshooter tool, 256
- troubleshooting
  - boundaries in, **913**
  - brainstorming and documentation in, **913–914**
  - bus topology, **508**
  - cleaning up after, **914**
  - closure in, **914–915**
  - crashes. *See* crashes
  - defining problems in, **913**
  - Internet connections sharing, **338–339**
  - Microsoft Knowledge Base for, **939–941**
  - networking, **927**
    - architecture, **935–938**, 936
    - cabling, **927–928**
    - IPX/SPX, **933–935**, 934
    - NetBEUI, **935**
    - TCP/IP, **928–933**, 930–931
  - print queues, **916–917**
  - printing, **241–243**, 242, **915–919**
  - questions in, **912**
  - repair in, **914**
  - Resource Kits for, **941**
  - restoring configurations, **817–819**
  - servers, **932–933**
  - setup, **919**
    - boot issues, **926–928**
    - CD-ROM, **926–927**
    - GUI mode, **923–927**
    - SCSI, **922–923**
    - text mode, **919–922**
  - sound cards, **256–257**
  - star topology, **506–507**
  - testing in, **914**
    - video driver settings, **188–190**
- Troubleshooting And Maintenance option, 241
- Troubleshooting tab, **189–190**
- truncated binary exponential backoff, 511
- trust relationships, 592, 595
- Trusted Sites security zone, 397
- trustee rights, **605**
- TSIDs (Transmitter Station Identifiers), 347
- TSRs (Terminate and Stay Resident) programs, **90**
- TSTREAM.VBS script, **740–741**, 740
- TTL (Time To Live) mechanism, **931–932**
- Tunes.com site, 267
- Twain32 folder, 144
- twisted-pair cable, **485–487**, 497
- 2100.VBS file, 729, 729
- two-way cable modem service, 323
- Type property, 756
- Type x cable, 497
- types
  - in 802.3 standard, 515
  - in VBScript, 665

## U

- /U command-line switch, 83
- <U> tag, 651
- U variable for separator pages, 223
- UCase function, **674**
- /udf parameter, 50
- <UL> tag, 655
- UltraDMA hard drives, 807
- /unattend parameter, 50, 59
- unattend.txt file, 59, **69–83**, 71
- unattended script files, **66–83**
- [Unattended] section, **78**
- unavailable servers, **551**
- UNC (Universal Naming Convention), 531
  - direct connections with, **539–541**, 540–541
  - long filenames in, **542–543**
  - MUPs for, 937
  - with Net Use, **541–544**, 542
  - printer paths, 204
- underlining in HTML, 651–652
- Undo button, 130
- Undo Minimize All command, 120
- Undo Tile command, 120
- undoing actions, 130, 132
- Uniform Resource Locators (URLs), 930
- Unimodem modem driver, 304
- uninterruptible power supplies (UPSs), 812
- universal modem drivers, 304
- Universal Naming Convention. *See* UNC (Universal Naming Convention)
- Universal Serial Bus (USB)
  - for DirectInput component, 249
  - for printers, 209
  - support for, 13
- Unix operating system, **26**
- unlisted printers, adding, **210–212**, 211
- unordered lists in HTML, **654–656**
- unplugged printers, **916**
- unshielded cable in IBM cabling, 497
- unshielded twisted-pair (UTP) cable, 485–486
- Up button, 129
- updating OLE links, **293–297**, 294, 296
- Upgrade Device Driver Wizard, 804–805, 805
- UPSs (uninterruptible power supplies), 812
- Urgent template, 351
- URLs (Uniform Resource Locators), 930
- URLShortcut object, 783
- usability, 4
- % Usage counter, 863
- USB (Universal Serial Bus)
  - for DirectInput component, 249
  - for printers, 209
  - support for, 13
- Use High Contrast option, 164
- Use Local Computer Counters option, 867–868
- Use Microsoft Magnifier And Large Titles And Menu option, 166
- Use MouseKeys setting, 165
- Use Only Preferred Devices option, 260
- Use Personalized Menu option, 121
- Use The Sending Device TSID option, 359
- User Account And Domain Information screen, 57, 550
- user accounts, **558–560**
  - creating, **562–566**, 563, 565–566
  - rights for, **560–562**, 560–561
- User Cannot Change Password option, 565
- user.dat file, 549
- user groups, **559–560**
- User Information tab, **343**, 343
- User Interaction Level setting, **71–72**
- USER interface manager, 453–454
- User mode, 27, **30–31**, **439–441**
  - components of, **936–937**, 936
  - memory for, 448
  - in MMC, 906
- User Must Change Password At Next Logon option, 565
- user profiles, **548–549**
  - for desktop, 154
  - folders for, **140–142**, 141
  - system settings for, **893–894**, 894
  - Windows 2000 vs. Windows 9x, **549**
- User Profiles tab, 86, 154, 155, **893–894**, 894
- % User Time counter, 864
- [UserData] section, **79**
- UserDomain property, 792
- UserName property, 792
- usernames for Active Directory, 600
- users, 47
  - managing, 562–564, 563
  - rights for. *See* rights

Users and Passwords applet, 160  
 Users And Passwords dialog box, 562–564, 563  
 Users group, 560  
 Using A Low-Speed Connection option, 859  
 Using Dialing Rules setting, 351  
 Utility Manager, **168**, 168  
 UTP (unshielded twisted-pair) cable, 485–486

## V

VALUE attribute  
   for Command buttons, 682  
   for Text controls, 679  
 variables  
   for separator pages, **222–224**  
   in VBScript, **665**  
 VarType function, 665  
 vb constants, 673–674  
 VBScript language, 643, **663**, **728**  
   for automating other applications, **763–769**,  
     763, 765, 767–768  
   Calendar page in, **688–691**, 689  
   collections and dictionaries in, **732–736**  
   conditional statements in, **666–669**, 668  
   date/time functions in, **676–678**  
   and DHTML. *See* DHTML (Dynamic HTML)  
   Document object in, **686–688**, 688  
   embedding scripts in, **664**  
   FileSystemObject object in. *See*  
     FileSystemObject object  
   forms and controls in, **678–685**, 679–682  
   host for. *See* Windows Scripting Host  
   input/output functions in, **672–674**, 672–673  
   looping statements in, **669–671**  
   objects, properties, and methods in, **730–732**  
   procedures in, **665–666**  
   program flow in, **666**  
   run-time errors in, **769–771**, 769–770  
   string manipulation functions in, **674–676**  
   variables in, **665**  
   writing and executing scripts in, **728–730**,  
     729  
 VDMs (Virtual DOS Machines), 22, **30**, **461–462**  
 vector fonts, 243  
 vector graphics, 710  
 Verify All Drivers option, 835  
 verifying drivers, **832–835**, 834  
 Version property, 779  
 versions of files, 115  
 vertical refresh rate, 259  
 VESA monitors, 176  
 VGA video, 802  
 video. *See also* screen display  
   information for, 920  
   in multimedia, **248–249**  
   in NetMeeting, **370**, 370  
 video area in Media Player, 265  
 video calls with Phone Dialer, **362**  
 video cards  
   drivers for, 32  
   requirements for, **42**  
 video driver settings, **185**, 186  
   for adapters, **189**  
   for color palette, **186–187**  
   for font size, **188–189**  
   for monitor, **189**  
   for Screen Area, 186, **187–188**  
   troubleshooting, **188–190**  
 video drivers  
   bad, **819**  
   crashes from, **453–455**  
 Video Playback option, 362  
 Video tab, 370, 370  
 View Log option, 310  
 View menu  
   Arrange Icons command, 129, 133  
   Captions command, 265  
   Choose Columns command, 134  
   Customize command, 861  
   Customize This Folder command, 134  
   Details command, 133  
   in Explorer, 123, **133–134**  
   Explorer Bar command, 133  
   Find command, 860  
   Go To command, 134  
   Grid Lines command, 354  
   Large Icons command, 133  
   Line Up Icons command, 134  
   List command, 133  
   Options command, 368  
   Refresh command, 134

- Small Icons command, 133
  - Status Bar command, 133
  - Thumbnails command, 133
  - Toolbars command, 130, 133, 388
  - View Resources tab, 479, 479
  - View tab, 61, 86, 135, 141
  - viewers for events, **855–861**, 856–861
  - viewing Clipboard contents, **279–281**, 280–281
  - views
    - in Explorer, **125–129**, 126–128
    - in Performance Monitor. *See* Performance Monitor
  - Views button, 129
  - virtual device drivers (VxDs), **34**, 92
  - Virtual DOS Machines (VDMs), 22, **30**, **461–462**
  - virtual memory, 29, **464–465**, 896
  - Virtual Memory dialog box, 896, 896
  - Virtual Memory Manager, 29, 456
  - Virtual Private Networking (VPN), **623–628**, 625–626
    - performance with, **627–628**
    - support for, **14**
  - viruses
    - in Master Boot Records, 924
    - in NTFS file systems, 22
  - Visual Basic Editor, 767
  - voice-enabled pages, **720–726**, 721–722
  - Voice Settings dialog box, 167
  - voltage problems, crashes from, **812**
  - voltage regulators, 812
  - Volume constant, 753
  - Volume Control applet, **270–271**, 270
    - advanced controls for, **272**
    - for recording levels, **271**, 271
  - Volume Control window, 261, 270–271, 270–271
  - volume for modems, 308
  - Volume icon, 95
  - volumes
    - dynamic, **854–855**
    - striped and spanned, **852–854**
  - VolumnName property, 751
  - VPNs (Virtual Private Networks), **623–628**, 625–626
    - performance with, **627–628**
    - support for, **14**
  - VSPACE attribute, 658
  - VxDs (virtual device drivers), **34**, 92
- ## W
- W variable for separator pages, 223
  - Wait For Dial Tone before Dialing option, 308
  - wallpaper, **171–172**
    - in cloning, 84
    - editing patterns for, **172–173**, 173
    - images for, 391
    - loading patterns for, **172**, 172
    - new slices for, **173–174**
  - WANs (Wide Area Networks), 469
  - warning events, 856
  - WAV files
    - editing, 261
    - for system events, 260
  - wave editors, 261
  - Wave filter, 712
  - Wavetable synthesis, 251
  - WDM (Windows Driver Model), 257
  - weaknesses, **31**
    - bookmarks, **36–37**
    - compatibility, **34**
    - driver availability, **32**
    - file associations, **35**
    - performance, **34**
    - scale-related, **31–33**
    - security-related, **33–34**
    - shortcuts, **36**
    - from stability, **33**
    - static operating systems, **35–36**
    - Windows 9x compatibility, **32–33**
  - Web, merging with Desktop, **643–645**, 643
  - Web Events option, 385
  - Web folder, 144
  - Web pages
    - printing, **391–392**, 391
    - saving, **389–391**, 390
  - Web tab, **180–183**, 181
  - Web View section, 162–163
  - WeekDayName function, 678
  - When Discount Rates Apply option, 352
  - Where The From Line Contains People option, 426

- While...Wend loops, **670**
- Wide Area Networks (WANs), 469
- WIDTH attribute, 658
  - in <IMG>, 658
  - in <STYLE>, 700, 701
- width of separator pages, 223
- wildcards in file searches, 102
- Win16 on Win32 (WOW) environment, 22
- Win32 subsystem, 30, **457–458**
- WINDIR environment variable, 782
- Window menu
  - Clipboard command, 282
  - Local ClipBook command, 286
- window\_onLoad routine, 715, 723–724
- windows
  - arranging, **119–120**
  - closing, 132
  - size of, 121
  - switching, **108**
- Windows 3.x operating system and programs
  - compatibility of, **34**
  - emulating, 458
  - running applications in, **91–92**
  - speed of, **34**, 92
  - vs. Windows NT, **25–26**
  - WOWEXEC for, **458–461**
- Windows 9x operating system and programs
  - comparison with, **17–25**
  - compatibility with, **32–33**
  - dual-boot mode with, **114–115**
  - with Novell networks, **610–611**
  - running, **93**
  - user profiles in, **549**
- Windows 2000
  - missing features in, **16**
  - new features in, **8–16**
- Windows 2000 Executive, **456**
- Windows 2000 folder, **142–144**
- Windows 2000 Professional Driver Library Disk, 211
- Windows 2000 Server, deployment tools for, 12–13
- Windows 2000 Setup dialog box, 51–52, 51
- Windows Component Wizard, 641
- Windows Driver Model (WDM), 257
- Windows for Workgroups, **610–611**
- Windows Internet Name Service (WINS), 596–597
- Windows key, 101, 118
- Windows Management Instrumentation (WMI), 12
- Windows on Windows (WOW), **30**
- Windows option, 384
- Windows Radio feature, **388–389**, 389
- Windows Scripting Host, **774**
  - for Registry manipulation, **786–792**, 788–790
  - running scripts in, **774–775**
  - Wscript object in, **775–780**, 776–777, 779–780
  - WshNetwork object in, **792–795**
  - WshShell object in, **780–786**, 781, 783
  - WshShortcut object in, **796–798**
- WindowsMedia.com page, 385, 389
- WindowState property, 797
- winipcfg command, 367, 929
- winmsd.exe command, 480
- Winnt folder, 97, 98, **142–144**
- WINNT program, 49, 83
- winnt.sif file, 69
- WINNT32 program, 49, 83
- WINS (Windows Internet Name Service), 596–597
- WinZip Properties dialog box, 536, 536
- wireless networks, **477–478**, 477
- wiring closets, 512, 514
- wiring systems for networks
  - Ethernet, **498–499**
  - IBM, **496–498**
- wizards, **122**
- WMI (Windows Management Instrumentation), 12
- Word, script for, **765–767**, 767
- WordPad, 349
- Work Online option, 147
- Workgroup Or Domain option, **74**
- workgroups, connecting to, **534–535**, 534–535
- working offline in Internet Explorer, **392–393**
- WorkingDirectory property, 797
- Worksheet object, 764
- workstations, 474
  - connecting to NT4 domains, **549–551**
  - configuration testing in, **551–554**, 552–553

- Connect As for, **555–556**
  - login scripts for, **554–555**, 555
  - unavailable servers in, **551**
- domain member, **46**, **56–58**, 56
- fonts on, 66
- multiple, automatic installation on, **58–59**
- names for, **54–55**
- services for, 937
- stand-alone, **46–56**
- WOW (Windows on Windows), 22, **30**
- WOWEXEC subsystem, **458–461**
- WRDAUTO.VBS script, **765–767**, 767
- Write Attributes permission, 572
- Write Extended Attributes permission, 572
- Write method
  - in Document, 686
  - in TextStream, 738
- Write permissions, 570, 605
- WriteBlankLines method, 739
- WriteLine method, 738–739
- WriteLn method, 686
- writing Registry keys, **788**
- WSCRIPT application, 729
- Wscript object, **775**
  - Arguments property in, **775–778**
  - methods in, **779–780**
  - properties in, **778–779**

- Wshell object, **786–792**, 788–790
- WshNetwork object, **792–795**
- WshShell object, **780**
  - CreateShortcut method in, **783–784**
  - Environment property in, **781–782**, 781
  - Popup method in, **784–786**
  - SpecialFolders property in, **782–783**, 783
- WshShortcut object, **796–798**

## X

- x-y interpolation, 250
- XLAUTO.VBS script, 764–765, 765
- XON/XOFF flow control, 312
- Xray filter, 712

## Y

- Year function, 677
- yellow hangs, 899
- Yes buttons, 784–785

## Z

- zeros based collections, 735
- Zone Alarm utility, 325