

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- About button, **423**, *423*
- About Database dialog box, 39
- About Database documents, 408, 674
- About This Database document, 435
- @Abs function, 469
- Accent Sensitive option, 217
- Accent Sensitive Sorting option, 618
- Accept Cookies option, 336
- Accept response, 173, 173
- Access & Delegation tab
 - for calendars, 159, 185, *185*
 - for e-mail, 148, *148*
- Access Control List dialog box, 53–54
- Access Control Lists (ACLs), **305**, *305*
 - advanced options for, **308–309**
 - Anonymous entry in, 307
 - for databases, **444–447**, *444*, *446*
 - default entries in, 307
 - effective access in, **307**, *308*, **445–446**, *446*
 - for forms, **506–507**, *506*
 - for keyword choices, 538
 - logs for, 308
 - personal address book for, 86
 - privilege levels in, **305–307**, *307*
 - purpose of, 288
 - roles in, 308
- access levels and rights, **446**
- Access to Your Mail & Calendar tab, 148, *148*, 185, *185*
- Access to Your Schedule tab, 185–186, *186*
- Accessed field, 509
- @Accessed function, 592
- account documents, 96–98, *97*, *278*
- ACCRUE operator, 226
- ACLs. *See* Access Control Lists (ACLs)
- Acquire Script dialog box, 248
- Action Bar Border tab, **579**
- Action Bar Info tab, **579**
- Action Bar Properties dialog box, **579–580**
- Action Bar Size tab, **579**
- Action bars and buttons
 - customizing, **578–580**
 - defining, **574–578**, *575–576*
 - for documents, **509**
 - in outline design, **632–633**, *632*
- Action formulas, 478–479
- Action hotspots, **583–585**, *585*
- Action List Selection option, **715**
- Action Menu Selection option, **714**
- Action Properties box, 575–576, *576*
- Action with Subactions option, 574–575
- actions
 - Action bars and buttons for, **574–580**, *575–576*, *578*
 - for Agents, 720
 - for automating forms, **574–600**, *575–576*, *578*
 - for events, 514
 - formulas for, **478–481**
 - for Navigators, **660–661**, *660–661*
 - for outline entries, 637
 - shared, **728–729**, *729*
 - in views, **620**
- Actions menu, **45–46**
- Activity option, 432
- Activity Is Confidential option, 433
- Add Bookmark dialog box, 34, 104
- Add Condition dialog box
 - for authors, 230, *231*
 - for dates, 229, *229*
 - in document selections, 601, *601*
 - for fields, 231, *232*
 - for forms, 233–235, *233*, *235*
- Add Header to Form option, 505
- Add People/Groups dialog box, 148–149, *149*
- Add Sender to Address Book option, 133
- Added field, 509
- addition, 463
- Additional Setup dialog box, 247–248, *247*
- Address Book option, 367, 376
- address books. *See* personal address book
- Address dialog box, 538
- Address toolbar, 28
- addressing
 - e-mail, **121–124**, *121*, *123*
 - web mail, **371–372**, *371*
- Addressing dialog box, 121
- @Adjust function, 469
- Administrators tab, 96
- Advance on Click option, 560
- Advanced Database Options dialog box, **421–423**, *421*
- Advanced tab and options
 - for ACLs, **308–309**
 - for archiving, **142**, *428*, *428*
 - for browsers, 337, *337*
 - for connection documents, 98
 - for contacts, 85
 - for database subscriptions, 108
 - for databases, **420–423**, *421*, *443*
 - for e-mail delivery, 125, *126*
 - for field properties, **530–531**, *530*
 - for location documents, 96, **353–354**, *353*
 - for Network Dialup, 253
 - for newsgroup accounts, 346
 - for Notes Direct Dialup, 249, *249*
 - for personal address book, 79, *79*
 - for replicas, 269, *270*
 - for TeamRooms, 200, *200*
 - for view columns, **619**
 - for views, **609–610**, *609*

- After Documents Are Created or Modified option, 715
- After Each Use option, 609
- After New Mail Arrives option, 715
- Agent Properties box
 - Basic tab, 713–718, 714
 - Security tab, 718–719, 719
- Agent Schedule dialog box, 715–717, 716–717
- AgentContext class, 701
- agents, 709–710
 - actions from, 478
 - benefits of, 710
 - creating, 712–713, 712–713
 - in Domino Designer, 405–406
 - events for, 515–516, 711
 - manual operation of, 710
 - programmer's pane for, 719–723, 720
 - properties for, 713–719, 714, 716–719
 - scheduled operation of, 711, 716–718
 - security for, 718–719, 719
 - Web access of, 712
- alarms
 - for calendars, 161
 - for e-mail, 152
 - for meetings, 169
- Alarms tab, 161
- aliases and Alias fields
 - for forms, 498
 - for outline entries, 636
 - for views, 596, 604
- Align Baseline option, 564
- aligning
 - action buttons, 579
 - rich text fields, 56
 - static text, 521–522, 521
- All Authors and Above option, 507
- all-day event entries, 166, 166
- All Documents in Database option, 714
- All Documents in View option, 714
- All Documents view, 136
 - for discussions, 191–193
 - for Document Library template, 203
 - for personal journals, 112
 - for web mail, 367
- All New and Modified Documents Since Last Run option, 714
- All Readers and Above option, 506–507
- All Selected Documents option, 714
- All To Do's view, 183
- All Unread Documents in View option, 714
- Allow Connections to External Databases Using DCRs option, 431
- Allow Customizations option, 606
- Allow Design Locking option, 436
- Allow Document Locking option, 431
- Allow Multiple Lines option, 534
- Allow Multiple Values option, 528
- Allow Remote Debugging option, 719
- Allow Soft Deletions option, 422
- Allow Use of Stored Forms in This Database option, 431
- Allow Users to Change These Properties option, 504
- Alt key for keyboard access shortcuts, 31
- Alternate Memo Editor field, 91, 151
- alternate text with images, 564
- Alternating Columns option, 551
- Alternating Rows option, 551
- Always option, 580
- ampersands (&)
 - in formulas, 465
 - in full-text searches, 226
- anchor links in rich text fields, 63
- AND operators
 - for e-mail rules, 138
 - in formulas, 465
 - in full-text searches, 225–226
 - in scripts, 690
 - in web mail filters, 369
- animated tables, 546, 558–560, 559
- anniversaries
 - alarms for, 161
 - entries for, 164–165, 165
- Anonymous entry in ACLs, 307
- Anonymous Form option, 499
- Applet ECLs, 299
- applets
 - in Domino Designer, 408–409
 - for form fields, 529, 530
 - in rich text fields, 64
 - as shared resources, 670–671, 671
- Applets option, 25
- application window, 26–27, 27
 - bookmarks in, 32
 - context menus in, 30
 - Database area in, 32
 - pop-up keyboard access shortcuts in, 31
 - Properties boxes in, 31–32, 32
 - status bar in, 30
 - task buttons in, 29
 - toolbars in, 27–28, 29
- applications, databases for, 9–10
- appointments. *See* calendars
- Archive Criteria Settings dialog box
 - for databases, 427–428, 428
 - for e-mail, 141, 141
- Archive Document Selection dialog box, 427
- Archive Settings dialog box
 - for databases, 426–427, 427
 - for e-mail, 140–141, 140–141
- Archive Settings option, 133
- archiving
 - databases, 426–428, 427–428
 - discussions, 198
 - e-mail, 137, 137, 140–142, 140–141
 - TeamRooms documents, 202
- arguments for functions, 468
- arithmetic functions, 469
- arithmetic operators, 463
- Arrangement option, 650–651
- arrays, 686–688
- As Laid Out on Screen option, 72
- assigning to do items, 182–183, 183

assignment operators, 463–464

asterisks (*)

in full-text searches, 228

for multiplication, 463

in pair-wise operators, 465

for unread documents, 610

at signs (@) in formulas, 450

Attachment Properties box, 322, 322

@AttachmentLengths function, 592

@AttachmentNames function, 592

attachments, 320–321

attaching, 321

in collaboration, 212–213

in e-mail, 120

information about, 322, 322

loading, 324

printing, 74

in rich text fields, 58

saving, 322

viewing, 322–324

@Attachments function, 592

Attachments option, 25

authentication process, 292, 297, 364, 364

Author access level, 445

@Author function, 592

Author privilege level, 306

Author Profiles view, 192, 195–196, 195

Authorities tab, 298

authors

in document selections, 601

in searches, 230, 231

Authors fields, 540

Auto, after First Use option, 609

Auto, at Most Every option, 609

Auto Adjust Panes at Runtime option, 659

Auto-Collapse Section option, 568

Auto Complete tab, 403–404

Auto Inbox Refresh setting, 92

Auto Launch options, 503

Auto Spellcheck option, 127

automatic logout feature, 295

Automatic option, 609

Automatically Enable Edit Mode option, 502

Automatically Refresh Fields option, 499

automating

agents for. *See* agents

forms

using actions, 574–600, 575–576, 578

using hotspots, 580–585, 581–583, 585

Autoprocess feature, 162, 377

Available to Public Access Users option, 507

B

backend classes, 700–706

Background tab

for layers, 573

for outlines, 648, 648

backgrounds

for Action bars, 579

for action buttons, 580

for embedded outlines, 648, 648

for forms, 504–505, 504

for layers, 573

for Navigators, 658

replicas and replication in, 272, 272, 276

for tables, 551–553, 552–553

for views, 607–608

backing up user ID files, 303

backslashes (\)

in formulas, 454

for menus, 508

bars (|)

in formulas, 465

in headers and footers, 70

basic tables, 546

Cell Borders tab for, 550–553, 550

creating, 547, 548

Table Border tab for, 554, 554

Table/Cell Background tab for, 551–553, 552

Table Layout tab for, 548–550, 548, 550

Table Margin tab for, 554–555, 555

Table Programming tab for, 555, 555

Basics style for Welcome page, 15–17, 16, 18, 19

Basics tab and settings

for account documents, 97, 97

for agents, 713–718, 714

for archiving, 140, 426, 427

for calendars, 159

in Database Properties box, 425–431, 425

for database subscriptions, 108

for e-mail, 125–127, 125, 145–147

in Frame Properties box, 653–654

for groups, 86–87

for location documents, 95, 351–352, 351

for replicas, 266–267

in User Preferences dialog box, 88–89, 88

for web mail, 376

Basics with Calendar style, 19

Before New Mail Arrives option, 715

Birthdays and Anniversaries view, 80

body fields and bodies

in e-mail messages, 120

in Link Memos, 130

Bookmark bar, 100, 101, 399–400, 399

Bookmark page, 100–102, 101–102

bookmarks, 100–102, 101–102

benefits of, 32

for blank forms, 82

for databases, 38, 102–105, 413

to documents, 105

editing, 105

folders for, 106

to forms, views, and Web pages, 105

for help, 34

with integrated browsing, 339–340

for newsgroup accounts, 346

for replicas, 106–107, 107, 282–283, 282

bookmarks.nsf file, 742

Boolean data type, 684

- Border tab
 - Embedded Outline Properties box, 649
 - for sections, 567
 - Border Width Default option, 655
 - borders
 - for Action bars, 579
 - for action buttons, 580
 - for frames, 655
 - for paragraphs, 57
 - for sections, 567
 - for static text, 522, 523
 - for table cells, 550–553, 550
 - for tables, 554, 554
 - brackets ([])
 - for formula keywords, 468
 - for list subscripts, 465
 - branching in LotusScript, 690–692
 - with If... Then blocks, 690–692
 - with Select Case blocks, 692
 - breakpoints, 696
 - Breakpoints tab, 696
 - Briefcase tab, 85
 - broadcast applications, databases for, 10
 - browsing and browsers
 - configuring, 334–338, 335–338
 - for e-mail. *See* web mail
 - Internet, 334–344
 - Business tab, 84
 - Button Background tab, 579
 - Button Font tab, 580
 - button hotspots, 584
 - Button Properties box, 584, 660, 660
 - Button properties tab, 579
 - buttons
 - action
 - defining, 574–578, 575–576, 578
 - in outline design, 632–633, 632
 - Task, 29
 - Buttons Start at Left option, 579
 - Buttons Start at Right option, 579
 - By Alternate Name view
 - for discussions, 192
 - in Document Library template, 203
 - By Author selection option, 601
 - By Author view
 - for discussions, 191
 - in Document Library template, 203
 - By Category view, 112
 - for discussions, 192
 - in Document Library template, 203
 - for to do items, 183
 - By Date option, 601
 - By Date view, 112
 - By Field option, 601–602
 - By Form option, 602
 - Byte data type, 684
- C**
- Calendar & To Do tab, 159
 - Calendar option, 25
 - Calendar List option, 180
 - Calendar tab, 89, 90
 - Calendar Style tab, 180
 - calendars, 155
 - access to, 185–187, 185–186
 - all-day event entries on, 166, 166
 - anniversary entries on, 164–165, 165
 - appointments on, 163–164, 163
 - Basics tab for, 159
 - documents for, 178–179
 - enhancements to, 13
 - entries for, 162–163, 163
 - group, 177–178, 177–178
 - holidays in, 162
 - in iNotes, 390, 390
 - layout of, 158, 159
 - for meetings, 166
 - invitations to, 172–174, 173, 175
 - owner actions for, 175–176
 - participant actions for, 176
 - scheduling, 167–172, 167, 169–172
 - new features for, 156
 - preferences for, 159–162, 160–161
 - printing, 179–180, 179–180
 - reminders in, 165–166, 165
 - starting, 156–158, 157–158
 - for to do items, 181–185, 181–184
 - views and panes for, 592–593, 593, 611–612, 611
 - for web mail, 376–377, 377
 - in Welcome Page, 21
 - CALL keyword, 698
 - Call Server dialog box
 - in Network Dialup, 253, 253
 - in Notes Direct Dialup, 250, 250
 - Call setting, 274
 - Calls tab, 696
 - Cancel option, 176
 - captioned tables, 546, 560, 560
 - CAs (Certifying Authorities), 357–358
 - cascading menus, 508, 508
 - Case Sensitive option, 217
 - Case Sensitive Sorting option, 618
 - case sensitivity
 - in formulas, 453
 - in full-text indexes, 217, 222
 - in view column sorts, 618
 - Catalog/Domain Search servers, 236
 - catalogs in searches, 238–239, 239
 - categories
 - for discussions, 194–196, 194–195
 - for Document Library template entries, 204–205
 - for personal journal entries, 110–112
 - for TeamRooms, 199
 - Categorize dialog box, 81, 194–195, 194
 - Categorized Is Flat Version 5 or Greater option, 618
 - Cell Borders tab, 550–553, 550
 - Center option, 504, 607
 - certificates
 - for contacts, 85

- in Domino Directory, 293, 293
 - in integrated browsing, 341
 - for Internet e-mail, 357–358
 - in PKI, 290–292, 291
 - support for, 333
 - in User Security, 296–298
- Certifying Authorities (CAs), 357–358
- CGI functions, 729
- chairpersons for meetings, 167
- Change Access for dialog box, 149, 150, 186, 186
- Change Calendar Entry Type window, 163, 163
- Change Importance To option, 369
- Character Map utility, 218
- Check box type, 537
- Check Now option, 152
- checkboxes, 53–54
- child documents in replication, 284
- choices in keyword fields, 536–539
- Choose a Folder dialog box, 413, 413
- Choose Archive Server dialog box, 140, 140
- Choose DB Info option, 675
- Choose Design Elements option, 674
- Class option, 531
- classes, 698
 - backend, 700–706
 - frontend, 699–700
 - fundamental, 699
- clean sheets for journals, 111, 111
- Clear option, 25
- Click on Column Header to Sort option, 618
- Client Configuration Wizard, 240, 240, 257–258, 258
- client installation, 736–741
- Clipboard, 312–313, 312
 - for images, 504
 - for link hotspots, 582
 - for rich text fields, 57–58
- Close Window dialog box, 58, 321
- closing
 - databases, 39
 - documents, 41–42
 - e-mail, 118–119, 119
 - mail database, 153–154
 - web mail, 370
- code libraries, 729–730, 730
- collaboration, 189
 - attachments in, 212–213
 - discussions for, 190–198, 191, 193–196
 - document libraries for, 202–207, 203–204
 - with mail-in databases, 211
 - new features for, 189–190
 - Office Document Library template for, 208–210, 209
 - with QuickPlace, 210–211
 - with Sametime, 210
 - security in, 212, 212
 - TeamRooms for, 198–202, 198–202
 - usability issues in, 211–213, 212
- Collapse All When Database Is First Opened option, 605
- collapsing sections, 567–568, 568
- collections, 702–703
- colons (:)
 - for list concatenation, 464
 - in operators, 463–464
- color
 - Action bar borders, 579
 - Action bars, 579
 - action button text, 580
 - action buttons, 580
 - calendar entries, 162
 - e-mail, 121, 147
 - embedded outlines, 648, 648
 - form background, 504–505, 504
 - formula pop-up hotspots, 582
 - formulas, 453
 - frame borders, 655
 - icons, 88
 - layout region text, 570
 - links, 503
 - static text, 520
 - table cell borders, 551
 - tables, 551–553, 552–553
 - views, 607–608, 615
- color fields, 542, 542
- Color Picker, 504
- Colors tab
 - for calendars, 162
 - for e-mail, 147, 147
- Column formulas, results from, 474
- Column Info tab, 615–617, 616
- Column Properties box, 615–620
- Column Spacing option, 549
- columns
 - in databases, 8–9
 - in folders, 45
 - in frames, 653
 - in views, 607–608
 - calendar, 592–593
 - creating and moving, 614
 - defining data in, 613–620, 613–614
 - standard outline, 590–591
 - values and properties for, 614–615, 614
- Combo box type, 537
- comboboxes, 53–54
- @Command function, 472
- commands in URLs, 430, 669–670
- commas (,) in full-text searches, 226
- Comment field and property
 - for forms, 498
 - for outlines, 634
 - for views, 604
- comments
 - for contacts, 85
 - for forms, 498
 - in formulas, 467
 - for outlines, 634
 - in scripts, 682–683
 - for views, 604
- Common Object Request Broker Architecture (CORBA), 670–671

- communications, 243–245
 - dial-up, 245–246
 - Network Dialup, 251–254, 252–253
 - Notes Direct Dialup, 246–251, 247–251
 - LAN connections, 254–255, 254
 - Passthru connections, 255–256, 255–256
 - setup wizards for, 257–258, 258–259
 - stand-alone mode in, 256–257, 257
- Compact option, 432
- compacting databases, 432
- comparison operators, 464
- Compatibility option, 555
- Completed view for to do items, 183
- components in installation, 733–735, 734
- Composing Internet-Style Replies section, 92
- Compute After Validation option, 528
- Computed controlled access sections, 569
- Computed fields, 528
- Computed for Display fields, 528
- Computed subform formulas, 475
- computed subforms, 726–727, 726
- computed text, 564–565, 565
- Computed When Composed fields, 528
- concatenation operator for lists, 464–465
- Concurrent Retrievers field, 338
- condition operators, 228
- conditions
 - in document selections, 601, 601
 - for e-mail, 138
 - in full-text searches, 228
 - in @if, 470
 - in looping and branching, 690
 - in web mail filters, 369
- configuration
 - flexibility in, 6
 - integrated browsing, 334–338, 335–338
 - newsreaders, 345–348, 345–347
 - personal address book for, 78
 - Personal Web Navigator database, 341–343, 342–343
- configuration documents, 99
- Confirm option, 176
- Confirm Delivery option
 - for e-mail, 126
 - for web mail, 372
- conflict documents, 284–285
- conflicts in replicas and saving, 284–285, 500
- Connection Configuration Wizard, 258, 258–259
- connections and connection documents, 98, 98
 - for Domino servers, 737–738, 738
 - for Network Dialup, 251–253, 253
 - for Notes Direct Dialup, 248–249, 249
 - for Passthru, 255–256, 255–256
 - in replication, 277–279, 277
 - as shared resources, 672–673, 672
- constants, 454–458, 455–458
- Contact forms, 8, 8, 82–83, 83
- contacts
 - in address books. *See* personal address book
 - in iNotes, 391, 391
- Contacts view, 7, 7, 80–81
- Contacts by Category view, 81–82
- CONTAINS operator, 227
- content and content fields
 - for Document Library template entries, 204–205
 - for frameset frames, 653
- Content Type option, 502
- Content view, 33
- context menus, 30
- Control Background option, 648
- Control tab
 - for authors fields, 540
 - for date/time fields, 534
 - for keyword fields, 537, 539
 - for number fields, 536, 536
 - for rich-text light fields, 540
- controlled access sections
 - creating, 568–570, 569
 - in security layers, 288, 289
- converting data types, 466
- copies in printing, 73
- Copy Access Control List option, 265
- Copy Database dialog box, 418–419, 418
- Copy From dialog box, 597, 597
- Copy Profile Documents with Design option, 437
- Copy to Folder option, 369
- copying
 - calendar entries into documents, 179
 - with Clipboard, 312–313, 312
 - databases, 262–263, 417–419, 418
 - forms, 495, 496
 - OLE objects, 313
 - in rich text fields, 57–58
 - web mail, 373
- CORBA (Common Object Request Broker Architecture), 670–671
- core functionality, 4
- @Count function, 469
- Create Attachment(s) dialog box, 321, 321
- Create Cross Certificate dialog box, 348
- Create Date View command, 592
- Create Folder dialog box, 43, 132
- Create Full-Text Index dialog box, 221–223, 222, 441–443, 442
- Create Full Text Index for Searching option, 265
- Create Immediately option, 265
- Create Index button, 441–442
- Create Java Applet dialog box, 670
- Create New Documents at View Level option, 606
- Create New Folder command, 400
- Create New Frameset dialog box, 650, 650
- Create Object dialog box, 313–314, 313
- Create Other Dialog option, 508
- Create Replica dialog box, 264, 264
- Create Table dialog box, 61, 546–547, 546, 556
- Create View dialog box, 596–598, 596, 598
- Created field, 509
- @Created function, 469, 592
- crop marks, 68
- cross certificates, 292, 297–298
- cryptology. *See* encryption
- Currency data type, 684
- Currency format, 535–536

- CurrentDatabase property, 701
 - custom alarms, 169
 - Custom option for date/time fields, 534–535
 - customizing Welcome page, 18–25
- D**
- daily alarms, 169
 - Daily option, 718, 718
 - Daily Style option, 180
 - Dashed border style, 554
 - Data Connection Properties box, 672, 672
 - Data Connection Resources (DCRs), 431
 - data connections
 - in Domino Designer, 408
 - as shared resources, 672–673, 672
 - Data Source options, 503
 - data types
 - converting, 466
 - in LotusScript, 683–685
 - Database area, 32
 - database catalogs, 238–239, 239
 - Database ID, 513
 - Database Is a Template option, 436–437
 - database links in rich text fields, 63
 - Database Properties box, 69–70, 423–425, 424
 - Advanced tab, 443
 - Basics tab, 425–431, 425
 - Design tab, 434–438, 434
 - Full Text tab, 440–443, 441
 - Info tab, 432–433, 432
 - Launch tab, 438–440, 438
 - Printing tab, 433–434, 434
 - database script design element, 408
 - Database setting, 274
 - Database Subscriptions page, 109
 - database synopsis, 674–675, 675
 - Database Templates setting, 274
 - databases
 - About button for, 423, 423
 - access levels for, 446
 - ACLs for, 305–309, 305, 307–309, 444–447, 444, 446
 - address books. *See* personal address book
 - advanced options for, 420–423, 421
 - applications of, 9–10
 - archive settings for, 426–428, 427–428
 - bookmarks to, 38, 102–105, 413
 - calendar. *See* calendars
 - closing, 39
 - compacting, 432
 - concepts for, 6–10, 7–8
 - copying, 262–263, 417–419, 418
 - creating, 411–417, 412–413, 415–416
 - deleting documents in, 42
 - directories for, 413, 413
 - document sets for, 47
 - in Domain Index, 238
 - for e-mail
 - closing, 153–154
 - opening, 117, 117
 - encrypting, 309, 309, 419–420, 420, 428
 - folders for documents in, 43–46
 - forms for. *See* forms
 - functions for, 471
 - journals, 109–112, 110–111
 - launching Domino Designer from, 398
 - mail-in, 211
 - opening, 37–39
 - opening and closing documents in, 41–42
 - printing document information in, 67–74
 - properties for. *See* Database Properties box
 - protecting, 444–447, 444, 446
 - remote, 279
 - replicas for. *See* replicas and replication
 - rich text fields in, 55–64
 - scripts for, 674, 674
 - searching for, 237
 - security for, 304–309, 305
 - in security layers, 288, 288
 - as shared resources, 673–674, 673–674
 - spell checking in documents, 65–67
 - subscriptions to, 108–109
 - task. *See* to do lists
 - vs. templates, 416–417
 - templates for, 414–417, 415–416
 - types of, 426
 - views for, 7, 40–47
 - in Welcome Page, 21–22
 - Databases tab, 300
 - Date and Time Format tab, 612–613, 612, 618–619
 - Date Picker
 - embedding, 586
 - for Personal Pages, 25
 - date/time fields, 52–53, 534–535, 535
 - dates. *See also* calendars
 - in formulas, 456–458, 457
 - functions for, 469
 - in headers and footers, 69–70
 - for personal journal entries, 110–112
 - in searches, 229–230, 229
 - in selecting documents, 601
 - Day tab, 158
 - Days of Week setting, 278
 - @DBCcolumn function, 471
 - @DBCommand function, 471
 - @DBLookup function, 471
 - @DBName function, 471
 - DCRs (Data Connection Resources), 431
 - debugging
 - formulas, 486
 - LotusScript, 695–697, 696–697
 - Decimal format, 535–536
 - decision-making functions, 470
 - declaring variables, 683–685, 688
 - Decline response, 174, 176
 - DECS (Domino Enterprise Connection Services), 672–673
 - Default Database Form option, 498
 - Default Design for New Folders and Views option, 605
 - DEFAULT keyword, 467
 - Default option for Action bars, 579

- Default Read Access options, 506–507
- Default Target for Links in This Frame option, 653
- Default value formulas, 476
- Default When Database Is First Opened option, 605
- defaults
 - ACL entries, 307
 - fonts, 88
 - outlines, 632
- Defaults tab, 501–503, 501
- Define Content option, 675
- Delegate response, 174, 176
- delegations
 - for e-mail, 148–149, 148–150
 - for meeting invitations, 174, 176
 - for web mail, 377
- Delete Index option, 442
- Delete Selected Item option, 136
- deleting
 - bookmarks, 105
 - documents, 42, 46
 - e-mail, 132, 146
 - folders, 44, 375, 375
 - frames, 653
 - messages, 89
 - outline entries, 635–636
 - Replication page entries, 283, 283
 - rules, 139, 369
 - spelling dictionary words, 67
 - web mail, 367, 367
 - web pages, 341
- delimiters in form fields, 530
- Delivery Information dialog box, 133, 133
- delivery options
 - for e-mail, 125–127, 125–126
 - for meetings, 172
 - for web mail, 372–373, 372
- Delivery Options dialog box
 - for e-mail, 125–127, 125–126
 - for meetings, 172
- Delivery Priority option, 126
- Delivery Report option
 - for e-mail, 126
 - for web mail, 372
- Depositor access level, 305, 445
- description elements, 48
- descriptions
 - in document forms, 48
 - for groups, 87
- deselecting documents, 47
- design
 - form, 494–495
 - hiding, 435
- Design Document Properties box, 509
 - Design tab, 510–512, 511
 - Document ID's tab, 512–513, 512
 - Fields tab, 510, 510
 - Info tab, 509, 510
- design elements
 - folder, 405
 - form, 405
 - frameset, 404
 - hiding, 512
 - other, 408–409, 409
 - page, 404
 - shared code, 405–407
 - shared resources, 407–408
 - view, 405
- Design Icon dialog box, 673, 673
- Design Is Not Hidden option, 435
- Design pane, 400, 401
- Design Synopsis dialog box, 409, 409
- Design tab
 - in Database Properties box, 238, 434–438, 434
 - in Design Document Properties box, 510–512, 511
- designer. *See* Domino Designer
- Designer access level, 306, 445
- Designer icon, 398
- Designer Workspace, 401–404, 402
- desktop, dragging to, 29
- desktop.dsk file, 742
- desktop5.dsk file, 742
- Destination Server Address option, 253
- detaching attachments, 322
- Details mode, 171, 172
- dial-up communications, 245–246
 - Network Dialup, 251–254, 252–253
 - Notes Direct Dialup, 246–251, 247–251
- Dialog list type, 537
- dialog lists, 53–54
- Dialup Networking (DUN), 251–252
- dictionaries, spell-checking, 66–67, 88–89
- digital signatures, 127, 357–359
- Dim statement
 - for arrays, 686–687
 - for objects, 700
- dimensions for arrays, 686–687
- directories
 - for databases, 413, 413
 - for e-mail addresses, 122–123, 123
 - in installation, 732–733, 733
- Directories dialog box, 53–54, 81
- Disable Background Agents for This Database option, 431
- Disable Field Exchange option, 499
- Disable Printing/Forwarding/Copying to Clipboard option, 507
- Discard Index option, 609
- Discussion-Notes & Web template, 414
- Discussion view, 367
- Discussion Threads view, 136
- discussions, 190
 - archiving, 198
 - databases for, 10
 - document relationships in, 192
 - folders for, 196
 - icons for, 192–194, 193
 - navigating, 191–192, 191
 - opening, 190–191, 191
 - participating in, 196–197, 196
 - responses for, 197
 - views for, 191–192, 194–196, 194–195
- Display As option, 646

- Display Images After Loading option, 431
- Display property for forms, 498
- Display Separate Values With option, 530
- Display tab, 159–160, 160
- Display Values as Icons option, 615
- Dissolve transitions, 560
- distribution groups, 78
- distribution lists, 86
- division, 463
- Do Not Add Field Names to Field Index option, 500, 727
- Do Not Display an Image option, 638, 641
- Do Not Locally Encrypt This Database option, 419
- Do Not Mark Modified Documents as Unread option, 437–438
- Do Not Show This Design Element in Menus of R4 or Later Clients option, 511
- Do...While loops, 693–694
- Doc Library-Notes & Web template, 414
- @DocChildren function, 592
- @DocDescendents function, 592
- @DocLength function, 592
- @DocNumber function, 592
- document collections, 702–703
- document events for agents, 711
- document fields in debugging, 486
- Document forms, 204, 204
- Document ID's tab, 512–513, 512
- Document Library template, 202–203, 203
 - entries for, 204–205
 - navigating, 203–204
 - responses for, 205
 - review cycle for, 205–207
- document links in rich text fields, 63
- Document Properties box, 70
- document types for TeamRooms, 199
- DocumentCollection class, 703
- DocumentContext property, 704
- documents
 - action buttons for, 509
 - bookmarks to, 105
 - for calendars, 178–179
 - creating, 48–50, 508–509, 508
 - deleting, 42, 46
 - in discussions, 192
 - entering field information in, 51–55
 - exporting, 320
 - features of, 50–51
 - folders for, 43–46
 - form relationship with, 490–492, 491
 - forms for, 48–55
 - hierarchy of, 492–493, 493
 - importing, 319–320
 - library. *See* Document Library template
 - modifying, 50
 - opening and closing, 41–42
 - printing, 67–74
 - saving, 50
 - searching for, 237
 - full-text searches. *See* full-text searches
 - text in, 47, 215–220, 216, 220
 - in views, 218–219, 218
 - in security layers, 288, 289
 - sets of, 47
 - spell checking in, 65–67
 - for views, 600–603, 600–602
- Documents tab, 300–301, 301
- Documents That Meet a Selection Formula option, 268
- Does Not Keep the Focus option, 638, 641
- dollar signs (\$) for environment variables, 460
- DOLS (Domino Off-Line Services)
 - administrator perspective on, 388–389
 - first time synchronization in, 382–384, 383–384
 - programmer perspective on, 388
 - security for, 386, 387
 - subscription maintenance in, 384–385, 385–386
 - trying out, 387, 387
 - user perspective on, 382
- domain catalogs, 238–239
- Domain Index, 238
- Domain Search feature, 236–239, 237–238, 438
- Domain Search forms, 237, 237
- Domino clients, Notes as, 5–6
- Domino Designer, 397
 - in databases, 398
 - design elements in, 404–409
 - Designer icon for, 398
 - Designer Workspace in, 401–404, 402
 - navigating, 398–409, 399, 401–404, 406
 - user interface for, 399–404, 401–404
- Domino Directory, 289, 293, 293
- Domino Enterprise Connection Services (DECS), 672–673
- Domino Off-Line Services (DOLS). *See* DOLS (Domino Off-Line Services)
- Domino servers
 - connection information for, 737–738, 738
 - encrypted mail with, 128
 - in security layers, 288, 288
- Domino users, web mail for, 363–364, 363
- Don't Allow Headline Monitoring option, 422
- Don't Maintain Unread Marks option, 421
- Don't Show Categories Having Zero Documents option, 608
- Don't Support Specialized Responses Hierarchy option, 422
- Don't Wrap option, 564
- Dotted border style, 554
- Double border style, 554
- Double data type, 684
- double quotes (") in full-text searches, 228
- @DoWhile function, 471
- Drafts area, 136
- Drafts folder
 - for e-mail, 125, 125
 - for web mail, 366
- Drafts view, 49
- drag-and-drop, 46
- dragging and dropping
 - calendar entries, 178
 - to desktop, 29
- drop-down arrows in calendars, 158
- drop shadows, 554, 579
- DUN (Dialup Networking), 251–252

E

e-mail, 115

- addressing, 121–124, 121, 123
 - archiving, 137, 137, 140–142, 140–141
 - attaching documents to, 120
 - closing, 118–119, 119
 - closing mail database for, 153–154
 - creating, 120, 120
 - delegations for, 148–149, 148–150
 - deleting, 132, 146
 - delivery options for, 125–127, 125–126
 - drafts, 125, 125
 - encrypting, 127–128
 - enhancements to, 12
 - filing, 124, 124
 - folders for, 124–125, 132, 132, 137
 - formatting, 120–121
 - forwarding, 91, 131–132, 143
 - Inbox for, 117–118, 118
 - integrating, 132–133
 - through Internet, 351. *See also* web mail
 - accounts for, 354
 - formatting, 129
 - Location documents for, 351–354, 351–353
 - receiving, 354–356
 - security for, 357–359
 - sending, 356–357
 - Link Memos in, 130
 - @MailSend for, 472
 - Memo to Database Manager, 130
 - mood stamps for, 128
 - navigating, 135–139, 135, 137–139
 - new features in, 115–116
 - notification of, 152–153, 153
 - offline, 151–152
 - opening, 118, 119
 - opening mail database for, 117, 117
 - operation of, 116, 116
 - personal address book for, 78
 - Phone Messages in, 130
 - preferences for, 90–92, 91–92, 142–149, 143–145
 - previewing, 119, 119
 - processing, 120, 120
 - reading, 118–119, 119
 - receiving, 91, 143–144
 - replicas for, 278
 - replying to, 130–131, 130–131
 - rules for, 137–139, 138–139
 - security options for, 127–128
 - sending, 91–92, 124, 124, 143
 - signatures for, 129, 129, 147
 - stationery for, 129–130, 130, 139, 139
 - tools for, 133–134, 133, 135
 - in User Security, 301–302, 302
 - web. *See* web mail
 - word processors for, 150–151
 - writing, 120–121
- e-mail addresses for contacts, 83–84
- Each Frame Individually option, 72

- ECLs (execution control lists), 299–300, 300
- Edit Document toolbar, 28
- Edit Formula window, 482–483, 482
- Edit mode for document forms, 49
- Edit Modem Command File dialog box, 248
- Edit Toolbar Button dialog box, 485, 485
- Editable Column option, 615
- editable columns in views, 615
- Editable controlled access sections, 569
- editable fields, 51, 528
- editing
 - attachments, 324
 - bookmarks, 105
 - calendar entries, 178
 - documents, 50
 - embedded objects, 314, 314
 - location documents, 95–96
- Editing toolbar, 27
- Editor access level, 306, 445
- editors
 - embedding, 586
 - for formulas, 482–486, 482–486
- effective access, 307, 308, 445–446, 446
- @Elements function, 469
- embedded elements
 - editing, 314, 314
 - graphics, 585–587
 - outlines, 644–649, 645, 647–649
 - in rich text fields, 64
 - views, 625, 626
- Embedded Outline Properties box, 645
 - Background tab, 648, 648
 - Border tab, 649
 - Font tab, 647, 648
 - Hide-When tab, 649
 - Info tab, 645–647, 647
 - Layout tab, 648–649, 649
 - Margin tab, 649
- Embedded View option, 25
- Empty Trash option, 136
- Enable ActiveX in Notes Browser option, 336
- Enable Case-Sensitive Searches option, 222, 442
- Enable Java Access from JavaScript option, 335
- Enable Java Applets option, 335
- Enable JavaScript Error Dialogs option, 335
- Enable JavaScript option, 335
- Enable MIME Save Warning option, 336
- Enable Page Minder option, 343
- Enable Plugins in Notes Browser option, 336
- Enable right double-click closes window option, 89
- Enable Roaming for This Person option, 280
- Enable Scheduled Local Agents option, 717
- Enable Web Ahead option, 342
- Enabled option, 153
- Encrypt option, 127
- Encrypt the Replica Using setting, 265
- encrypted files in full-text indexes, 222
- encryption
 - for databases, 309, 309, 419–420, 420, 428
 - for e-mail, 127–128

- for form fields, 530
 - in integrated browsing, 341
 - for Internet e-mail, 359
 - for journals, 110
 - for newsgroup accounts, 346
 - in PKI, 290–292
 - for replicas, 265
 - in User Security, 300–302, 301–302
 - Encryption dialog box, 419–420, 420
 - Enforce a Consistent Access Control List Across All Replicas of This
 - Database option, 285–286, 308
 - Enter Password dialog box, 16, 364, 364
 - entering form field information, 51–55
 - entire words in text searches, 217
 - ENVIRONMENT keyword, 467
 - environment variables, 460, 486
 - equal signs (=)
 - in assignment operators, 463–464
 - in comparison operators, 464
 - in full-text searches, 228
 - for variable values, 685
 - error handling functions, 468–469
 - escape characters, 454
 - Evaluate Actions for Every Document Change option, 606
 - event-driven programming, 482
 - Event formulas, 479
 - events, 482
 - for agents, 515–516, 711
 - alarms for, 161
 - for forms, 513–518, 513
 - for JavaScript, 516–517
 - for scripts, 681
 - for TeamRooms, 200
 - UI, 517–518
 - Everyday Tasks, 22
 - EXACTCASE operator, 227
 - exclamation points (!) in formulas, 465
 - execution control lists (ECLs), 299–300, 300
 - Expand/Collapse tab, 568, 569
 - expanding sections, 567–568, 568
 - Expiration Date option, 128
 - expiration dates
 - of certificates, 296
 - of e-mail, 128
 - @Explode function, 469
 - Explode transitions, 560
 - Export dialog box
 - for documents, 320
 - for views, 318–319, 318
 - exporting
 - documents, 320
 - views, 318–319, 318–319
 - expressions, 450, 453–454
 - Exs option, 579
 - Extensible Markup Language (XML), 502
 - Extra HTML tab, 573
- F**
- @Failure function, 468
 - Field Info tab, 527–529
 - FIELD keyword, 467, 486
 - field-level replication, 262
 - Field Properties box, 527
 - Advanced tab, 530–531, 530
 - Field Info tab, 527–529
 - HTML Tag Attributes tab, 531
 - field variables in formulas, 460–462, 461
 - fields, 489–492, 491
 - adding, 532–533, 533
 - creating, 526–532, 527, 530–531
 - in databases, 7
 - in document forms, 48–49
 - entering information into, 51–55
 - in full-text searches, 231–233, 231–232
 - in layout regions, 572
 - names for, 526–527
 - in Personal Pages, 25
 - rich-text. *See* rich-text fields
 - in security layers, 288, 289
 - in selecting documents, 601–602
 - shared, 406–407, 727–728
 - styles for, 529, 530
 - types of, 528, 534–542, 535–536, 540
 - Fields and Functions dialog box, 483, 483
 - Fields tab, 230, 231, 510, 510
 - File Open dialog box, 39
 - File Resource Properties box, 667, 667
 - File System option, 22
 - File Upload controls, 587
 - File Viewer window, 323
 - files
 - attachments in. *See* attachments
 - in Domino Designer, 407
 - as shared resources, 667–668, 667–669
 - text
 - exporting, 318
 - importing, 315–316
 - filing e-mail, 124, 124
 - Fill Out Example Form condition, 602, 602
 - filters
 - for e-mail, 137–139, 138–139
 - for web mail, 368–369, 368
 - Find People dialog box, 240, 240
 - Find Text in Document dialog box, 216–217, 216
 - finding. *See* searching
 - firewalls, 362
 - First Page link, 366
 - first time synchronization in DOLS, 382–384, 383–384
 - Fit to Window option, 549
 - Fit with Margins option, 548
 - Fixed option, 579
 - Fixed Width option, 549
 - Flat Style outline type, 646
 - flexibility in configuration, 6
 - Folder panes, embedding, 586
 - folders
 - for bookmarks, 106
 - deleting documents from, 46
 - for discussions, 191–192, 191, 196

- for documents, 43–46
- in Domino Designer, 405
- for e-mail, 124–125, 124–125, 132, 132, 137
- in Navigator, 439
- as views, 626
- for web mail, 374–375, 374–375
- Folders dialog box, 124, 124
- Folders option, 439
- fonts and Font tabs
 - for action buttons, 580
 - default, 88
 - for e-mail, 121
 - for Embedded Outline Properties box, 647, 648
 - for formula pop-up hotspots, 582
 - for layout region text, 570
 - for rich text fields, 56
 - for scripts, 403
 - for special characters, 218
 - for static text, 520
 - for view columns, 618–619
 - for views, 612, 612
- footers
 - options for, 433–434
 - in printing, 68–70
- For...Next loops, 693
- @For function, 471–472
- Forall loops, 694–695
- Form Background tab, 504–505, 504
- form formulas
 - results from, 473
 - for views, 623–625, 624
- Form Info tab, 497–500, 497
- Format File Defined option, 316
- Format Output option, 675
- Format tab, 403
- formatted text, 55–64
- formatting in e-mail, 120–121
- forms, 489
 - automating
 - using actions, 574–600, 575–576, 578
 - using hotspots, 580–585, 581–583, 585
 - background for, 504–505, 504
 - bookmarks to, 82, 105
 - computed text in, 564–565, 565
 - copying, 495, 496
 - creating, 495–496, 496
 - in databases, 7–8, 8
 - Defaults tab for, 501–503, 501
 - design considerations in, 494–495
 - document relationship with, 490–492, 491
 - for documents, 48–55
 - in Domino Designer, 405
 - events for, 513–518, 513
 - features of, 50–51
 - fields for
 - adding, 532–533, 533
 - creating, 526–532, 527, 530–531
 - entering information in, 51–55
 - types of, 534–542, 535–536, 540
 - Form Background tab for, 504–505, 504
 - Form Info tab for, 497–500, 497
 - in full-text searches, 233–235, 233–235
 - graphics in, 562–565, 563–564
 - Header tab for, 505, 505
 - Launch tab for, 503
 - layers in, 573–574, 573
 - layout regions in, 570–574, 570–571
 - vs. pages, 642–644
 - properties for, 497–507, 497, 503–506
 - sections for, 566–570, 567–568
 - in security layers, 288, 289
 - Security tab for, 506–507, 506
 - in selecting documents, 602
 - static text for, 519–525, 519–523, 525–526
 - subforms. *See* subforms
 - tables in. *See* tables
 - testing, 542, 543
 - window titles for, 514–515
- formula fields, 541
- formula pop-up hotspots, 581–582
- Formula tab, 569, 569
- formulas and formula language, 449–451, 451
 - for action buttons, 577
 - for actions, 478–481
 - for agents, 720
 - for computed text, 564–565, 565
 - constants in, 454–458, 455–458
 - debugging, 486
 - in Designer Workspace, 402–404
 - editors for, 482–486, 482–486
 - events symbol for, 514
 - for formula pop-up hotspots, 582
 - functions in, 467–472
 - for image resource names, 563
 - for keyword choices, 538
 - keywords in, 466–467
 - operators in, 462–466
 - results for, 473–477
 - for sections, 569
 - for selecting documents, 603
 - syntax for, 452–454
 - true values in, 478
 - variables in, 458–462, 459, 461
 - for views, 623–625, 624
 - for Web applications, 472–473
- Formulas Inherit Values from Selected Documents option, 501
- forwarding
 - e-mail, 91, 131–132, 143
 - web pages, 340–341, 341
- Frame Border tab, 655
- Frame Properties box, 653–655
- Frame Size tab, 654–655
- frames and framesets, 649–650
 - arrangements in, 650–651, 651–652
 - creating, 650, 650
 - for discussions, 191, 191
 - in Domino Designer, 404
 - events for, 516
 - Frameset Designer for, 652–655
 - modifying frames in, 652–653

- in personal address book, 79, 79
- printing, 72
- testing, 656–657, 656–657
- in Welcome Page, 19, 21–23

Frameset Designer, 652–655

Freetime settings, 376–377, 377

front ends, 699

frontend classes, 699–700

Full Access Administrators, 446

full-text searches

- by author, 230, 231
- by date, 229–230, 229
- by field, 231–233, 231–232
- by form, 233–235, 233–235
- indexes for, 220–223, 221–223, 440–443, 441
- operators in, 225–229, 225
- options for, 223–225, 223

Full Text tab, 220–221, 221, 223, 223, 440–443, 441

FUNCTION keyword, 689

functionality of Notes, 4

functions

- in formulas, 467–472
- for views, 591–592

Fuzzy Search option, 224

FYI invitees, 168

G

General tab and settings

- for e-mail, 90–92, 91, 143–144, 143
- for languages, 89, 90

Generate HTML for All Fields option, 503

getCurrentDatabase method, 701

GetDatabase method, 701

GetFirstDocument method, 703

GetItemValue method, 705

GetLastDocument method, 703

GetNextDocument method, 703

GetPrevDocument method, 703

GetView method, 703

GNID (Global Note ID), 513

gradient background styles, 552

graphics

- for action buttons, 577
- embedded elements, 585–587
- in forms, 562, 563–564
- importing, 562–563, 563
- in layout regions, 571–572
- for Navigators, 658
- Picture Properties box for, 563–564, 564

greater than signs (>)

- in comparison operators, 464
- in full-text searches, 228

grids for views, 607

Groove option, 551, 554

group calendars, 177–178, 177–178

group documents, 279

Group Scheduler, 586

Groups and Roles dialog box, 212, 212, 307, 308

groups in personal address book, 82, 86–87, 87

Groups view, 82

H

Hang Up dialog box, 251, 251

Hangup setting, 274

Header tab, 505, 505

headers

- in forms, 505, 505
- options for, 433–434
- in printing, 68–70
- for views, 608

headline monitoring, 422

headlines.nsf file, 742

Headlines style, 19

height

- Action bars, 579
- action buttons, 579
- frames, 655
- printing areas, 68
- rich text fields, 56
- table cells, 549

help

- bookmarks for, 34
- for form fields, 530
- obtaining, 33–34
- for web mail, 378, 378

hidden features for Welcome Page, 22–23

hidden paragraphs, 288, 289

hidden views, 596

Hide Formulas and LotusScript option, 435

Hide Graphic in Design Mode option, 504

Hide Outline Entry if Formula Is true option, 639

Hide paragraph formulas, 475, 477

Hide-When tab

- for Embedded Outline Properties box, 649
- for outline entries, 638–639, 639

hiding

- design elements, 512
- outline entries, 638–639, 639, 649
- static text, 523–524, 523
- templates, 435

hierarchical certificates, 292

hierarchies

- document, 492–493, 493
- response, 620–623, 621–622

high-level certifiers, 291

Highlight the Text option, 581

history, replica, 271, 429, 429

holidays, 162

Home location documents, 94

home page, Welcome page as, 26

home Window tab, 400

Hotspot action formulas, 480–481

Hotspot button formulas, 480–481

HotSpot Pop-Up Properties box, 580–581, 581

HotSpot Resource Link Properties box, 582, 582

hotspots, 580

- action, 583–585, 585
- button, 584

- formula pop-up, 475, 477, 581–582
 - with graphics, 564
 - link, 582–583, 582–583
 - in rich text fields, 64
 - text pop-up, 580–581, 581
 - HTML (Hypertext Markup Language)
 - events for, 515
 - support for, 332
 - HTML Body Attributes event, 515
 - HTML Head Content event, 515
 - HTML Tag Attributes tab, 531
 - HTML view, 594, 595
 - HTTP (Hypertext Transfer Protocol) support, 330
 - Hypertext Markup Language (HTML)
 - events for, 515
 - support for, 332
- I**
- I Do Not Want to Receive Replies from Participants option, 172
 - icons
 - for bookmarks, 105
 - color of, 88
 - for databases, 673, 673
 - for discussions, 192–194, 193
 - in Domino Designer, 399, 399, 408
 - for fields, 527, 527
 - size of, 88
 - for values, 615, 616
 - for views, 41, 616
 - ID option, 531
 - Identity of Others tab, 298, 299
 - IDEs (integrated development environments), 681
 - @if function, 470
 - If...Then blocks, 690–692
 - If Inactive For option, 609
 - If Inactive For 45 days option, 609
 - Image Repository, 638
 - Image Resource Properties box, 664–665, 664–665
 - image resources, 664–667, 664–666
 - images. *See also* graphics
 - for Action bars, 579
 - alternate text with, 564
 - in Domino Designer, 407
 - for form background, 504–505
 - for outlines, 649
 - for table background, 552
 - Images Down option, 665
 - IMAP (Internet Message Access Protocol), 330–331, 355–356
 - IMAP Offline Account documents, 355
 - @Implode function, 469
 - Import dialog box
 - for documents, 320
 - for graphics, 562–563, 563
 - for pictures, 59
 - for text files, 317, 317
 - Import Navigators, 586
 - Import settings dialog box, 317, 318
 - Importance option
 - for e-mail, 126
 - for web mail, 372
 - importing
 - documents, 319–320
 - graphics, 562–563, 563
 - pictures, 59
 - views, 315–317, 317–318
 - In Folder option, 603
 - In Review state, 203
 - Inbox, 16, 17, 117–118, 118, 136
 - in iNotes, 390, 390
 - for web mail, 366
 - in Welcome Page, 21
 - Inbox option, 25
 - Include Additional option, 175
 - Include in Menu option, 498
 - Include in Multi Database Indexing option, 238, 438
 - Include in New Form field, 727
 - Include in Search Builder option, 498
 - Include Signature dialog box, 129, 129
 - Incomplete view, 183
 - Indent Entry option, 633
 - indenting in outlines, 633
 - Index Attached Files option, 222, 441
 - Index Encrypted Fields option, 222, 442
 - Index Sentence and Paragraph Breaks option, 222, 442
 - Index view, 34
 - indexed databases, indicator for, 220
 - indexes
 - for full-text searches, 220–223, 221–223, 440–443, 441
 - for help, 34
 - for views, 609
 - Info tab, 263
 - in Database Properties box, 432–433, 432
 - in Design Document Properties box, 509, 510
 - in Embedded Outline Properties box, 645–647, 647
 - information collection, databases for, 10
 - Inherit Design from Templates option, 436
 - Inherit Entire Selected Document into Rich Text Field option, 501
 - Inherit Future Design Changes option, 417
 - Initial View or Folder option, 659
 - Initialize event, 518
 - inline images, 562
 - iNotes, 389–390, 389
 - administrator perspective on, 393
 - preferences for, 391–392, 392
 - programmer perspective on, 393
 - security for, 392, 392
 - trying out, 393
 - user perspective on, 390–392, 390–392
 - input translation formula type, 476
 - Input validation formula results, 476
 - Insert Embedded Outline dialog box, 645, 645
 - Insert Image Resource dialog box, 504, 505, 664–665, 666, 667
 - Insert Resource dialog box, 666–668, 666
 - Insert Shared Action option, 729
 - Insert Shared Field option, 728
 - Insert Signature option, 129, 129, 134
 - Insert Subform dialog box, 725, 725, 727
 - Insert System Actions option, 574–575
 - inserting OLE objects, 313–314, 313

Inset style for table borders, 554
 Inside Table option, 555–556
 installation. *See* Notes installation
 Installation Wizard, 732–735, 732–736
 instantiating classes, 700
 Integer data type, 684
 integrated browsing

- configuring, 334–338, 335–338
- using, 339–341, 340–341

 integrated development environments (IDEs), 681
 interactive replication, 272–273, 272–273
 interest profiles view, 195–196, 195
 interfaces

- for Domino Designer, 399–404, 401–404
- enhancements to, 14

 International tab, 89, 90
 Internet

- browsing, 334–344
- e-mail through, 351
 - accounts for, 354
 - formatting, 129
 - Location documents for, 351–354, 351–353
 - receiving, 354–356
 - security for, 357–359
 - sending, 356–357
- installation options for, 739–741, 739–741
- newsgroups, 344–350, 344–350
- Personal Web Navigator for, 341–344, 342–343
- searching, 241
- standards for, 329–334

 Internet Browser field, 336–337, 337
 Internet Browser tab, 96
 Internet Browser Mail tab, 353
 Internet clients, Notes as, 4–5
 Internet Domain for Notes Address option, 352
 Internet Explorer browser, 334
 Internet location documents, 94
 Internet Mail Address setting, 351
 Internet Message Access Protocol (IMAP), 330–331, 355–356
 Internet Message options, 129
 Internet Options form, 342
 Internet settings, 144–145, 144
 Internet-style Notes Mail Options dialog box, 146, 146
 Internet tab, 92, 92
 invitations to meetings, 172–174, 173, 175
 invitees for meetings, 168
 @IsError function, 468
 @IsExpandable function, 592
 Island location documents, 95
 Island mode, 152
 @IsMember function, 469
 @IsNotMember function, 469
 IsNumeric function, 690
 Issue Cross Certificate dialog box, 348

J

Java Applet Security tab, 354
 Java language, 697–698
 for agents, 717

in database design, 7
 in Designer Workspace, 402
 libraries for, 730, 730
 for scripts, 678
 support for, 332–333
 Java Server Pages (JSP), 699
 JavaScript ECLs, 299
 JavaScript language

- for action buttons, 577
- in database design, 7
- in Designer Workspace, 402, 404
- events for, 516–517
- events symbol for, 514
- libraries for, 730
- options for, 430
- for scripts, 678
- support for, 333

 journals, personal, 109–112, 110–111
 JS Header event, 516
 JSP (Java Server Pages), 699

K

key concepts

- databases, 6–10, 7–8
- messaging, 11
- replication, 10
- security, 10–11

 keyboard access shortcuts, 31
 keys

- in encryption, 290
- in User Security, 300–302, 301

 keyword fields, 536–539
 keywords

- for Document Library template entries, 204–205
- for form choices, 53–54
- in formulas, 466–467

L

Label field, 636
 labels

- for forms, 519–525, 519–523, 525–526
- for outline entries, 636

 LAN (local area network) connections, 254–255, 254
 languages, International tab for, 89, 90
 laptop computers, offline e-mail with, 151–152
 Last Page link, 366
 LastAccessed field, 421–422
 Launch Designated DoLink option, 440
 Launch First Attachment in About Database option, 439
 Launch First DoLink in About Database option, 440
 Launch First Document in a View option, 440
 Launch Pad, 19, 19
 Launch tab

- in Database Properties box, 438–440, 438
- for forms, 503
- for Navigators, 661

 launching Navigators, 661–662
 Layer Properties dialog box, 573–574, 573

- layers
 - in forms, 573–574, 573
 - of security, 287–289, 288
- Layout Properties box, 570, 570
- layout regions, 570
 - advantages and disadvantages of, 572
 - creating, 570–571, 570–571
 - graphics in, 571–572
- Layout tab, 648–649, 649
- Lbound function, 687–688
- LDAP (Light Directory Access Protocol)
 - for e-mail addresses, 122–123, 123, 357
 - installation options for, 740–741, 741
 - for people searches, 240, 240
 - support for, 331
- LDAP Account documents, 357
- Leader/Facilitator options, 201, 201
- @Left function, 469
- less than signs (<)
 - in comparison operators, 464
 - in full-text searches, 228
- Letterhead tab, 147
- libraries
 - code, 729–730, 730
 - document. *See* Document Library template
- library applications, databases for, 10
- licenses, 732
- Light Directory Access Protocol (LDAP)
 - for e-mail addresses, 122–123, 123, 357
 - installation options for, 740–741, 741
 - for people searches, 240, 240
 - support for, 331
- Limit Entries in \$Revisions Fields option, 423
- Limit Entries in \$UpdatedBy Fields option, 422–423
- link hotspots, 582–583, 582–583
- Link Memos, 130
- links
 - color for, 503
 - for outline entries, 637
 - in rich text fields, 63–64
- List as Advanced Template in New Database Dialog option, 437
- List box type, 537
- list formula results, 476
- List in Database Catalog option, 437
- listboxes, 53–54
- lists
 - dialog, 53–54
 - distribution, 86
 - functions for, 469
 - in LotusScript, 686–688
 - operators for, 464–465
 - with static text, 521, 521
- Literalize Fields, 528
- Load Search option, 225
- loading attachments, 324
- Local Address Books field, 91
- local area network (LAN) connections, 254–255, 254
- local database, security for, 285–286
- Local Database Folder setting, 89
- Local Free Time Info setting, 274–275, 275
- LocalDomainServers group, 82
- Locally Encrypt This Database option, 419
- Locate Java Applet Files dialog box, 670, 671
- Locate Object dialog box, 582, 638, 638, 642
- location documents, 93–94, 94
 - for browsers, 336–338
 - editing, 95–96
 - for Internet e-mail, 351–354, 351–353
 - in replication, 277–279, 277
 - working with, 94–95
- location for meetings, 167–168
- Location Type setting, 351
- Log section for ACLs, 308
- logical operators
 - for e-mail rules, 138
 - in formulas, 465–466
 - in full-text searches, 225–227
 - for script conditions, 690
- Login Script File Arguments option, 250
- Login Script File Name option, 250
- logins
 - for DOLS subscriptions, 386, 387
 - for web mail, 364–365, 364–365
- logouts for web mail, 378
- logs
 - for ACL changes, 308
 - for archiving, 428
- Long data type, 684
- lookup functions, 471
- looping in LotusScript, 690, 693–695
 - with Do...While and Until...Loop, 693–694
 - with For...Next, 693
 - with Forall, 694–695
 - functions for, 471–472
- Lotus 1–2–3 worksheet files
 - exporting, 318
 - importing, 315–316
- Lotus directory, 733
- Lotus iNotes Installer, 383, 383
- Lotus iNotes Sync Manager, 384, 384
- Lotus Notes Client Configuration, 736–741, 737–740
- LotusScript language, 677–679
 - for action buttons, 577
 - for agents, 717
 - branching in, 690–692
 - code libraries for, 729–730, 730
 - comments in, 682–683
 - data types in, 683–685
 - in database design, 7
 - debugging, 695–697, 696–697
 - in Designer Workspace, 402
 - events symbol for, 514
 - lists and arrays in, 686–688
 - looping in, 690, 693–695
 - object model for, 697–699
 - backend classes in, 700–706
 - frontend classes in, 699–700
 - fundamental classes in, 699
 - sample script, 706–707
 - script components of, 680–681, 681

subroutines in, 683
 variables in, 683–685, 688–690
 LotusScript UI events, 517–518

M

macros, 711
 mail. *See* e-mail; web mail
 Mail Address Assistant dialog box, 83–84
 Mail Addressing option, 353
 mail database
 closing, 153–154
 opening, 117, 117
 mail.box database, 742
 mail distribution lists, 86
 Mail File option, 352
 Mail File Location option, 352
 mail-in databases, 211
 Mail owner setting, 145
 Mail tab, 301–302, 302
 for calendars, 159
 for location documents, 95, 352–353, 352
 in User Preferences dialog box, 90–92, 91–92
 Mail template, 414
 Mail Threads view, 131, 136
 @MailSend function, 472
 main documents
 in discussions, 192
 in replication, 284
 main expressions, 453–454
 Maintain LastAccessed Property option, 421–422
 Make Internet URLs into Hotspots option, 89, 335
 Make Local Journal Secure option, 110
 Make Notes My Default Web Browser option, 336
 Make Notes the default web browser option, 89
 Manage List Replica option, 282
 Manage Replica Server List dialog box, 107
 Manager access level, 306, 445
 manual operation
 of agents, 710
 of view index refreshing, 609
 margins
 Action buttons, 579
 for outlines, 649
 printing, 68
 rich text fields, 56
 static text, 522
 for tables, 554–555, 555
 for views, 608
 Mark documents read when viewed in preview pane option, 89
 Mark Private option
 for Document Library template entries, 204
 for Microsoft Office Library template entries, 209
 Mark/Unmark Document as Expired option, 134
 Match on Entire Word option, 217
 @Max function
 for lists, 469
 for numbers, 469
 Max Results option, 225
 Maximum Name & Password option, 308
 medium encryption option, 420
 meetings, 166
 alarms for, 161, 169
 invitations to, 172–174, 173, 175
 owner actions for, 175–176
 participant actions for, 176
 scheduling, 167–172, 167, 169–172
 Meetings tab, 158
 members for TeamRooms, 199, 199
 memo documents, 130
 Memo to Database Manager, 130
 menu bar for Domino Designer, 399, 399
 menus
 cascading, 508, 508
 context, 30
 message body in e-mail, 120
 messages. *See* e-mail; web mail
 messaging, 10–11
 methods of classes, 698
 Microsoft Office Document Library template, 208–210, 209
 Microsoft Office Library template, 414
 milestones for TeamRooms, 200
 MIME (Multipurpose Internet Mail Extension) protocol
 for e-mail, 129
 support for, 332
 MIME Character Set option, 129
 MIME Settings tab, 354
 @Min function
 for lists, 469
 for numbers, 469
 Minimum Height option, 549
 miniview for calendars, 157, 157–158
 minus signs (-)
 for subtraction, 463
 as unary operator, 466
 mobile computing
 database replicas with. *See* replicas and replication
 for e-mail, 151–152
 new features in, 12
 modems, 246–248
 Modified field, 509
 @Modified function, 469, 592
 @Month function, 469
 Month tab, 158
 monthly by date alarms, 169
 monthly by day alarms, 169
 Monthly option for agents, 718
 Monthly Style option, 180
 mood stamps, 128
 More Settings option, 265
 More Than Once a Day option, 716
 Move dialog box, 44
 Move to Folder option
 for documents, 46
 in filtering web mail, 369
 moving
 bookmarks, 105
 columns in views, 614
 documents, 46–47

- folders, 44
- toolbars, 28
- Multilingual Database option, 438
- multiple word conditions, 234, 603
- multiplication, 463
- Multipurpose Internet Mail Extension (MIME) protocol
 - for e-mail, 129
 - support for, 332
- multivalued form fields, 530
- multivalued separators, 615
- My Author Profile view, 192
- My Favorites folder
 - for discussions, 192
 - in Document Library template, 203–204
- My Interest Profile view, 192

N

- @Name function
 - for users, 470
 - for views, 592
- named elements for outline entries, 637
- names and Name fields
 - bookmarks, 105
 - contacts, 83
 - databases, 412, 415
 - embedded outlines, 645
 - fields, 526–527
 - folders, 43–44
 - forms, 497–498
 - frames, 653
 - in full-text searches, 230, 231
 - functions, 468
 - group members, 87
 - groups, 87
 - for HTML tags, 531
 - for image resources, 664
 - newsgroup accounts, 346
 - outline entries, 636
 - outlines, 634
 - replicas, 265
 - TeamRooms, 199
 - in User Security, 295–296
 - views, 596, 604
- names fields, 541
- names.nsf file, 79, 89, 248
- native image formats, 333
- Native OS Style fields, 529
- navigating
 - discussions, 191–192, 191
 - document forms, 49
 - Document Library template, 203–204
 - Domino Designer, 398–409, 399, 401–404, 406
 - e-mail, 135–139, 135, 137–139
 - personal address book, 79–87, 79
 - tables, 61
 - views, 593–596, 594–595
 - web mail, 366
- Navigation pane
 - for discussions, 191–192
 - for Document Library template, 203–204
 - in personal address book, 79, 79
- Navigation toolbar, 28
- Navigator Properties box, 659–660, 659
- Navigators, 658
 - actions for, 660–661, 660–661
 - creating, 658, 659
 - in Domino Designer, 409
 - embedding, 586
 - options for, 439
 - properties for, 659–660, 659
 - working with, 661–662, 662
- network access, status bar indicator for, 30
- Network Dialup, 251–254, 252–253
- Network Dialup tab, 252, 252
- Network News Transfer Protocol (NNTP), 331. *See also* newsgroups
- Never option
 - for action buttons, 580
 - for agents, 718
- New Applet Resource option, 670
- New Calendar option, 133
- New Calendar Entry option, 179
- New Database dialog box, 412–413, 412, 415, 415
- new features, 11–12
 - calendar enhancements, 13
 - e-mail enhancements, 12
 - interface enhancements, 14
 - mobile user capabilities, 12
 - rich-text enhancements, 13
 - security enhancements, 13
 - Welcome page, 12
- New Folder dialog box, 106
- New Group Calendar dialog box, 177, 177
- NEW keyword, 700
- New Memo option, 132, 179
- New Memo--Using Stationery option, 134
- New review state, 203
- New Rule dialog box, 138–139, 138
- New To Do option, 133, 179
- New Welcome Page wizard, 19, 20
- newsgroups, 344–345
 - installation options for, 740
 - newsreaders for, 345–348, 345–347
 - offline, 350
 - reading and posting to, 349–350, 349–350
 - subscribing to, 348, 349
- Newsgroups at dialog box, 348, 349
- newsreaders, 345–348, 345–347
- Next Page link, mail, 366
- NID (Note ID), 513
- NNTP (Network News Transfer Protocol), 331. *See also* newsgroups
- No Access access level, 305, 445
- No Focus on F6 option, 500
- No Initial Focus option, 499
- None option for unread marks, 610
- NOT operators
 - in formulas, 465
 - in full-text searches, 227
 - for script conditions, 690
- Note ID (NID), 513

Notebooks in iNotes, 391, 391
 NoteDateTime class, 703
 Notes Data tab, 300–301, 301
 Notes Direct Dialup, 246–251, 247–251
 notes.ini file, 460, 742
 Notes installation, 731
 client, 736–741
 Installation Wizard for, 732–735, 732–736
 prior versions in, 732
 upgrades, 742
 Welcome page, 741–742, 741–742
 Notes Mail Domain option, 352
 Notes Minder feature, 152–153, 153
 Notes SQL, 324–325, 325
 Notes Style fields, 529
 NotesAppletContext class, 701
 NoteSession class, 701
 NotesItem class, 705–706
 NotesUIDocument class, 699–700
 NotesUIWorkspace class, 699–700
 Notification dialog box, 207
 notification of e-mail, 152–153, 153, 207
 Notify Me option, 164–165
 Notify Originator After option, 207
 @Now command, 450
 .nsf extension, 416
 .ntf extension, 416
 number fields, 53, 535–536, 536
 Numbers tab, 618–619
 numeric constants, 455–456, 456

O

Object Linking and Embedding (OLE), 312–315, 313–314
 object model, 697–699
 backend classes in, 700–706
 frontend classes in, 699–700
 fundamental classes in, 699
 object-oriented languages, 697–698
 objects in rich text fields, 58
 Objects tab, 402
 ODBC (Open Database Connectivity), 324–325, 325
 ODBC Administrator dialog box, 324, 325
 office location documents, 95
 offline operations
 browsing, 344
 DOLS. *See* DOLS (Domino Off-Line Services)
 e-mail, 151–152
 newsgroups, 350
 OID (Originator ID), 513
 OLE (Object Linking and Embedding), 312–315, 313–314
 OLE objects in rich text fields, 58
 OLE Objects option, 25
 On Close property, 502
 On Create property, 501–502
 On Event option, 714–716
 On Mouse Over option
 for action buttons, 580
 for text pop-up hotspots, 581

On Open option
 for forms, 502
 for views, 606
 On Refresh option, 607
 On Schedule option, 716
 On Web Access property, 502–503
 Once on Click option, 560
 Once When Opened option, 560
 onClick event, 517
 onDbClick event, 517
 One Reviewer at a Time option, 206
 onHelp event, 516
 onKeyDown event, 517
 onKeyPress event, 517
 onKeyUp event, 517
 online publications, databases for, 10
 onLoad event, 516
 Only for User option
 in Network Dialup, 253
 in Notes Direct Dialup, 250
 in Passthru, 256
 Only from Location(s) option
 in Network Dialup, 253
 in Notes Direct Dialup, 249
 in Passthru, 256
 Only On Failure option
 for e-mail, 126
 for web mail, 372
 Only to Servers in Domain option, 250
 onMouseDown event, 517
 onMouseMove event, 517
 onMouseOut event, 517
 onMouseOver event, 517
 onMouseUp event, 517
 onReset event, 517
 onSubmit event, 517
 onUnload event, 517
 Open About Database Document option, 439–440
 Open Database Connectivity (ODBC), 324–325, 325
 Open Database dialog box, 38–39
 for bookmarks, 102–104
 for discussions, 190, 191
 Open Designated Frameset option, 439–440
 Open Designated Navigator option, 439–440, 661
 Open Designated Navigator in Its Own Window option, 439–440
 Open Designated Page option, 440
 Open in New Window option, 369
 Open Notes option, 152
 Open Replica option, 282
 opening
 attachments, 324
 calendar entries, 178
 databases, 37–39
 discussion databases, 190–191, 191
 documents, 41–42
 e-mail, 118, 119
 mail database, 117, 117
 personal address book, 79–80, 79
 personal journals, 110, 110
 Properties boxes, 424

- web mail, 369, 370
- operating systems in security layers, 288, 288
- operators
 - arithmetic, 463
 - assignment, 463–464
 - comparison, 464
 - in formulas, 462–466
 - in full-text searches, 225–229, 225
 - list, 464–465
 - logical, 465–466
 - precedence of, 462–463
 - for script conditions, 690
 - text, 466
- Option Base statement, 687
- Option Declare statement, 688
- optional features for Welcome Page, 22–23
- optional invitees, 168
- Options tab, 604–607, 605
- OR operators
 - for e-mail rules, 138
 - in formulas, 465
 - in full-text searches, 226
 - for script conditions, 690
 - in web mail filters, 369
- Organize Java Agent Files dialog box, 730, 730
- organizing elements in standard outline views, 591
- Originator ID (OID), 513
- orphaned documents, 493
- other design element, 408–409, 409
- Other dialog box, 508
- Other option, 532
- Other settings, 268, 269
- OtherDomainServers group, 82
- Out of Office feature, 134, 135
- Outdent Entry option, 633
- Outline Designer, 631–633, 631–632
- Outline Entry Info tab, 636–638, 636
- Outline Entry Properties box, 632, 632, 636–638, 636
- Outline pane, 633
- Outline Properties box, 634, 634
- Outline Size option, 646–647
- outline views, 590–592, 590–591, 607–608
- outlines, 629–630, 630
 - advantages of, 630–631
 - creating, 633, 634
 - in Domino Designer, 406, 406
 - embedding, 644–649, 645, 647–649
 - entries in
 - adding, 640–642, 641–642
 - hiding, 638–639, 639
 - properties for, 636–638, 636
 - removing, 635–636
 - updating, 639, 640
 - Outline Designer for, 631–633, 631–632
 - properties for, 634–635, 634–635
- Output tab, 696
- Outset border style, 554
- overwriting replicas, 264, 265
- owner actions for meetings, 175–176

P

- page breaks, 50
- Page Info tab, 644
- Page Minder Agent
 - preferences for, 342–343, 343
 - running, 343–344
- Page Minder tab, 342–343, 343
- page numbers
 - in headers and footers, 69–70
 - in printing, 68
- Page option, 439
- Page Setup dialog box, 68
- Page Setup tab, 180
- pages, 642–643
 - creating, 643–644
 - design elements in, 643
 - in Domino Designer, 404
 - embedding outlines on, 644–649, 645, 647–649
 - Welcome. *See* Welcome page
- pair-wise operators, 465
- Paragraph Alignment tab
 - for rich text fields, 56
 - for static text, 521–522, 521
- Paragraph Border tab
 - for rich text fields, 57
 - for static text, 522, 523
- paragraph breaks for full-text indexes, 222
- Paragraph Hide-When tab
 - for rich text fields, 57
 - for static text, 523–524, 523
- Paragraph Margins tab
 - for printing, 68
 - for rich text fields, 56
 - for static text, 522
- PARAGRAPH operator, 225, 227
- Paragraph Style tab
 - for rich text fields, 57
 - for static text, 524
- parallel reviews, 205
- parent-child relationships in discussions, 192
- parentheses ()
 - in formulas, 463
 - for list concatenation, 464
 - for view names, 596
- participant actions for meetings, 176
- Passthru connections
 - setting up, 255–256, 255–256, 500
 - with static text, 525, 526
- password fields, 541
- passwords
 - for DOLS subscriptions, 384, 386
 - entering, 16
 - for iNotes, 392
 - for newsgroup accounts, 346
 - in Notes client installation, 738, 739
 - for user ID files, 294, 303
 - in User Security, 295, 295
 - for web mail, 364, 364
- Paste Link to Source option, 313

- Paste Special dialog box, 312, 312
 - for OLE objects, 313
 - for rich text fields, 58
- pasting
 - with Clipboard, 312–313, 312
 - OLE objects, 313
 - in rich text fields, 57–58
- paths
 - for installation, 732–733, 732
 - for replicas, 265
- Pencil In option, 164–165
- people, searching for, 239–240, 240
- People, Services tab, 298, 299
- Percent format, 535–536
- periods (.) in object references, 698
- permuted operators, 465
- persistent connections, 245
- Person documents, 363, 363
- personal address book, 77
 - configuration documents for, 99
 - contacts in, 82–86, 83
 - for e-mail, 122
 - groups in, 82, 86–87, 87
 - importance of, 77–78
 - navigating, 79–87, 79
 - for NNTP accounts, 345
 - opening, 79–80, 79
 - preferences documents for, 81
 - for trusted certificates, 358
 - views in, 80–82
- personal contact information, 84–85
- Personal Documents options, 201, 201
- Personal Journal template, 414
- personal journals, 109–112, 110–111
- Personal Pages, 19, 23–25, 24
- Personal tab, 84–85
- personal to do items, 182–183, 182
- Personal view, 183
- Personal Web Navigator, 334, 339, 341–344, 342–343
- perweb.nsf file, 334
- perweb50.ntf file, 334
- Phone Messages, 130
- phone numbers for contacts, 84–85
- Phone Settings tab, 96
- Picture Properties box, 563–564, 564
- pictures. *See also* graphics; images
 - creating, 563–564, 564
 - in rich text fields, 59–60
- Pictures option, 25
- pinning Design pane, 400
- PKI (Public Key Infrastructure) technology, 290–292, 291
- plus signs (+)
 - for addition, 463
 - as text operator, 466
- pointers in folders, 45
- POP (Post Office Protocol), 330, 354, 739, 739
- pop-up keyboard access shortcuts, 31
- Ports tab and ports
 - for location documents, 95, 352
 - for Notes Direct Dialup, 246–248, 247
 - in User Preferences dialog box, 92–93
- Positioning tab, 573, 573
- Post Office Protocol (POP), 330, 354, 739, 739
- @PostedCommand function, 472
- posting to newsgroups, 349–350, 349–350
- PostModeChange event, 518
- PostOpen event, 518
- PostRecalc event, 518
- PostSave event, 518
- PostSend event, 518
- precedence of operators, 462–463
- preferences
 - for calendars, 159–162, 160–161
 - for e-mail, 145–149, 145
 - User Preferences for. *See* User Preferences dialog box
- Present Mail Send Dialog option, 502
- PRESERVE keyword, 687
- Prevent Copying option, 127
- preview pane, 22
- Preview Pane Default option, 440
- previewing
 - e-mail, 119, 119
 - printing, 74
- Previous Page link, 366
- Print Calendar dialog box, 179–180, 179–180
- Print Crop Marks option, 68
- Print dialog box
 - for attachments, 74
 - for documents, 72
 - for views, 70–71
- Printer tab, 179–180, 179
- printing
 - attachments, 74
 - calendars, 179–180, 179–180
 - documents, 67–74
 - headers and footers, 68–70
 - page setup for, 68
 - previewing, 74
 - views, 70–71
- Printing tab, 69–70, 433–434, 434
- priorities
 - for e-mail, 126
 - for Network Dialup, 253
 - for Notes Direct Dialup, 250
 - for Passthru, 256
 - for replication, 274, 276
 - for web mail, 372
- private agents, 713
- private keys, 290
- Private views, 599
- privileges, 305–307, 307, 446
- process-oriented applications, 10
- processing order in formulas, 452
- Profile documents, 494
- programmed tables, 546, 561–562, 562
- Programmer Pane properties dialog box, 403, 403
- programmer's pane
 - for agents, 719–723, 720
 - for outlines, 633
- programming languages in Designer Workspace, 402–404, 403

Prohibit Design Refresh or Replace to Modify option, 511
 Project Information options, 201, 202
 @Prompt function, 486
 Prompt When Sending option, 144
 Propagate This Prohibition of Design Change option, 511
 properties
 for agents, 713–719, 714, 716–719
 for classes, 698
 for databases. *See* Database Properties box
 for forms, 497–507, 497, 503–506
 for Navigators, 659–660, 659
 for Notes Minder, 153
 for outline entries, 636–638, 636
 for outlines, 634–635, 634–635
 for view columns, 614–615, 614
 for views, 603–612, 604–605, 608–609, 611–613
 Properties dialog boxes, 31–32, 32
 Properties option, 153
 Propose New Time response, 174, 176
 protecting databases, 444–447, 444, 446. *See also* security protocols, Domino support for, 244–245
 proximity parameters, 442
 Proxy setting, 352
 Public Key Infrastructure (PKI) technology, 290–292, 291
 public keys, 290
 purge intervals for replicas, 270
 purpose for TeamRooms, 199
 pushpin icons, 400

Q

query agents, 515–516
 QueryClose event, 518
 QueryModeChange event, 518
 QueryOpen event, 518
 QuerySave event, 518
 QuerySend event, 518
 question marks (?) in full-text searches, 228
 Quick Notes window, 17, 18
 Quick Search feature, 34
 QuickPlace, 210–211

R

Radio button type, 537
 radio buttons, 53–54
 @Random function, 469
 RAS (Remote Access Server), 251
 Read Public Documents access privilege, 446
 Reader access level, 306, 445
 readers fields, 541
 reading
 e-mail, 118–119, 119
 newsgroups, 349–350
 real-time messaging, 210
 Receive Internet Mail setting, 274
 receiving e-mail, 91, 143–144, 354–356
 Recent Databases folder, 400
 Recent Databases portfolio list, 413
 Recipient Name Type-Ahead option, 353

Record Activity option, 433
 recovering user ID files, 303–304, 304
 red stars for discussions, 192
 Reference tab, 402–403
 Refresh Design on Admin Server Only option, 436
 Refresh Index option, 609
 refreshing
 from templates, 417
 view indexes, 609
 RelaceItemValue method, 705
 relational databases, 8–9
 Release Right Margin setting, 68
 REM keyword
 in formulas, 467
 for script comments, 682
 reminders
 alarms for, 161
 in calendar, 165–166, 165
 Remote Access Server (RAS), 251
 Rename dialog box, 43
 renaming
 bookmarks, 105
 folders, 43
 Render Pass Through HTML option, 727
 Render Passthru HTML in Notes option, 500
 Repeat Horizontally option, 504, 607
 Repeat Once option, 504, 607
 Repeat Options dialog box, 168–170, 169
 Repeat Vertically option, 504, 607
 repeating meetings, 168–170, 169
 Replace Database Design dialog box, 435
 @Replace function, 469
 replacements from templates, 417
 @ReplaceSubstring function, 469
 Replica ID option, 433
 replica IDs, 263, 433
 Replica Settings tab, 264, 264
 replicas and replication, 10, 261–262, 270–271
 background, 272, 272, 276
 bookmarks for, 106–107, 107, 282–283, 282
 conflicts in, 284–285, 500
 connection and location documents in, 277–279, 277
 creating, 263–269, 264–270
 history for, 271, 429, 429
 for IMAP message stores, 355–356
 manual operation, 272–273
 for newsgroups, 350
 purge intervals for, 270
 Replication page. *See* Replication page
 for roaming users, 279–282, 280–281
 scheduled, 271–272, 271
 security for, 285–286
 settings for, 93, 93, 265–269, 265–270, 429, 429
 uses for, 278–279
 Replicate Daily Between setting, 277–278
 Replicate dialog box, 272, 273
 Replicate Every setting, 278
 Replicate High Priority Databases option, 276
 Replicate with options option, 272–273
 Replicate with Server option, 276

- replication. *See* replicas and replication
 - Replication formulas, 473
 - Replication History dialog box, 271, 271, 429, 429
 - Replication page, 273–274, 273
 - appearance of, 283–284, 283–284
 - for bookmarks, 282–283
 - configuring entries in, 274–275, 275
 - connection and location documents in, 277–278
 - deleting entries from, 283, 283
 - replication with, 275–277, 276
 - for roaming users, 279–282
 - Replication Schedule dialog box, 266–267, 267
 - Replication Settings dialog box, 266–269, 266–270, 429, 429
 - Replication Statistics dialog box, 273, 273
 - Replication tab
 - for location documents, 96, 353
 - in User Preferences dialog box, 93, 93
 - Replies to This Memo Should Be Addressed To setting, 128
 - Reply to All option, 130–131, 374
 - Reply to All with History option, 374
 - Reply to All without Attachment(s) option, 374
 - Reply with History option, 131, 374
 - Reply with Internet-Style History option, 131
 - Reply without Attachment(s) option, 131, 374
 - replying
 - to e-mail, 130–131, 130–131
 - to web mail, 373–374, 373
 - required invitees, 168
 - Reschedule option, 175
 - Resizable option, 615
 - resizing
 - arrays, 687
 - view columns, 615
 - Resource Reservations system, 167
 - resources
 - in Domino Designer, 407–408
 - in meeting scheduling, 171
 - Response documents, 492, 493
 - creating, 621, 621
 - in discussions, 192
 - displaying, 621–622
 - Response Only columns, 622–623, 622
 - Response to Response documents, 192, 492, 493
 - responses
 - in discussions, 197
 - for Document Library template, 205
 - hierarchy of, 620–623, 621–622
 - to meeting invitations, 173–174, 173
 - Restore option, 136
 - Restore All option, 136
 - Restore as Last Viewed by User option, 439
 - restricted agents, 717
 - results, formulas for, 473–477
 - Retrieve Internet Service Certificate dialog box, 347–348, 347
 - Retrieve/Open Pages field, 337–338, 337
 - Retriever Log Level field, 338
 - @Return function, 469
 - Return Receipt option, 127, 372
 - Review Complete review state, 203
 - Review Cycle dialog box, 209, 209
 - review cycle for Document Library template, 205–207, 209, 209
 - Review Options field, 204
 - Review Status view, 203
 - \$Revisions field, 423
 - rich-text fields, 54
 - attaching files to, 58
 - enhancements to, 13
 - formatted text in, 55–58
 - for forms, 539
 - links in, 63–64
 - OLE objects in, 58
 - pictures in, 59–60
 - tables in, 60–63
 - rich-text lite fields, 55, 539, 540
 - Ridge border style, 551, 554
 - Right Double-Click Closes Window option, 42
 - @Right function, 469
 - right mouse button, 42
 - Roaming tab, 280, 281
 - roaming users
 - as new feature, 12
 - replicas for, 279–282, 280–281
 - roles
 - and ACLs, 308
 - in security, 447
 - Rolling Style option, 180
 - rooms for meetings, 170–172, 170–172
 - root certifiers, 291
 - Root Entry option, 646
 - @Round function, 469
 - Row Spacing option, 549
 - rows
 - for databases, 8–9
 - in folders, 45
 - for frames, 653
 - in outlines, 590
 - for tables, 549, 556–557, 557
 - for views, 607–608
 - RSA encoding, 290
 - ruler, 57
 - rules
 - for e-mail, 137–139, 138–139
 - for web mail, 368–369, 368
 - Rules view, mail, 367, 368
 - Run as Web User option, 719
 - Run On Behalf Of option, 719
- ## S
- S/MIME (Secure Multipurpose Internet Mail Extension)
 - protocol, 334
 - safe copies of user IDs, 297
 - SAFE.ID file, 297
 - Sametime, 210
 - Save option, 322
 - Save and Remove option, 322
 - Save as Stationery option, 129–130, 130, 134
 - Save Attachment dialog box, 322
 - Save method, 706
 - Save Search option, 225

- Save These Options as the Default option, 127
- saving
 - attachments, 322
 - conflicts in, 284–285, 500
 - documents, 50
 - full-text searches, 225
 - meeting invitations, 172–173
 - outline design, 632
- scalar variables, 684
- scaling with images, 564
- scheduled agents, 711, 716–718
- scheduled replication, 271–272, 271
- scheduler for meetings, 168, 170–172, 170–172
- schedules. *See also* calendars
 - in group calendars, 177–178, 178
 - for replicas, 266–267, 267
- Scheduling tab, 160, 161
- Scientific format, 535–536
- scope of variables, 688–690
- Scope setting, 274–275
- script area
 - in Designer Workspace, 403–404
 - editors for, 484–485, 484
- script library design element, 407
- scripts, 677–679. *See also* LotusScript language
 - benefits of, 679–680
 - comments in, 682–683
 - components of, 680–681, 681
 - for databases, 674, 674
 - in Domino Designer, 407
 - object model for, 697–699
 - backend classes in, 700–706
 - frontend classes in, 699–700
 - fundamental classes in, 699
 - sample, 706–707
 - subroutines in, 683
- scrolling
 - in Action bars, 576
 - in help, 33
- Search bar, 47
 - for help, 34
 - indexed database indicator on, 220
- Search function, 18
- Search in Results option, 224
- Search method, 702–703, 723
- Search option, 22
- Search view, 34
- searching
 - for databases, 237
 - for documents, 218–219, 218. *See also* full-text searches
 - domains, 236–239, 237–238
 - for e-mail addresses, 122–123, 123
 - in help, 34
 - with integrated browsing, 339–340, 340
 - Internet, 241
 - for people, 239–240, 240
 - for text in documents, 47, 215–220, 216, 220
 - in web mail, 378, 378
- Secondary Servers tab, 354
- Section access formulas, 475
 - Section Properties box, 567–568, 567–568
 - Section title formulas, 475, 477
- sections, 566
 - controlled access, 568–570, 569
 - expanding and collapsing, 567–568, 568
 - in rich text fields, 64
 - standard, 566–568, 567–568
 - titles for, 567, 567
- Secure Multipurpose Internet Mail Extension (S/MIME) protocol, 334
- Secure Sockets Layer (SSL) protocol, 333
 - with integrated browsing, 341
 - for newsgroup accounts, 346–348, 346–347
 - options for, 430
- security, 10–11, 287
 - ACLs for, 305–309, 305, 307–309, 444–447, 444, 446
 - for agents, 718–719, 719
 - in collaboration, 212, 212
 - for databases, 304–309, 305, 307–309, 419–420, 420
 - for DOLS, 386, 387
 - Domino Directory in, 293, 293
 - for e-mail, 127–128, 357–359
 - encryption for, 309, 309
 - enhancements to, 13
 - for fields, 530
 - firewalls for, 362
 - for forms, 506–507, 506
 - for iNotes, 392, 392
 - in integrated browsing, 341
 - Internet standards for, 333–334
 - layers of, 287–289, 288
 - for newsgroup accounts, 346–348, 346–347
 - personal address book for, 78
 - PKI in, 290–292
 - for replicas, 285–286
 - user IDs for. *See* user IDs and user ID files
 - for views, 610, 611
- Security tab and settings
 - for agents, 718–719, 719
 - for forms, 506–507, 506
 - for views, 610, 611
- Security Basics tab, 295
- Select Addresses dialog box, 121–123, 121, 123
- Select Case blocks, 692
- Select Frame Only option, 72
- SELECT keyword, 467
- Select Keywords dialog box, 205
- selecting documents
 - methods for, 47
 - for views, 597, 600–603, 600–602
- selection expressions, 453–454
- Selection formula results, 474
- semicolons (;)
 - for formula statements, 453
 - for functions, 468
- Send and Receive Mail option, 277
- Send Memo to All Invitees option for meetings, 176
- Send Memo to Invitees Who Have Not Responded option, 176
- Send Memo to Invitees Who Have Responded option, 176
- Send Outgoing Internet Mail option, 274

- Send Outgoing Mail option
 - for Internet Location documents, 353
 - in replication, 274, 276
- Send settings for replicas, 268, 269
- Send Tracking Request option, 134
- sending
 - e-mail, 91–92, 124, 124, 143, 356–357
 - meeting invitations, 172–173
- Sending section, 91
- Sending Internet Mail section, 92
- Sending This E-Mail to Other Notes Mail User(s) option, 129
- Sent folder, 136, 366
- sentence breaks in full-text indexes, 222
- SENTENCE operator, 225, 227
- Separate Values When User Enters option, 530
- separators in formulas, 452
- serial reviews, 205
- servers
 - for databases, 38, 412, 415
 - in security layers, 288, 288
- Servers tab, 95, 352
- Session class, 701
- Set Bookmark as Home Page command, 26
- Set Expire Date To option, 369
- Set Home Page dialog box, 26
- Set statement, 698, 700
- sets of documents, 47
- Settings tab and settings for archives, 140–141, 141, 426, 427
- Setup dialog box, 71
- Setup Review Cycle option, 209
- Share This Field option, 728
- Shared, Contains Deleted Documents view, 599
- Shared, Contains Documents Not in Any Folders view, 599
- Shared, Desktop Private on First Use view, 599
- Shared, Private on First Use view, 599
- Shared Images option, 25
- shared resources, 663
 - action buttons, 574
 - actions, 407, 728–729, 729
 - agents, 713
 - applets, 670–671, 671
 - code, 405–407
 - data connections, 672–673, 672
 - database resources, 673–674, 673–674
 - database synopsis, 674–675, 675
 - in Domino Designer, 405–408
 - fields, 406–407, 727–728
 - files and style sheets, 667–668, 667–669
 - images, 664–667, 664–666
 - views, 599
- shortcuts
 - in delegation, 149, 150
 - in folders, 45
 - keyboard access, 31
- Show Action formulas, 474–475
- Show Advanced Templates option, 415, 435
- Show All Table Rows option, 557
- Show Alternate Text as Caption option, 564
- Show Context Pane option, 502
- Show Field Delimiters option, 534
- Show Field Help option, 51
- Show Grid option, 570
- Show Hidden Characters option, 51
- Show Hidden from Notes option, 51
- Show HTML Source option, 51
- Show in Open Database Dialog option, 437
- Show in View Menu option, 606
- Show Inline MIME Images as Attachments option, 336
- Show Java Applets Running option, 51
- Show Multiple Values as Separate Entries option, 618
- Show Only One Row at a Time option, 557, 559
- Show Page Breaks option, 50
- Show Pass-Thru HTML option, 50
- Show Response Documents in a Hierarchy option, 606
- Show Responses Only option, 615, 622
- Show Single Category event, 625, 626
- Show Twistie When Row Is Expandable option, 617
- Show Values in This Column as Links option, 619
- Sign Documents That Use This Form option, 500
- @Sign function, 469
- Sign option, 127
- signature files, 357–359
- signatures
 - for e-mail, 129, 129, 147
 - for web mail, 376
- Simple actions
 - for action buttons, 577
 - for agents, 720
- simple encryption option, 420
- simple functions for views, 591–592
- Simple Mail Transfer Protocol (SMTP), 331, 739, 740
- @Sin function, 469
- single category view technique, 625, 626
- Single Copy Template option, 437
- Single data type, 684
- single quotes (') for script comments, 682
- Site Registration template, 414
- sites in meeting scheduling, 171
- size
 - Action bars, 579
 - action buttons, 579
 - arrays, 687
 - e-mail messages, 121
 - embedded outlines, 646–647
 - frames, 654–655
 - icons, 88
 - printing areas, 68
 - rich text fields, 56
 - static text, 520
 - table cells, 549
 - view columns, 615
- Size to Fit option, 504, 607
- Skip to Next Database or Call option, 277
- slashes (/) for division, 463
- Smartcards, 298
- SMTP (Simple Mail Transfer Protocol), 331, 739, 740
- smtp.box database, 742
- Snap to Grid option, 570
- Soft Delete Expires Time in Hours option, 146
- soft deletions, 42, 146, 422

- Solid option for tables
 - borders, 551, 554
 - color, 551
- @Sort function, 469
- Sort option, 618
- Sort Results by Current Order (Sortable) option, 225
- Sort Results by First Modified option, 225
- Sort Results by Last Modified option, 224
- Sort Results by Relevance option, 224
- Sort Results by Show All Documents (Sortable) option, 225
- sorting
 - in calendar views, 593
 - full-text searches, 224–225
 - in view columns, 617–618, 617
- Sorting tab, 617–618, 617
- Space Savers settings, 268, 268
- spaces in formulas, 453
- special characters in searches, 218
- Special section, 647
- Spell Check dialog box, 65–66
- Spell Check tab, 89
- spell checking
 - in documents, 65–67
 - e-mail, 127, 146
 - languages in, 89
- Spell Checking Options dialog box, 67
- SQL (Structured Query Language)
 - for databases, 9
 - Notes SQL, 324–325, 325
- square brackets ([])
 - for formula keywords, 468
 - for list subscripts, 465
- SSL (Secure Sockets Layer) protocol, 333
 - with integrated browsing, 341
 - for newsgroup accounts, 346–348, 346–347
 - options for, 430
- Stamp Message with a Please Reply by Date option, 128
- stand-alone mode in communications, 256–257, 257
- Standard (Compute in Hierarchy) option, 610
- Standard Navigator option, 439
- standard outline views, 590–592, 590–591, 607–608
- standard sections, 566–568, 567–568
- standard subforms, 725, 725
- standard tables in rich text fields, 60–63
- standards, Internet, 329–334
- Start option, 276
- Start High Priority Databases Now option, 276
- Start Mail Only Now option, 276
- Start menu for Domino Designer, 398
- Start Now option, 276
- Startup options, 89
- statements in formulas, 452–453
- static text, 519–520, 519
 - Font tab for, 520
 - Paragraph Alignment tab for, 521–522, 521
 - Paragraph Border tab for, 522, 523
 - Paragraph Hide-When tab for, 523–524, 523
 - Paragraph Margins tab for, 522
 - Paragraph Styles tab for, 524
 - Passthru HTML, 525, 526
- stationery, 129–130, 130, 139, 139
- status bar, 30, 99–100, 100
- Stop Replication option, 277
- store-and-forward mechanisms, 116, 116
- Store Contents as HTML and MIME option, 539
- Store Form in Document option, 498–499
- String data type, 684
- string functions, 469
- strong encryption option, 420
- Structured Query Language (SQL)
 - for databases, 9
 - Notes SQL, 324–325, 325
- structured text files, importing, 315–316
- stubs, 270
- Style field, 604
- Style option, 531
- style sheets, 408, 667–668, 667–669
- Style tab
 - in calendars view, 611–612, 611
 - in standard outline views, 607–608, 608
- styles
 - for Action bar borders, 579
 - for fields, 529, 530
 - for HTML tags, 531
 - for rich text fields, 57
 - for static text, 520, 524, 525
 - for table background, 552
 - for table borders, 554
 - for table cell borders, 551
 - for views, 604, 607–608, 608
 - for Welcome page, 19
- Sub-Level Background option, 648
- Sub-Level fonts, 647
- Sub-Level Layout option, 648
- Subform Properties box, 727, 727
- subforms, 406, 723
 - computed, 726–727, 726
 - creating, 723–724, 723–724
 - standard, 725, 725
 - Subform Properties box for, 727, 727
- subjects for Document Library template entries, 204
- Submit for Review option, 204, 206
- subroutines, 683, 689–690
- subscript operators, list, 465
- subscriptions
 - database, 108–109
 - in DOLS
 - enabling, 382–384, 383–384
 - maintaining, 384–385, 385–386
 - to newsgroups, 348, 349
- Subscriptions Options page, 109
- subtopics in help, 33
- subtraction, 463
- @Success function, 468
- suffixes for contacts, 83
- Suggested Times heading, 171, 172
- @Sum function, 469
- Summary mode
 - in calendars, 158
 - in scheduler, 171, 171

surveys, databases for, 10
 Switch Row Every *n* milliseconds option, 559
 Switch Rows Programmatically option, 561
 switching user ID files, 304
 synchronization
 in DOLS, 382–384, 383–384
 for newsgroups, 350
 synopses, database, 674–675, 675
 synopsis design element, 409, 409
 syntax for formulas, 452–454
 system actions, 574–575, 575
 system messages, status bar for, 30
 systemwide e-mail preferences, 142–145, 143–144

T

Tab keys for navigating, 49
 tab order for fields, 529
 tabbed tables, 546, 556–558, 556–558
 Tabbed Windows, 400
 Table Border tab, 554, 554
 Table/Cell Background tab, 551–553, 552
 Table Layout tab, 63, 548–550, 548, 550
 Table Margin tab, 554–555, 555
 Table Programming tab, 555, 555, 561
 Table Properties box, 62
 for animated tables, 559–560
 for programmed tables, 561
 for tabbed tables, 556–557
 Table row tab
 for animated tables, 559–560, 559
 for captioned tables, 560, 560
 Table Row tab
 for programmed tables, 561
 for tabbed tables, 556–557, 557
 Table toolbar, 62
 tables, 545–546
 animated, 558–560, 559
 basic, 547–555, 548, 550, 552–555
 captioned, 560, 560
 for databases, 8–9
 programmed, 561–562, 562
 in rich text fields, 60–63
 tabbed, 556–558, 556–558
 types of, 546–547, 546
 tabs in headers and footers, 69–70
 tabular text files
 exporting, 318
 importing, 315–316, 317
 @Tan function, 469
 Target Frame option, 646
 Task buttons, 29
 tasks. *See* to do lists
 TCP/IP (Transmission Control Protocol/Internet Protocol), 330
 Team Documents options, 201, 201
 TeamRoom template, 414
 TeamRooms, 198
 archiving documents in, 202
 participating in, 200–202, 200–202
 setting up, 198–200, 198–200

Template Servers dialog box, 415
 templates
 for databases, 414–417, 415–416
 vs. databases, 416–417
 Document Library. *See* Document Library template
 hiding, 435
 option for, 436–437
 temporary variables in formulas, 458–460, 459
 Tentatively Accept response, 174
 Terminate event, 518
 TERMWEIGHT operator, 228
 testing forms, 542, 543
 text
 for action buttons, 580
 computed, 564–565, 565
 constants, 454–455, 455
 in document forms, 48
 fonts for. *See* fonts and Font tabs
 functions for, 469
 for hotspots, 584
 with images, 564
 searching for, 47, 215–220, 216, 220. *See also* full-text searches
 static. *See* static text
 text fields, 52, 534. *See also* rich-text fields
 text files
 exporting, 318
 importing, 315–316
 @Text function, 466, 469
 text operator, 466
 Text option, 25
 text pop-up hotspots, 580–581, 581
 Text Properties menu, 55–56
 @TextToTime function, 466
 thickness
 of Action bar borders, 579
 of table borders, 551, 554
 Tile option, 504, 607
 time
 in formulas, 456–458, 457
 functions for, 469
 in headers and footers, 69–70
 Time Slots mode, 158
 time zone fields, 541
 Title option, 531
 Title Style property, 646
 titles and Title tab
 for contacts, 83
 for databases, 412, 415
 for embedded outlines, 646
 for forms, 514–515
 in headers and footers, 69–70
 for HTML tags, 531
 for personal journal entries, 110–111
 for sections, 567, 567
 for view columns, 615, 619
 To Do Item screen, 182, 182
 To Do List option, 180
 to do lists
 calendars for, 181–185, 181–184
 creating items for, 182–183, 182–183

- in iNotes, 391, 391
 - managing, 183–185, 184
 - in Welcome Page, 21
- To Do tab, 161
- @ToNumber function, 466
- Toolbar formulas
 - actions from, 478
 - editor for, 485–486
- Toolbar Preferences dialog box, 28, 29
- toolbars in application window, 27–28, 29
- Top-Level Background option, 648
- Top-Level fonts, 647
- Top-Level Layout option, 648
- topics, help, 33
- Totals option, 618
- @ToTime function, 466
- Trace Entire Route option
 - for e-mail, 126
 - for web mail, 372
- Transfer Outgoing Mail If option, 353
- transitions for animated tables, 560
- Transmission Control Protocol/Internet Protocol (TCP/IP), 330
- Trash folder, 136, 367, 367
- Trash view, 183
- Travel location documents, 95
- Treat Document Contents as HTML option, 515
- Tree Style type, 646
- triangles
 - in help, 33
 - in standard outline views, 590
- Trifold Style option, 180
- @Trim function, 467, 469
- true values in formulas, 478
- Trust Details dialog box, 298, 299
- twisties, 590
- types and Type property
 - converting, 466
 - of databases, 426
 - for embedded outlines, 646
 - of fields, 528
 - authors, 540
 - color, 542, 542
 - date/time, 534–535, 535
 - formula, 541
 - keyword, 536–539
 - names, 541
 - number, 535–536, 536
 - password, 541
 - readers, 541
 - rich-text and rich-text lite, 539, 540
 - text, 534
 - time zone, 541
 - for forms, 498
 - for groups, 87
 - of tables, 546–547, 546
 - of views, 598–599, 618
- UI (user interface) events, 517–518
- unary operators, 466
- UNID (Universal Note ID), 513
- @Unique function, 469
- Universal toolbar, 27
- UnprocessedDocuments property, 720, 723
- unread documents, marking modified documents as, 437–438
- Unread Documents Only option, 610
- Unread Mail Summary window, 153, 153
- unread marks feature
 - for discussions, 192
 - option for, 421
 - for views, 610
- Unread Marks property, 610
- unrestricted agents, 717
- Unsuccessful Notes Login dialog box, 304, 304
- Until...Loop loops, 693–694
- Update Cache field, 338
- Update Frequency option, 222, 443
- Update Index option, 442
- \$UpdatedBy field, 422–423
- updating outline entries, 639, 640
- upgrades, 742
- URLs
 - commands through, 430, 669–670
 - for contact Web pages, 84
 - for iNotes, 389
 - with integrated browsing, 339–340
 - with link hotspots, 582
 - for outline entries, 637
 - for searches, 241
 - for web mail, 363–364, 363
- usability issues in collaboration, 211–213, 212
- Usage Priority option
 - in Network Dialup, 253
 - in Notes Direct Dialup, 250
 - in Passthru, 256
- Use Applet in Browser option, 610
- Use Notes Launch Option option, 440
- Use statement, 729
- Use Value as Color option, 615
- Use Web Palette option, 336
- Use Word Variants option, 224
- % Used option, 432
- User Activity dialog box, 432–433, 433
- User Detail option, 432–433
- user dictionaries, 66–67, 88–89
- user functions, 470
- user IDs and user ID files, 289
 - backing up, 303
 - certificates for, 291–292
 - contents of, 294, 294
 - passwords for, 303
 - recovering, 303–304, 304
 - switching, 304
 - User Security for. *See* User Security dialog box
- user interface (UI) events, 517–518
- user interfaces
 - for Domino Designer, 399–404, 401–404
 - enhancements to, 14

U

Ubound function, 687–688

User Preferences dialog box, 87
 for account documents, 96–98, 97
 Basic tab in, 88–89, 88
 for configuration documents, 99
 for connection documents, 98, 98
 for e-mail, 142–145, 143–144
 for integrated browsing, 335–336, 335
 International tab in, 89, 90
 for location documents, 93–96
 Mail tab in, 90–92, 91–92
 for Notes Direct Dialup, 246–248, 247
 Ports tab in, 92–93
 Replication tab in, 93, 93
 for right mouse button, 42
 for spell checking dictionaries, 66–67, 88
 for status bar, 99–100, 100
 for word processors, 151
 User Security dialog box, 294, 294
 for e-mail, 145, 146
 Identity of Others tab, 298, 299
 Mail tab, 301–302, 302
 Notes Data tab, 300–301, 301
 Security Basics tab, 294, 295
 for SSL, 347, 347
 What Others Do tab, 299–300, 300
 Your Identity tab, 295–298, 296
 User Spell Dictionary dialog box, 66–67, 88
 @UserName function, 470
 @UserNamesListfunction, 470
 @UserRoles function, 470
 Users Pick Row via Captions option, 560
 Users Pick Row via Tab Button option, 557, 560
 User's Setting option, 534–535
 Using Database document, 408, 674

V

validation process, 292, 297
 value formulas, 476
 values
 from functions, 468
 icons for, 615, 616
 for variables, 685
 in view columns, 614–615, 614
 variables
 in debugging, 696, 696
 environment, 460, 486
 in formulas, 458–462, 459, 461
 in LotusScript, 683–685, 688–690
 scope of, 688–690
 Variables tab, 696, 696
 Variant data type, 684
 variants in full-text searches, 224
 VeriSign certificate authority, 357
 Versioning property, 498
 vertical bars (|)
 in formulas, 465
 in headers and footers, 70
 Vertically Align option, 549
 View Action bar, 40

View & Create Group Calendars option, 177
 view applet, 594–595, 595
 View as Page option, 102
 View as Slideout option, 102
 View Content area, 41
 View Defined option, 316
 View dialog box, 53–54, 538
 view icons, 41, 616
 View Info tab, 604, 604
 View Invitees Status option, 176
 view links, 63
 View Mail Summary option, 153
 View Selection event, 600
 viewing attachments, 322–324
 views, 589–590
 actions in, 620
 Advanced tab for, 609–610, 609
 bookmarks to, 105
 calendar, 592–593, 593, 611–612, 611
 columns in, 590–593, 607–608
 calendar, 592–593
 creating and moving, 614
 defining data in, 613–620, 613–614
 standard outline, 590–591
 values and properties for, 614–615, 614
 creating, 596–598, 596–597
 in databases, 7–8, 7, 40–47
 Date and Time Format tab for, 612–613, 612
 for discussions, 191–192, 191, 194–196, 194–195
 in Document Library template, 203
 in Domino Designer, 405
 for e-mail, 136–137
 embedding, 586, 625, 626
 exporting, 318–319, 318–319
 vs. folders, 45
 folders as, 626
 Font tab for, 612, 612
 formulas for, 623–625, 624
 functions for, 471, 591–592
 importing, 315–317, 317–318
 navigating, 593–596, 594–595
 Options tab for, 604–607, 605
 in personal address book, 80–82
 printing, 70–71
 private, 599
 properties for, 603–612, 604–605, 608–609, 611–613
 response hierarchy in, 620–623, 621–622
 in security layers, 288, 289
 Security tab for, 610, 611
 selecting documents for, 600–603, 600–602
 shared, 599
 standard outline, 590–592, 590–591, 607–608
 Style tab for, 607–608, 608
 types of, 598–599, 618
 View Info tab for, 604, 604
 @ViewTitle function, 471

W

WANs (wide-area networks), 245

- Web access
 - of agents, 712
 - of embedded outlines, 647
 - Web Access: Don't Allow URL Open option, 430
 - Web Access: Require SSL Connection option, 430
 - Web Access: Use JavaScript When Generating Pages option, 430
 - Web Ahead Agent
 - preferences for, 342, 342
 - running, 343
 - Web Ahead tab, 342, 342
 - web mail, 361–362, 362
 - addressing, 371–372, 371
 - closing, 370
 - copying, 373
 - delivery options for, 372–373, 372
 - for Domino users, 363–364, 363
 - filtering, 368–369, 368
 - firewalls for, 362
 - folders for, 374–375, 374–375
 - help for, 378, 378
 - installation options for, 739, 739–740
 - interface for, 365–367, 365, 367–368
 - logging in for, 364–365, 364–365
 - logging out of, 378
 - opening, 369, 370
 - preferences for, 375–377, 376–377
 - replying to, 373–374, 373
 - searches in, 378, 378
 - writing, 370–371, 370–371
 - Web Navigator Database field, 338
 - Web Page option, 22
 - Web pages
 - bookmarks to, 105
 - formulas for, 472–473
 - replicas for, 279
 - Web Retriever tab, 337–338, 337, 354
 - WebQueryOpen event, 515
 - WebQuerySave event, 515
 - Week tab, 158
 - weekly alarms, 169
 - Weekly option, 718
 - Weekly Style option, 180
 - weights in full-text searches, 228
 - Welcome page, 15–17, 16–18
 - creating and customizing, 18–25
 - as home page, 26
 - installation options for, 741–742, 741–742
 - for integrated browsing, 339
 - as new feature, 12
 - Welcome Page Display page, 19, 20
 - What Others Do tab, 299–300, 300
 - When Documents Are Pasted option, 716
 - When New Mail Arrives section, 144
 - When Opened in a Browser option, 440
 - When Opened in the Notes Client option, 439–440
 - @While function, 471
 - Who May Edit This Section dialog box, 569, 569
 - wide-area networks (WANs), 245
 - width
 - frame borders, 655
 - frames, 655
 - printing areas, 68
 - table cells, 549
 - tables, 548–549
 - view columns, 615
 - wildcard characters in full-text searches, 228
 - Window title formulas, 474
 - window titles
 - events for, 514–515
 - for forms, 514–515
 - Windows Character Map utility, 218
 - Windows Clipboard, 312–313, 312
 - for images, 504
 - for link hotspots, 582
 - for rich text fields, 57–58
 - Wipe transitions, 560
 - WKS Title Defined option, 316
 - Word Pro word processor, 151
 - word processors for e-mail, 150–151
 - word variants in full-text searches, 224
 - Word word processor, 151
 - Work pane, 401
 - Work Week Style option, 180
 - Workflow Administration options, 128
 - worksheet files
 - exporting, 318
 - importing, 315–316
 - workspace, 107, 107
 - Workstation ECLs, 299
 - Wrap at Start/end option, 217
 - wrapping
 - in basic tables, 554–555
 - with images, 564
 - in text searches, 217
 - Write Public Documents access privilege, 446
 - writing
 - e-mail, 120–121
 - web mail, 370–371, 370–371
- ## X
- X.509 certificates
 - for Internet e-mail, 357–358
 - support for, 333
 - XML (Extensible Markup Language), 502
- ## Y
- @Year function, 469
 - yearly alarms, 169
 - Your Certificates tab, 296–298, 296
 - Your Identity tab, 295–298, 296
 - Your Names tab, 295
 - Your Smartcard tab, 298