

Index

- acoustic reflection imaging (ARI),
153–4
- adenoids, 7, 81–2, 85–6
adenoidal face, 76
- age, 4, 7, 16, 19–21, 70–71, 73–5,
80–84, 93, 95, 104, 114,
158
- adolescent, 71, 73–5, 82
- adult, 8, 19, 33, 35, 44, 46, 51,
57–8, 70, 73, 80–81, 83–5, 96,
99, 118–120, 122–3, 167, 190,
192
- child, 70–75, 81–3, 85,
87–8
- children, 19–21, 31, 38, 51, 57,
70–72, 74–5, 80–3, 85–7, 92,
141, 206
- elderly, 15, 19–20, 97
- infant, 60
- newborn, 19
- pediatric, 70–75, 81, 84–5,
87
- preadolescent, 74–5
- preschool, 74–5
- teens, 83
- airflow, 28, 42–5, 58–9, 116, 119,
143, 145, 167, 175, 177, 187,
196, 206, 220, 265–6
- airflow pressure, 167, 170, 175–8,
181–4, 186–7, 189–90
- airway, vii, 19, 25–8, 30, 42, 45, 75,
81–2, 86–8, 96, 105, 130, 139,
141–2, 146–7, 150–160, 167–8,
170, 183, 197, 199, 204–6, 208,
210–212, 214–6, 222–3, 229,
231–3, 227–32, 237, 241, 253–4,
263–4
- airway anatomy, 143
- airway assessment/evaluation,
66, 132, 136–7, 141–2, 145–7,
155, 161, 216
- airway collapse, 28, 42, 145,
150
- airway dynamics, 28
- airway enlargement,
172
- airway obstruction, 7, 30, 45,
70–71, 95, 97, 130, 137, 139,
141–2, 145, 221
- airway patency, 46, 167, 170,
175–6, 186, 190, 198, 223
- airway pressure, vii, 93, 121, 132,
148, 167, 196, 222, 228, 243,
252, 263–4
- airway resistance, 74, 188, 199,
264, 267

- nasal airway, 77, 86–7, 130, 132, 137, 142–6, 151, 153, 155, 161, 168, 181, 188, 197, 201–2, 205–6, 217, 219, 232, 240, 243, 248
- pharyngeal airway, 58, 94, 223, 229, 232
- upper airway, 25, 29, 45–6, 58, 70, 74, 85, 95, 123, 130, 150–151, 159, 167–71, 182, 196–205, 216, 218, 220–221, 227, 233, 267
- allergy, 41, 77, 87, 145
- allergic shiner, 76
- Alzheimer’s disease, 25, 97, 109
- American Academy of Dental Sleep Medicine (AADSM), 225, 234, 256
- American Academy of Sleep Medicine (AASM), 11, 14, 19, 31–2, 34, 37–46, 48–65, 89, 109, 115, 121–7, 178, 190, 192–3, 221, 263,
- anatomy, 25, 143, 198–9, 201, 216, 234
- apnea, 9, 30, 43, 45, 58, 74, 80, 92–94, 96, 99, 101, 152, 184, 196, 201–2, 222, 265, 267
- apnea index, 81
- apnea-hypopnea index (AHI), 75, 80, 85–6, 93, 139, 141, 152, 170, 206–7, 210, 215, 226, 229, 232–3, 235–6, 263, 265, 267
- central sleep apnea (CSA), 35, 42–3, 45, 65, 94, 107, 122–3, 134, 263
- obstructive sleep apnea (OSA), ix, 6, 9–10, 20, 27, 37, 42, 45–6, 59, 60, 63, 71–2, 74–5, 80–81, 85–8, 92–100, 102, 104, 106, 115, 119, 121–4, 128–32, 135–9, 141, 145, 150, 152–3, 156–7, 159, 167–70, 174, 183–4, 187–8, 190, 196, 198–9, 203–12, 214–215, 221–2, 224–7, 229, 231–3, 235, 241–3, 245, 255, 264
- sleep apnea, 5, 7–8, 45, 80–81, 93–4, 105, 116–117, 130, 132, 139, 152, 160, 171–2, 184, 190, 197, 201–202, 212, 222, 226–8, 242, 266–7
- arousal, 22, 39, 45, 51–2, 56, 63–5, 74, 99, 109, 175, 264, 266–7
- assessment, ix, 28, 113–115, 120–124, 132, 136–9, 141–2, 153, 157, 159, 172, 201, 224–6
- attention deficit disorder (ADD), 72, 74, 82, 84, 263
- attention-deficit hyperactivity disorder (ADHD), 37, 71–2, 74–5, 82, 84, 86, 263
- awake, 3, 12, 15, 21–4, 27–8, 31, 47, 82, 100, 105–106, 114, 116, 121–2, 256–7, 266
- blood, 6, 9–10, 12, 18, 22, 45, 67, 74, 81, 92, 98, 106–107, 117, 128, 169, 184, 191, 194–5, 232–3, 242, 257, 266–7
- blood pressure, 6, 9–10, 18, 92, 98, 117, 128, 169, 184, 223, 242
- body mass index (BMI), 92, 95, 97, 104, 106, 158, 194, 263
- brain, 3, 16–17, 22–5, 51, 84, 94, 97, 99, 117, 120–121, 242
- breathing, 11, 25, 30, 42–3, 45, 65–6, 73–4, 82, 84, 114, 117, 122, 137, 139, 146–7, 168, 184, 187, 200, 222, 229, 265, 267
- Cheyne-Stokes Cheyne-Stokes breathing, 35, 43–4, 94, 117, 119, 122, 266
- high-altitude periodic breathing, 35, 43–4
- mouth breathing, 70, 74, 76, 87–8, 137–8, 141–2, 188, 232, 243
- nasal breathing, 76, 87, 137, 142, 205, 215, 236

- breathing (*cont.*)
 sleep-related breathing disorder (SRBD), vii, ix, 3–6, 9, 19–20, 27–8, 30, 33, 42, 45–7, 58, 62, 70–2, 74–6, 78, 81, 84–7, 91–99, 102, 104–5, 111, 114, 117, 119, 122–4, 129–32, 134, 147–8, 150–151, 153, 155–7, 159, 161, 165, 167–8, 190, 196, 199, 201–202, 206, 215, 221–2, 225–7, 232, 234–5, 237, 242, 264
- bruxism, 7, 36, 56–8, 75, 78, 84, 99–102, 105, 117, 130, 134, 224, 227, 232
- cardiovascular, 4, 6–7, 9, 13–14, 81, 89, 91–4, 97–8, 102, 106, 128, 148, 169–70, 191, 232, 242
- cephalometrics, 156, 159, 200
- circadian rhythm, 19, 24, 36, 46–7, 49–50, 82, 104, 121, 123, 263, 267
- classification, 4, 33–4, 37, 99–100, 201–202, 204, 237
- collapse, 27–8, 42, 145, 150, 167, 171, 196, 199, 204, 208, 211, 213, 222, 232
- computed tomography (CT), 151, 158, 197, 200–202
- cone beam, 158–9
- DCSAD, 33–4
- deep sleep, 17, 23, 25, 81, 265
- delta sleep, 17, 81, 265, 267
- dental, ix, 9–10, 33, 37, 72–3, 75, 86, 91, 128–9, 131, 133, 136–7, 148, 150–151, 159, 161, 225–8, 230–1, 233–6, 241–2, 245–6
- dentist, vii, ix, 9–10, 20, 25, 30–1, 61, 63–4, 70, 85–88, 99–100, 123–4, 128–130, 139, 142, 148, 150–151, 153, 224–7, 231, 234–6, 242, 245, 255, 263, 265
- dentistry, ix–x, 33, 57, 150, 243, 255
- dentition, 58, 80, 236–7
 primary dentition, 80
- diabetes, 5–7, 9, 25, 81, 91–3, 95–7, 128
- dream, 18, 53–4, 266
 dream sleep, 18
- DSM, 33, 37, 263
- EEG, 16–8, 22, 61, 100, 116, 263, 265–7
- effectiveness, 122–4, 161, 170–171, 187, 190, 207, 221, 224–7, 232, 235–6
- epidemiology, 4–5
- Epworth Sleepiness Scale (ESS), 114–5, 122, 130–132, 232–3, 242, 263
- environmental sleep disorder, 59–60
- excessive daytime sleepiness (EDS), 5, 34, 38, 43–5, 47–50, 56, 59, 75, 82, 84, 86, 97, 100, 122, 168, 170, 177, 184, 205, 263, 266
- expiration, 28, 30, 58, 97, 174, 176–7
- expiratory, 167, 176–7
- Federal Aviation Administration (FAA), 122
- Friedman, 202, 204–5, 208, 211–2
- fibromyalgia, 40, 60–1, 102
- gastroesophageal reflux disease (GERD), 6, 37, 63, 96–7, 130, 263
- headache, 22, 40, 62, 73, 99, 103–5
- health consequences, 6, 55, 92
- heart, 9, 16, 18, 41, 43–4, 54, 63, 93–5, 102, 116–7, 123, 263
- hours of sleep, 19–21, 46, 81, 83, 92, 94–6, 99
- hyoid, 26–7, 156–8, 212–4
- hypersomnolence, 5, 82, 86
- hypertension, 4–7, 9, 81, 92–5, 97–8, 102, 128, 170
- hypopharynx, 153, 196, 202, 208

- hypopnea, 44–5, 80, 92–3, 118–9,
139, 152, 170, 196, 204–5,
211–2, 226, 229, 263, 265–7
- hypoxia, 94–5, 97–9
- ICD, 33–4, 37
- ICSD–2, 4, 33–5, 37–63, 74, 99–100,
104, 113, 196
- imaging, 9, 148, 150–151, 153–6,
158–9, 161, 200, 216, 264
- informed consent, 225, 234, 245
- initiating sleep, 22, 38, 81–2, 97,
122, 244
- insomnia, 5–8, 19, 23, 33–5, 37–46,
49–50, 56, 59–60, 62, 70–1, 75,
82, 102–4, 121, 123, 133–5, 170
- inspiration, 28, 30, 58, 96, 152, 174,
176–7, 182, 267
- inspiratory, 28, 45, 96, 137, 145,
176
- interocclusal record, 235, 237
- intraoral, 78
- jet lag, 49–50
- K-complex, 16, 266
- learning, 15, 82
- limb movement, 36, 55, 57, 70, 83,
100, 123, 264, 267
- lip seal, 77, 130, 137–8, 147, 232,
236–7, 239, 243
- magnetic resonance imaging
(MRI), 151–2, 197, 200, 223,
264
- Maintenance of Wakefulness Test
(MWT), 66, 121–2, 264,
266
- Mallampati Score, 130, 138–141,
202
- mandible, 27, 117, 120–121, 147,
151, 156, 160–161, 200, 203,
206, 208–9, 211, 215, 221–2,
227–9, 235, 237, 239–40,
243–5
- mandibular, 26–7, 57–8, 63, 136,
147, 150–151, 153, 156–7, 159,
161, 209, 211, 215, 221–4,
228–9, 232, 234–9,
243–4
- mandibular advancement, 229,
235–6, 239
- mandibular repositioning, 147,
150–151, 153, 221, 223, 229,
235, 237, 243, 263
- mask interface, 167, 170, 172, 174,
177–88
- masticatory, 58, 99–100, 103, 136,
224, 227, 232, 235, 239, 241,
243, 264
- maxilla, 203, 215, 229, 235,
237
- maxillary, 103, 147, 156, 202, 215,
223–4, 235–7, 244, 248
- maxillomandibular, 52, 54, 137,
151, 153, 211, 214–5, 224,
233–5, 241, 244
- medical, 5, 8–10, 31, 34–6, 39–48,
50–53, 55–8, 60, 63, 70, 82, 85,
91–2, 101, 104, 114, 121–3,
131–3, 151, 170, 183, 189,
221–2, 224–5, 230, 242,
245
- medication, 9, 39–44, 46, 48, 50–3,
55–8, 60, 63, 82, 99, 103, 135
- memory, 15–16, 18, 22, 31, 38, 95,
184, 242
- memory data card, 172–3
- metabolic syndrome, 91–2
- motor vehicle accident, 8, 82, 168,
184
- movement, 3, 15, 18, 22, 44, 47,
53–8, 61, 68, 70, 81, 83, 100,
116, 120, 123, 139, 183, 211,
224, 232, 234, 241, 245, 264,
266–7
- Mueller maneuver, 152, 159
- multiple sclerosis, 5
- Multiple Sleep Latency Test
(MSLT), 47–8, 120–122, 264,
266

- muscles, 18, 25–30, 56–8, 103, 136,
 213, 224, 228–9, 235, 245
 muscle activity, 16, 30, 58, 99,
 117, 120–121, 138, 170, 232, 264
 myofascial pain (MFP), 40, 99,
 102, 227
- narcolepsy, 16, 23, 37, 47–8, 52–3,
 84, 121, 123, 265–6
- nares, 77, 178, 181
- nasal, 121, 130, 132, 137, 142–6,
 148, 151, 153, 155, 161, 168,
 170, 172, 177–84, 187–9, 196–7,
 199–202, 204–6, 210, 215, 217,
 227, 232, 236, 239–40, 243,
 254
- nasal airway, 77, 86–7, 130, 132,
 137, 142–6, 151, 153, 155, 161,
 168, 181, 188, 197, 201–2,
 205–6, 217, 219, 232, 240, 243,
 248
- nasal irrigation, 239
- nasal mask, 177–9, 181–2
- nasal pillows, 177, 179–82, 254
- nasal septum, 143, 145, 161, 199
- nasal strips, 239
- nasal surgery, 204, 206
- nasal turbinates, 143–6, 161,
 196–7, 199, 202, 206
- nasal valve, 143, 145–6, 155, 170,
 206, 215
- nasalpharyngoscopy, 151
- nasopharynx, 26–7, 144, 155, 178,
 196, 229
- National Sleep Foundation (NSF),
 8, 21, 83, 264
- neurotransmitter, 15, 21–4
- nonrapid eye movement (NREM),
 3, 15–19, 24, 44, 61, 81, 100,
 105, 134–5, 264–7
- nose, 28, 77–8, 87, 137, 142–3,
 145–7, 152, 177–8, 182, 184–5,
 229, 237, 239
- obesity, 81, 91–2, 95–7
- oral appliance (OA), ix, 10, 20, 94,
 105, 123–4, 129, 136–7, 148,
 150–151, 153, 159–61, 170, 182,
 189, 196, 199, 215, 221–9,
 231–7, 239–55, 264
- delivery/seating, 237–40
- effectiveness, 123, 221, 232–3
- fabrication, 233–7
- follow-up care, 240–3
- history, 222–4
- mandibular repositioning
 appliance (MRA), 221, 223–5,
 227, 229–230, 233, 237, 239,
 263
- side-effects, 243–5
- treatment protocol/objectives,
 224–7
- orofacial pain, 40, 61–2, 100–101,
 103–4
- oropharynx, 26, 137–8, 140, 144,
 153, 196
- orthodontics, 86, 88
- oxygen
 desaturation, 45, 93, 95
 saturation, 45, 74, 98, 116–117,
 232, 242
- oximetry, 45, 266
- pain, 7, 22, 40, 45, 56–8, 60–63, 84,
 95–6, 99–104, 106, 134, 136,
 158, 207, 227–8, 241
- panoramic radiograph, 159
- parasomnia, 51, 60
- periodic limb movement disorder
 (PLMD), 55–7, 70–71, 83–4,
 100–101, 123, 264, 267
- pharyngometry, 151, 153
- pharynx, 26–7, 157, 203, 206–8, 229
- polypectomy, 206
- polyps, 145, 200, 203, 206
- portable monitoring, 122–3, 242–3
- polysomnogram/polysomnography
 (PSG), 38, 42–5, 48, 53, 57, 59,
 62–3, 116–120, 122–4, 130, 170,
 183, 200, 226, 232, 241, 264, 267
- portable, 116, 122
- portable monitoring devices,
 122–3, 242–3
- portable PSG, 116

- positive airway pressure (PAP),
vii, 93, 96, 121, 132, 148,
167–84, 186–90, 196, 199,
203–4, 206, 215, 222, 228, 243,
252, 254–5, 263
- auto-titrating positive airway
pressure (APAP), 167, 174–6,
187, 190, 263
- bilevel positive airway pressure
(BiPAP), 167, 174, 176–7, 187,
190, 263
- continuous positive airway
pressure (CPAP), 121, 123,
167, 171–2, 174–7, 187–90, 222,
226–8, 233, 243, 263
- quality of life, 3, 9, 47, 60, 72, 87,
105, 148, 169, 184, 190
- radiofrequency, 205
- rapid eye movement (REM), 3,
15–16, 18–19, 21–2, 36, 47–8,
53, 100–101, 105, 120, 134–5,
183, 264, 267
- respiration, 18, 25, 28, 30, 42–3, 94,
142, 196, 242, 266–7
- respiratory, 53–4, 57, 59, 116–117,
134–5, 175, 177, 183, 226, 232
- respiratory conditions, 97, 133
- respiratory disorders, 6
- respiratory disturbances, 196,
232
- respiratory disturbance index
(RDI), 267
- respiratory effort, 42–3, 45–6, 116
- respiratory effort-related
arousals (RERAs), 46, 57, 183,
264, 267
- respiratory events, 46, 74, 94, 98,
183
- respiratory sound, 58
- respiratory tract allergies, 76–8
- restorative sleep, 17, 81, 134, 265,
267
- rhinometry, 153
- risk factors, 4, 6–7, 9, 73, 91–2, 95,
131–2
- restless legs syndrome (RLS), 4–7,
36–7, 40, 54–6, 70–71, 83–4,
100–101, 264
- rhythmic masticatory muscle
activity (RMMA), 99–100, 232,
264
- septum, 143, 145, 161, 197, 199,
202, 206
- shift work, 36, 50
- sleep
- sleep architecture, 15, 19, 58, 102,
117, 120, 134
 - sleep bruxism, 7, 36, 56–8, 75, 78,
84, 99–102, 105, 117, 130, 134,
224, 227, 232
 - sleep cycles, 15
 - sleep disorder, ix, 4–10, 20, 36,
38–64, 71–3, 75, 82, 84–5, 87,
91, 99, 104, 115, 117, 120–121,
129, 131, 133, 135–6, 151
 - sleep disruption, 3, 49, 55, 59,
72–3, 75, 81–2, 84, 94–5, 100,
102
 - sleep disturbance, 8, 39–42, 47,
49–50, 54–5, 57, 59–62, 87, 97,
102
 - sleep fragmentation, 45, 59, 266
 - Sleep Heart Health Study, 6,
91–2, 95
 - sleep hygiene, 35, 40–1, 62, 74,
105, 170, 174, 199, 267
 - sleep loss, 38, 62, 92, 103, 266
 - sleep paralysis, 36, 52–3, 267
 - sleep physician, 117, 183–4, 225
 - sleep-related breathing disorder
(SRBD), vii, ix, 3–6, 9, 19–20,
27–8, 30, 33, 42, 45–7, 58, 62,
70–2, 74–6, 78, 81, 84–7, 91–99,
102, 104–5, 111, 114, 117, 119,
122–4, 129–32, 134, 147–8,
150–151, 153, 155–7, 159, 161,
165, 167–8, 190, 196, 199,
201–202, 206, 215, 221–2,
225–7, 232, 234–5, 237, 242, 264
 - sleep-related eating disorder, 36,
54–5

- sleep (*cont.*)
- sleep-related movement disorders, 36, 54
 - sleep report, 18, 225
 - sleep stages, 16–17, 19–20, 113, 115, 117, 266
 - sleep state, 3, 15–16, 24, 99, 201, 267
 - sleep study, 10, 18–19, 38, 46, 60, 75, 81, 85–6, 100, 115–7, 130, 132, 135, 148, 170, 183–4, 232, 241, 243, 264–7
 - sleep terrors, 36, 52–3
 - sleep-wake cycle, 15, 22, 40, 49, 267
 - sleep walking, 75
- sleepiness, 5, 8, 23, 34, 38, 43–4, 46–50, 59, 72–3, 75, 82, 84, 97, 99, 113–116, 120–122, 130–133, 168, 177, 205, 232, 263–4, 266
- slow-wave sleep, 17, 19, 51–2, 134–5, 267
- snore, 59, 73, 85–7, 102, 130, 139, 147, 237
- snoring, 6–7, 196–8, 201–3, 206, 210, 215, 221–2, 224–9, 231, 233, 235, 241, 245, 255, 267
 - benign snoring, 59, 170, 228
 - primary snoring, 225–6, 241
- soft palate, 7, 26, 58, 137–40, 152, 155, 196, 199, 204, 206, 229, 245, 267
- Stanford Sleepiness Scale (SSS), 114–116, 264
- stress, 7–8, 23, 39, 58, 70, 95, 98–9, 103, 233
- surgery, 86, 123, 132, 152, 196, 199, 203–4, 206–7, 212, 215–216, 222, 227, 233, 255
- adenoidectomy, 75, 85–6, 206, 227
 - genioglossus advancement, 211–212, 214
 - hyoid myotomy/suspension, 212–213
 - mandibular osteotomy, 211–212
 - maxillomandibular advancement, 214–215
 - nasal surgery, 204, 206
 - reduction of tongue, 208–9
 - tissue ablation, 209–11
 - tongue-base suspension, 208–9
 - tonsillectomy, 75, 85–6, 206–7, 227
 - tracheostomy, 203, 214, 227
 - turbinectomy, 206
 - uvulopalatopharyngoplasty (UPPP)152, 206–10, 233, 264
- teeth, 56, 58, 73, 78, 96, 103, 130, 137, 147, 152, 211, 224, 227–8, 232, 234–9, 244–5
- temporomandibular disorder (TMD), 7, 40, 99, 102, 132, 136, 161, 227–8, 241, 244, 264
- joint (TMJ), 136, 148, 161, 227–8, 234, 241, 243–4, 264
- titration
- CPAP titration, 183–4
 - oral appliance titration, 224–5, 232, 235
- tomography, 151, 158, 161, 170, 200
- tongue, 18, 26–8, 54, 87, 103, 138–40, 152–3, 170, 178, 196–7, 202, 204–6, 208–11, 213, 227, 232, 235, 244–5, 252–3
- enlarged tongue, 7, 130, 199, 201
 - scalloped tongue, 78–9, 130, 138–9
 - tongue retaining device (TRD), 221–3, 229, 255, 264
- tonsils, 7, 78, 80–82, 85–6, 130, 137, 141–2, 202, 204–5
- turbinates, 143–6, 161, 196–7, 199, 202, 206

upper airway resistance syndrome
(UARS), 74, 89, 167, 190, 264,
267
uvula, 26, 58, 78–9, 130, 136,
139–141, 199–200, 204, 206, 267
wake state, 3
wakefulness, 16, 18, 21–4, 38–9,
46–7, 53, 57, 121–2, 134–5,
264–7
Wisconsin Cohort Sleep Study,
5
work, 4, 8, 36, 38, 40,
50
workers, 8
work-related, 8

