

Subject Index

- a**
- A-loop interference 185
 - Abl tyrosine kinase 5, 39, 187, 192, 415
 - acetyl-lysine binding domain 228 ff.
 - acetylated histones 235
 - acetylation 227
 - acetyl-lysine binding domain 228
 - lysine-acetylated peptides 228
 - acetyltransferases 241
 - ACLL motif 378
 - actin-binding domains 326
 - actopaxin/parvin family 328
 - adaptor modules 488
 - adaptors 1, 15
 - chimeric 13
 - Crk 7, 15
 - Grb2 15
 - N-WASP 15
 - Nck 15
 - adenomatous polyposis coli protein (APC) 168
 - affinity chromatography 410
 - allosteric regulation 14, 21 ff.
 - Alzheimer's disease 122
 - amylogenic diseases 454
 - amyloid fibers 455
 - amyloid precursor protein (APP) 63, 122
 - γ -secretase-generated C-terminal fragment 63
 - annotation 450
 - ANTH domain 369, 373
 - AP-2 365
 - Arf 377
 - Arf-binding proteins 366
 - ASCII symbols 483
 - ASTRAL 443
 - ATP binding pocket 183 ff.
- b**
- B factors 456
 - Bcl-2 164
 - bead-bound peptide libraries 426
 - biased repertoires 422
 - bioinformatics 299, 439
 - BLAST algorithm 287
 - BLAST search 143
 - BLOCKS 444
 - BRCT repeat 163
 - bromo domain 2, 227 ff.
 - acetyl-lysine binding 230
 - binding to histones 228
 - ligand specificity 232
 - BSE 454
- c**
- calcium ion channel 263
 - calmodulin 416
 - calponin homology domain 2,
 - see also* CH domain
 - CaMKI 189
 - canonical peptide recognition
 - canonical peptide substrates 194
 - canonical substrate recognition 193
 - cAPK 193
 - cargo sorting 373
 - CASP 452
 - CAST 457
 - CATH 444, 478
 - CD2 110
 - Cdc2 167
 - Cdc25 167
 - Cdc42 124
 - Cdk 154
 - CDK2 187, 195, 198
 - cDNA libraries 410
 - cell adhesion molecule CD2 110
 - CH domain 2, 321 ff.
 - actin-binding modules 321
 - function 326
 - glomerulosclerosis 330
 - human diseases 330

- muscular dystrophy 330
 - otopalatodigital syndrome 330
 - single domain 325
 - structure 323
 - tandem domain 325
 - type1 329
 - type2 329
 - Chlorella bursaria* 212
 - chromatin remodeling 228
 - chromo domain 2, 228, 241 ff.
 - histone complex 247
 - lysine methylation 246
 - methyl-lysine recognition 246
 - methylation 246
 - properties 248
 - structure 242
 - chromo shadow domain 241 ff.
 - heterologous interactions 249
 - self-association 249
 - structure 242
 - chromosome organization modifier 241
 - chronic granulomatous disease 390
 - CISK 402
 - clathrin 125, 365
 - clathrin-coated pits 365
 - colocalization 488
 - COLT 414
 - complementary determining region (CDR) 149
 - computational analysis 439
 - consensus motif 420
 - consensus sequence 481
 - Conserved Domain Database 451
 - CORT 414
 - Crk 39, 53, 415
 - cross talk 488
 - cross-reactivity 282
 - CUE domain 293 ff.
 - cyclin ligand motif 481
 - cyclin-dependent kinases 172
 - cytoskeleton 381
 - actin 321
 - actin binding 325
 - actin filament assembly 92
 - actin polymerization 77, 91 ff.
 - actin-binding 327
 - actin-network-stabilizing 327
 - cross-linking 327
 - cytoskeletal dynamics 92
 - integrins 124
 - microtubule binding 325
 - microtubule catastrophe 328
 - microtubule ends 328
 - microtubules 373
 - migration 91
 - motility 77
- d**
- Dbl family proteins 351
 - dedicated peptide libraries 422
 - DH domain 351 ff.
 - DH-PH domain 329
 - diabetes 454
 - DisEMBL 459, 461
 - DNA damage 146, 310
 - DOK proteins 121
 - domain architecture 449
 - domain boundary 452, 459
 - domain chip 416
 - domain database 447
 - domain dimerization 19
 - domain discovery 442
 - domain recombination 490
 - domain repertoires 429
 - domain shuffling 153
 - DomCut 452
 - drug design 4
 - dynamamin 351
 - β -dystroglycan 61
 - dystrophin 64
 - C-terminal flanking sequence 64
 - cysteine-rich C-terminal region 64
 - dystrophin- β -dystroglycan 64
- e**
- EF-hand 285 ff., 329
 - EGF receptor 121, 265
 - EH domain 279 ff., 366, 372
 - cellular ligands 284
 - evolution 286
 - function 288
 - peptide ligands 282
 - proteins 279, 280
 - structure 281
 - ELISA 417
 - ELM 441, 444, 465
 - ELM resource 465
 - Ena/vasodilator-stimulated phosphoprotein (VASP) homology domain, *see* EVH1 domain
 - ENaC (amiloride-sensitive sodium channel) 62
 - subunits 62
 - endocytosis 125 ff., 292, 308, 365, 381
 - clathrin-binding adaptors 367
 - clathrin boxes 371
 - clathrin cages 372
 - clathrin coated vesicles 365
 - clathrin triskelia 372

- clathrin-coated pits 365
 - dynamin assemblies 351
 - endosomal protein sorting 379
 - receptor endocytosis 374
 - endosomal trafficking 308
 - endocytosis
 - endosomal trafficking 374
 - Ensembl 448
 - ENTH domain 365 ff.
 - function 371
 - lipid interactions 372
 - lipid ligands 368
 - pathogenetic studies 380
 - protein ligands 373
 - proteins 368
 - structure 369, 370
 - ENTH/ANTH family 369
 - epithelial formation 267
 - epithelial polarity 266 ff.
 - apicalization 267
 - basolateral retention 266
 - basolateral sorting 266
 - basolateral targeting 266
 - epithelialization 269
 - maintenance of epithelial structures 267
 - epithelium 267
 - epitope mapping 424
 - Eps15 homology domain, *see* EH domain
 - epsin N-terminal homology, *see* ENTH domain
 - ErbB2 66, 265
 - ErbB4 65, 66
 - C-terminal fragment (CTF) 65
 - Notch-type signaling 65
 - ERK2 187, 195
 - error-prone PCR 418
 - euchromatic genes 248
 - EVH1 domain 1, 3, 73 ff., 103
 - biological function 91
 - classification 82
 - distribution 74
 - modular architecture 80
 - N-terminal location 82
 - prediction of binding partners 94
 - structure 86
 - expression cloning 410
- f**
- F-box motif 170
 - FACS 426
 - Fanconi anemia 310, 401
 - FCH (Fes/Cip4 homology) domain 6
 - FERM domain 125, 339
 - Fes 5
 - FGFR1 187
 - FHA domain 143 ff., 163
 - bacterial 155
 - domain superfamily 151
 - enzyme substrates 152
 - innate immunity 156
 - phosphopeptide interaction 149
 - phosphorylation biosensor 157
 - phosphothreonine-proline motifs 156
 - protein localization 152
 - proteins 144
 - reversible protein–protein interactions 153
 - structure 147
 - transcriptional activator domain 154
 - fibroblast growth factor 120
 - fibroblast growth factor receptor substrate 120
 - filamin 330
 - filter overlay 282
 - flanking residues 14
 - focal segmental glomerulosclerosis (FSGS) 330
 - forkhead 155
 - associated domains 168
 - Fps 5
 - function prediction 462
 - functional sites 439, 452
 - FYVE domain 371, 374
- g**
- gene ontology 450, 465
 - GGA proteins 374
 - GIGYF1 111
 - GIGYF2 111
 - Gleevec 23
 - GLGF domain 258
 - global analysis of modules 409
 - GlobPlot 451, 452, 457 ff.
 - reading globplots 458
 - globular domains 439
 - globular proteins
 - definition 443
 - globular repeats 451
 - guanine nucleotide exchange factors 352
 - GYF domain 3, 103 ff., 111
 - CD2BP2-GYF 105
 - interaction with CD2 110
 - sequence specificity 107
 - structure 105
- h**
- hemolytic anemia 331
 - heterochromatin protein 1 211
 - heterotrimeric G proteins 487
 - hidden Markov models 143
 - histone 310

- histone code hypothesis 227
 - histone H3 246
 - histone methylation 211 ff.
 - lysine ϵ -N-methylation 211
 - methyl-lysine recognition 246
 - rubisco large-subunit methyltransferases 211
 - site-specific histone methyltransferase 211
 - HIV-1 308
 - HIV-1 Nef 45, 47
 - HMMer 445
 - hNIFK 151
 - homology search 443
 - human diseases
 - acute lymphocytic leukemia 380
 - acute myeloid leukemias 191
 - Alzheimer's disease 64, 122, 454
 - ataxia with ocular apraxia 1 (AOA1) 145
 - cancer 380
 - Charcot–Marie–Tooth disease type 2A 145
 - chronic arthritis 26
 - chronic granulomatous disease (CGD) 390
 - diabetes 454
 - Duncan's disease 24
 - epidermolysis bulbosa with muscular dystrophy 331
 - Fanconi anemia 310, 401
 - glomerulosclerosis 330
 - heart failure 271
 - hepatoma 380
 - Huntington's disease 455
 - hyperaldosteronism 62
 - hypercholesterolemia 126
 - juvenile myelomonocytic leukemia (JMML) 24
 - kidney tumors 67
 - Li–Fraumeni syndrome 150
 - Liddle syndrome 62
 - metabolic alkalosis 62
 - muscular dystrophy 64, 330
 - Nijmegen-breakage syndrome 144
 - Noonan's syndrome (NS) 24
 - otopalatodigital syndromes 330
 - Parkinson's disease 455
 - Purtilo's syndrome 24
 - SH2 domains and disease 24
 - spherocytosis 331
 - variant Li–Fraumeni syndrome 144
 - Wiscott–Aldrich syndrome 77, 92
 - X-linked agammaglobulinemia (XLA) 24
 - human immunodeficiency virus type 1 (HIV 1)
 - Tat protein 232
 - Human Proteome Organisation (HUPO) 484
 - human tumor suppressor p53 233
 - Huntington's disease 455
 - hydrophobic motif
 - phospho-regulatory position 196
 - phospho-substituting position 196
 - PIF region 197
 - hypertension 62
- i**
- ICAP1 124
 - Imanitib 23
 - immunoprecipitation 410
 - Ins(1,4,5)P₃ 340
 - insulin receptor kinase (IRK) 185, 193
 - insulin receptor substrates (IRS) 120
 - integrin 124
 - internalization signal 125
 - Interpro 444
 - intracellular trafficking 288, 308
 - intrinsically disordered proteins 454
 - intrinsically unstructured proteins 454
 - IRF-3 activation domain (IAD) 151
 - IRS-1 120, 164
- j**
- JPRED 452
 - 3D-JURY 452
 - juxtamembrane region 190
- k**
- KAPP 146, 153
 - kinase domain 6
 - kinase inhibitor 23
 - kringle domain 416
- l**
- labeled ligands 413
 - LDL receptor 125
 - left-handed polyproline-2 (PPII) 37
 - LET-23 265
 - Liddle's syndrome 62
 - ligand repertoires
 - bead-bound peptide libraries 426
 - peptide arrays 427
 - soluble peptide libraries 426
 - LIN-7 265
 - linear motifs 453, 465
 - lipoprotein receptor 123
 - Logo plot 282
 - low-complexity regions 452
- m**
- MAGUK 269, 271
 - MAP kinase 93, 198

- membrane proteins 67
 - β -dystroglycan 67
 - ENaC 67
 - STAG1/PMEPA1 protein 67
 - membrane targeting
 - cell cortex 347
 - plasma membrane 347
 - membrane-associated guanylate kinase 258
 - membrane-recognition modules
 - MIT domain 390
 - PC peptide motifs 390
 - proline-rich motifs 390
 - RGS domain 390
 - membrane-targeting 346 ff.
 - methylation multiplicity 221
 - methyltransferases 241
 - MFP motif 295
 - microtubule anchors 327
 - microtubule-binding domains 327
 - microtubules, *see also* cytoskeleton
 - MIT domain 390
 - mitogen-activated protein kinase-activated protein kinase 189
 - mix-and-split 426
 - modular architecture 477
 - modular domains 1
 - modular logic 489
 - module repertoires 412
 - molecular Lego 2
 - monoubiquitinated proteins 311
 - MORN repeat 216
 - motif scanning 424
 - multidomain proteins 143
 - multiple sequence alignments 445
 - multivesicular bodies 308
 - muscular dystrophy 64, 330
 - Becker type 64
 - Duchenne type 64, 65
 - mutagenesis
 - random 418
 - site-directed 417
 - mutagenized domain libraries 417
- n**
- N-methylation 211
 - NADPH oxidase 389, 399
 - Nedd8 293
 - neural network 459
 - Neurospora crassa* 212
 - nonglobular protein segments 452
 - nuclear pore complex 78
 - nuclear shuttling 288
 - nucleosome 227
 - Numb 130
 - Numb-associated kinase (Nak) 130
 - NZF (novel zinc finger) 305
 - NZF domain 307
- o**
- O-GLYCBASE 485
 - OBOC 426
 - oligonucleotide repertoires 419
 - OPAL 427
 - orthology 449
- p**
- Parkinson's disease 455
 - PAZ (polyubiquitin-associated zinc finger) 305
 - PAZ domain 307
 - PB1 domain 390
 - PDZ domain 2, 257 ff., 415, 418, 427
 - C-terminal interactions 257
 - epithelial polarity induction 267
 - functions 263
 - non-C-terminal interactions 260
 - structure 259
 - peptide and protein repertoires 409
 - peptide array 427
 - peptide walking 428
 - pericentric heterochromatin 248
 - perl 470
 - PFAM 444
 - Pfam 441, 468, 478
 - PH domain 2, 73, 80, 120, 337 ff., 390
 - binding partners 337
 - fold 338
 - function 346
 - high-affinity PtdIns(4,5)P₂ binding 340
 - low-affinity PtdIns(4,5)P₂ binding 340
 - membrane targeting 349
 - multiple ligands binding 355
 - phosphoinositide binding 338
 - protein targets 353
 - structure 338
 - phage display 415
 - protein domains 415
 - protein ligands 415
 - phage expression libraries 413
 - ligands 413
 - modules 413
 - phage-based cDNA libraries 413
 - phage-display analysis 282, 411
 - phosphatidylinositol-3-kinase 164
 - phospho-acceptor site 184
 - PhosphoBase 485
 - phosphoinositide binding 338 ff.
 - high-affinity 340
 - low-affinity 340

- specificity 340
- phosphoinositide-dependent kinase-1 348
- phospholipase C 263, 340
- phosphopeptide interaction
 - phosphoserine 149
 - phosphothreonine 149
- phosphopeptide motifs 9 ff.
- phosphopeptide recognition 12, 156
- phosphorylation 284
- phosphorylation biosensors 157
- phosphoserine 163
- phosphoserine/threonine binding domain 163 ff.
 - 14-3-3 proteins 164
 - binding 166
 - BRCT repeats 163
 - FHA domain 163, 168
 - Polo-box domain 163, 172
 - structure 166
 - WD30 repeat F-box proteins 170
 - WD40 repeats 163
 - WW domains 163, 167
- phosphothreonine 163
- phosphothreonine libraries 155
- phosphotyrosine 5
- phosphotyrosine binding domain, *see* PTB domain
- phosphotyrosine interaction domain (PID) 117
- phosphotyrosine-oriented peptide library 426
- phototransduction 488
- phox components 390
- phox homology domain, *see* PX domain
- phylogenetic tree 76
- PI3-kinase 345, 348
- PKC phosphorylation 157
- PKI 193
- plasmid-display 419
- pleckstrin homology domain, *see* PH domain
- Polo-box 143
 - Polo-box domain 157, 163, 172 ff.
 - Polo cap 174
 - Polo-like kinases 172
- Polo-like kinases 172
- Polycomb* 241
- polyubiquitin chains 291
- PONDR 457
- predicting binding partners 44
- PredictProtein 452
- ProDom 444
- profilin 3, 103
- proline-directed kinases 167
- proline-rich ligands
 - APTYPPPLPP 45
 - β subunit of ENaC 63
 - in human disease 67
 - LPPPPYR 66
 - LSSRPLPTLPSP 45
 - phosphoserine 60
 - phosphothreonine 60
 - $p\sigma(S/T)P$ 61
 - PPLP 61
 - PPLP motif 60
 - PPPNY 62
 - PPxY 60, 61, 62, 63, 66, 67
 - PxxP 43
 - PxxPxR 43
 - RxxPxxP 43
 - Ψ PPPPYP/R 65
 - RPPP(R) 61
- proline-rich motifs 86 ff., 168, 305
 - DFPPPT 86
 - DLPPPEP 86
 - DLPPPEPYNQT 87, 89
 - FPPPP 80, 83, 86, 87
 - LPPPEP 86
 - LPPPEPY 83
 - PPxxF 80, 83
 - proline-rich ligands 60
 - TPPSPF 87
 - TPPxxF 87, 89
- proline-rich peptides 40
 - APSIDRSTKPA 51
 - Φ xRPxR 50
 - GRGTPMGMPPPGMRPPPPGM-RGLL 108
 - PAPPMRNTS 47
 - PAPSIDRSTKPPL 51
 - PAVPPR 47
 - PPLPERTPESFIV 46
 - PPPGHRSQAPSHRPPPPGHRV 108
 - PSRPNR 50
 - PVRPQVPLRPMT 48
 - Px(P/A)xxR 50
 - Px Φ Px[+] 50
 - PxxDY 49
 - PxxRxxKP 51
 - RKxxYxxY 50
 - SHRPPPPGHRV 105
 - xPx Φ Px[+] 51
 - YEVPVPPRRR 52
- proline-rich sequences 3, 103, 305
 - recognition 110
- PROSITE 40, 441, 444, 463
- proteasome 299
- protein architecture 439
- protein arrays 416
 - domain repertoires 416

- ligand repertoires 416
 - protein database 447
 - protein disorder 453 ff.
 - definitions of protein disorder 455
 - regions of low complexity 457
 - protein kinase B 348
 - protein kinase C (PKC) 263
 - protein kinase domain 181 ff.
 - architecture 181
 - ATP binding pocket 183
 - catalytic core 181
 - catalytic switching mechanism 186
 - CDK-cyclin interaction 198
 - juxtamembrane region 190
 - MAPK docking 198
 - pseudosubstrate regulation 188
 - substrate recognition 193, 199
 - protein kinase superfamily 183
 - protein modules
 - nomenclature 477
 - terminology 477
 - protein recognition code 68
 - protein space
 - globular 441
 - nonglobular 441
 - protein–protein interaction map 65
 - protein–protein interactions 143, 228, 244
 - 14-3-3 proteins 143, 164
 - proteome scanning 428
 - Proteomics Standards Initiative (PSI) 484
 - Protfun 463
 - pSer/pThr-Pro motif 157
 - pseudoknot 213
 - pseudosubstrate regulation 188
 - PSI-BLAST 445
 - PTB domain 2, 14, 80, 117 ff., 355, 356
 - APP 122
 - binding specificity 129
 - cell adhesion 122
 - endocytosis 125
 - function 118
 - integrin interaction 124
 - phospholipid binding 132
 - proteins 118
 - signaling 122
 - structure 127
 - tyrosine kinase signaling 119
 - PTBI domain 119
 - PtdIns(3)P 345, 394, 398
 - binding pocket 394
 - PtdIns(3)P coordination 394
 - PtdIns(3,4,5)P₃ 341, 398
 - PtdIns(3,5)P₂ 345, 398
 - PtdIns(4)P 345
 - PtdIns(4,5)P₂ 125, 340
 - pull-down experiments 282, 410
 - PX domain 2, 389 ff.
 - function 397
 - membrane insertion 398
 - PI binding specificity 397
 - protein 391
 - sequence alignment 390
 - signaling pathways 400
 - structure 392
 - PxxP core binding motif 43
 - Python 470
- r**
- Rac 124
 - Ran binding domains 73 ff., 90
 - random peptide libraries 420
 - random-coil 455
 - receptor tyrosine kinases (RTKs) 5 ff., 190, 308
 - receptor-mediated endocytosis 288
 - RefSeq 451
 - REPeats 451
 - replacement analysis 424
 - replacement repertoires 428
 - representation of motifs 480
 - reverse two-hybrid 418
 - RGS domain 390
 - RNA binding 249
 - RNAi 250
 - Rous sarcoma virus 59
 - Src kinases 59
 - RT loop 46
 - RTK, *see* receptor tyrosine kinase
 - Rubisco 216
- s**
- S-adenosylhomocysteine 214
 - S-adenosylmethionine 211
 - S100 family 287, 329
 - scaffolding 488
 - scaffolding proteins
 - actin-based 77
 - adaptor proteins 92, 377
 - motility 77
 - scaffolds 16
 - Scansite 441, 463
 - SCF complexes 170
 - SCOP 440, 443, 478
 - secondary structure prediction 451, 457
 - secondary structure types 455
 - Seefeld convention 477, 483
 - example 483
 - rules 482

- symbols 482
 - SEG 457
 - segment-swapped dimer 148
 - sequence homology search 409
 - serum- and glucocorticoid-inducible kinase 3 402
 - SET domain 211 ff., 219
 - active site 214
 - catalytic mechanism 219
 - interactions with other domains 215
 - methylation 221
 - structure 212
 - substrate specificity 217
 - SH2 domain 2, 5 ff., 39, 191, 426
 - dimerization 19
 - disease 24
 - modes recognition 12
 - plasticity 17
 - SH2-mediated interaction 10
 - structure 9
 - tandem domains 20
 - SH3 domain 2, 8, 37 ff., 59, 103, 113, 191, 337, 390, 411, 415, 418
 - atypical docking motifs 49
 - distal loop 37
 - N-*Src* loop 37
 - RT loop 37
 - specificity 52
 - Shc phosphorylation 119
 - signal integration 489
 - signaling switches 489
 - signalosome 264
 - excitatory receptors 270
 - post-synaptic 270
 - synaptic 270
 - Wnt family 270
 - site-directed mutagenesis 417
 - Smad MH2 domain 151
 - Smad proteins 200
 - small GTPases 352, 353
 - SMART 40, 439, 441, 444, 449, 468, 478
 - SNARE 373
 - trans-SNARE complex 402
 - SNARE proteins 402
 - soluble peptide libraries 426
 - SorLa 378
 - sorting nexins (SNXs) 390, 400
 - spherocytosis 331
 - spliceosomal proteins 108
 - SPOT method 427
 - Spred 78, 93
 - Sprouty-related (SPR) domain 81
 - Src* 2, 5, 23, 39, 44, 191, 337, 415, 440
 - kinases 59
 - N-terminal region of *Src* kinases 59
 - signaling 59
 - Src* family tyrosine kinases 191
 - Src* homology 3, *see* SH3 domain
 - sterile alpha motif (SAM) 190
 - STRING 451
 - structural analysis 462
 - structural genomics 454
 - substrate priming 195
 - priming phosphate moiety 196
 - SUMO 293
 - super-modules
 - double bromo domains 235
 - SUPERFAMILY 443
 - SUV39 family 211
 - SUV39/enhancer of zeste/trithorax, *see* SET domain
 - SWISS-MODEL 452
 - synaptic vesicle recycling 288
 - synthetic peptide repertoires 424
 - systems biology 487
- t**
- TAIS 415, 419
 - tandem domains 20
 - taxonomic filtering 469
 - tertiary structure prediction 452
 - TGN 377 ff.
 - transcription factors 16
 - STAT 21
 - transcriptional activation 288
 - transcriptional activator domain 154
 - transcriptional silencers 248
 - transcriptional silencing 211
 - transforming growth factor β (TGF β) 199
 - transient interactions 442
 - transmembrane segments 452
 - Trk 120
 - TRP 263
 - tumor suppressor p53 233
 - tyrosine kinase domain 7
 - tyrosine kinase substrates 422
 - tyrosine phosphorylation 5, 8, 121
- u**
- Ub-like domains 293
 - UBA (ubiquitin associated) 293 ff.
 - UBA domain 293 ff.
 - UBCc (ubiquitin-conjugating catalytic) domain 302
 - ubiquitin binding module 291 ff.
 - CUE domain 293
 - lysine 291
 - NZF 305

- PAZ 305
 - proteasomal degradation 291
 - proteins 294
 - Ub–Ub receptor interactions 309
 - Ub-binding regions 294
 - ubiquitin-interacting motif 299
 - UEV domain 302
 - ubiquitin interacting motif (UIM) 299 ff., 374
 - ubiquitin-based networks 308
 - ubiquitin-binding domain 2
 - ubiquitin-dependent sorting machinery 378
 - ubiquitin-like 299
 - ubiquitination
 - monoubiquitination 291
 - ubiquitin binding module
 - UBA domain 293
 - UEV (ubiquitin E2 variant) domain 3, 103, 302
 - UIM motif 299, 372
- v**
- v-Fps 6
 - Vam7p 395
 - vegetative growth 292
 - verprolin-cofilin-acidic (VCA) domain 80
 - vesicle transport
 - endosomes 366
 - lysosomes 366
 - trans-golgi network (TGN) 366
 - VHS domain 365 ff.
 - CGA 377
 - function 374
 - ligand peptides 376
 - protein ligands 377
 - structure 375
- vulval development
- vulval developmental program 265
 - vulval precursor cells 265
- w**
- WASP 93
 - WD40 domain 157, 163, 170
 - WD40 repeats 170 ff.
 - WH1 domain 73 ff.
 - wiring diagrams 488
 - Wiscott–Aldrich syndrome protein (WASP) 73
 - Wiscott–Aldrich syndrome protein
 - homology 1, *see* WH1 domain
 - WISE 428
 - Wnt 270
 - WW domain 3, 59 ff., 80, 103, 143, 153, 157, 163, 167, 415, 429
 - aromatic cradle 60
 - structure 60
 - tryptophan–proline stacks 60
- x**
- X-P pockets 38, 42
 - X-linked agammaglobulinemia 24, 344
 - X-linked lymphoproliferative syndrome 24
- y**
- yeast two-hybrid screen 112
 - yeast two-hybrid system 411
 - ligand repertoires 411
 - module repertoires 412
 - YPL105C 112
- z**
- zinc finger domain 305
 - zinc finger kinase 403