

Subject Index

a

AA (EN-AW) alloys
 – (EN-AW) 1xxx alloys: 1050, 1200, 1090 13f
 – (EN-AW) 3004, 3104 (can body stock) 27ff
 – (EN-AW) 3103 sheet through-process modelling (TPM) 348f
 – (EN-AW) 3xxx alloys: 3003, 3005, 3103, 3105 19ff, 346f
 – (EN-AW) 5005, 5457, 5182 37ff, 323
 – (EN-AW) 5182 processing 323
 – (EN-AW) 5182 sheet through-process modelling (TPM) 323ff
 – (EN-AW) 5xxx alloys: 5005, 5457, 5182 37ff
 – (EN-AW) 6xxx alloys (extrusions): AA 6063, AA 6082 65ff
 – (EN-AW) 6xxx alloys (sheet): 6016, 6111, 6009, 6010, 6181A 51ff
 – (EN-AW) 7xxx alloys (extrusions): AA 7108 65ff
 – (EN-AW) 8079 13f
 activity energy (nucleation) 206
 adhesion 15
 age hardening 57
 Al space frame “ASF” 53
 Al-Fe-Si foil stock 13f
 ALFLOW model 344, 365
 alloy effects 199ff
 alloy elements (solute) 199ff
 ALMA model 365
 AlMg1Mn1 can body stock 27ff
 Al-Mg-Mn alloys 37ff
 Al-Mg-Si autobody sheet 51ff
 Thermodynamics 204
 Al-Mn, heat exchanger stock (“HEX”) 19ff, 346f
 ALSIM model 365

ALSOFT model 344, 365
 ALSTRUC model 345, 365
 Aluminium Processing fundamentals 85ff
 anisotropy 323ff, 189f, 29f, 196
 annealing 26, 34, 45, 60, 109
 architectural applications 37ff
 atomic scale models (microchemistry) 205
 auto body sheet anisotropy 196
 automotive applications inner panels 37ff
 Avrami exponent (see JMAK) 98

b

back Annealing 109
 Bailey-Orowan approach 130
 barrier properties (foil) 15
 bendability 55
 beverage cans (see AlMg1Mn1 can body stock) 27ff
 blister (packaging) 14
 brazing, braze cladding, brazeability, brazed joint 19ff
 break down rolling 91

c

CAB “Controlled Atmosphere Brazing” 22
 cable wrap 13
 CAFE models 113
 Cahn-Hillard equation 90
 car applications 37ff
 casting grain structure 8ff
 cellular automata (recrystallisation modelling) 113, 164ff
 cellular structure (as-cast) 8ff
 charge air cooler, condenser 19ff
 cladding (see brazing) 19ff
 classical analytical models (microchemistry) 205f
 coarse particles 55
 coherent (incoherent) precipitates 94

- coil cooling 354f
- cold rolling 34, 44, 215, 1085ff, 354f, 177f
 - I-4, I-5, II-8, II-12, II-15, II-21
- Computer Simulation, Process Chain 85ff
- constituent particles (constituents) 32f, 47
- constitutive equations – rolling 222
- continuous annealing 60
- converter foil 16
- corrosion, corrosion resistance 15, 22f, 42
- coupling (successive process, full-, one way-) 199f
- CPFEM (crystal plasticity finite element method) 177ff
- critical resolved shear stress 93ff, 182
- cross slip 96, 144ff
- Crystal Plasticity 92ff, 177ff
- cube texture 29f, 55f, 107f, 41, 47
- cup height profile (see deep drawing) 190
- cup profiles (earring) 189ff

- d**
- DC-casting 7ff, 32, 44, 115ff
- dead fold characteristics 16
- debris (CSD) model 138ff, 144f
- deep drawing 27, 190
- deformation 177ff, 345
- deformation flow pattern (extrusion) 69ff
- deformation textures 347f
- DEFTEX model 365
- dendrite arm spacing ('DAS') 7, 366
- dendrite tip kinetics 112, 114, 119ff
- deterministic models 112f
- diffusion 88ff
- diffusivity (solute) 206f
- dislocation 92 f, 96, 137, 124f, 167f, 326
 - annihilation 137
 - climb 96
 - models (edge/screw, cell walls/cell interior) 326
 - rearrangement 167f
 - storage (athermal) 134f
- dispersion hardening 22, 93
- dispersoids 55
- ductility, formability 22
- dynamic explicit approach (forming simulation) 281f
- dynamic recovery 135ff

- e**
- earring 29f, 41, 190, 194f
- EBSD (local texture analysis) 56f
- electrical/thermal properties 42
- electrical conductivity 15

- empirical models (forming limit simulation) 296
- enthalpy, entropy 87
- eutectic formation 122
- evaporator 19ff
- extrusion 65ff, 70ff, 369ff
 - through-process modelling 363ff
 - grain structure 371f
 - recrystallisation 73f

- f**
- Fact Sage 88
- fcc lattice (unit cell) 86
- FEM model 344
- Fick's law (1st, 2nd) 88f
- fin (radiator applications) 19ff
- final annealing 356f
- finite element method (FEM) 191, 323ff, 374
- flow curves 222ff
- flow stress 79f, 140f, 223f, 369f
- flux 22
- foil (thin gauge) 13
- foil grain size 17
- forming/formability 15, 54f, 283, 323ff, 359
 - limit 47
 - limit simulation 292ff
 - simulation 275ff
 - simulation 280ff, 373
 - simulation (extrusion) 373
 - simulation approaches – element types 280
 - simulation software 284
- front tracking method 118

- g**
- GIA (grain interaction) texture model 181f, 328f
- Gibbs free energy 87f
- Goss texture 55
- grain boundary (mobility, pinning) 101f
- grain envelope 113
- grain growth 103ff, 157ff
- grain size 17, 21, 46, 99
- grain structure 8ff, 41, 111, 116
- growth 157ff
- growth competition 169

- h**
- H19 condition (strength; strain hardening) 34
- hardening mechanisms 22, 93ff
- heat treatable alloys 65ff

- hemming 54f
Hill model (forming limit simulation) 293f
homogenization 32, 44, 90f, 367f
horizontal coupling (through-process modelling) 335
hot forming 65
hot rolling 33, 44, 92ff, 214f
household foil 13
H-xx tempers 40
- i**
Incubation time (recrystallisation) 97
integrated process simulation 330ff
inter-annealing 45
interdendritic phase formation 121f
intermetallics 7
inverse approach (forming) 283
ironing 27
iso-kinetics reactions 210
- j**
Johnson-Mehl-Avrami-Kolmogorov (JMAK) relation 97f, 158f, 208
joining 42
- k**
Kocks-Mecking (KM) (1 parameter model) 139
- l**
Lamel (advanced lamel) texture model 181
laminating 16
Larstran/shape FEM model 324f
lattice rotation (texture) 107
level set method 120
lids 14
linear perturbation model (forming limit simulation) 296
linking models (decoupled, successive, fully-) 317f
LS-Dyna FE code 374
Lüders lines 39
- m**
manganese 20
Marciniak test simulation 374
Marciniak-Kuczynski model (forming limit simulation) 294f
material models (forming simulation) 286ff
materials modelling fundamentals 85ff
mechanical properties 22, 358
mechanical threshold strength (MTS) model 129ff
- mesoscopic spatial resolution (microchemistry) 208
Mg₂Si precipitates 59, 368
microchemistry 199ff, 209, 343ff
microchemistry models 204ff
microscopic models 111ff
microsegregation 111, 121f
microstructure 157ff, 323ff, 343ff
microstructural metal plasticity (MMP) 129ff
microstructure (homogenized) 367f
misorientation 135
models/modelling 343ff
– modelling – micro- macro scale 315
– modelling – process variables 317
– modelling – variables of state 317
– modelling solidification 111ff
– modelling (flow stress) 79f, 140f
– modelling resulting properties 318f
– models – 2D/3D analysis 324f
– models – 3 IVM model 136ff, 150, 326
– models – availability 308
– models – challenges 315ff
– models – coupling 315, 348
– models – linkage 308
– model – PreipAl 352
– models – validation 308
– Monte Carlo models 163ff
multiphase/multiscale approach 113
- n**
Nucleation 112f, 157ff, 206
Nucleation (recrystallisation) 97, 102
numerical methods (forming simulation) 276ff
- o**
oil cooler 19ff
Orwan stress 95
overaging 95
- p**
packaging & foil applications 13ff
paint baking 28, 34
paint brush lines 56
pancake texture model 178ff
particle stimulated nucleation ('PSN') 34f, 171, 195
particles 23f, 55, 94, 202f
penetration (silicon) 22
phase field method 112, 118f
Phase Transformations 85ff
pinning (grain boundary) 102

- polycrystal plasticity simulation 189ff
 - Portevin-le-Chatelier "PLC" effect 39
 - pre-aging/retrogression) treatment 58
 - precipitation 23f, 94 202ff
 - pre-lubricated, pre-coated sheet 60
 - primary phase formation 117f
 - primary phase models (VIRCAST) 120f
 - process chain model 305ff, 315ff
 - profiles (extrusion) 65ff
 - pseudo-front tracking methods 120
- q**
- quasi static implicit approach (forming simulation) 281
- r**
- radiator applications 19ff
 - recovery 26, 34f, 96ff, 135, 167ff, 201f, 346
 - recrystallisation 17, 21f, 29f, 47, 73f, 97ff, 157ff, 201f, 347f, 371f
 - recrystallisation models: discrete models 163f
 - recrystallisation models: geometric microstructural models 159ff
 - recrystallisation models: oriented growth 170f
 - recrystallisation models: oriented nucleation 170f
 - recrystallisation models: phenomenological models 158f
 - recrystallisation models: texture models 169ff
 - relaxed constraints (RC) texture model 178ff
 - ReNuc model 329
 - rigid container foil 13
 - rolling
 - rolling (flow stress) 222ff
 - – angle of bite 216
 - – arc of contact 216
 - – boundary element (BE) approach 234
 - – continuum mechanics 233
 - – elongation 217
 - – FE formulation for heat transfer 243f
 - – FE integration scheme: implicit vs. Explicit 241f
 - – FEM simulation 213ff
 - – FEM – code sensitivity 254
 - – finite difference (FD) method 233
 - – finite element (FE) approach 234
 - – finite element method 232ff
 - – finite element theory basics 235ff
 - – force 219f
 - – friction 218
 - – friction contact 242
 - – friction theories 226ff
 - – heat conduction 229f
 - – heat generation 229
 - – heat lost 230
 - – heat transfer 228ff
 - – linear FE analysis 237
 - – lubrication 226
 - – neutral zone 218
 - – non-linear FE analysis 237f
 - – power 219f
 - – pressure 219
 - – reduction 217
 - – relative slip (backward-, forward-) 218
 - – roll flattening 220
 - – shear stress 219
 - – spread 217
 - – thermal resistance at the interface 230ff
 - – thermo mechanical coupling 244
 - – tool stock interface 225ff
 - – torque 219f
 - rolling simulation 323ff
 - FEM-simulation 247ff
 - FEM – boundary conditions set-up 252
 - FEM – code sensitivity 254
 - FEM – codes (selection) 248
 - FEM – contact definition 252
 - FEM – experimental trials 260ff
 - FEM – Finite element modelling (FEM) 247ff
 - FEM – hot rolling (multi-pass) 249ff
 - FEM – industrial case study 268ff
 - FEM – load cases 253
 - FEM – material modelling 250f
 - FEM – mesh generation 251
 - FEM – post processing
 - FEM – practical aspects 247ff
 - FEM – streamlines 256ff
 - FEM – thermo-mechanical coupling 247f
 - FEM – thermo-mechanical modelling 253
 - FEM – user control 254
 - rolling texture simulation 177ff
 - roping, riging 56
 - Rose* models (Rose-Roll, -Stat, -Tem) 324f III-20
 - roughing-rolling (see break down rolling) 91
- s**
- second phases 199ff
 - secondary dendrite arm spacing 366
 - secondary phase model (VIRCAST) 122f

- segregation (coring) 59
 - segregation (macro-) 8ff
 - sheet 177ff
 - sheet anisotropy 189ff, 29f, 196
 - shell (casting) 8ff
 - silicon 19ff
 - simulation DC-casting 115ff
 - softening models 157ff
 - solid solution 17, 367f
 - solid nucleation 112f
 - solid solution hardening 28
 - solidification microstructure 111ff
 - solidification model (VIRCAST) 115ff
 - Solute (impurity) drag (recrystallisation) 100f
 - solute effects 129ff, 199ff
 - solute hardening 22
 - stabilization 40
 - stage IV hardening 130
 - stamping 54f
 - StaRT model 329
 - stochastic models 113
 - strain hardening 31f, 40
 - strain markings 39
 - strain rate (imposed components) 182
 - stretcher strain free "SSF" quality 39, 51
 - strength: hardening mechanisms 15, 22, 34, 93ff, 157ff,
 - StrucSim model 327
 - subgrain (cell) structure 97
 - subgrain coarsening 168f
 - sub-structure evolution 129ff, 345
 - substructure, flow stress (extrusion) 369f
 - super saturation 8
 - surface 15, 56f
 - Swift model (forming limit simulation) 293
- t**
- Taylor full constraints (FC) texture model 178ff, 327f
 - Temperature (recrystallisation) 101f
 - temperature, strain rate effects (on flow stress) 223f
 - tempers (H-xx) 40
 - texture (crystallographic –) 29f, 41f, 55, 70ff, 106ff, 157ff, 177ff, 323ff, 343ff
 - (deformation, recrystallisation –, extrusion) 70ff
 - (recrystallisation) 157ff, 347f
 - /earing simulation 329
 - simulation (extrusion) 372
 - simulation (rolling) models 177ff
 - simulation model: GIA (grain interaction) model 181f, 328f
 - simulation model: Lamel (advanced lamel) model 181
 - simulation model: Pancake (RC) model 178ff
 - simulation model: RC (relaxed constraints) model 178ff
 - simulation model: Taylor FC (full constraints) model 178ff, 327f
 - simulation model: VPSC (visco-plastic self consistent) model 183, 189
 - topography 57
 - thermal/mechanical models 324ff
 - Thermo-Calc 88,124
 - thermodynamic models (microchemistry) 204f
 - thermodynamics 86f
 - thermo-mechanical processing 213ff, 343ff
 - Through process modelling "TPM" 178, 305ff, 315ff, 323ff, 348ff, 363ff
 - Time (recrystallisation) 100
 - TOTSIM model 348
 - trace elements 18
 - transport of free solid 113ff
- v**
- Vertex Model 161ff
 - vertical macro-micro integration (modelling) 329f
 - VIR* projects (scientific & technological objectives) 305ff
 - VIRCAST (solidification, primary/secondary phase models) 115ff
 - Voce law (work hardening) 182
 - VPSC (visco-plastic self consistent) texture model 183, 189
- w**
- work hardening 143ff, 182, 200f, 345
 - work hardening, modelling 129ff
 - work hardening/softening models 326
- y**
- yield criteria (forming simulation) 288f
 - yield criteria BBC 288f
 - yield criteria validation 290f
 - yield criterion CB2001 290
 - yield criterion Yld2000-2d 289f
 - yield stress 22

