

# Index

## • A •

- acrylonitrile-butadiene-styrene (ABS) pipe, 15–17
- adhesive, for plastic pipes and fittings, 15, 20, 22, 160
- adjustable wrench, 26
- adjusting
  - pop-up drains, 70–71
  - toilet fill valve, 133–134
  - tub drain, 108–110
  - water level in toilet tank, 121, 124, 133–134
- advice, asking for, 156
- aerator screens, cleaning, 33–34
- antivibration pipe clamps, 159
- appliances, water supplied to, 11
- assistance, plumbing requirement for, 8
- augers
  - described, 29
  - sink drains, 72–73
  - toilets, 151–152
  - tub and shower drains, 113–114

## • B •

- ball faucet, repairing leaky rotary, 35–38
- ballcocks, 133–134
- basket strainer wrench, 57, 113–114
- basket strainers
  - replacing, 61–64
  - resealing, 56–58
  - unclogging, 113–114
- bathroom drain repair kits, 65, 69
- bathroom sinks. *See also* kitchen sinks
  - adjusting pop-up drains, 70–71
  - caulking around bowl, 54–55
  - clogs, 72–73
  - installing sink drain, 65–69, 71
  - repair compression (stem) faucet, 48–50
  - replacing
    - sink drain, 65–69, 71
    - sink trap, 59–60
  - unclogging, 72–73

bathroom tub and shower. *See* tubs and showers

- bowls, sink, caulking around, 54–55
- bowls, toilet. *See* toilet bowls
- braided steel supply lines, 18
- branch drain line, 9, 12–13
- branch supply line, 9, 11
- brass drop-ear elbows, 19
- brass fittings, 19–20
- brushes, 27–28
- burrs, copper pipe, 74

## • C •

- cabinets. *See* leaks
- caps and ends supply fittings, 19
- cartridge faucets
  - cartridge/seat-spring, 102–107
  - ceramic disk, 44–47, 97–101
  - leaky single handle kitchen, 39–43
  - reversed hot and cold water, 43
  - tub and shower, 92–96
- cartridge shower faucet repair kits, 92–96
- cartridge-pulling wrench, 94–95
- cast iron pipes and fittings, 15, 17, 22
- caulk gun, 26–27, 54
- caulking
  - around sink bowl, 54–55
  - toilet bowls, 142
  - tub, tile, and fixtures, 79–80
- ceramic disk, 97
- ceramic disk faucets, 44–47, 97–101
- chemical drain cleaners, 60
- chisel, 27
- chlorinated polyvinyl-chloride (CPVC) pipe, 16
- chromed copper supply lines, 18
- circuit tester, 27
- cleaning faucet aerator, 33–34
- cleanout fittings, 22

clogs  
 bathroom sink, 72–73  
 faucet aerator, 33–34  
 kitchen sink, 59–64, 72–73  
 toilet, 151–152  
 tub and shower, 111–114  
 closet auger, for toilets, 28–29, 151–152  
 closet bend fitting, 20  
 clothes washer and noisy pipes, 159  
 codes and requirements, 23–24, 156  
 cold chisel, 27  
 cold water  
   residential system components, 8–14  
   reversed, cartridge faucets, 43  
   supply lines, 10–11, 16  
 compression (stem) faucets, 48–50, 86–91  
 compression fittings, 16–17  
 condensation  
   pipe, 160  
   toilet tank, 143–146  
 connections and pipe joints. *See also* fittings;  
   *specific repair or replacement*  
   adhesive, for plastic pipe, 15, 20, 22, 160  
   cast iron pipe, 15  
   code for, 24  
   copper pipe, 17  
   cutting, 27–29  
   PEX, 16  
   plastic pipe, 15–16, 24  
   steel pipe, 16  
   supply line to shutoff valve, 18  
 copper pipe  
   described, 16–17  
   fittings, 19–20  
   soldering, 74–76  
   supply elbows, 19  
   supply lines, 18  
 corner supply elbows, 19  
 cost of parts, 156  
 couplers or unions, 19, 21–22  
 coupling, 19  
 CPVC (chlorinated polyvinyl-chloride)  
   pipe, 16  
 cramped spaces, plumbing in, 8  
 cross-linked polyethylene (PEX), 16  
 cutting pipe, 27–29. *See also* connections and  
   pipe joints  
 cylinders. *See* cartridge faucets

• D •

diameter, pipe and fittings, 11, 19–20, 23  
 diaphragm ballcocks, 133  
 dirty, plumbing jobs as, 8  
 disk faucets. *See* ceramic disk faucets  
 diverters  
   adjusting tub drain, 108–110  
   repairing three-handle stem faucet, 86–91  
   unclogging tub drain, 112–114  
 DMV (drain/waste/vent) system  
   drain and vent fittings, 20–22  
   pipes, 15–17  
   residential system components, 8, 11–13  
   supply fittings, 19–20  
   supply lines, 18  
 double-handle faucets, 51–53, 86  
 double-Y fitting, 20–21  
 drain basket. *See* basket strainers  
 drain elbow fitting, 20–21  
 drain fittings, 20–22  
 drain flange, replacing, 65–69  
 drain gasket, 58  
 drain lines, 9, 12–13  
 drain seal (friction ring), 56, 58  
 drains. *See also* DMV (drain/waste/vent)  
   system  
   bathroom sinks  
     adjusting pop-up, 70–71  
     replacing drain, 65–69  
     unclogging, 72–73  
   kitchen sinks  
     replacing drain, 61–64  
     unclogging, 59–64, 72–73  
   tubs and showers  
     adjusting, 108–110  
     unclogging, 111–114  
 drips. *See* leaks  
 drop-ear elbows, 19  
 dye, checking toilet for leaks, 117–118

• E •

ear protection, 29–30, 162  
 effluent liquid, 14  
 eighth bend fitting, 20

elbow fittings, 19–21  
 electric heat tape, for frozen pipes, 160  
 electrical safety, 161  
 ells (copper supply elbows), 19  
 emergency phone numbers, 161  
 emery cloth, 27–28, 75  
 ends and caps supply fittings, 19  
 epoxy, plumber's, 160  
 escutcheon plates, types of, 64  
 extension cord, GFCI-protected, 30  
 eye protection, 30, 162

## • F •

faucet aerator, cleaning, 33–34  
 faucets. *See also* bathroom sinks; cartridge faucets; kitchen sinks; single handle faucets; *specific types of faucets*  
 ceramic disk faucets, 44–47, 97–101  
 compression (stem), 48–50, 86–91  
 rotary ball, 35–38  
 three-handled shower faucet, 86–91, 102–107  
 two-handle faucets, 51–53, 86  
 fiber safety shield, 28, 76  
 files, 25–26  
 fill valve, toilet, 119–124, 133–134  
 filter faucets. *See* cartridge faucets  
 fire extinguisher, 30, 74  
 fittings. *See also* connections and pipe joints  
 compression, 16–17  
 drain and vent, 20–22  
 hand tightening, 58  
 inspection, 20  
 supply (fittings), 19–20  
 vent, 20–22  
 fixtures, 8, 11, 13, 23. *See also* bathroom sinks; kitchen sinks; toilets; tubs and showers  
 flange, replacing drain, 65–69  
 flange, toilet, 20–21  
 flanged plungers, 29, 111, 149–150  
 flapper, replacing, 130–132  
 flashlight, 26–27  
 flat file, 25–26  
 flexible braided supply lines, 18  
 flexible copper pipes, 16–18  
 float cup ballcocks, 134  
 float-arm and ball fill valves, 119  
 floatless ballcocks, 133–134

floor drain, 9  
 Fluidmaster fill valve, 119  
 flush, replacing flush valve, 125–129  
 flux, 27–28, 75  
 flux brush, 27–28  
 foam insulation pipe wrap, 159  
 food coloring (dye), checking toilet for leaks, 117–118  
 4-in-1 wire brush, 27–28  
 friction ring (drain seal), 56, 58  
 frozen pipes, dealing with, 160

## • G •

galvanized steel pipe and fittings, 10, 16, 22  
 GFCI-protected extension cord, 30  
 gloves, 30, 73, 162  
 glue, for plastic pipes and fittings, 15, 20, 22, 160  
 goggles, 30, 162  
 groove-joint pliers, 26

## • H •

hacksaw, 26–27  
 hair. *See* clogs  
 hair dryer, to thaw frozen pipe, 160  
 hammer (tool), 26  
 hammer (water hammer), 159  
 hand tools, 25–29  
 hand-crank auger, 29, 72–73  
 handle pullers, 28, 49  
 hands, protection for, 162  
 hard water and mineral deposits  
 cleaning faucet aerator, 33–34  
 repairing leaky  
 ceramic disk faucet, 44–47  
 toilet tank, 135–137  
 replacing  
 toilet fill valve, 119  
 toilet flapper, 130–132  
 hearing protection, 29–30, 162  
 heat lamp, to thaw frozen pipe, 160  
 heat tape, for frozen pipes, 160  
 heavy-duty rubber gloves, 30, 73, 162  
 hex wrench, 44

hot water  
 cartridge filter faucet repair, 43  
 residential system components, 8–14  
 reversed, cartridge (filter) faucets, 43  
 supply lines, 10–11  
 to thaw frozen pipe, 160

## • I •

inspections, 20, 24  
 installing sink drains, 61–69  
 insulation  
 noisy pipes, 159  
 sweating toilet tank, 143–146  
 iron pipes and fittings, 15, 17, 22

## • J •

joining pipes. *See* connections and pipe joints

## • K •

kitchen sinks. *See also* bathroom sinks  
 caulking around bowl, 54–55  
 cleaning faucet aerator and sink sprayer,  
 33–34  
 clogs, 59–64, 72–73  
 repairing leaky  
 basket strainer, 56–58  
 cartridge filter faucet, 39–43  
 ceramic disk faucet, 44–47  
 rotary ball faucet, 35–38  
 two-handle style faucet spout, 51–53  
 replacing  
 double-bowl kitchen sink drain, 61–64  
 sink trap, 59–60  
 unclogging, 59–64, 72–73  
 kits. *See* repair kits

## • L •

lavatories. *See* bathroom sinks  
 leach field, septic system, 14

leaks  
 faucets and sinks  
 basket strainers, 56–58  
 cartridge filter faucet, 39–43  
 ceramic disk faucet, 44–47, 97–101  
 compression (stem) faucet, 48–50  
 rotary ball faucet, 35–38  
 two-handle style faucet spout, 51–53  
 pipes, 160  
 toilets  
 bowls, 138–142  
 checking for, 117–118  
 tanks, 135–138  
 tubs and showers  
 cartridge shower faucet, 92–96  
 cartridge/seat-spring faucet, 102–107  
 ceramic disk shower faucet, 97–101  
 compression faucet, 86–91  
 leather gloves, 30, 73, 162  
 levels, 25–26  
 lime. *See* hard water and mineral deposits  
 lungs, protecting, 162

## • M •

main shutoff valve, 9  
 main (soil) stack, 9, 13  
 main supply line, 9–11  
 MAPP gas torch, 28, 74–76  
 measuring, pipe and fittings, 11, 19–20, 23  
 medium slotted screwdriver, 25  
 mineral deposits. *See* hard water and mineral  
 deposits  
 municipal water, as water supply, 10

## • N •

National Uniform Plumbing Code (“national  
 code”), 23  
 needle-nose pliers, 26  
 neoprene rubber patch for leaky pipes, 160  
 noisy pipes, dealing with, 159  
 nonthreaded supply pipe, 81–83  
 numerics  
 2-foot level, 25–26  
 4-in-1 wire brush, 27–28

## ● P ●

patience, 161  
permits, plumbing, 24  
PEX (cross-linked polyethylene), 16  
Phillips #2 screwdrivers, 25  
phone numbers, emergency, 161  
physical labor, plumbing requirement, 8  
pipe straps, 159  
pipe thread (Teflon) tape, 82–83  
pipe wrap, 159–160  
pipe wrench, 26  
pipes. *See also* connections and pipe joints;  
    *specific types of pipes and tasks*  
    problems with, 159–160  
    size, 11, 19–20, 23  
    types of, 15–17  
    water pressure, 11  
pivot ball, 68, 70–71  
pivot rod gasket, 70–71  
planning, importance of, 155  
plastic material  
    antivibration pipe clamps, 159  
    bathroom drain kits, 69  
    flexible braided supply lines, 18  
    joints, 16, 24  
    pipes, 10, 15–17, 24  
    plastic versus ceramic disk, 97  
    P-trap repair kits, 61  
    supply lines, 10, 18  
    tightening, 58, 64  
plastic pipe cutter, 29  
plastic putty knife, 57  
pliers, 26  
plumber's epoxy, 160  
plumbing, overview, 7–14. *See also specific topics*  
plungers, flanged, 29, 111, 149–150  
plunger-type (pop-up) drains, 65–71, 108–110  
plunger-valve ballcocks, 133  
polystyrene insulation for sweating toilet tank, 143–146  
polyvinyl-chloride (PVC). *See* plastic material  
pop-up (plunger-type) drains, 65–71, 108–110  
power auger, 72–73  
practice, 162  
pressure, 11

primary tank, septic system, 14  
procrastination, avoiding, 157  
professional plumbers (hiring), 14, 156  
propane torch, 28, 74–76  
P-trap, 61–64  
pumping septic system, 14  
putty knife (plastic blade), 25–26  
PVC (polyvinyl-chloride). *See* plastic material

## ● Q ●

quarter bend fitting, 20–21

## ● R ●

reamer brush, 28  
reducer coupling, 19  
reducer elbow, 19  
reducer tee, 19  
repair kits  
    bathroom sink drain, 65, 69  
    cartridge shower faucet, 92–96  
    ceramic disk shower faucet, 97  
    PVC P-trap, 61  
    rotary ball faucet, 35  
    toilet fill valve, 119  
    universal washer, 35, 48  
repairing plumbing. *See specific topics*  
residential system components, 8–14, 156  
respirator, 162  
revent pipe, 13  
rigid copper pipe, 10, 16–17  
roof, main stack vent, 9, 13  
rotary ball faucet, repairing leaky, 35–38  
round (rattail) file, 25–26  
rubber gloves, 30, 73, 162  
running water in toilet tank, 133–134  
rust, in cast iron pipes, 15

## ● S ●

safety  
    chemical drain cleaners, 60  
    equipment in toolbox, 29–30  
    in plumbing tasks, 161–162  
    of water, 11

safety goggles, 30, 162  
 safety shield, 28, 76  
 sanitary (waste) cross fitting, 20–21  
 Schedule 40 or 80 PVC, 16  
 screwdrivers, 25–26  
 seat, replacing toilet, 147–148  
 secondary tank, septic system, 14  
 sediment. *See* hard water and mineral deposits  
 septic systems, 13–14  
 septic tank, 11–12  
 sewer line, 9, 11–12  
 shower. *See* tubs and showers  
 showerhead, replacing, 84–85  
 shutoff valve, supply line, 18  
 sillcocks, 11  
 single handle faucets  
   cartridge, 92–96  
   cartridge filter, 39–43  
   ceramic disk, 44–47, 97–101  
   rotary ball, 35–38  
 single Y fittings, 21–22  
 sink baskets. *See* basket strainers  
 sink sprayer, cleaning, 33–34  
 sinks. *See* bathroom sinks; kitchen sinks  
 sixteenth bend fitting, 20  
 size of pipe and fittings, 11, 19–20, 23  
 sleeve clamp for leaky pipes, 160  
 slotted screwdriver, 25  
 snake (hand-crank auger), 29, 72–73  
 socket wrench, 26–27  
 soil (main) stack, 9, 13  
 soldering, 17, 28, 74–76  
 soldering paste, 75  
 solid-ring escutcheon plate, 64  
 split-ring escutcheon plate, 64  
 spouts  
   repairing faucet, 51–53  
   replacing tub, 81–83  
 spud washer, replacing, 125, 128–129, 136–137  
 spud (lock-nut) wrench, 28–29, 128–129  
 standard elbow, 19  
 steel  
   flexible braided supply lines, 18  
   galvanized pipe and fittings, 10, 16, 22  
 stem (compression) faucets, 48–50, 86–91  
 store hours, working during, 155  
 straight tee, 19

strainers. *See* basket strainers  
 S-trap, drain, 61  
 strap wrench, 51  
 street elbow, 19  
 supply fittings, 19–20  
 supply lines, 10, 18, 119–120  
 supply system, 8, 10–11  
 sweating pipes, 160  
 sweating toilet tank, 143–146  
 sweep fitting, 20–21  
 sweeping bend, 22

## • T •

tank bolt gaskets, replacing, 135–136  
 tape measure, 25–26  
 tee fittings, 19–22, 64  
 Teflon (pipe thread) tape, 82–83  
 ten tips  
   pipe problems, 159–160  
   for plumbing success, 155–157  
   safety considerations, 161–162  
 thaw frozen pipe, 160  
 threaded supply pipe, tub spout, 81–83  
 three-handled shower faucet, 86–91, 102–107  
 tightening plastic fittings, 58  
 tile surround, caulking, 79–80  
 toilet auger, 28–29, 151–152  
 toilet base. *See* toilet bowls  
 toilet bowl nuts, 138, 141–142  
 toilet bowls  
   caulking, 142  
   checking for leaks, 117–118  
   reattaching toilet tank, 137  
   repairing leaky, 138–142  
 toilet fill valve repair kits, 119  
 toilet flange, 20–21  
 toilet supply lines, 18, 119–120  
 toilet tanks  
   adjusting fill valve, 133–134  
   checking for leaks, 117–118  
   placement from wall, 24  
   repairing leaky, 135–137  
   replacing  
     fill valve, 119–124  
     flapper, 130–132  
     flush valve, 125–129

stopping sweating, 143–146  
water level in, 121, 124, 133–134  
toilets. *See also* toilet bowls; toilet tanks  
blocked vent stack, 13  
checking for leaks, 117–118  
clogs, 151–152  
placement codes, 24  
repairing leaky  
bowl, 138–142  
tank, 135–137  
replacing  
fill valve, 119–124  
flapper, 130–132  
flush valve, 125–129  
spud washer, 125, 128–129, 136–137  
a toilet seat, 147–148  
stopping a tank from sweating, 143–146  
unclogging, 149–152  
toolbox. *See also specific tasks; specific tools*  
acquiring as needed, 156  
safety equipment, 29–30  
tools, 25–29  
using right tool, 162  
torpedo levels, 25  
transition fittings, 22  
trap adapter fitting, 20–21  
traps  
in DWV system, 9, 12–13  
P-trap, 61–64  
replacing, 59–64  
S-trap, 61  
trip lever, adjust tub drain, 108–110  
triple-handled shower faucet, 86–91, 102–107  
tub-and-tile caulk, 54–55, 79–80  
tubing benders, 28  
tubing cutters, 27–28  
tubs and showers  
adjusting tub drain, 108–110  
caulking, 79–80  
placement codes, 24  
repairing leaky  
cartridge shower faucet, 92–96  
ceramic disk shower faucet, 97–101  
leaky cartridge/seat-spring faucet, 102–107  
tub and shower compression faucet, 86–91  
replacing  
showerhead, 84–85  
tub spout, 81–83  
unclogging drains, 111–114

two-handle faucets, 51–53, 86  
Type K/L/M rigid copper pipe, 17

## • U •

unclogging  
bathroom sinks, 72–73  
faucet aerators, 33–34  
kitchen sinks, 59–64, 72–73  
toilets, 149–152  
tubs and showers, 111–114  
uncomfortable plumbing positions, 8  
unions or couplers, 19, 21–22  
universal washer repair kits, 35, 48  
utility knife, 27

## • V •

vent fittings, 20–22  
venting and vent stack, 8–9, 11–13, 23. *See also* DMV (drain/waste/vent) system  
vibrations and noisy pipes, 159  
vinegar, 33–34

## • W •

washerless cartridge faucets. *See* cartridge faucets  
washerless ceramic disk faucets. *See* ceramic disk faucets  
washerless rotary ball faucet, repairing leaky, 35–38  
washing machine and noisy pipes, 159  
waste and vent stack, 9  
waste (sanitary) cross fitting, 20–21  
waste water, 8, 11–14. *See also* DMV (drain/waste/vent) system  
water, safety of, 11  
water hammer, 159  
water heater, 9–11  
water level, adjusting, in toilet tank, 121, 124, 133–134  
water meter, 10  
water supply fittings, 19–20  
water supply lines, 10, 18, 119–120  
water supply system, 8–11  
wax ring, toilet, 138–141

well, as water supply, 10

wire brush, 27–28

wrenches

adjustable, 26

basket strainer wrench, 57, 113–114

cartridge-pulling wrench, 94–95

hex wrench, 44

pipe wrench, 26

socket, 26–27

spud (lock-nut) wrench, 28–29, 128–129

strap wrench, 51



Y fittings, 21–22







