

Index

• Symbols and Numerics •

- # symbol, 21–22
- \$ symbol, 175
- : (colon), 65
- = (equal sign), 65

• A •

- absolute cell reference, 175–176
- absolute column reference, 176
- absolute row and column reference, 176
- Action Consequence document
 - Algebra Expression Builder, 293–294
 - Algebraic Number Line, 290–291
 - Derivative Explorer, 291–292
 - downloading, 298
 - Equation Builder, 291–292
 - Exploring Box Plots, 293
 - Locus Builder, 294–295
 - overview, 289
 - “Proof without Words,” 297–298
 - Takeoff of an Airplane, 295–296
 - Temperature and Trigonometric Functions activity, 296–297
- Action submenu, 317
- Activity Exchange, 289, 302
- Algebra Expression Builder activity, 293–294
- Algebra submenu
 - Coefficient of Polynomial command, 90
 - Collect command, 90
 - Degree of Polynomial command, 90
 - Expand command, 88, 90
 - Factor command, 88
 - Greatest Common Divisor command, 90
 - Quotient of Polynomial command, 90
 - Remainder of Polynomial command, 89
 - Solve command, 87–88
 - Zero command, 89
- algebra system, 13
- Analytic View. *See also* Plane Geometry View
 - adding function table, 111–112
 - adding geometric objects to, 105–106
 - adding tangent line to graph, 110–111
 - adding to Plane Geometry View, 141–142
 - adjusting window settings, 99–100
 - alternate method of graphing function, 103–104
 - analyzing graph, 101–102
 - analyzing two functions, 104–105
 - area under curve, 115
 - changing graph attributes, 100–101
 - creating geometric objects, 105–106
 - geometric objects in, 142
 - geometry trace, 109–110
 - graphing functions, 97–98
 - graphing inequalities, 116
 - graphing parametric equations, 117
 - graphing polar equations, 118
 - hiding Entry Line, 99
 - hiding or deleting graph, 103
 - locus, 109–110
 - manipulating graph, 112–113
 - measurement transfer, 108–109
 - moving from Entry Line to Work Area, 98
 - performing calculations, 107–108
 - removing, 119
 - sliders, 114–115
 - slope of tangent line, 111
- angle bisectors, creating, 130
- Angle to Degrees, 17
- angles, measuring, 132–133
- animation, 139–140
- answers, copying, pasting and editing, 55–56
- anti-derivatives, graphing, 75–76, 154–158
- application menu, 16, 285–286
- Apply to System, 18
- Approx command, 85
- approximate results, 85
- Approximately Equal to feature, 85
- Arc Length command, 94
- arc length, finding, 158–160
- Arclen command, 158–160
- area formula, 148–150
- area measurement, 10–11, 148–150, 134
- Area tool, 198–199
- area under curve, 115
- argument, entering for function, 306
- attribute, changing, 127
- Attributes tool, 145
- automatic data capture, 200, 202–203

• B •

- backup
 - one-click, 272
 - to restore handheld, 272–273
 - to specific folder, 272
- bar chart, 229

- battery
 - installing, 13–14
 - replacing, 14
 - status, 43
 - binomial
 - expansion of expression, 210
 - square of, 208–209
 - bin, 224–225
 - border, adding and removing, 270
 - box plot. *See also* graph; single-variable data
 - manipulating, 232
 - outliers, 227
 - plotting values, 228
 - short course on, 228
 - switching from dot plots, 226–227
 - using, 226–227
 - whiskers, 228
 - window settings, 227
- C •
- Calculate tool, 107–108, 151–153
 - calculation, performing, 135
 - Calculations submenu, 57
 - Calculator application
 - accessing, 286
 - calculations submenu, 57
 - defining variables, 71
 - finding max and min value in, 73–74
 - matrix menu, 58–59
 - number submenu, 56–57
 - overview, 25
 - probability submenu, 57–58
 - statistics submenu, 57–58
 - storing lists from, 79
 - using, with Graphs & Geometry, 72–77
 - using, with Lists & Spreadsheet, 77–81
 - calculator history
 - clearing, 52
 - restoring, 52
 - using, 51–52
 - Calculator page, adding, 48
 - calculus
 - finding arc length, 158–160
 - graphing anti-derivatives, 154–158
 - graphing derivatives, 153–155
 - Calculus submenu
 - Arc Length command, 94
 - Derivative command, 91–92
 - Differential Equation Solver command, 94
 - Implicit Differentiation command, 94
 - Integral command, 92–93
 - Limit command, 93–94
 - Normal Line command, 94
 - overview, 90–91
 - Tangent Line command, 94
 - CAS (Computer Algebra System), 83–84
 - Catalog menu
 - accessing, 286
 - accessing functions and commands, 60
 - determining syntax, 61
 - moving from category to category, 59–60
 - statistical analysis with, 183
 - using, 59–62, 71
 - categorical data. *See also* single-variable data
 - bar charts, 229
 - dot plots, 229
 - graphing, 229–230
 - pie charts, 229
 - category, 59–60
 - CBR2 motion detector, 246
 - Ceiling tool, 56
 - cell reference. *See also* spreadsheet
 - absolute, 175–176
 - overview, 163–164, 173–174
 - recalculating, 181
 - rectangular block of cells, 176–177
 - relative, 174–175
 - cell
 - entering numbers, 170
 - evaluating expressions, 71
 - naming, 164
 - right-clicking, 170
 - typing text, 170
 - using Catalog, 71
 - Change Units command, 252
 - Check for Web Updates, 273–274
 - Check Syntax & Store submenu, 317
 - Circle tool, 122
 - Classroom Activities drop-down list, 298
 - Clear All Data command, 252
 - Clear function, 16
 - click and drag, 282
 - Click function, 16
 - closing file, 23–24
 - coefficient of determination, 78
 - Coefficient of Polynomial command, 90
 - Collapse All option, 20
 - Collect command, 90
 - colon (:), 65
 - column. *See also* spreadsheet
 - absolute cell reference, 176
 - creating data based on another column, 180–181
 - cutting, copying and pasting, 169
 - deleting and inserting, 169
 - moving, 168
 - naming, 165
 - overview, 163–164
 - resizing, 166
 - right-clicking, 170
 - selecting, 168–169
 - width, 167

command, 59, 61
 comment, inserting, 262
 Compass tool, 121
 compatible sensor, 244
 Complex Conjugate tool, 56
 computer algebra systems (CAS), 13, 83–84
 computer connection, 12
 computer, transitioning to
 application menu, 285–286
 managing problems and pages, 283–284
 using the Virtual Keypad, 284–285
 using your mouse, 282–283
 conditional statements, 323–324
 cone, volume of, 150
 Connect-to-Class software, 277
 context menu, 16, 22–23
 Control function, 16
 Control submenu, 317
 conversion factor, 175
 Convert to Decimal tool, 56
 Convert to Polar tool, 56
 Coordinates & Equations tool, 106, 142
 Copy command, 37–39
 copying expression, 55–56
 core applications, 24–25
 cosinusoidal function, 133
 cubic regression, 77–78, 191–192
 custom split, creating, 35
 Custom Split tool, 35, 283
 Cut command, 37–39
 cutting file, 22
 cylinder, minimum surface area of, 149



data
 absolute cell reference, 175–176
 analyzing captured data, 204
 automatic data capture, 200, 202–203
 displaying, 201–202
 entering, 186–189
 formula, 173–177
 manual data capture, 200–201, 203
 random number, 180
 referencing rectangular block of cells, 176–177
 relative cell reference, 174–175
 sequential, 179–180
 sorting, 181–182
 statistical analysis, 182–184
 Data & Statistics application, 25
 accessing, 286
 dragging points in, 240
 entering data, 218
 launching, 217
 overview, 217
 Quick Graph feature, 218–219
 scatter plots, 241–242
 working in separate page, 220
 data capture
 analyzing captured data, 204
 automatic, 200, 202–203
 configuring Lists & Spreadsheet for, 200
 manual, 200–201, 203
 repeating, 204
 data collection
 conducting experiments, 244–248
 overview, 243–244
 sensors, 244
 Data Control Console
 application menu, 250–252
 conducting experiments, 244–248
 customizing experiments, 249–250
 Data submenu, 252
 sensor settings, 250–251
 Sensors submenu, 252
 Set Up Collection submenu, 251–252
 split page, 249–250
 decimals, 85, 308
 default settings, 14, 17
 Default template, 256–257
 Define command, 65–67, 72
 Define Variables submenu, 317
 Degree of Polynomial command, 90
 deleting variables, 69
 DelVar command, 69
 Derivative command, 91–92
 Derivative Explorer activity, 291–292
 derivative
 anti-derivative, 154–158
 graphing, 75–76, 153–156
 investigating in TI-Nspire CAS, 211–213
 numerical, 75–76, 154
 Differential Equation Solver command, 94
 Dilation tool, 136, 138
 Display Digits field, 49
 displayed digits, changing number of, 49
 document
 adding pages to, 32
 adding problems to, 32–33
 changing problem or page order, 29
 closing, 23–24
 creating, 31–32
 cutting, copying and pasting, 37–39
 defined, 11
 dividing into problems and pages, 25–26
 moving within single page, 27
 moving from page to page, 28–29
 moving from problem to problem, 28–29
 navigating in, 301
 opening, 23–24
 saving, 23–24, 279–280
 sending and receiving, 41–42
 templates, 256–258

- document (*continued*)
 - undo and redo commands, 40
 - viewing, 27–29
 - viewing multiple applications, 28
 - document settings, changing, 18
 - document structure
 - advantages of, 11–12
 - core applications, 24–25
 - dividing documents into problems and pages, 25–26
 - Full Page view, 27–28
 - managing files and folder, 19–23
 - My Documents application menu, 20–21
 - opening, closing, and saving files, 23–24
 - overview, 12
 - Page Tools menu, 21–22
 - right-click menu, 22–23
 - variables, 26
 - dot plot. *See also* graph; single-variable data
 - categorical data, 229
 - changing variables, 222
 - manipulating, 230–231
 - single-variable data, 219, 221–222
 - switching to box plot, 226–227
 - window settings, 223
 - dummy variables, 107
 - duplicate file names, 42
 - dynamic regressions, 240–241
- **E** ●
- Edit menu, 22
 - editing
 - answers, 55–56
 - expressions, 55–56
 - shortcuts, 300
 - text, keyboard shortcut for, 300
 - End key (computer), 27
 - Entry Line
 - hiding, 99
 - moving from and to, 98
 - equal sign (=), 65
 - Equation Builder activity, 291–292
 - equation, solving, 206–207
 - Error Overflow message, 50
 - Escape function, 15
 - Evaluate tool, 262
 - Events with Entry option, 251
 - Expand All option, 20
 - Expand command, 88, 90
 - experiment
 - customizing, 249–250
 - initiating, automatic, 245–247
 - initiating, manual, 248
 - repeating, 247
 - Explorer window, 266–267
 - Exploring Box Plots activity, 293
 - exponent, 50
 - exponential function, 133
 - exponential regression, 195–196
 - expressions
 - controlling form of result, 50–51
 - copying, pasting and editing, 55–56
 - evaluating, 47–49, 62, 71, 84–85
 - history, 51–52
 - inserting and evaluating, 261–262
 - last answer variable, 52–54
 - matrices, 58–59
 - numerical calculations, 57
 - previously used, accessing, 51–52
 - probability and statistics, 57–58
 - syntax, 61
 - very large results, 49–50
 - very small results, 49–50
- **F** ●
- Factor command, 88
 - Factor tool, 56
 - factory settings, restoring, 17
 - Fibonacci sequence, 36
 - File Name field, 24, 33
 - file
 - closing, 23–24
 - cutting, 22
 - managing, 19–23, 269
 - naming, 24
 - opening, 23–24
 - organizing, 20
 - renaming, 21
 - saving, 23–24, 279–280
 - transferring, 267–269
 - Fill attribute, 127
 - Fill Down command, 178–179, 188
 - Finance Solver tool, 57
 - first quartile, 183
 - floating-point calculations, 12, 83
 - folder
 - managing, 19–23, 269
 - organizing files with, 20
 - renaming, 21
 - font size, 14
 - For . . . EndFor loop, 325
 - formula
 - absolute cell reference, 175–176
 - overview, 173–174
 - recalculating, 181
 - recursive, 178
 - relative cell reference, 174–175
 - fraction, displaying, 48, 308

free-moving text, 124
 Full Page view
 cutting, copying and pasting documents, 39
 moving within single page, 27
 viewing multiple applications, 28
 function table
 adding, 111–112
 removing, 304–305
 Function Table tool, 111–112
 function
 accessing, 59
 changing library access settings, 319–320
 closing, 320
 copying, 319
 defining, 64, 72
 entering arguments for, 306
 evaluating, 73–74
 graphing, 97–115
 importing, 318
 list of, 59
 opening, 318
 versus programs, 315–316
 renaming, 319
 running, 320
 storing, 65–67
 two, simultaneous analysis of, 104–105
 viewing, 319
 Functions & Programs menu, 316

● G ●

Generate Sequence command, 194, 214
 geometric object
 adding, 105–106
 angle bisector, 130
 attribute, 127–128
 constructing, 128–131
 formulas for area and volume of, 150
 labeling, 123–124
 locking, 128
 midpoint, 130–131
 moving, 124–125
 multiple, selecting, 126–127
 parallel lines, 129
 perpendicular bisector, 129–130
 perpendicular lines, 129
 points and lines, 120–121
 resizing, 124–125
 shapes, 121–123
 viewing, 142–143
 geometry tools, 242
 Geometry Trace tool, 109–110, 147, 156
 Get Numerator tool, 56
 Goto command, 325
 grab and move, 11

Graph Trace command, 102
 graphed functions
 adding tangent line, 110–111
 alternate method, 103–104
 analyzing graph, 101–102
 analyzing two functions, 104–105
 area under curve, 115
 changing attributes, 100–101
 function table, 111–112
 geometric objects in analytic window, 105–106
 geometry trace, 109–110
 grabbing and moving, 11
 hiding or deleting graph, 103
 locus, 109–110
 measurement transfer, 108–109
 moving from Entry Line to Work Area, 98
 performing calculations, 107–108
 slider, 114–115
 slope of tangent line, 111
 transformations, 112–113
 with two input variables, 73
 window settings, 99–100
 graph
 analyzing, 101–102
 of anti-derivatives, 155–158
 attributes, 100–101
 box plot, 226–228
 of categorical data, 229–230
 categorical data, 229–230
 of derivatives, 153–155
 dot plot, 221–223
 functions, 97–115
 hiding or deleting, 101–102
 histogram, 223–226
 inequalities, 116
 manipulating, 112–113
 parametric equation, 117
 polar equation, 118
 Quick Graph, 218–219, 234
 of regression equation, 193–195
 slider, 114
 step function, 76
 Graphs & Geometry application
 accessing, 286
 adding pages to document, 32
 Calculate tool, 151–153
 configuring pages, 34
 constructing scatter plots in, 185–191
 defining function and graphing in, 72
 displaying data in, 201–202
 evaluating functions in, 75
 finding arc length, 158–160
 graphing anti-derivative, 154–158
 graphing derivative, 153–155
 graphing step functions in, 76–77
 graphing with, 76

Graphs & Geometry application (*continued*)
 manipulating objects in Graphs & Geometry application, 306
 overview, 25
 scatter plot, 241–242
 storing variables in, 197–199
 swapping, 36
 Greatest Common Divisor command, 90
 greatest integer function, 76–77

• H •

handheld
 backing up, 271–273
 battery status, 43
 connecting to computer, 266
 managing folders and files, 269
 selecting, 266
 sending and receiving files, 41–42
 sending OS, 43
 updating, 273–274
 Handheld Screen view, 281, 306
 header row, 179–181
 Hide Entry Line command, 99
 Hide/Show icon, 103
 Hide/Show tool, 131–132, 144–145
 highlighted file, 20
 highlighted folder, 20
 histogram. *See also* graph; single-variable data
 bins, 224–225
 count, 224
 density, 224
 manipulating, 231
 normal curve, 225
 percent, 224
 plotting values, 226
 scale, 224
 variables, 225
 home screen, displaying, 16

• I •

icons, stored variables, 68
 If . . . Then statement, 328
 Implicit Differentiation command, 94
 implied segment, 129
 inequalities, graphing, 116
 initial set-up, 14
 Insert Column command, 169
 Insert Row command, 169
 installing
 batteries, 13–14
 operating system, 274
 TI-Nspire Computer Software, 277
 Integral command, 92–93
 Integral tool, 115
 integrals, 213
 Intersection Point(s) tool, 105–106, 116, 146, 159

I/O submenu, 317
 irrational number, 48

• K •

keyboard shortcuts
 for editing text, 300
 for inserting characters and symbols, 300
 for managing documents, 300–301
 to modify display, 302
 for navigating in documents, 301
 for navigation, 301
 overview, 299
 Page Tools menu, 22
 for wizards and templates, 301
 keypad
 accessing menus and submenus, 16–17
 keys, 15–16
 NavPad, 16
 switching, 18

• L •

labeling objects, 123–124
 last answer variable
 accessing, 52–53
 in expressions, 53
 generating sequence with, 54
 lbl command, 325
 Least Common Multiple tool, 56
 least squares regression line, 236
 Length Measurement tool, 133–134, 152
 length, measuring, 133–134
 Length tool, 198
 library
 creating, 310–311
 creating objects, 309–310
 documents, 309–310
 overview, 309
 private, 310–314
 public, 310–314
 using objects, 312–314
 Limit command, 93–94
 Line tool, 120–121
 linear functions, 133
 LinRegMx command, 61
 List Math submenu, 80
 list, storing, 64
 Lists & Spreadsheet application
 accessing, 286
 automatic data capture, 200
 calculus tools, 211–214
 cutting, copying and pasting documents, 169
 entering data, 166, 186–189
 entering numbers, 170
 evaluating expressions, 71
 exploring binomials, 208–210
 graphing scatter plots of lists in, 307

- investigating derivatives, 211–213
- investigating integrals, 213
- launching Data & Statistics application, 217–220
- manual data capture, 200–201
- moving around in, 166–167
- moving columns, 168
- naming columns, 165
- opening new page, 163–164
- overview, 25
- performing regressions, 77–78
- probability and statistics, 58
- resizing columns, 166
- selecting rows and columns, 168–169
- solving equations in, 206–207
- solving systems of equations, 207–208
- statistical analysis, 80
- storing lists from Calculator application, 79
- tricks, 166–167
- typing text, 170
- using Catalog, 71
- using right-click, 169
- working with individual cells in, 170–171
- working with sequences and series, 213
- local variables, 322
- Lock feature, 128
- Locus Builder activity, 294–295
- Locus tool, 109–110
- logarithmic function, 49, 133
- Loop...EndLoop command, 326
- loops, 325–326

• M •

- Magnitude tool, 56
- manual data capture, 149, 200–201
- Math Expression Box tool, 261–262
- math template, 60, 62
- matrix. *See also* expressions
 - creating, 58–59
 - storing, 64
- Matrix & Vector menu, 58–59
- Maximum Column Width option, 167
- maximum value, 73–74, 183
- mean command, 176–177
- Measurement (length) tool, 145
- Measurement (Slope) tool, 111
- Measurement tool, 132–135
- Measurement Transfer tool, 108–109, 146
- median, 183
- menu
 - accessing, 16–17, 282–283
 - displaying, 16
- Midpoint tool, 130–131
- midpoint, creating, 130–131
- Mini-A USB connector, 41
- Minimize Column Width option, 167
- minimum value, 73–74, 183
- Mod tool, 56

- Mode submenu, 318
- motion detector, 246
- movable line, 235–236
- moving objects, 124–125
- multiple representations, 9–10
- My Documents application menu, 20–21
- My Documents view
 - accessing, 19–20, 29
 - contextual menu, 23
 - cutting, copying and pasting documents, 38
 - Page Tools option, 22

• N •

- naming
 - files, 24
 - variables, 62
- NavPad, 16
- nDeriv command, 75–76, 154
- nfMax command, 73–74
- nfMin command, 73–74
- nInt command, 75–76, 158
- Normal Line command, 94
- Notes application
 - accessing, 286
 - choosing text format, 260
 - Default template, 256–257
 - formatting text, 259–261
 - inserting and evaluating expressions, 261–262
 - inserting comments, 262
 - inserting special characters, 260–261
 - overview, 25
 - Proof template, 258
 - Q & A template, 257–258
 - selecting text, 259–260
 - using, 255–256
- number, storing, 64
- Number tools, 56–57
- numerical calculations, 57
- numerical derivative, 57, 75–76, 154
- Numerical Function Maximum tool, 57
- Numerical Function Minimum tool, 57
- numerical integral, 75–76, 158
- Numerical Integral tool, 57
- Numerical Solve command, 34, 57, 86
- Numerical Solver tool, 57

• O •

- objects
 - adding text to, 123–124
 - angle bisectors, 130
 - animating, 139–140
 - attributes, 127–128
 - constructing, 128–131
 - geometric, 128–131
 - labeling, 123–124
 - midpoints, 130–131

objects (*continued*)

- moving, 124–125
- multiple, selecting, 126–127
- parallel lines, 129
- perpendicular bisector, 129–130
- perpendicular lines, 129
- resizing, 124–125

one-variable statistical analysis, 183

One-Variable Statistics command, 80

Open command, 21

opening files, 23–24

operating system, 43, 273–274

optimization, 144–147

outlier, 227

• p •

page layouts

- changing, 36–37
- configuring, up to four applications, 34–35
- custom split, 35
- swapping positions of applications, 36

Page Sorter view

- changing problem or page order, 29
- cutting, copying and pasting documents, 38
- managing problems and pages, 283–284
- moving from page to page, 28
- moving from problem to problem, 28

Page Tools menu, 21–22

Page Up key (computer), 27

page

- adding to document, 32
- changing layout of, 36–37
- changing order of, 29
- configuring, up to four applications, 34–35
- custom split, 35
- moving within, 27
- moving from page to page, 28–29
- moving from problem to problem, 28–29
- swapping positions of applications, 36
- viewing multiple applications, 28

parametric equation, graphing, 117

Paste command, 37–39

perpendicular bisector, creating, 129–130

perpendicular lines, creating, 129

Perpendicular tool, 105–106, 129, 159

pie chart, 229

Plane Geometry View. *See also* Analytic View

- adding analytic window to, 141–142
- adding text, 123–124
- angle bisectors, 130
- animating objects, 139–140
- changing object's attributes, 127–128
- constructing geometric objects, 128–131
- customizing scale, 134–135
- geometric objects in, 142
- Hide/Show tool, 131–132
- labeling objects, 123–124
- measuring angles, 132–133

- measuring area, 134

- measuring length, 133–134

- midpoints, 130–131

- moving objects, 124–125

- parallel lines, 129

- performing calculations, 135

- perpendicular bisector, 129–130

- perpendicular lines, 129

- Points & Lines menu, 120–121

- resizing objects, 124–125

- right angles in, 305

- selecting multiple objects, 126–127

- Shapes menu, 121–123

- transformations, 136–139

- using Lock feature, 128

Plot Function tool, 237

Plot Properties, 222

Plot Value tool, 226, 237

Point On tool, 101–102

Pointer tool, 306

Points & Lines menu, 120–121

polar equation, graphing, 118

Polygon tool, 122

polynomial commands, 89–90

population standard deviation, 183

Presentation view, 282

primary key, 47–49

private library, 310–314

Probability submenu, 57–58

problems

- adding to documents, 32–33

- changing, 29

- moving from problem to problem, 29

- shared variables, 26

problems and solutions, common

- entering arguments for function, 306

- independent variable x versus variables

- containing x , 304

- manipulating objects in Graphs & Geometry

- application, 306

- multiple applications on one page, 305

- overview, 303

- removing function table, 304–305

- right angles in Plane Geometry view, 305

- storing variable to wrong name, 306

- viewing objects created with TI-Nspire

- Computer Software, 306

Program Editor

- Action submenu, 317

- Check Syntax & Store submenu, 317

- Control submenu, 317

- creating public libraries in, 311

- Define Variables submenu, 317

- I/O submenu, 317

- menus, 315–318

- Mode submenu, 319

- opening, 316

- status line, 317

- Transfers submenu, 317

- work area, 317

programs

- calling program from within another, 322–323
 - changing library access settings, 319–320
 - changing mode settings from within, 327
 - closing, 320
 - conditional statements, 323–324
 - controlling flow of, 323–326
 - copying, 319
 - displaying information, 321–322
 - versus function, 315–316
 - getting values into, 321
 - importing, 318
 - jumping to different locations in, 325
 - loops, 325
 - opening, 318
 - renaming, 319
 - running, 320
 - sample program, 327–329
 - using `lbl` and `Goto` commands, 325
 - using local variables, 322
 - viewing, 319
 - writing, 320–327
- Proof template, 258
- “Proof without Words” activity, 297–298
- Proper Fraction tool, 56
- public library, 310–314
- Public Library objects, 60

• **Q** •

- Q & A template, 257–258
- quadratic functions, 133
- Quick Graph feature, 218–219, 234
- Quotient of Polynomial command, 90

• **R** •

- radius measurement, 10–11, 148–150
- Random Normal command, 57
- random number, 180
- Random submenu, 57, 79
- rational values, 48
- Ray tool, 121, 129
- Recalculate command, 181
- Rectangle tool, 122, 198
- recursive formula, 178
- Redo command, 40
- Reflection tool, 136, 139
- regression equation
 - graphing, 193
 - updating, 193–194
- regression
 - cubic, 191–192
 - exponential, 195–196
 - performing, 77–78, 191–192
 - results, 192–193
 - second, 194–196
 - x - y scatter plots, 236–237

Regular Polygon tool, 122–123

- relative cell references, 174–175
- Remainder of Polynomial command, 89
- Remainder tool, 56
- renaming files and folder, 21
- replacing battery, 14
- representations
 - linking, 10–11
 - multiple, 9–10
- residuals, 78, 192
- Resize Column Width option, 167
- resizing objects, 124–125
- results
 - controlling form of, 49–50, 307
 - in decimal form, 307
 - in fractional form, 307
- Reverse command, 252
- right angle, 305
- right-click menu, 22–23, 169–170, 282
- rotation, 235
- Rotation tool, 136–138
- Round command, 61
- Round tool, 56
- row. *See also* spreadsheet
 - absolute cell reference, 176
 - cutting, copying and pasting, 169
 - deleting and inserting, 169
 - header, 179–181
 - overview, 163–164
 - right-clicking, 170
 - selecting, 168–169
- Rref command, 58–59

• **S** •

- sample mean, 183
- sample size, 183
- sample standard deviation, 183
- Save As command, 21, 302
- Save As dialog box, 24
- saving file, 23–24, 33
- scale
 - customizing, 134–135
 - units, 135
- scatter plot. *See also* graph
 - constructing, 185–191
 - entering data, 186–189
 - graphing, common problem in, 307
 - inserting Graphs & Geometry page, 189–191
 - investigating, 241–242
 - performing regression, 191–193
 - regression equation, 193–194
 - second regression, 194–196
 - two-variable data, 219
- scientific notation, 85
- Screen Capture tool, 269–271
- screen images
 - adding and removing borders, 270
 - capturing, 270

- screen images (*continued*)
 - copying to other applications, 270–271
 - saving to computer, 271
 - thumbnails, 270
- second regression, performing, 194–196
- secondary key, 47–49
- Segment tool, 121, 129
- Select Layout, 37
- Selected Events option, 251–252
- Send command, 21
- sending
 - files, 41–42
 - operating system, 43
- sensor, 244
- Sensors submenu, 252
- sequences, generating, 54, 79, 214
- sequential data, 179–180
- series, 214
- Set Up Collection submenu, 251–252
- setting up, 14
- Shapes menu, 121–123, 260–261
- shared variables, 26
- shortcut
 - for editing text, 300
 - for inserting characters and symbols, 300
 - for managing documents, 300–301
 - to modify display, 302
 - for navigating in documents, 301
 - for navigation, 301
 - overview, 299
 - for wizards and templates, 301
- Show Entry Line command, 99
- Show Normal PDF, 225
- Show Residual Plot, 236
- Show Residual Squares tool, 241
- single-variable data. *See also* two-variable data
 - box plot, 226–229
 - categorical data, 229–230
 - changing window settings, 223
 - dot plot, 219, 221–223
 - graphing, 218–220
 - histograms, 223–226
 - manipulating, 230–232
 - statistical graph, 221–228
- sinusoidal function, 133
- slider, 114–115, 238
- Solve command, 87–88
- Sort Ascending command, 80
- sorting data, 181–182
- special characters, inserting, 260–261
- spreadsheet
 - cutting, copying and pasting documents, 169
 - entering numbers, 170
 - evaluating expressions, 71
 - moving columns, 168
 - naming columns, 165
 - opening new page, 163–164
 - selecting rows and columns, 168–169
 - typing text, 170
 - using Catalog, 71
 - working with individual cells in, 170–171
- square root symbol, 48
- statistical analysis
 - one-variable, 79, 183
 - performing, 79
 - using Catalog, 184
- statistical graph. *See also* graph
 - box plots, 226–228
 - of categorical data, 229–230
 - dot plots, 221–223
 - histograms, 223–226
- Statistics submenu, 57–58
- status line, 317
- step function, graphing, 76–77
- Store Run command, 252
- Store Variable operator, 65
- storing variables
 - Define command, 65–67
 - in Graphs & Geometry, 197–199
 - reasons, 69
 - secondary key, 65
 - to wrong name, 306
- submenus, accessing, 16–17
- Sum of Elements command, 80
- sum of squared deviations, 183
- sum of the data, 183
- sum of the squared data, 183
- Swap Applications tool, 36
- Switch Applications tool, 34–35
- Symbol Palette
 - accessing, 62, 261
 - description of, 60
 - inserting special characters, 261
- Symmetry tool, 136
- syntax, 61, 87, 89–90
- synthetic geometry, 119
- system of equations, solving, 207–208
- system settings, configuring, 17



- Tab function, 15–16
- Takeoff of an Airplane activity, 295–296
- Tangent Line command, 94
- Tangent Line tool, 110–111
- Temperature and Trigonometric Functions
 - activity, 296–297
- template, 256–258
- text. *See also* objects
 - adding, 123–124
 - choosing format, 260

- formatting, 259–261
- free-moving, 124
- selecting, 259–260
- Text tool, 103–104, 107, 123–124
- third quartile, 183
- thumbnail, viewing, 270
- TI-84 Plus Graphing Calculator for Dummies, 18
- TI-84 Plus Silver Edition keypad, 18
- TI-89, 84
- TI-92, 84
- TI-Navigator software, 277
- TI-Nspire
 - backing up, 271–273
 - battery status, 43
 - computer connection, 12, 266
 - document settings, changing, 18
 - document structure, 11–12
 - grab-and-move philosophy, 11
 - initial set-up of, 14
 - installing batteries, 13–14
 - keyboard shortcuts, 299–302
 - keypad, 15–17
 - keypads, changing, 18
 - linking representations, 10–11
 - managing files and folder, 269
 - multiple representations, 9–10
 - philosophy behind, 9–12
 - sending and receiving files, 41–42
 - sending OS, 43
 - system settings, configuring, 17
 - versus TI-Nspire CAS, 12–13
 - turning the unit on, 13–14
 - updating, 273–274
- TI-Nspire CAS
 - Algebra menu, 85–90
 - approximate results, 85
 - Calculate tool, 151–153
 - Calculus submenu, 90–94
 - description of, 83
 - doing algebra in, 206–210
 - exploring binomials, 208–210
 - investigating derivatives, 211–213
 - investigating integrals, 213
 - Lists & Spreadsheet application, 205–214
 - solving equations in, 206–207
 - solving systems of equations, 207–208
 - symbolic representations of numerical calculations, 84–85
 - versus TI-Nspire, 12–13
 - working with sequences and series, 213
- TI-Nspire Computer Link software
 - adding and removing borders, 270
 - backing up TI-Nspire handheld, 271–273
 - capturing screen images, 269–270
 - downloading, 265
 - Explorer window, 266–267
 - installing, 265
 - making computer connection, 266
 - managing folders and files, 269
 - performing .tns file transfers, 267–269
 - updating TI-Nspire handheld, 273–274
 - viewing thumbnails, 270
- TI-Nspire Computer Software
 - classroom demonstration, 276
 - computer lab, 276
 - handheld view, 281
 - installing, 277
 - launching, 277–279
 - managing files, 279–280
 - normal view, 280–281
 - overview, 275
 - presentation view, 282
 - saving documents, 279–280
 - saving time with, 298
 - time savings, 276
 - transitioning to computer, 282–286
 - viewing objects created on, 306
 - Windows file management, 280
- .tns files, 267–269, 278–279
- Tools menu, 316
- Trace tool, 102, 104–105
- transferring files, 267–269
- Transfers submenu, 317
- Transformation menu, 136–139
- transformations, 136–139
- transitioning to computer
 - application menu, 285–286
 - managing problems and pages, 283–284
 - using the Virtual Keypad, 284–285
 - using your mouse, 282–283
- Translate tool, 144
- translation, 235
- Translation tool, 136–137
- Triangle tool, 122
- turning on, 14
- two-variable data. *See also* single-variable data
 - dragging points, 240
 - dynamic regressions, 240–241
 - graphing, 218–220
 - graphing on separate page, 234
 - list values, 240
 - manipulating, 239–241
 - x - y scatter plots, 234–239
 - x - y statistical plot, 233–234



- Undo command, 40, 52
- unit-to-unit cable, 41
- updating TI-Nspire handheld, 273–274
- updating variables, 68–69

• U •

variable

- changing, 222
- containing x , 304
- defining, 71
- deleting, 69
- in dot plots, 222
- dummy, 107
- graphing function with, 73
- in histograms, 225
- independent variable x , 304
- naming, 63
- in program, 322
- recalling, 67–69
- shared, 26
- storing, 64–67, 197–199, 306
- updating, 67–69

Vernier Easy!Link, 244

Vernier Go!Link, 244

viewing

- documents, 27–29
- full page, 27–28
- functions, 319
- geometric objects, 142–143
- multiple applications on one page, 28
- My Documents, 29
- objects created with TI-Nspire Computer Software, 306
- page sorter, 28–29
- programs, 319
- thumbnails, 270

Virtual Keypad, 284–285

• W •

welcome screen, 14

While...EndWhile loop, 326

whiskers, 228

Windows file management system, 280

Work area, 98, 317

• X •

XY Line Plot, 235

 x - y scatter plot. *See also* graph; scatter plot

- dragging points, 240
- dynamic regressions, 240–241
- investigating, 241–242
- list values, 240
- movable line, 235–236
- plot type, 234
- plotting function, 237–239
- plotting values, 237
- regressions, 236–237
- residual squares, 236
- shading under function, 238–239
- sliders, 238
- window settings, 239

 x - y statistical plot, 233–234

• Y •

 y -intercept, 235

• Z •

Zero command, 89, 252

Zoom – Data option, 190