

Index

• Symbols •

- \approx (approximately equal), rounding numbers, 53
- * (asterisk), multiplication, 14
- [and] (bracket)
 - grouping symbols, 14, 15, 76–78
 - interval notation, 245
- { and } (curly braces), grouping symbols, 14, 15, 76–78
- \div (division), 15
- \cdot (dot), multiplication, 14
- = (equal), relationships, 16
- ! (exclamation point), factorial operation, 23–24
- (fraction line), grouping symbols, 15, 76–78
- > (greater than) inequality statements, 244–245
 - positive/negative number comparisons, 21–22
 - relationships, 16
- \geq (greater than or equal to), inequality statements, 244–245
- ∞ (infinity), interval notation, 244–245
- < (less than) inequality statements, 244–245
 - positive/negative number comparisons, 21–22
 - relationships, 16
- \leq (less than or equal to), inequality statements, 244–245
- (minus)
 - distributions, 111–112
 - subtraction, 14
 - variable operation interpretation, 82–83
- (and) (parentheses) grouping symbols, 14, 15, 76–78
- interval notation, 245
- π (pi)
 - circle relationships, 15
 - circular formulas, 354–355
 - irrational number, 12
- + (plus)
 - addition, 14
 - distributions, 110–111
 - variable-operation interpretation, 82–83
- / (slash), division, 15
- $\sqrt{\quad}$ (square root), 15, 76–78
- | | (absolute value)
 - absolute-value inequalities, 258–261
 - grouping symbols, 15, 23, 76–78
 - non-binary operations, 23

• A •

- absolute-value inequalities
 - solving methods, 258–261
 - formulas, 356
- absolute value (| |)
 - absolute-value inequalities, 258–261
 - grouping symbols, 15, 23, 76–78
 - non-binary operations, 23
- addition operations
 - associative property, 32–33
 - commutative property, 31–32
 - different signed numbers, 26–27
 - equation balancing, 173
 - fractions, 46–47
 - inequalities, 247–248
 - order of operations, 75
 - plus sign (+), 14
 - radical expressions, 70
 - S rule, 25–26
 - same signed numbers, 25–26
 - solving three-term linear equations, 189–191
 - variables, 83–86
 - zero, 30
- additive inverses
 - integers, 11
 - number types, 20

algebra
 development, history, 10
 problem-solving purpose, 181
 relationships, 16
 symbols, 14–15
 annual depreciation, slope graphing, 334
 approximately equal (\approx), rounding
 numbers, 53
 areas, story problems, 294–296
 associative property, expression
 associations, 32–33
 asterisk (*), multiplication, 14
 axes
 graphs, 313–314, 316
 line intercepts, 332–333

• B •

binary operations
 equation balancing, 172–174
 two-number requirement, 22
 binomials
 defined, 117
 distributions, 118
 factoring methods, 157–164
 FOIL (first, outer, inner, last), 142–147
 term tracking, 347–348
 boxes, volume formula, 277–278, 297
 brackets ([and])
 grouping symbols, 14, 15, 76–78
 interval notation, 245

• C •

circles
 area formula, 276–277, 308
 circular graph, 319
 circumference formula, 271–273, 309
 pi relationships, 15
 story problems, 308–309
 value of pi, 354–355
 coefficient
 defined, 128
 variable attachments, 82
 combinations, formulas, 287–290

common denominators, fractions, 43–44
 commutative property, reordering
 operations, 31–32
 comparison operations
 exponents, 57–58
 scientific notation, 58–59
 composite numbers
 divisibility issues, 13
 factoring, 131–133
 prime factorization, 95–96
 compound interest, formulas, 285–286
 computation checking, equations, 180–181
 cones, volume formula, 279
 constants, defined, 13, 128
 coordinate planes, graphs, 313–314
 coordinates, graphs, 315–316
 counting numbers, natural numbers, 11
 cubes
 distributions, 123–125
 factoring binomials, 159–162
 volume formula, 297
 cubic equations
 equation type, 172
 greatest common factor (GCF), 226–227
 grouping, 228
 solution requirement, 223–224
 solving non-perfect cubes, 225
 solving perfect cubes, 224
 solving with integers, 228–230
 square-root rule, 225
 synthetic division, 239–241
 curly braces ({ and }), grouping symbols,
 14, 15, 76–78
 cylinders, volume formula, 278

• D •

decimal point, scientific notation, 58–59
 decimals
 fraction conversions, 38, 51–54
 negative exponents, 67–68
 repeating, 54
 rounding numbers, 53
 terminating, 53–54

- denominator
 - common, 43–44
 - fraction element, 36
 - prime factorization, 100–102
 - discounts, formulas, 286–287
 - distance operations
 - exponential expressions, 60–64
 - formulas, 282–283
 - story problems, 305–307
 - distributions
 - binomials, 118
 - cubes, 123–125
 - equal shares, 107–110
 - fractional powers, 116–117
 - hidden processes, 111
 - linear equations, 192–196
 - multiple terms, 117–120
 - multiplication operations, 107–110
 - negative exponents, 115–116
 - negative signs, 111–112
 - polynomials, 119–120
 - positive signs, 110–111
 - reverse order, 112–113
 - squared binomials, 120–122
 - term sign changes, 122–123
 - terms, 348
 - trinomials, 119
 - variables, 113–117
 - versus factoring, 128
 - division operations
 - division sign (\div), 15
 - equation balancing, 173–174
 - equivalent fractions, 40
 - exponents, 66
 - factoring, 128–129, 133–134
 - fractions, 50–51
 - inequalities, 248–249
 - order of operations, 75
 - prime factorization, 96–98
 - radical expressions, 70
 - remainders, 42
 - signed numbers, 29–30
 - solving two-term linear equations, 185–186
 - synthetic division, 239–241
 - variables, 86–88
 - zero, 31
 - dot (\cdot), multiplication, 14
 - double root, quadratic equations, 204
- E ●**
- equal shares, distribution method, 107–110
 - equal sign ($=$), relationships, 16
 - equations
 - absolute value, 259–260
 - binary-operation balancing, 172–174
 - circular graph, 319
 - computation checking, 180–181
 - cubic, 172
 - defined, 13
 - general polynomial, 172
 - greatest common factor (GCF), 102–105
 - linear, 172
 - object height, 319–320
 - opposite operation solving method, 176
 - order of operations, 184
 - proportions, 196–199
 - quadratic, 172
 - quadratic-like, 230–234
 - radical, 172
 - radical conversions, 234–238
 - rational, 172
 - reality checks, 178–180
 - reciprocals, 176–178
 - square roots, 175–176
 - squaring both sides when solving, 174–175
 - story-problem element, 293
 - symmetric property, 190
 - synthetic division, 239–241
 - system of linear, 172
 - variable solving formulas, 199–200
 - equivalent fractions
 - common denominators, 43–44
 - everyday items, 39–40
 - Euler number (e), value of e formula, 354
 - Euler's identity, formula, 355
 - exclamation point ($!$), factorial operation, 23–24
 - exponential expressions, distance operations, 60–64
 - exponential notation, real numbers, 56–57

- exponents. *See also* powers
 - base multiplication, 350
 - defined, 14
 - division operations, 66
 - exponential expressions, 60–64
 - exponential notation, 56–57
 - fractional, 349–350
 - multiplication operations, 65
 - negative numbers, 67–68, 351
 - number comparisons, 57–58
 - raising a power, 68–69
 - superscripted numbers, 55
 - zero, 66–67
 - expressions
 - associative property, 32–33
 - defined, 13
 - greatest common factor (GCF), 102–105
 - multiple-expression inequalities, 251–252
 - quadratic (second-degree), 139–141
 - radical operations, 69–71
- **F** ●
- factorials
 - formulas, 288
 - non-binary operation, 23–24
 - factoring
 - algebraic task, 16–17
 - binomials, 157–164
 - cubic equations, 226–227
 - division operations, 133–134
 - divisions, 128–129
 - grouping terms, 134–137
 - number/variable combinations, 131–133
 - quadratic equations, 208–211
 - rational-root theorem, 167–168
 - real-life uses, 130
 - remainder theorem, 165–166
 - repeated-division method, 129
 - synthetic division, 166–168
 - trinomial equations, 213–216
 - variables, 130–133
 - versus distributions, 128
 - factors
 - defined, 13, 128
 - variable attachments, 82
 - Fermat's last theorem, 355
 - FOIL (first, outer, inner, last), quadratic expressions, 142–147
 - force of gravity, Newton's formula, 355
 - formulas
 - absolute-value inequality, 356
 - box volume, 277–278
 - Carl Fiedrich Gauss, 147
 - circle area, 276–277, 308
 - circle circumference, 271–273, 309
 - combinations, 287–290
 - compound interest, 285–286
 - cone volume, 279
 - cylinder volume, 278
 - discounts, 286–287
 - distance, 282–283
 - Einstein's theory of relativity, 353–354
 - Euler's identity, 355
 - factorials, 288
 - Fermat's last theorem, 355
 - force of gravity, 355
 - geometric sequence, 64
 - Heron's, 275–276
 - interest, 283–287
 - monthly loan payments, 356
 - negative exponent to fraction conversion, 115
 - percentages, 283–287
 - permutations, 290
 - pi, 354–355
 - polygons, 271
 - pyramid volume, 279, 298
 - Pythagorean theorem, 267–269, 354
 - quadratic equations, 219–221
 - quadratic formula, 356
 - raising a power, 68–69
 - rectangle area, 273–274, 294–296
 - rectangle perimeters, 270–271, 294
 - rectangular-prism volume, 277–278
 - simple interest, 284
 - slope, 335–337
 - solving for variables, 199–200
 - sphere volume, 280
 - spherical volume, 299
 - square area, 273–274
 - square perimeters, 270–271

story-problem element, 293
 taxes, 286–287
 triangle area, 274–276
 triangle perimeters, 269–270
 units of length, 266–267
 value of e (Euler number), 354
 fraction line ($\frac{\quad}{\quad}$), grouping symbols,
 15, 76–78
 fractional inequalities, solving methods,
 257–258
 fractional values, greatest integer
 function, 24
 fractions
 addition operations, 46–47
 common denominators, 43–44
 decimal conversions, 38, 51–54
 denominator, 36
 division operations, 50–51
 equation solving, 196–199
 equivalent fractions, 39–40
 exponent distributions, 116–117
 fractional exponents, 349–350
 improper, 37, 45
 lowest-term reduction, 38–42
 mixed numbers, 37–38
 multiplication operations, 47–50
 negative exponents, 67–68, 115–116
 numerator element, 36
 prime factorization, 100–102
 proper, 36–37
 proportion conversions, 198–199
 radical conversion, 71
 rational numbers, 12
 reciprocals, 50–51
 reducing, 351
 repeating decimals, 54
 splitting, 348
 subtraction operations, 46–47
 terminating decimals, 53–54

● G ●

general polynomial, equation type, 172
 geometric sequences, distance
 operations, 62–63

graphs
 axes, 313–314, 316
 circular, 319
 coordinate planes, 313–314
 coordinates, 315–316
 inequalities, 245–247
 intercepts, 332–333
 interval notation, 246–247
 line intersects, 341–343
 linear equations, 318
 lines, 327–332
 object height, 319–320
 ordered pairs, 315–316
 origins, 314
 parabolas, 321–325
 parallel lines, 339–341
 perpendicular lines, 339–341
 plotting points, 316–317
 points (dots), 314
 quadrants, 313–314, 316
 relationship illustration, 311–313
 slope, 333–339
 tick marks, 313–314
 Great Internet Mersenne Prime
 Search, 95
 greater than ($>$)
 inequality statements, 244–245
 positive/negative number comparisons,
 21–22
 relationships, 16
 greater than or equal to (\geq), inequality
 statements, 244–245
 greatest common factor (GCF)
 cubic equations, 226–227
 factoring binomials, 157–158
 grouping terms, 134–137
 prime factorization, 102–105
 quadratic expressions, 141
 greatest integer, non-binary operation, 24
 group operations
 cubic equations, 228
 factoring, 134–137
 grouping symbols. *See also* symbols
 absolute value, 76–78
 brackets, 76–78

grouping symbols (*continued*)

- curly braces, 76–78
- fraction line, 76–78
- multiplication, 14, 15
- parentheses, 76–78
- square root, 76–78

• H •

- height, object graphing, 319–320
- Heron's formula, area of a triangle, 275–276
- hidden processes, distributions, 111
- horizontal lines
 - linear equation graphing, 330
 - slope graphing, 334–335

• I •

- i (imaginary number), quadratic equations, 221–222
- improper fractions
 - division operations, 50–51
 - mixed-number conversion, 45
 - multiplication operations, 47–50
 - value greater than one, 37
- inequalities
 - absolute value, 258–261
 - absolute-value inequality formula, 356
 - addition operations, 247–248
 - defined, 13
 - division operations, 248–249
 - fractional, 257–258
 - graphing, 245–247
 - interval notation, 244–245
 - multiple expression, 251–252
 - multiplication operations, 248–249
 - quadratic, 252–258
 - subtraction operations, 247–248
- infinite geometric sequence, distance operations, 62–63
- infinity (∞), interval notation, 244–245
- integers
 - positive and negative whole numbers, 11–12
 - solving cubic equations, 228–230

- intercepts
 - line graphs, 332–333
 - slope graphing, 337–339
- interest
 - formulas, 283–287
 - story problems, 302–305
- intersections, line graphing, 341–343
- interval notation
 - graphing, 246–247
 - inequalities, 244–245
- investments, story problems, 302–305
- irrational numbers
 - fractionless numbers, 12
 - pi, 15

• L •

- less than ($<$)
 - inequality statements, 244–245
 - positive/negative number comparisons, 21–22
 - relationships, 16
- less than or equal to (\leq), inequality statements, 244–245
- letters, number representations, 81–82
- linear equations
 - distributions, 192–196
 - graphing, 318
 - line graphing, 329–332
 - nested expressions, 192
 - simplifying methods, 191–196
 - three terms, 189–191
 - two terms, 184–188
- linear inequalities, solution methods, 250–251
- lines
 - graphing, 327–332
 - intercepts, 332–333
 - intersect graphing, 341–343
 - parallel, 339–341
 - perpendicular, 339–341
 - slope graphing, 333–339
- loan payments, monthly formula, 356
- lowest term, fraction reduction, 38–42

• M •

- marginal cost, slope graphing, 334
- Mersenne primes, defined, 95
- minus sign ($-$)
 - distributions, 111–112
 - subtraction, 14
 - variable operation interpretation, 82–83
- mixed numbers
 - division operations, 50–51
 - improper-fraction conversion, 45
 - multiplication operations, 47–50
 - whole number plus a fraction, 37–38
- mixtures, story problems, 300–305
- monthly loan payments, formula, 356
- multiplication operations
 - associative property, 32–33
 - bases, 350
 - commutative property, 31–32
 - equal-share distributions, 107–110
 - equation balancing, 173
 - equivalent fractions, 40
 - exponents, 65
 - FOIL (first, outer, inner, last), 142–147
 - fractions, 47–50
 - inequalities, 248–249
 - order of operations, 75
 - polynomials, 119–120
 - radical expressions, 70
 - signed numbers, 29–30
 - solving two-term linear equations, 186–188
 - variables, 86–88
 - zero, 31
- multiplication property of zero (MPZ),
 - quadratic equations, 209–211

• N •

- natural numbers, counting numbers, 11
- negative exponents, distributions, 115–116
- negative numbers
 - exponents, 67–68, 351
 - less than zero, 20–21

- minus sign ($-$), 14
- positive comparisons, 21–22
- negative signs, distributions, 111–112
- nested expressions, linear equations, 192
- non-binary operations
 - absolute values, 23
 - factorials, 23–24
 - greatest integer, 24
 - radicals, 69–71
- notation
 - exponential, 56–57
 - scientific, 58–59
- number types
 - additive inverses, 11, 20
 - composite, 13
 - exponents, 14
 - imaginary numbers, 221–222
 - integers, 11–12
 - irrational, 12
 - natural, 11
 - palindromes, 112
 - prime, 12–13
 - rational, 12
 - real, 11
 - whole, 11
- numbers
 - letter representations, 81–82
 - principal square root, 207
- numerator
 - fraction element, 36
 - prime factorization, 100–102

• O •

- object height, graphing, 319–320
- operations
 - absolute values, 23
 - answer-checking levels, 78–80
 - associative property, 32–33
 - binary, 22
 - commutative property, 31–32
 - defined, 13
 - factorials, 23–24
 - greatest integer, 24

operations (*continued*)
 grouping symbols, 76–78
 non-binary, 23–24
 ordering, 74–76
 signed numbers, 24–31
 variable interpretation, 82–83

order of operations
 defined, 73, 75
 equation solving, 184
 powers, 349

ordered pairs, graphs, 315–316

origin, graphs, 314

● ***p*** ●

palindromes, number types, 112

parabolas, graphing, 321–325

parallel lines, graphing, 339–341

parentheses
 grouping, 14, 15, 76–78
 interval notation, 245

percentages, formulas, 283–287

perfect cubes, factoring binomials, 159–162

perfect squares, factoring binomials, 158–159

perimeters, story problems, 293–295

permutations, formulas, 290

perpendicular lines, graphing, 339–341

pi (π)
 circle relationships, 15
 circular formulas, 354–355
 irrational number, 12

pictures, story-problem element, 292

plus sign (+)
 addition, 14
 distributions, 110–111
 variable-operation interpretation, 82–83

points (dots)
 graphs, 314
 plotting, 316–317

polygons, perimeter formula, 271

polynomial
 defined, 117
 multiplication operations, 119–120
 remainder theorem, 165–166
 synthetic division, 166–168

positive numbers
 greater than zero, 20
 negative comparisons, 21–22
 plus sign (+), 14

positive signs, distributions, 110–111

power of the value. *See* exponents

powers. *See also* exponents
 adding/subtracting variables, 85–86
 fractional distributions, 116–117
 order of operations, 75, 349
 quadratic-like equations, 230–231
 radical equations, 234–237
 raising, 68–69, 350

prime numbers
 composite-number factorization, 95–96
 defined, 93, 94
 divisibility issues, 12–13
 encryption role, 93
 greatest common factor (GCF), 102–105
 Mersenne, 95
 reducing fractions, 100–102
 rules of divisibility, 99–100
 tree factorization method, 98
 upside-down division, 96–98

prisms, volume formula, 277–278

problem solving, algebra purpose, 181

problem statement, story-problem element, 292–293

proper fractions, value less than one, 36–37

proportions, equation solving, 196–199

pyramids
 story problems, 298–299
 volume formula, 279, 298

Pythagorean theorem, 267–269, 354

● ***Q*** ●

quadrants, graphs, 313–314, 316

quadratic equations
 double root, 204
 equation type, 172
 factoring, 208–211
 formula, 219–221
 imaginary number (i), 221–222

- multiplication property of zero (MPZ), 209–211
 - parabolas, 321–325
 - quadratic formula, 356
 - rational numbers, 12
 - solution applications, 217–218
 - solution examples, 204–206
 - squaring, 206–208
 - three-term solutions, 211–216
 - quadratic expressions
 - FOIL (first, outer, inner, last), 142–147
 - greatest common factor (GCF), 141
 - standard form, 139–141
 - unFOIL/GCF combination, 153–154
 - unFOIL/grouping combination, 154–155
 - unFOILing, 147–152
 - quadratic formula, quadratic equations, 356
 - quadratic inequalities
 - multiple factors, 256
 - solving methods, 252–255
 - variable term/second-degree power, 252
 - zero, 255
 - quadratic-like equations
 - powers, 230–231
 - recognizing, 230–231
 - solving methods, 231–234
 - questions, story-problem element, 292–293
- **R** •
- radical ($\sqrt{\quad}$) symbol
 - grouping symbols, 76–78
 - square roots, 15, 69–71
 - radicals
 - equation conversions, 234–238
 - equation type, 172
 - fractional-exponent conversion, 71
 - fractional-power conversions, 116–117
 - powers, 234–237
 - splitting, 349
 - squaring, 237–238
 - raising a power, exponents, 68–69
 - rational, equation type, 172
 - rational inequalities, solving methods, 257–258
 - rational numbers
 - fractional equivalents, 12
 - rational-root theorem, 167–168
 - quadratic equations, 12
 - rational root theorem, rational numbers, 167–168
 - real numbers
 - exponential expressions, 56–57
 - value representations, 11
 - reality checks, equations, 178–180
 - reciprocals
 - equation solving, 176–178
 - fractions, 50–51
 - solving two-term linear equations, 188
 - rectangles
 - area formula, 273–274, 294–296
 - perimeter formula, 270–271, 294
 - regular polygon, perimeter formula, 271
 - relationships
 - algebraic symbols, 16
 - graphic illustration, 311–313
 - story-problem element, 292
 - relatively prime, defined, 128
 - remainder theorem, polynomials, 165–166
 - remainders, division operations, 42
 - repeated division, factoring method, 129
 - repeating decimals, fraction conversions, 54
 - right triangles, Pythagorean theorem, 267–269, 354
 - roman numerals, graphs, 314
 - root power, defined, 70
 - roots, order of operations, 75
 - rounding numbers, approximately equal symbol, 53
 - rules of divisibility, prime factorization, 99–100
- **S** •
- S* rule, addition operations, 25–26
 - scientific notation, number comparisons, 58–59
 - signed numbers
 - different sign addition, 26–27
 - division operations, 29–30
 - multiplication operations, 29–30

- signed numbers (*continued*)
 - same-sign addition, 25–26
 - subtraction operations, 27–28
 - zero operations, 30–31
- simple interest, formulas, 284
- simplify, algebraic task, 16–17
- slash (/), division, 15
- slopes, line graphing, 333–339
- solve, algebraic task, 16–17
- spheres, volume formula, 280
- spherical volume, story problems, 299–300
- square root ($\sqrt{\quad}$), 15
- square-root rule, cubic equations, 225
- square roots
 - equation solving, 175–176
 - principal square root, 207
 - quadratic equations, 206–208
 - radical symbol, 69–71
- squared binomials
 - distributions, 120–122
 - term tracking, 347–348
- squares
 - area formula, 273–274
 - factoring binomials, 158–159
 - perimeter formula, 270–271
 - radicals, 237–238
- squaring operations, equation solving, 174–175
- story problems
 - areas, 294–296
 - circles, 308–309
 - distance, 305–307
 - interest, 302–305
 - investments, 302–305
 - mixtures, 300–305
 - perimeters, 293–295
 - planning elements, 292–293
 - pyramids, 298–299
 - spherical volume, 299–300
 - volumes, 297–300
- substitutions, intersect graphing, 342–343
- subtraction operations
 - equation balancing, 173–174
 - fractions, 46–47
 - inequalities, 247–248
 - minus sign ($-$), 14
 - order of operations, 75
 - radical expressions, 70
 - signed numbers, 27–28
 - solving three-term linear equations, 189–191
 - variables, 83–86
 - zero, 30
- superscripted numbers, exponents, 55
- symbols, relationships, 16
- symbols. *See also* grouping symbols
 - \approx (approximately equal), rounding numbers, 53
 - * (asterisk), multiplication, 14
 - [and] (brackets), 14, 15, 76–78, 245
 - { and } (curly braces), grouping, 14, 15, 76–78
 - \div (division), 15
 - \cdot (dot), multiplication, 14
 - = (equal), relationships, 16
 - ! (exclamation point), factorial operation, 23–24
 - (fraction line), grouping, 15, 76–78
 - > (greater than), 16, 21–22, 244–245
 - \geq (greater than or equal to), inequality statements, 244–245
 - ∞ (infinity), interval notation, 244–245
 - < (less than), 16, 21–22, 244–245
 - \leq (less than or equal to), inequality statements, 244–245
 - (minus), 14, 82–83, 111–112
 - (and) (parentheses), 14–15, 76–78, 245
 - π (pi), 12, 15, 354–355
 - + (plus), 14, 82–83, 119–111
 - / (slash), division, 15
 - $\sqrt{\quad}$ (square root), 15
 - | | (absolute value), 15, 23, 76–78, 258–261
- symmetric property, equations, 190
- synthetic division
 - cubic equations, 239–241
 - polynomials, 166–168
- system of linear, equation type, 172

• T •

- taxes, formulas, 286–287
- terminating decimals, fraction conversions, 53–54
- terms
 - binomial distributions, 118
 - defined, 13, 108, 128
 - distributions, 348
 - grouping, 134–137
 - multiple distributions, 117–120
 - negative-sign distributions, 111–112
 - polynomial distributions, 119–120
 - positive-sign distributions, 110–111
 - sign changing, 122–123
 - tracking, 347–348
 - trinomial distributions, 119
- theory of relativity, formula, 353–354
- tick marks, graphs, 313–314
- tree system, prime-factorization method, 98
- triangles
 - area formula, 274–276
 - perimeter formula, 269–270
 - Pythagorean theorem, 267–269, 354
- trinomial
 - defined, 119
 - distributions, 119
 - solving quadratic equations, 211–216

• U •

- units of length, formulas, 266–267
- U-shaped curves, parabolas, 321–325

• V •

- value of e (Euler number), 354
- variables
 - addition operations, 83–86
 - coefficients, 82
 - combining operations, 88–89
 - defined, 13

- distribution methods, 113–117
- division operations, 86–88
- equation-solving formulas, 199–200
- exponents, 14
- factoring, 130–133
- factors, 82
- interpreting operations, 82–83
- multiplication operations, 86–88
- number/letter representations, 9, 81–82
- restrictions, 80–81
- story-problem element, 292
- subtraction operations, 83–86
- vertex, parabolas, 321–325
- vertical lines
 - linear-equation graphing, 330
 - slope graphing, 334–335
- volumes, story problems, 297–300

• W •

- Web sites, Great Internet Mersenne Prime Search, 95
- whole numbers, fractionless numbers, 11

• X •

- x -axis, graphs, 313–314

• Y •

- y -axis, graphs, 313–314

• Z •

- zero
 - exponential expressions, 66–67
 - multiplication properties, 209–211
 - positive/negative number separator, 22
 - quadratic inequalities, 255
 - signed-number operations, 30–31

