

# Index

- A-DNA 412  
 $\alpha$ -helices 30–1  
ABTS *see* 2,2'-azinobis (3-ethylbenzothiazoline-6-sulfonate)  
AC impedance spectroscopy 201–2, 256  
acetylcholinesterase 380, 383  
acrylonitrile 327  
activation overpotential 361  
active transport systems 139  
ACV *see* alternating current voltammetry  
adenine derivatives 172  
adenosine diphosphate (ADP)  
    biocompatibility 448  
    biological membranes 123  
    structure 5  
adenosine triphosphate (ATP)  
    biological membranes 87, 93, 123, 139, 141–2  
    electron transport chains 6, 12–14, 23, 32–4  
    structure 5  
    synthesis 2, 3, 5–6, 32–4  
ADH *see* alcohol dehydrogenases  
adiponitrile 327  
ADP *see* adenosine diphosphate  
adriamycin 428  
adsorptive transfer stripping voltammetry (AdTSV) 413, 418  
affinity sensors 200  
AFM *see* atomic force microscopy  
alamethicin 136  
alanine dehydrogenase 159, 179  
albumin 446  
alcohol dehydrogenases (ADH)  
    bioelectrosynthesis 334, 341–2, 349  
    biofuel cells 367–8  
    NAD(P)-based biosensors 159, 175–6  
    redox enzymes 55–6  
alcohol oxidation 340–2  
alcohol reduction 348  
aldehyde dehydrogenases (ALDH)  
    bioelectrosynthesis 334  
    biofuel cells 367–8  
    NAD(P)-based biosensors 178  
alkaline phosphatase (ALP) 380–1, 384, 388–9, 398, 400, 403  
alkylphenols 239, 342–4  
alkylthiol monolayers 106–7  
ALP *see* alkaline phosphatase  
alternating current impedance spectroscopy 201–2, 256  
alternating current voltammetry (ACV) 389, 427  
amine oxidation 414  
amino acid dehydrogenases 334  
amperometric sensors  
    electrochemical immunoassays 388–9  
    glucose biosensors 200–1  
    whole-cell biosensors 255–6  
amphotericin 136  
ankerin 94–5  
anodic stripping voltammetry (ASV) 389–90  
anthracycline antibiotics 427–8  
antibiotics 427–8  
antibodies  
    electrochemical immunoassays 378–9, 384–94, 397–402  
    redox enzymes 46–8, 49, 67  
    supported bilayer lipid membranes 143  
anticancer therapies 423–30  
antigens  
    electrochemical immunoassays 379, 384–94, 397–402  
    redox enzymes 46–8, 49  
antiporters 137  
apoptosis 426–7  
area expansion modulus 121–2  
ascorbate 44–5  
ASV *see* anodic stripping voltammetry  
atomic force microscopy (AFM) 74, 417–22  
ATP *see* adenosine triphosphate  
avidin  
    biological membranes 133, 143, 144–7  
    glucose biosensors 205–6  
    kinetic models 314, 316

- 2,2'-azinobis (3-ethylbenzothiazoline-6-sulfonate) (ABTS)  
368–9, 461
- azure I/C 169
- $\beta$ -carotene 15–16
- B-DNA 411–12
- $\beta$ -galactosidase  
electrochemical immunoassays 380, 382, 384  
phenolic biosensors 239  
whole-cell biosensors 258–60
- $\beta$ -lactamases 380, 383
- $\beta$ -strands 30–1
- bacteria  
electron transport chains 12, 18–19  
photosynthesis 18–19  
whole-cell biosensors 257–9  
*see also* microbial
- bacteriorhodopsin (BR) 124–6, 140, 143
- BASF process 328–9, 330
- benzylviologens 171, 368
- bilayer lipid membranes (BLM)  
dielectric relaxation 132–3  
DNA assays 431  
electrical properties 90, 101–3  
formation 100–1  
mechanical properties 120–5, 127  
membrane potentials 127, 130–2  
pore formation 104–5  
receptors 140  
redox enzymes 68–9  
stability 103–5  
supported 95, 106–7, 132–3, 139, 142–7  
tethered 107  
transport mechanisms 135–6, 139
- bilirubin oxidase 370, 461
- biocompatibility 444–50  
blood 447–9  
principles 444–5  
proteins 446–7, 448  
tissue 449–50
- bioelectrosynthesis 1, 327–58  
advantages 328, 350  
bipolar membranes 352–3  
cell design 329–31  
commercial processes 327–9, 352, 354  
current density 331–2, 334–5  
dihydroxyacetone phosphate synthesis 344  
electrode coatings 339–40  
electrodialysis 350–4  
electrolysis 327–33  
enzyme-catalysed reactions 332–5  
homogeneous systems 335–9  
hydrodimerisation 327  
hydrogenation 348  
hydroxylation of unactivated C–H bonds 345–6  
mechanisms 335–40
- mediators 331–2, 336–9, 341  
oxidation of 4-alkylphenols 342–4  
oxidation of alcohols/diols 340–2  
oxidation of sugars 344–5  
product isolation 332–3  
reduction of carbonyl compounds 346–8  
scientific factors 332  
synthetic procedures 340–50  
technological factors 329–33
- biofuel cells 1, 359–75  
economics 363  
efficiency 360, 362–3  
electron transport chains 11  
future directions 369–71  
*in vivo* applications 460–2  
mediators 364–5  
microbial 363–6  
overpotential 361–2  
oxidoreductases 366–9  
performance 360–3  
principles 359–63
- biological cell classification 2–3
- biological membranes 87–156  
cell signalling 139–42  
dielectric relaxation 132–3  
functions 88  
kinetic models 273–8  
lipid monolayers 87, 95–100, 129–30  
liposomes 107–9, 113–14, 117–18, 129–30, 139, 386–7  
mechanical properties 120–7  
membrane potentials 127–32  
models 87, 88–90, 95–107  
molecular dynamics 109, 111–16  
NAD(P)-based biosensors 183–4  
phase transitions 116–20, 126  
proteins 87–9, 94–5, 123–7  
receptors 139–42  
structure 88–90, 95–107  
supported bilayer lipid membranes 95, 106–7, 132–3, 139, 142–7  
transport mechanisms 133–9  
whole-cell biosensors 252–3  
*see also* bilayer lipid membranes; lipid bilayers
- biomarkers for DNA damage 423–4
- bio-micro-electromechanical systems (Bio-MEMS)  
electrochemical immunoassays 403  
glucose biosensors 445, 461  
whole-cell biosensors 250–1, 255–7
- bionanoelectronics 67
- bioreactors 39
- biosensors 1  
biological membranes 147  
classification 200  
DNA assays 430–6  
enzyme electrodes 270–80, 286–93  
enzyme kinetics 268–70, 295–317

- glucose 199–217
- heterogeneous systems 302–17
- homogeneous systems 287–302
- kinetic models 267–325
- list of symbols 324–5
- NAD(P)-based 157–98
- numerical simulations 280–6
- phenolic 219–48
- redox enzymes 39–40
- redox mediated enzyme electrodes 286–317
- transduction modes 200–2
- whole-cell 249–66
- biotins
  - biological membranes 133, 143, 144–7
  - DNA assays 432
  - glucose biosensors 205–6
  - kinetic models 314, 316
- bipolar disc stack cells 330
- bipolar membranes 352–3
- bipyridinyl complexes 42–3, 44
- bleomycin 428
- BLM *see* bilayer lipid membranes
- blood biocompatibility 447–9
- blue copper oxidases 224
- bovine spongiform encephalitis (BSE) 445
- BR *see* bacteriorhodopsin
- Bragg's law 108
- BSE *see* bovine spongiform encephalitis
- Butler–Volmer model 60–1, 62–3, 71
- Ca<sup>2+</sup>-pumps 95
- cAMP 141–2
- cAMP response element (CRE) pathway 258–9
- cancer chemotherapies 423–30
- capacitance detectors 391–2
- capillary electrophoresis (CE) 395–8, 403, 432
- capnophorin 137
- carbon nanotubes (CNT)
  - DNA assays 434–5
  - NAD(P)-based biosensors 183
  - redox enzymes 67–8
- carbon paste electrodes (CPE)
  - DNA assays 419, 428–9
  - electrochemical immunoassays 389
  - glucose biosensors 205
  - NAD(P)-based biosensors 183, 184–5
  - phenolic biosensors 231, 236
- carbonyl reduction 346–8
- carboplatin 425
- cardiolipin 91, 93
- carriers 137, 144
- case diagrams 278–80, 289–90, 297–8, 312–14
- cast in place matrices 205
- cast surfactant bilayers 69–71
- catechins 168
- catecholamines 239–41
- catechol oxidase 228
- catechol-1,2-oxygenase 225
- catechol-pendant terpyridine complexes 174
- cathodic stripping voltammetry (CSV) 413
- CDH *see* cellobiose dehydrogenase
- CE *see* capillary electrophoresis
- cellobiose dehydrogenase (CDH) 220, 223, 225–6, 230, 232, 236–8
- ceruloplasmin 222, 225
- channel-forming ionophores 136
- chemiosmosis 3–6
- chlorophyll 15–16
- chloroplasts 13–15, 17, 24
- chromium complexes 174, 181
- chronopotentiometric stripping analysis (CPSA) 418, 428, 432
- citric acid cycle 7
- Clark-type oxygen electrodes 227–8, 237, 239
- Clausius–Clapeyron equation 117
- closed-loop glucose control 443
- CNT *see* carbon nanotubes
- coagulation cascade 446–7
- cobalt complexes
  - bioelectrosynthesis 346
  - NAD(P)-based biosensors 173–4, 181
- cocaine 239
- coenzyme Q (CoQ) 7–10, 19–20, 27, 31
- cofactors
  - bioelectrosynthesis 333–5, 337–8, 341
  - NAD(P)-based biosensors 163–5
  - redox enzymes 39, 52, 60
- colloidal gold 434
- concentration overpotential 361, 362
- conductimetry 201
- conducting polymers
  - glucose biosensors 206
  - NAD(P)-based biosensors 172–3
  - redox enzymes 49–52
- conductometry 392
- continuous glucose biosensors 203–4
- cooperativity of transitions 119
- copper complexes
  - DNA assays 424, 425–6
  - electron transport chains 10–11, 22, 27
- CoQ *see* coenzyme Q
- CPE *see* carbon paste electrodes
- CPSA *see* chronopotentiometric stripping analysis
- Crank–Nicholson method 282–3, 286
- CRE *see* cAMP response element
- creatinine iminohydrolase 179
- cross-linking
  - bioelectrosynthesis 339
  - glucose biosensors 205
  - NAD(P)-based biosensors 184
  - phenolic biosensors 231
  - redox enzymes 44–5

- CSV *see* cathodic stripping voltammetry  
current–voltage characteristics (IVC) 130–1, 136, 138  
cyclic voltammetry (CV)  
  DNA assays 413, 416  
  kinetic models 295–300, 306, 309–11  
  NAD(P)-based biosensors 160, 166, 180  
  redox enzymes 48, 58–61, 66, 70, 74  
cyclohexanones 348  
cytochrome *b2* 223, 226–7, 232  
cytochrome *bf* complex 14–17, 22  
cytochrome *c*  
  biological membranes 94, 127  
  electron transport chains 7–12, 22, 27, 31  
cytochrome oxidase 65, 69, 461–2  
cytochrome P450<sub>cam</sub> 57–8, 62–3, 69–70, 73–5
- daunomycin 428–9  
dextran sulfate (DS) 115  
diabetes mellitus *see* glucose biosensors  
diamond-like carbon (DLC) coatings 450–1  
diaphorase 51–2, 222, 232  
dielectric relaxation 132–3  
dielectric spectroscopy 201–2  
differential pulse voltammetry (DPV)  
  DNA assays 415–17, 426, 428–9  
  electrochemical immunoassays 389  
diffuse ionic double layer potentials 127, 129–32  
diffusion potentials 127, 129  
digital simulation methods 283–6  
dihydro-uracil dehydrogenase 159  
3,4-dihydrobenzaldehydes 167  
3,4-dihydroxy-6H-benzofuro[3,2,c][1]benzopyran-6-one 168  
dihydroxyacetone phosphate 344  
5,5-dihydroxy-4,4'-bitryptamine 172  
dimristoylphosphatidylcholine (DMPC) 98, 110, 117, 121, 125–6  
diol oxidation 340–2  
dioleoylphosphatidylcholine (DOPC) 99, 103, 110, 139  
dioxygenases 334  
dipalmitoylphosphatidylcholine (DPPC) 93, 99, 109–10, 114–15  
dipole potentials 128  
direct enzyme electrochemistry 41–2  
disposable glucose biosensors 202–3, 207–12  
5,5'-dithiobis(2-nitrobenzoic acid) 171  
divided parallel plate cells 330  
DLC *see* diamond-like carbon  
DMPC *see* dimristoylphosphatidylcholine  
DNA assays 411–42  
  adsorption at electrode surfaces 416–22  
  biomarkers for DNA damage 423–4  
  biosensors 430–6  
  DNA hybridisation 431–5  
  DNA–drug interactions 426–30  
  DNA–metal interactions 424–6  
  dsDNA/ssDNA adsorption 417–22  
  electrochemistry of DNA 413–16  
  guanine adsorbates 416–17  
  *in situ* DNA damage 430–1  
  microarrays 435–6  
  oxidation 414–16, 430–1, 436  
  reduction 413  
  sensing/probing DNA interactions 422–30  
  structure/properties of DNA 411–13  
DNA cloning 251  
dopamine 240  
DOPC *see* dioleoylphosphatidylcholine  
double strand DNA (dsDNA) *see* DNA assays  
doxorubicin 428  
DPPC *see* dipalmitoylphosphatidylcholine  
DPV *see* differential pulse voltammetry  
DS *see* dextran sulfate  
dsDNA *see* DNA assays
- Eadie–Hofstee plots 269  
ECIS *see* electric cell-substrate impedance sensing  
ECL *see* electrochemiluminescence  
EIS *see* electrochemical impedance spectroscopy  
elastic bilayer model 122–3  
elasticity moduli 120–2  
electric cell-substrate impedance sensing (ECIS) 256  
electroactive labels 384–6  
electrocatalysis 1  
  NAD(P)-based biosensors 165–83  
  phenolic biosensors 229–37  
electrochemical immunoassays (ECIA) 377–410  
  abbreviations/terminology 377  
  antibodies 378–94  
  assay formats 394–402  
  capacitance 391–2  
  classification 379–80  
  competitive formats 397, 399–400  
  conductometry 392  
  detection 388–94  
  electroactive labels 384–6  
  electrochemiluminescence 393–4  
  enzyme labels 380–4  
  future perspectives 402–3  
  heterogeneous 394–9  
  homogeneous 399–400  
  immunosensors 401–2  
  impedance spectrometry 392–3  
  labels 380–7  
  liposome labels 386–7  
  metallo-immunoassays 384–6  
  non-competitive formats 397–9, 400  
  piezoelectric detection 394  
  polyelectrolyte labels 387  
  potentiometry 390–1  
  principles 378–80  
  separation systems 395–7  
  voltammetry 388–90

- electrochemical impedance spectroscopy (EIS) 422  
electrochemically generated polymers 206  
electrochemiluminescence (ECL) 393–4  
electrode fouling 39, 57  
electrodialysis 350–4  
electrolysis 327–33  
electron paramagnetic resonance (EPR) 111–13, 119, 123  
electron transport chains 1  
  ATP synthase 32–4  
  bacteria 12, 18–19  
  CoQH<sub>2</sub>-cyt *c* reductase complex 7–8, 9–10, 27  
  cyt *c* oxidase complex 7–8, 10–12, 22  
  electron transfer rate constants 27–31  
  governing principles 22–32  
  mitochondria 6–12  
  NADH-CoQ reductase complex 7–9, 27, 31  
  one-electron/two-electron couples 32  
  photosynthesis 6, 12–19  
  protein size 31  
  redox components 19–22  
  redox potentials 25–7  
  spatial separation 23–5  
  succinate-CoQ reductase complex 7, 9  
electropolymerisation 183  
electrostatic potentials 127–9  
electrostriction 131–2  
electrosynthesis *see* bioelectrosynthesis  
elementary mechanosensitive centers (EMC) 140  
ELIFA *see* enzyme-linked immunofiltration  
ELISA *see* enzyme-linked immunosorbent assays  
EMC *see* elementary mechanosensitive centers  
EMIT *see* enzyme multiplied immunoassay technique  
endosymbiosis 12  
enoate reductases 334, 348  
entrapped redox mediators 49–50  
enzymatic sensors 200  
enzyme labels 380–4  
enzyme multiplied immunoassay technique (EMIT) 399  
enzyme-film voltammetry 58–63  
enzyme-linked immunofiltration (ELIFA) 396  
enzyme-linked immunosorbent assays (ELISA)  
  heterogeneous 394–6  
  phenolic biosensors 238–9  
  whole-cell biosensors 258  
EPR *see* electron paramagnetic resonance  
eukaryotes 2–3, 6  
explicit numerical simulations 281–2  
Eyring theory 138  
  
facilitated diffusion 135–7  
FAD/FADH<sub>2</sub>  
  bioelectrosynthesis 342  
  biofuel cells 369  
  electron transport chains 7–8, 12, 20–1, 27, 32  
  glucose biosensors 199, 204, 461  
  kinetic models 287, 295–6, 300–3, 315  
  NAD(P)-based biosensors 159  
  redox enzymes 40–1, 43–5, 47, 49–51, 55, 66  
  structure 21  
Faradaic efficiency 362  
fatty acids 92–3  
FDH *see* formate dehydrogenase; fructose dehydrogenase  
fermentation processes 202  
ferredoxins  
  bioelectrosynthesis 340, 347  
  electron transport chains 14, 18, 32  
  redox enzymes 58, 62, 69  
ferrocenes  
  bioelectrosynthesis 342–3, 345  
  biological membranes 146–7  
  DNA assays 433  
  electrochemical immunoassays 386, 399, 403  
  glucose biosensors 457  
  kinetic models 295, 301–2, 314, 317  
  redox enzymes 40–3, 46, 48–50  
ferrocyanide 253–4, 386  
FES *see* functional electrical stimulators  
FET *see* field-effect transistors  
FIA *see* flow injection analysis  
fibrin 446–7  
Fick's first law 281–2  
Fick's second law 272  
field-effect transistors (FET) 201  
flavin adenine dinucleotide *see* FAD/FADH<sub>2</sub>  
flavin mononucleotide (FMN) 8, 12, 20–1  
flavoenzymes 342, 344  
flow injection analysis (FIA)  
  DNA assays 431  
  glucose biosensors 204  
  phenolic biosensors 231  
fluid-mosaic model 88, 90  
fluorescence spectroscopy 113–16  
flux diagrams 273–6  
FMN *see* flavin mononucleotide  
formaldehyde dehydrogenase 159, 178  
formate dehydrogenase (FDH) 55, 367–8  
Franck-Condon principle 28  
fructose dehydrogenase (FDH) 223, 225–6, 229  
fuel cells *see* biofuel cells  
fuel utilization efficiency 362–3  
functional electrical stimulators (FES) 460  
  
G-proteins 94, 141  
galactose oxidase 344–5  
GCE *see* glassy carbon electrodes  
GDH *see* glucose dehydrogenase  
gene engineering 251–2, 257–62  
gene-modified bacteria 257–9  
genetically modified organisms (GMO) 433  
glassy carbon electrodes (GCE) 416, 419, 426, 432

- glucose biosensors 199–217  
  applications 202  
  biocompatibility 444–50  
  biofuel cells 460–2  
  blood 447–9, 456–7, 458–60  
  classification 200  
  construction 204–7  
  continuous 203–4  
  design requirements 202–4, 207–12  
  disposable 202–3, 207–12  
  early phase responses 457–8  
  electrode design 451–7  
  immobilization methods 205–6  
  implantable 204, 451–62  
  *in vivo* applications 443–4  
  long-term monitoring 455–6  
  materials interfacing strategy 450–1  
  mediators 199, 204–5, 211  
  membrane function 206–7  
  open microflow 458–60  
  operation sequence 208, 211–12  
  performance 207–12  
  proteins 446–7, 448  
  quantification 199  
  reproducibility 211–12  
  safety features 212  
  sample acquisition 209–10, 211, 212  
  selectivity 210  
  sensitivity 207, 209  
  stability 210–11  
  tissue 449–50, 451–6, 457–60  
  transduction modes 200–2
- glucose dehydrogenase (GDH)  
  glucose biosensors 200, 210–11  
  NAD(P)-based biosensors 178–9  
  phenolic biosensors 220, 223, 225–6, 228–30, 236–41  
  whole-cell biosensors 253
- glucose oxidase (GOx)  
  biofuel cells 370–1  
  biological membranes 133, 144–7  
  biosensors 199–200, 201, 203–7  
  electrochemical immunoassays 380, 382, 399, 401–2  
  glucose biosensors 452–4, 461–2  
  kinetic models 286, 289, 292, 295–6, 300–3, 306–10, 314–16  
  phenolic biosensors 223, 227  
  redox enzymes 40–1, 43–8, 50–1, 53, 66
- glucose transporters 137
- glucose-6-phosphate dehydrogenase 380, 383
- glutamate dehydrogenase (GluDH) 177
- glutaraldehyde 205
- glycerophospholipids 90–1
- glycolipids 88, 90, 92–3
- glycolysis 6
- glycophorin 94
- glycophospholipids 91
- glycopolysaccharides 88
- glycoproteins 88, 90
- GMO *see* genetically modified organisms
- gold electrodes 432–3
- gold nanoparticles 183
- Goldman equation 138
- Gouy–Chapman potentials 127–9, 131
- GOx *see* glucose oxidase
- gramicidin A (GRA) 136
- guanine adsorbates 416–17
- H-DNA 429
- Hanes plots 269
- HCMV *see* human cytomegalovirus
- heating value efficiency 362, 363
- hematoxylin 168
- heme complexes  
  electron transport chains 11–12, 21–2, 26  
  NAD(P)-based biosensors 159  
  structure 23
- heparin 446, 449
- hexacyanoferrates 174
- high performance liquid chromatography (HPLC) 239–40, 423
- high-throughput screening 260–1
- highly oriented pyrolytic graphite (HOPG) 419–22
- histidine 171
- Hopfield model 29–30
- HOPG *see* highly oriented pyrolytic graphite
- hormonal reception 140–2
- horseradish peroxidase (HRP)  
  bioelectrosynthesis 343–4, 345  
  DNA assays 433  
  electrochemical immunoassays 384, 391, 395–7, 401–2  
  glucose biosensors 452  
  phenolic biosensors 222, 224–5, 231, 233–5  
  redox enzymes 43, 45–6, 49, 51, 63, 66–8
- HPLC *see* high performance liquid chromatography
- HRP *see* horseradish peroxidase
- human cytomegalovirus (HCMV) 433
- hybridisation assays 431–5
- hydrodimerisation 327
- hydrogels 43–50
- hydrogenation 348
- 3-hydroxybutyrate dehydrogenase 179
- hydroxylation of unactivated C–H bonds 345–6
- hypoglycaemia 453–4
- ideal thin-layer voltammetry 58
- IFSET *see* ion-sensitive field-effect transistors
- IgG *see* immunoglobulin G
- immunoassays *see* electrochemical immunoassays;  
  enzyme-linked immunosorbent assays
- immunofiltration 395–6
- immunoglobulin G (IgG) 378–9, 390, 392, 396, 403
- immunomagnetic beads 396
- immunosensors 401–2
- impedance spectrometry 255–6, 392–3

- implantable glucose biosensors 204, 451–62
- insulin 452–3
- integral proteins 88, 90, 94–5
- ion channels 136–7, 144
- ion-sensitive field-effect transistors (IFSET) 250, 255
- iron complexes 174, 181
- iron–sulfur clusters
  - electron transport chains 9–10, 13–14, 18, 22
  - NAD(P)-based biosensors 159
  - redox enzymes 60, 64
  - structure 24
- IVC *see* current–voltage characteristics
- KatG catalase-peroxidase enzyme 59
- ketoacid reduction 346–8
- ketone reduction 346–8
- kinetic models
  - assumptions 273–4
  - biosensors 267–325
  - case diagrams 278–80, 289–90, 297–8, 312–14
  - coupled diffusion/reaction problem 276–8
  - Crank–Nicholson method 282–3, 286
  - digital simulation methods 283–6
  - enzyme electrodes 270–80, 286–93
  - enzyme kinetics 268–70, 295–317
  - experimental verification 280
  - explicit numerical simulations 281–2
  - flux diagrams 273–6
  - heterogeneous systems 302–17
  - homogeneous systems 287–302
  - layer-by-layer self-assembly 314–16
  - list of symbols 324–5
  - mediator-limited kinetics 312–13
  - monolayers 304–6
  - multilayers 306–17
  - numerical simulations 280–6
  - reciprocal expressions 275–6
  - redox mediated enzyme electrodes 286–317
  - substrate-limited kinetics 313
  - thin-film approximation 313–14
  - titration case 314
- lab-on-a-chip
  - biofuel cells 363, 367
  - whole-cell biosensors 251–2, 257, 261–2
- laccases
  - biofuel cells 368–9
  - electrochemical immunoassays 380, 383, 391
  - phenolic biosensors 221, 224, 228–30, 233, 236, 238–40
- lactate dehydrogenases (LDH)
  - bioelectrosynthesis 334, 340–2
  - glucose biosensors 452
  - NAD(P)-based biosensors 176–7
  - phenolic biosensors 223
  - redox enzymes 55
- lactic acid 354
- LacZ* gene 258–62
- Landau theory 119, 124
- Langmuir–Blodgett (LB) films
  - biological membranes 96–7, 99–100, 106
  - DNA assays 431
  - redox enzymes 68
- LAPS *see* light addressable potentiometric sensors
- lauric acid 346
- layer-by-layer (LBL) assembly
  - DNA assays 424
  - electrochemical immunoassays 386
  - glucose biosensors 451–2
  - kinetic models 314–16
  - redox enzymes 71–5
- LB *see* Langmuir–Blodgett
- LBL *see* layer-by-layer
- LDH *see* lactate dehydrogenases
- light addressable potentiometric sensors (LAPS) 250, 251, 255, 262
- light-harvesting complex 15–17
- linear-sweep voltammetry (LSV) 389
- Lineweaver–Burk equation 146, 269, 292
- lipid bilayers
  - anisotropy 120–2
  - cooperativity of transitions 119
  - elastic bilayer model 122–3
  - EPR/NMR spectroscopy 111–13, 119
  - interbilayer interactions 109–11
  - lyotropic transitions 116
  - mechanical properties 120–7
  - membrane potentials 130–2
  - molecular dynamics 109, 111–16
  - optical spectroscopy 113–16
  - order parameters 118–19
  - phase transitions 116–20, 126
  - protein–lipid interactions 123–7
  - redox enzymes 68–71
  - structural parameters 108–9, 110
  - thermotropic transitions 116–17
  - trans–gauche* isomerization 117–18
  - transport mechanisms 135–6
  - X-ray diffraction 108–9
- lipid monolayers
  - biological membranes 87, 95–100, 129–30
  - membrane potentials 129–30
  - $\pi$ -A isotherms 98–9
  - properties 97–100
  - surface tension 96–7
- lipid-film coated electrodes *see* supported bilayer lipid membranes
- lipoamide dehydrogenase 55
- lipopolysaccharides (LPS) 88
- liposomes
  - biological membranes 107–9, 113–14, 117–18, 129–30, 139
  - electrochemical immunoassays 386–7

- LSV *see* linear-sweep voltammetry  
luminol 172  
lyotropic transitions 116
- $\mu$ -CCA *see* microscale cell culture analog  
 $\mu$ -TAS *see* micro total analysis system  
malate dehydrogenase 179  
manganese complexes 15  
Marcus theory 42, 60–1, 63, 65  
MD *see* molecular dynamics  
mediated enzyme electrochemistry 42–57  
mediators  
  bioelectrosynthesis 331–2, 336–9, 341  
  biofuel cells 364–5  
  glucose biosensors 199, 204–5, 211  
  kinetic models 312–13  
  NAD(P)-based biosensors 165–83  
  redox enzymes 40–1, 42–3, 49–50  
Meldola blue 168, 174, 180  
membrane potentials 127–32  
  current–voltage characteristics 130–1, 136, 138  
  diffusion potentials 127  
  electrostatic potentials 127–9  
  electrostriction 131–2  
  Gouy–Chapman potentials 127–9, 131  
  measurement 129–32  
  surface potentials 127, 129–32  
MEMS *see* bio-micro-electromechanical systems  
metal coated electrodes 181–3  
metallo-immunoassays 384–6  
metallopolymer hydrogels 43–50  
metalloporphyrins 425  
methylene blue 170, 180  
methylene green 170  
10-(3'-methylthiopropyl)-isoalloxazinyl-7-carboxylic acid 170  
methylviologens 54–5, 171, 339–40, 347  
micelles 87, 89–90  
Michaelis–Menten model  
  applications 269–70  
  biosensors 268–70, 272, 276–80, 287–8, 292  
  data analysis 268–9  
  heterogeneous systems 302–17  
  homogeneous systems 287–302  
  non-steady-state 295–302  
  redox enzymes 43, 61–2  
  steady-state 268, 287  
micro total analysis systems ( $\mu$ -TAS)  
  DNA assays 435  
  electrochemical immunoassays 403  
  whole-cell biosensors 251–2, 257, 261–2  
microarrays 435–6  
microbial  
  array chips 253–4, 259–60  
  biofuel cells 363–6  
  sensors 200  
microelectrochemical enzyme transistors 51–2  
microscale cell culture analog ( $\mu$ -CCA) 257  
MiniMed system 454–5  
MIP *see* molecular imprinted polymers  
mitochondria 3–4, 6–12  
mitoxantrone (MTX) 428  
MLV *see* multilamellar liposomes  
molecular dynamics (MD) 109, 111–16  
molecular imprinted polymers (MIP) 379  
molecular wires 50–1  
molybdenum complexes 64  
monensin 137  
monooxygenases 334, 343  
MP-11 dithiol 371  
MTX *see* mitoxantrone  
multilamellar liposomes 107, 108–9, 113  
multilayer surfactant bilayer films 69–71  
multiwalled carbon nanotube (MWCNT) electrodes 67  
mushroom tyrosinase 220–1, 224, 228–31, 234–6  
MWCNT *see* multiwalled carbon nanotube
- N-methylphenazinium 171, 174, 180  
NAD(P) + /NAD(P)H  
  bioelectrosynthesis 333–4, 337–43, 345–8  
  biofuel cells 367–8  
  electron transport chains 1, 6–9, 12–15, 19–22, 25–7, 31–2  
  glucose biosensors 200, 461  
  kinetic models 280  
  phenolic biosensors 225  
  redox enzymes 51–7, 65–6  
  redox processes 157–9, 161–5  
  structure 22, 157–8  
  whole-cell biosensors 252  
NAD(P)-based biosensors 157–98  
  adsorption effects 160–1  
  amphoteric sensors 175–9  
  biological membranes 183–4  
  carbon paste electrodes 183, 184–5  
  construction 183–5  
  cross-linking 184  
  electrochemistry 159–63  
  electropolymerisation 183  
  gold nanoparticles 183  
  mechanism and kinetics 161–5  
  mediators for electrocatalysis 165–83  
  metal coated electrodes 181–3  
  nylon nets 184  
  polymer films 184  
  redox processes 157–9, 161–3  
  self-assembled monolayers 185  
  soluble cofactors 163–5  
Nafion coatings 339, 348, 457  
nanobioelectrochemistry 67  
nanomaterials 67–8, 183, 433–5  
naphthol green 169  
Nernst diffusion layers 275, 296, 303, 305, 310  
Nernst potentials 127

- Nernst–Planck equation 134, 138  
netropsin 428  
nickel complexes 173–4, 181  
nicotinamide adenine dinucleotides *see* NAD(P)+/NAD(P)H;  
NAD(P)-based biosensors  
Nile blue 169, 180  
nitrate reductases 64  
nitro-fluorenone derivatives 170  
nitroimidazoles 429  
NMR *see* nuclear magnetic resonance  
non-steady-state enzyme kinetics 295–302  
nonactin 137  
nordihydroguaiaric acid 168  
nuclear magnetic resonance (NMR) 111–13, 119, 136  
nucleic acid hybridisation assays 434  
numerical simulations 280–6  
nylon nets 184
- OCV *see* open circuit voltage  
ODH *see* oligosaccharide dehydrogenase  
ODN *see* oligodeoxynucleotides  
ohmic overpotential 361–2  
oligodeoxynucleotides (ODN) 430, 435–6  
oligoprolin bridges 29–30  
oligosaccharide dehydrogenase (ODH) 223, 226–7, 233, 238  
on-chip gene engineering 251–2, 257, 261–2  
Onsager equation 137  
open circuit voltage (OCV) 360–2, 366  
open microflow monitoring 458–60  
open-loop glucose control 443  
optical spectroscopy 113–16  
order parameters 118–19  
osmium complexes  
DNA assays 424  
electron transport chains 30  
kinetic models 299–300, 302, 314–16  
NAD(P)-based biosensors 173–4, 181  
phenolic biosensors 236  
redox enzymes 44–6, 48–50  
overpotential 361–2  
oxidases  
bioelectrosynthesis 334, 342  
phenolic biosensors 220–5, 229–36  
oxidoreductases 1, 366–9  
8-oxoguanines 415–16, 423–4  
oxygenases 220–5, 229–36, 334, 343
- $\pi$ -A isotherms 98–9  
*p*-aminophenol (PAP)  
electrochemical immunoassays 380–1, 384, 388,  
397–8, 400, 403  
whole-cell biosensors 258  
*p*-aminophenyl  $\beta$ -D-galactopyranoside (PAPG) 258–9  
PAA *see* poly(allylamine)  
PAD *see* pulsed amperometric detection  
PAIT *see* pulsed-accelerated immunoassay technique  
palmitoylcholinephosphatidylcholine (POPC) 93  
PAN *see* poly(aniline)  
PAP *see* *p*-aminophenol  
PAPG *see* *p*-aminophenyl  $\beta$ -D-galactopyranoside  
parallel plate cells 330  
passive diffusion 134–5  
PEM *see* polymer electrolyte membrane  
PEO *see* poly(ethylene oxide)  
peripheral proteins 88, 94  
permeability coefficients 134  
peroxidases (POD)  
electrochemical immunoassays 380–2, 384, 391–3, 397–8  
kinetic models 286  
phenolic biosensors 222, 224–5, 229, 231, 233–5  
*see also* horseradish peroxidase  
1,10-phenanthroline-5,6-dione 173, 181  
phenol hydroxylase 222, 225, 228  
phenolic biosensors 219–48  
applications 237–41  
catecholamines 239–41  
design requirements 227–37  
electrocatalysis 229–37  
enzymes 220–7  
flow cells 237–8  
immobilization methods 231, 236  
oxidases/oxygenases 220–5, 229–36  
oxygen consumption 227–9  
prevalence of phenolic compounds 219–20  
reducing enzymes 225–7, 236–7  
selectivity 229  
sensitive label detectors 238–9  
sensitivity 229, 236, 240  
stability 229, 240  
waste water treatment 237–8  
phenothiazines 171, 180, 429  
phospholipids  
biological membranes 90–4, 103  
electron transport chains 23–5  
structure 23–5  
photopolymerizable materials 206  
photosynthesis  
bacteria 18–19  
chemiosmosis 3–4  
cytochrome *bf* complex 14–17  
electron transport chains 6, 12–19  
light-harvesting complex 15–17  
photosystem I 13–15, 17–18  
photosystem II 13–16  
physical reception 140  
piezoelectric detectors 394  
plasmalogens 93  
plastocyanin 15–17, 22, 27, 31  
Plateau–Gibbs border 100–2  
platinum complexes 425  
POD *see* peroxidases  
poly vinyl alcohol (PVA) 456

- poly(adenylic acid) 172  
poly(allylamine) (PAA) 48–9  
poly(aniline) (PAN) 49, 51–3, 173, 206  
polyclonal antibodies 379  
polyelectrolyte labels 387, 391  
poly(ethylene oxide) (PEO) 446, 449, 452  
polyindole 49  
polyion films 71–5  
poly(lysine) 71  
polymer electrolyte membrane (PEM) fuel cells 1, 11  
polymer films 184  
poly(*N*-vinyl imidazole) (PVI) 45  
polynomial curve fitting 283  
polyphenoloxidase 221  
poly(pyrrole) (PPy) 49–52, 172, 206  
poly(styrenesulfonate) (PSS) 51, 73  
poly(thiophene) 49, 206  
poly(vinylpyridine) (PVP) 44–5, 49  
POPC *see* palmitoyloleyphosphatidylcholine  
porins 6  
porphyrins 28  
potentiometry  
    electrochemical immunoassays 390–1  
    glucose biosensors 201  
    whole-cell biosensors 250, 251, 255, 262  
PPy *see* poly(pyrrole)  
PQQ *see* pyrroloquinoline quinone  
pre-formed membranes 205  
probing DNA interactions 422–30  
prokaryotes 2–3, 6, 12  
protein biocompatibility 446–7, 448  
protein-film voltammetry 40, 41–2, 58–61, 64  
proton motive force 3–5  
PSS *see* poly(styrenesulfonate)  
pulse voltammetry 389  
pulsed amperometric detection (PAD) 388  
pulsed-accelerated immunoassay technique (PAIT) 388–9  
putidaredoxin 57–8  
PVA *see* poly vinyl alcohol  
PVI *see* poly(*N*-vinyl imidazole)  
PVP *see* poly(vinylpyridine)  
pyrocatechol sulfonephthalein 167  
pyrroline-2-carboxylate dehydrogenase 159  
pyrophosphatase 5  
pyrroloquinoline quinone (PQQ)  
    biofuel cells 369, 371  
    glucose biosensors 210  
    kinetic models 303  
    NAD(P)-based biosensors 180–1  
    phenolic biosensors 225  
    redox enzymes 51–2, 66  
pyruvate 6–7  
  
QCM *see* quartz-crystal microbalance  
QH-ADH *see* quinone-hemoprotein alcohol dehydrogenase  
quantitative structure–activity relationships (QSAR) 430, 436  
  
quantum dots 434  
quartz-crystal microbalance (QCM)  
    electrochemical immunoassays 394  
    redox enzymes 48, 66, 73–4  
quercetin 425–6  
quinone-hemoprotein alcohol dehydrogenase (QH-ADH) 51–2  
quinones  
    electron transport chains 7–10, 13–18, 19–20  
    NAD(P)-based biosensors 167–8, 180–1  
    phenolic biosensors 220, 223, 225–6, 228–30, 236–41  
    structures 20  
  
RBC *see* red blood cells  
RC *see* reaction center  
RDV *see* rotating-disc voltammetry  
reaction center (RC) enzymes 71  
reactive oxygen species (ROS) 423–6, 428  
real-time glucose monitoring 443  
real-time *in situ* hybridisation 431  
receptors 139–42  
red blood cells (RBC) 210  
redox dyes 168–70, 180  
redox enzymes 39–85  
    adsorbed/coadsorbed monolayers 63–5  
    antigen–antibody assemblies 46–8, 49  
    carbon nanotube electrodes 67–8  
    chemical regeneration 53–4  
    conducting polymers 49–52  
    covalent bonding to electrodes 65–7  
    cyclic voltammetry 48, 58–61, 66, 70, 74  
    direct electron transfer 57–75  
    direct enzyme electrochemistry 41–2  
    electrochemical regeneration 54–5, 56  
    electrochemistry 39–85  
    electron mediation 42–3  
    entrapped mediators 49–50  
    enzymatic regeneration 55–6  
    enzyme-film voltammetry 58–63  
    enzymes in solution 57–8  
    historical development 39–40  
    layer-by-layer film assembly 71–5  
    lipid bilayer films 68–71  
    mediated enzyme electrochemistry 42–57  
    metallopolymer hydrogels 43–50  
    microelectrochemical enzyme transistors 51–2  
    molecular wires 50–1  
    NAD(P)H/NAD(P)<sup>+</sup> dependent enzymes 51–7, 65–6  
    photochemical regeneration 53–4, 56–7  
    polyion films 71–5  
    protein-film voltammetry 40, 41–2, 58–61, 64  
    regeneration of NAD(P)<sup>+</sup> 55–7  
    regeneration of NAD(P)H 53–5  
    rotating-disc voltammetry 61, 62  
    self-assembled monolayers 65–7, 72–3  
    soluble mediators 40–1, 42–3  
    square-wave voltammetry 61–3, 69

- stereo/regioselectivity 55–6, 74–5
- styrene epoxidation 74–5
- redox potentials 25–7
- redox proteins 1, 39
- regeneration enzymes 333–5, 338, 341, 348
- reverse transfection-type microarrays 261–2
- riboflavin 172
- Rieske complexes 24
- ROS *see* reactive oxygen species
- rotating disc electrodes 271
- rotating-disc voltammetry (RDV) 61, 62
- ruthenium complexes
  - DNA assays 424–5
  - electron transport chains 28, 30–1
  - NAD(P)-based biosensors 173–4, 181
- SAM *see* self-assembled monolayers
- sandwich assays 397–8
- sBLM *see* supported bilayer lipid membranes
- scanning electrochemical microscopy (SECM) 403
- scanning tunnel microscopy (STM) 419
- SECM *see* scanning electrochemical microscopy
- secreted placental alkaline phosphatase (SPAP) 259
- self-assembled monolayers (SAM)
  - biological membranes 143, 147
  - DNA assays 431, 433
  - NAD(P)-based biosensors 185
  - redox enzymes 65–7, 72–3
- sensing DNA interactions 422–30
- sensitive label detectors 238–9
- SERS *see* surface enhanced Raman spectroscopy
- single nucleotide polymorphism (SNP) 435
- single strand DNA (ssDNA) 412, 414–16, 417–22, 428, 430–4
- single walled carbon nanotube (SWCNT)
  - electrodes 67–8
- slow electron exchange 39, 57
- smell reception 142
- Smulochovsky equation 130
- SNP *see* single nucleotide polymorphism
- sodium cholate 94
- sodium dodecylsulfate 94
- sol-gel matrices 205
- soluble cofactors 163–5
- sorbitol dehydrogenase 177
- SPAN *see* sulfonated polyaniline
- SPAP *see* secreted placental alkaline phosphatase
- spectrin 94–5
- sphingophospholipids 90–1
- spinach photosystem I enzyme 60
- square-wave voltammetry (SWV) 61–3, 69
- ssDNA *see* single strand DNA
- steady-state enzyme kinetics 268, 287
- steroids 346
- sterols 92
- STM *see* scanning tunnel microscopy
- streptavidin
  - biological membranes 143, 144
  - DNA assays 432, 434
- structural proteins 94–5
- styrene epoxidation 74–5
- substrate-limited kinetics 313
- succinate 7, 9
- succinate reductases 64
- sugar dehydrogenases 334
- sugar oxidation 344–5, 414
- sugar reductases 334
- sulfite reductase 159
- sulfonated polyaniline (SPAN) 51
- supported bilayer lipid membranes (sBLM) 142–7
  - applications 143–7
  - dielectric relaxation 132–3
  - functional macromolecules 142–3
  - immobilized enzymes 144–7
  - structure 95, 106–7
  - transport mechanisms 139, 144
- surface charge 128–9, 201
- surface coagulation cascade 446–7
- surface enhanced Raman spectroscopy (SERS) 419
- surface potentials 127, 129–32
- SWCNT *see* single walled carbon nanotube
- SWV *see* square-wave voltammetry
- symporters 137
- taste reception 142
- TCNQ *see* tetracyanoquinodimethane
- telomeres 412
- tethered bilayer lipid membranes (tBLM) 107
- tetracyanoquinodimethane (TCNQ) 171, 174, 181
- 3,3'-5,5'-tetramethylbenzidine (TMB) 397–8
- tetraminophthalocyanine complexes 173
- tetrathiofulvalene (TTF) 174, 181
- thermotropic transitions 116–17
- thin-film approximation 313–14
- thionine 170
- thioredoxins 69
- thylakoid membranes 13–15, 17, 24
- tissue biocompatibility 449–50
- titration case 314
- TMB *see* 3,3'-5,5'-tetramethylbenzidine
- toluidine blue O 169
- trans-gauche* isomerization 117–18
- transmembrane potential 3–5
- transport mechanisms
  - active transport systems 139
  - biological membranes 133–9
  - carriers 137, 144
  - facilitated diffusion 135–7
  - ion channels 136–7, 144
  - mechanisms 137–9
  - passive diffusion 134–5
- transverse elasticity modulus 120–1

- 2,4,7-trinitro-9-fluorenone 182
- triple helix DNA 412, 429
- Triton X-100 94
- trumpet plots 61–2
- TTF *see* tetrathiofulvalene
- tubular cells 330–1
- tubulin 94–5
- tyrosinases 220–1, 224, 226, 228–31, 234–9
  
- ultrafiltration 342
- UMV *see* unilamellar liposomes
- unactivated C–H bonds 345–6
- undivided parallel plate cells 330
- unilamellar liposomes 107, 113–14, 117–18
- uniporter carriers 137
- urate 44–5
- ureases 380, 383
  
- valinomycin (VAL) 137
- vesicles *see* liposomes
- viologens
  - bioelectrosynthesis 339–40, 347
  - biofuel cells 368
  - NAD(P)-based biosensors 171
  - redox enzymes 54–5
- voltammetry
  - DNA assays 413, 415–18, 426–9, 436
  - electrochemical immunoassays 388–90
  - redox enzymes 40, 41–2, 58–63, 64, 69
  - see also* cyclic voltammetry
- volume compressibility modulus 120–2
  
- waste water treatment 237–8
- whole-cell biosensors 249–66
  - amperometric sensors 255–6
  - bio-micro-electromechanical systems 250–1, 255–7
  - cellular functions 252–4
  - gene engineering 251–2, 257–62
  - gene-modified bacteria 257–9
  - high-throughput screening 260–1
  - impedance sensors 255–6
  - in vitro* cell cultures 256–7
  - lab-on-a-chip 251–2, 257, 261–2
  - microbial array chips 253–4, 259–60
  - potentiometric sensors 250, 251, 255, 262
  - principles 249–51
  - redox reactions 252–3
  - reverse transfection-type microarrays 261–2
  - selectivity 256
  - transcriptional responses 259–60
  
- X-ray diffraction (XRD) 108–9
  
- yeast 1-isocytochrome (YCC) 65
- yeast two-hybrid (YTH) bioassays 258–9, 260
- Youngs moduli of elasticity 120–2
  
- Z-DNA 411
- zinc complexes 173