

## INDEX

- addiction, fears of, 32–33, 34, 35
- adjunct therapies, 38
- advance directive, 59–71  
nursing homes and, 149  
Web site for, 62  
*See also* health care agent; living will
- African Americans, 14, 31, 67
- alternative medicine, 38
- American Academy of Child and Adolescent Psychiatry, 143
- American Hospice Foundation, 141
- American Medical Association, 93, 169
- anger  
alleviation tools for, 28  
as expression of child's mourning, 140, 143  
diagnosis and, 38  
grief and, 183, 184, 188  
suicide and, 170
- anniversary blues, 185
- antidepressants, 170, 172–73
- anxiety, 23, 38, 40, 94, 190  
in children, 133  
therapy for, 107  
traumatic death and, 192
- assisted dying, arguments against, 169–73
- bereavement. *See* grief
- Bergman, William, 33
- blame, 184
- Blue Cross/Blue Shield, 176–77
- British hospice movement, 28, 48
- burnout, caregiver, 123
- Byock, Ira, 32
- cancer, 21, 39  
in children, 134–35  
counseling for, 109  
fear and, 66, 99–100  
hospice care and, 46, 51  
living with, 193, 194, 195  
openness about, 104–6  
pain management for, 31
- cardiovascular resuscitation, 163–67
- caregivers, 94, 121–30  
children as, 143–44  
emotions of, 107  
hospice, 52, 54–55, 121–22, 126, 127  
of ill children, 136  
“informal,” 148–49  
support services for, 43–44, 48, 128–29
- Carter, Rosalynn, 124–25
- Carter Institute, 124, 125, 129

- Center for Medicare and Medicaid, 50
- Chalfant, Henry and Kathy, 83–85
- chaplains. *See* clergy
- chemotherapy, 40, 43, 46
- children, 131–46
  - as caregivers, 143–44
  - comfort for, 144–46
  - grief over death of, 187–92
  - mourning by, 131, 139–44, 183
  - palliative care for, 132–36, 145–46, 175–79
- Christ, Grace, 143, 190
- chronic illness, 9, 12, 21
  - in children, 131, 132–33
  - dealing with, 29–30, 99, 101, 193–200
  - denial and, 17
  - emotional support for, 106–11
  - emotional turmoil and, 98–99
  - family caregiver and, 121–30
  - financing of, 176–79
  - living full life despite, 193–200
  - misunderstood meaning of, 66, 157
  - openness about, 106
  - physical symptoms and, 37
  - quality of life and, 25, 29–30
  - recurrence of, 20, 159–61, 162
  - spiritual support for, 111–18
  - treatment for, 19–20, 158–59
- Clear Creek Care Center (Colo.), 151
- clergy, 30, 43, 52, 54, 93, 97, 113–18
- closure, 103, 110
- communication
  - about advance directives, 63
  - breakdown in, 65–68
  - about diagnosis, 156–58
  - with doctor, 13–16, 23, 24, 63–69, 100, 117–18, 156–58
  - of end-of-life wishes, 23–26, 61–63, 64–71, 102–4
  - about existential concerns, 112
  - with family, 23, 25, 26, 36, 61, 99–104
  - of grief, 186
  - by health care agent, 91–95
  - with health care agent, 78–85
  - hope from, 99
  - with ill children, 131
  - improvement of, 68–70
  - medical jargon as barrier to, 67, 69, 117–18, 158
  - with mourning children, 131
  - about painful issues, 67–68
  - pain control as interfering with, 30, 36
  - about surgery, 160
- community case management, 177, 199
- “complicated bereavement,” 182
- counseling, 51, 94, 106–9, 190
  - adjunct therapies, 38
  - grief, 29, 43, 44, 51, 136, 191
  - palliative care and, 38*See also* psychologists/psychotherapy
- coworkers, 104–6
- CPR, 163–67
- crying, 110, 141, 183–84, 188, 189
- cultural misperceptions. *See* values
- death. *See* dying and death
- death rate, 48
- decision making, 87–90
- denial, 17, 98, 99, 182
  - about child’s serious illness, 135
  - male vs. female, 5
  - of medical personnel, 28
  - mourning vs., 141
- depression
  - in children, 133, 143
  - diagnosis and, 38
  - end-of-life treatment and, 28
  - extended mourning and, 182, 184, 190
  - therapy for, 107, 108

- traumatic death and, 192
- diagnosis, 19, 155–58, 162
- emotions and, 38, 118–19, 155–56
- living with, 193–200
- openness about, 104–6
- understanding of, 69–70, 159
- discomfort. *See* physical comfort
- DNR (“do not resuscitate”) order, 60, 68, 163–67
- doctors. *See* physicians
- drug addiction, 32–33
- drugs. *See* antidepressants; pain management
- Duke University Institute on Care at the End of Life, 14
- dying and death, 21–26
- child’s awareness of, 136, 137–39
- conversations about, 61–62
- DNRs and, 164–67
- emotional turmoil and, 98–99, 111
- family visitation and, 45, 103
- finality of, 182
- “good-byes” and, 182, 183
- “good death” and, 5, 30
- grief and, 109–10, 181–92
- at home, 11, 60, 147
- ICU drawbacks for, 45
- last days and, 161–62
- living while facing, 193–200
- as natural process, 40, 43
- nursing homes and, 147, 151
- preparation for, 22–24, 161–62
- spirituality and, 97, 111–18
- suicide and, 168, 169–73, 182
- See also* end-of-life decisions
- Dying Well* (Byock), 32
- Educating Physicians about End of Life Care (EPEC), 18, 93
- elder abuse, 33
- elderly. *See* older people
- ELNEC (End of Life Nursing Education Consortium), 13, 93
- Emanuel, Linda, 18, 40, 55, 93, 101, 185, 189–90, 195–96
- emotional comfort, 15, 38–41, 45, 97–111, 170
- laughter and, 38, 39–40, 118, 145–46, 189
- sources of, 106–11
- See also* spiritual support
- emotions, 15, 17–18, 25, 28, 51, 98–99, 106
- assisted dying and, 170–71
- of caregivers, 107, 122, 123–25
- concerns about children and, 131–32, 133
- counselors for, 94
- diagnosis and, 38, 118–19, 155–56
- expressions of forgiveness and, 102–3
- gender differences in expressing, 67–68, 110, 185
- mourning and. *See* grief
- palliative care for, 38–41, 43
- See also specific emotions*
- EMS (emergency medical system), 163–64, 165
- end-of-life decisions, 11–20, 50, 51, 161–63, 193–200
- advance directive and, 59–71
- assisted dying and, 168, 169–73
- by children, 136–39
- for children, 133–39
- communication about, 23–26, 61–62, 64–71, 80–85, 102–4
- considerations in making, 22–24, 60, 79, 161–62
- DNRs and, 60, 68, 163–67
- emotional and spiritual, 97–119
- gender differences in, 5–9
- goal changes and, 85

- end-of-life decisions (*continued*)  
 health care agent and, 63, 73–85,  
 87–96, 199  
 hope and hopelessness and, 98–99,  
 188  
 lack of planning and, 18–19  
 misinformation and, 163  
 patient's control of, 23, 25  
 physician education about, 92–93  
 priority identification and, 59–61  
 quality of life and, 28–29, 46–47,  
 198–200  
*See also* hospice; palliative care
- End of Life Nursing Education  
 Consortium (ELNEC), 13, 93
- EPEC (Educating Physicians about End  
 of Life Care), 13, 40
- ethics, 55, 56, 67, 169–70
- euthanasia. *See* assisted dying
- family  
 advanced directive disregard by, 95–96  
 assisted dying and, 170–71  
 child's mourning and, 139–42  
 child's palliative care and, 134–36  
 closure and, 103, 110  
 comfort from, 38, 41, 112, 114,  
 115–19  
 communication with, 23, 25, 26, 36,  
 61, 99–104  
 diagnosis and, 158  
 dying child's awareness and, 136–39  
 farewells and reconciliations with, 45,  
 102–3, 182  
 grief and, 109–10, 181–85, 187–92  
 hospice and, 46–54, 98  
 living will/medical proxy and, 63,  
 70–71, 74, 76  
 as sole caregivers, 121–22, 123  
 as support team members, 30, 43, 53,  
 102–4
- fatigue, 28, 43, 123  
 of caregiver, 136
- fears, 23, 28, 38, 66, 182  
 of children, 136, 141  
 communication of, 99–100, 109  
 of family caregiver, 23  
 traumatic death and, 192  
 treatment and, 158–59
- feeding/hydration tubes, 165–68
- Ferrell, Betty, 26, 49, 93
- Fidelity, Wisdom & Love* (project), 83
- finances, 60, 108, 175–79  
 end-of-life planning and, 16, 25  
 hospice coverage, 50, 52–53  
 palliative care recognition of, 44, 136  
*See also* health insurance; Medicare
- Fins, Joseph J., 83
- Five Wishes, 62
- flexible administration of benefits plan,  
 177–78
- Fredholm, Leigh, 32–33, 41
- friends, 26, 99, 100, 189–90  
 as health care agent, 76  
 hospice and, 46, 47, 48
- gender differences  
 in approach to illness, 5–9, 31  
 in emotional expression, 67–68, 110,  
 185  
 in fears of death, 67  
 in grief expression, 110, 185  
 in health care agents, 90  
 in nursing home residents, 148  
 in pain treatment, 31  
 as primary caregivers, 122, 123,  
 125–29
- Giving Voice to Sorrow* (Zeitlin and  
 Harlow), 137
- “good death,” 5, 30
- Granet, Roger, 94
- grief, 107, 109–10, 181–92

- of children, 131, 139–44, 183
- child's vs. adult's expression of, 139–40
- complications from, 190–91
- duration of, 181, 182, 187, 190
- importance of, 182–83
- male vs. female expression of, 110, 185
- of patient, 185–86
- signs of, 183–85
- working through, 187
- grief counseling, 29, 43, 44, 51, 136, 191
- guilt
  - of children, 142–43
  - of family caregiver, 123
  - grief linked with, 184
  - of medical personnel, 28
- Harlow, Ilana, 137
- healing, 182
  - definition of, 28
- Healing the Rift Within* (Mulder), 42
- Health and Human Services (HHS), 22–23, 65, 152
- health care agent, 62, 63, 73–85, 87–96, 199
  - choice considerations, 76–78
  - communication with medical team by, 91–95
  - DNR and, 164, 165, 167
  - gumption needed by, 75, 89
  - qualifications for, 75–76, 90–91
  - reason for, 74
  - for surgery patient, 160–61
  - talking with, 78–85
  - theoretical situations and, 81–82
- health insurance, 16, 176–79
  - flexible administration of benefits, 177–79
  - hospice coverage by, 49–50, 51, 52–53
  - See also* Medicare
- Hispanics, 14, 67
- holistic care, 48
- home
  - caregivers at, 121–30
  - death at, 11, 60, 147
  - hospice care at, 46–48, 52, 97–98, 121–22, 125, 126
  - old people's care at, 148
- home health aide, 51
- hope and hopelessness, 52, 98–99, 184, 188
- hospice, 11, 37, 45–57, 199
  - advantages of, 48, 55–57
  - barriers to use of, 49–50
  - caregivers, 52, 54–55, 121–22, 126, 127
  - changed perception of, 55
  - for children, 179
  - facts about, 50–54
  - insurance coverage of, 49–50, 51, 52–53, 121, 179
  - meaning of, 46–47
  - misconceptions about, 49–50
  - origin and goal of, 28–29, 48
  - services offered by, 51, 97–98, 113, 126
  - settings for, 46, 47, 52, 54
  - six-months rule for, 49–50, 179
  - timing of, 162
- hospitals
  - death percentages in, 147
  - DNRs and, 164, 165
  - emotional therapy and, 38, 39
  - health care agents and, 74
  - hospices on-site, 52, 54
  - living wills and, 73–74, 88
  - nursing care in, 37
  - pain monitoring in, 31, 33, 35–36
  - patient relations department in, 94
  - patient's choices in, 30
  - pediatric palliative care by, 134–35
  - spiritual care provisions in, 113

- hospitals (*continued*)  
 tips for surgery patients in, 160–61  
 humor. *See* laughter
- ICUs. *See* intensive care units  
 “I’m going crazy” feelings, 184  
 infant deaths, 192  
 insomnia, 143  
 Institute of Medicine, 132, 175–76  
 insurance. *See* health insurance;  
   Medicare  
 intensive care units (ICUs), 11, 12, 41,  
   45  
 intravenous drip, 34, 35, 36
- Joint Commission on Accreditation of  
 Healthcare Organizations, 31, 44  
 Jonsson Cancer Center, UCLA, 145–46  
 Judaism, 169, 181
- “keeping going,” 194–95
- Last Acts Partnership, 5, 11, 33, 149,  
   198  
   child palliative care and, 132–33,  
   135–36  
   DNRs and, 164–65  
   Web site, 62  
 last days or hours, 161–62  
 Lattanzi-Licht, Marcia, 187–88, 189,  
   190  
 laughter, 38, 39–40, 118  
   children and, 145–46  
   grief and, 189  
 lawyers, 62  
 Levine, Carol, 122  
 life review, 29, 97, 111  
 life support, 84, 165–68  
   removal from, 165–66  
 Lister, Liza, 137–39  
 living will, 62–63, 70–71, 73  
   DNR and, 164  
   nursing homes and, 149  
   surgery patient and, 160  
   *See also* health care agent  
   *Living with Grief* (book), 141–42  
 Loffin, Shirley, 122–23, 128–29  
 London, Gwendolyn, 14, 67  
 loneliness, 9, 61  
 long-term care insurance, 16  
 long-term care state ombudsmen, 152  
 long-term illness. *See* chronic illness  
 Lukas’s Story, 35–36, 39–40, 66, 99–100,  
   103–104, 106, 107–109, 116–118,  
   123–124, 156, 156–157, 158–159,  
   159–160, 166–167, 198  
 Lynn, Joanne, 24
- “magical thinking,” 142  
 manila envelope, 160–62, 162  
 massage, 38  
 meaning of life, 29, 97, 111–12  
 Medicaid, 50, 175  
 medical power of attorney. *See* health  
   care agent  
 medical schools, 12, 13, 14, 28, 113  
 medical system, 12–20, 23  
   advance directives and, 64–68  
   CPR use by, 165  
   health care agent communication with,  
   91–94  
   hospice concept and, 48  
   improved communication with, 68–70  
   jargon of, 67, 69, 117–18, 158  
   obstacles to good care by, 12–15  
   pain monitoring by, 31, 35–36  
   palliative care and, 28–29, 41–43  
   patient’s emotions and, 40  
   spiritual provisions by, 113  
   *See also specific components*  
 Medicare, 16, 175  
   caregiver coverage, 125

- hospice benefits, 49–50, 51, 52–53, 54, 121, 126
- nursing homes and, 150, 152, 153
- outpatient reimbursement, 107–9
- Web site, 152
- medications. *See* pain management; *specific types*
- Meier, Diane, 54
- Memorial Sloan-Kettering Cancer Center, 38, 39–40
- men. *See* gender differences
- mental state, 36
- mercy killing. *See* assisted dying
- Meshenberg, Kathryn, 5, 101–2, 127–28, 195–96
- Meshenberg, Mike, 127–28
- mind-body therapies, 38
- money. *See* finances
- Moretti, Anna, 45, 49, 50, 52, 53
- morphine, 32, 34, 135
- mortality. *See* dying and death
- mourning. *See* grief
- National Hospice Work Group, 56
- nausea, 37, 40, 43
- non-hospital DNR orders, 165
- numbness, feelings of, 184, 192
- nurse practitioners, 37
- nurses, 92–93
- hospice care by, 48, 51, 52, 55
  - pain monitoring by, 31, 35–36
  - palliative care by, 30, 37
  - training of, 13, 28, 93
- Nursing Home Compare* (Medicare database), 152, 153
- nursing homes, 52, 147–53
- check points for, 152
  - DNRs and, 167–68
  - facts vs. myths about, 147–48
  - health care agents and, 74, 89
  - living wills and, 88
  - percentage of deaths in, 147
  - residents' pain in, 12, 31, 149–50
  - shortcomings of, 149–51
- nursing schools, 13, 28
- nutrition, artificial, 165–68
- nutritional counseling, 38, 51
- older people, 21
- disregard of advance directives for, 88–90
  - DNR orders and, 68
  - home care for, 148
  - painkillers and, 12, 31, 33
  - See also* nursing homes
- opioids, 32–33, 34
- Oregon, 173
- Oxycontin, 33
- pain, 12, 24, 27, 30–36, 37
- as assisted dying motive, 170
  - child's experience of, 132, 133, 135
  - control of. *See* pain management
  - costs of negative effects of, 31, 40
  - emotional comfort and, 38–41, 118
  - as end-of-life concern, 25
  - gender differences concerning, 5, 6, 8, 9, 31
  - sufferer percentages, 31
- pain, emotional. *See* emotions;
- emotional support
- pain management, 24, 30, 31–36, 43, 44
- asking about, 160
  - for children, 132–34, 135
  - cultural misperceptions and, 14
  - as hospice emphasis, 48, 51, 98
  - myths about, 32–33
  - nursing home deficits in, 12, 31, 149–50
  - patient's participation in, 30, 34–36, 60, 61

- pain management (*continued*)  
 as patient's right, 31, 44  
 vs. assisted dying, 170
- palliative care, 27–44, 199  
 for children, 132–36, 176–79  
 definition of, 20  
 dilemmas of, 30  
 emotional/spiritual comfort and, 38–41  
 family role in, 43, 53  
 financing of, 175–79  
 hospice origins of, 45–46. *See also*  
 hospice  
 as interdisciplinary, 29  
 nursing home deficits in, 149  
 objectives of, 27, 36, 38–41, 43, 135  
 summation on, 43–44  
 team components, 30, 37, 43, 113  
*See also* pain management
- pastoral counseling. *See* clergy
- patient-doctor communication. *See*  
 physicians
- patients' rights, 31, 44
- Peaceful Dying* (Tobin), 94
- pediatric palliative care. *See* children
- Percocet, 34–35
- personal care, 44, 148, 189
- pharmacists, 30, 33
- Phelan, Georgiana, 134–35, 136
- physical comfort, 30–33, 37, 38  
 as palliative care priority, 43, 135  
*See also* pain management
- physical therapy, 48, 51
- physicians  
 advance directives and, 63, 64–66, 69,  
 70, 88, 90  
 assisted dying and, 169–70  
 choices for patients made by, 68, 74  
 communication breakdown with,  
 15–16, 65–68  
 communication with, 13–16, 23, 24,  
 63–69, 100, 117–18, 156–58  
 difficulty giving bad news by, 49, 66,  
 163  
 DNRs and, 164–65, 167  
 end-of-life care and, 23, 24, 49,  
 63–71, 163  
 end-of-life education effort for, 92–93  
 grief of, 186  
 health care agents and, 74, 92  
 hospice suggestion by, 49, 51, 53, 54  
 as hospice team member, 52, 55  
 medical jargon use by, 67, 69, 117–18,  
 158  
 pain management and, 31–33, 34–35  
 pain monitoring by, 31, 35–36  
 palliative care team and, 30, 54  
 palliative care views of, 41–43  
 spiritual concerns and, 113
- Pinderhughes, Stacie, 101
- political advocates, 109, 129–30
- Portenoy, Russel K., 27
- post-traumatic stress disorder, 191–92
- Preodor, Michael, 24, 42–43, 115
- "*Precepts of Palliative Care for Children,*"  
 132
- priorities, 59–61
- private insurance. *See* health insurance
- prognosis, 19
- proxy (agent). *See* health care agent
- psychologists/psychotherapy, 30, 43,  
 98, 99  
 for caregivers, 128  
 for child palliative care, 135  
 for grief, 189, 191  
 for post-traumatic stress disorder, 192  
 reasons for/benefits of, 107–9
- PTSD (post-traumatic stress disorder),  
 191–92
- quality of life, 1, 11, 12–13, 24–25,  
 28–33  
 connotation of, 29

- at end of life, 198–200
  - at home vs. nursing home, 148
  - hospice and, 45, 46–47, 48, 50
  - pain management and, 31–36
  - palliative care's enhancement of, 38
  - personal determination of, 25, 61
  - physical comfort and, 30–33
- Radio and Television News Directors Association, 68
- rage, 184
- recurrence, 20, 159–61, 162
- religion
  - assisted dying and, 169
  - DNRs and, 166
  - mourning and, 181
  - rituals and, 114, 189
  - See also* clergy; spiritual comfort
- remission, 20, 195
- respirator, 165–66
- respite, 158
- resuscitation, 73–74
- Robert Wood Johnson Foundation, The
  - 73, 132, 149, 150, 176–77
- Russell, Abby, 39
- “sandwich generation,” 125
- Saunders, Dame Cecily, 48
- “second life,” 194–98
- second opinion, 17
- Seeger, Pete, 103
- self-help groups. *See* support groups
- September 11 attack, 191
- skin care, 43
- Sloan-Kettering Cancer Center, 38, 39–40
- social workers, 30, 43, 48, 51, 52, 106, 108–9
  - end-of-life care questions and, 93–94
- spiritual support, 41, 43, 45, 97–119
  - for child, 135
  - dialogue and, 115–18
  - end-of-life questions and, 93
  - grief and, 182
  - hospice and, 47, 48, 51, 55, 113
  - meaning of “spiritual” and, 111–12, 113
  - sources of, 113–15
  - See also* clergy
- staging, definition of, 157
- stoicism, 183, 185
- Stone, Neil, 41
- storytelling, 144–45
- stress, 94, 123–25, 191–92
- suffering. *See* emotional comfort; pain management
- suicide, 168, 169–73, 182
- support groups, 130, 189, 190–91
- surgery, hints for handling, 160–61
- surrogate. *See* health care agent
- Surviving Cancer Emotionally* (Granet), 94
- symptoms, 19, 28, 37, 40, 48
- teams, 101–6, 127–28
  - emergency, 162
  - hospice care, 52, 55, 98
  - palliative care, 30, 113, 136
- terminal illness
  - assisted dying and, 169–73
  - changing mind and, 169
  - in children, 131, 134–36
  - dealing with, 100–102
  - DNRs and, 164
  - emotions and, 98–102, 106–7
  - family caregiver and, 121–30
  - financing of, 176–79
  - grief and, 181–92
  - limited goals and, 99
  - living life with, 193–200
  - pain and. *See* pain management
  - patient's grief and, 185–86

- teams (*continued*)  
  physicians and, 49, 51  
  psychological factors and, 50, 98  
  self-questioning about, 60  
  spiritual support for, 111–18  
  unpleasant symptoms and, 28  
  *See also* end-of-life decisions  
therapy. *See* psychologists/psychotherapy  
Thomas, Dylan, 110  
Tobin, Daniel R., 95–96  
tranquilizers, 160  
traumatic deaths, 133, 182, 187–88,  
  190, 191–92  
treatment, 19–20, 37, 45, 158–59. *See*  
  *also* pain management
- UCLA Jonsson Cancer Center, 145–46
- values, 14–15, 33, 34, 67, 135  
Van Roenn, Jamie, 14, 186  
ventilator, 84  
volunteers, 30, 52, 94
- Washington State, 176–77  
Wolf, Ruth, 45–46  
women. *See* gender differences  
workplace, 104–6, 129, 189  
WUWM radio station, 140–41
- Your Guide to Choosing a Nursing Home*  
  (HHS booklet), 152
- Zeitlin, Steve, 137







