

# Subject Index

- 50 : 50 beam splitter **65**
- $\sqrt{\text{NOT}}$  gate **60**
- 2-qubit gate **242**
  
- addition theorem
  - for probabilities **18**
- additivity **169**
- additivity axiom **16**
- Alice **116**
- alternative theories **42, 43, 188, 191**
- amplitude amplification **225**
- amplitude damping channel **283**
- ancilla **248**
- ancilla system **261, 310**
- angular-momentum operators **51**
- antilinear **2**
- Araki-Lieb inequality **171**
- arithmetic, modular **221**
  
- B92 protocol **200**
- basic domain **41**
- basis **117**
  - magic **214**
  - orthonormal **3**
- Bayes' assumption **19, 269**
- Bayes' theorem **18, 76, 269**
- BB84 protocol **201**
- BBM92 protocol **203**
- beam splitter, lossless **64**
- Bell basis **174**
- Bell diagonal state **217**
- Bell inequality **189, 190, 203**
- Bell measurement **180, 207**
- Bell state **118, 158, 179, 184, 204, 205, 207**
- Bell's theorem **202**
- Bell-CHSH observable **192**
- bi-orthogonal decomposition **260**
  
- bi-orthogonal expansion **149**
- bilateral **209**
- binary coding **92**
- binary digits **93**
- binary string **93**
- bipartite system **115**
- bit by bit measurements **220**
- bit flip **52**
- bit flip error **239**
- bit sequence **93**
- bits **92, 93**
- black box **225**
- blend **26, 31, 75, 302**
- Bloch
  - point **53**
  - sphere **53, 281, 291**
  - vector **53, 85**
- block coding **95**
- Bob **116**
- Bohm theory **196**
- Boolean function *see* function, Boolean
- bra space **2**
- bra vector **2, 117**
- branch **304**
  
- cascade **157**
- cavity QED **241**
- CC *see* classical communication
- CCNOT gate **137**
- character string **90**
- choice, delayed **166**
- CHSH inequality **190, 203**
- circuit **66**
  - quantum **66**
- classical communication **144**
- classical mixture **25**
- classical physics **293**

- classical state 295
- classically correlated 173
- classically correlated quantum state 144
- CNOT gate 136, 239
- CNOT transformation 179
- code, quantum error-correcting 239
- coding, binary 92
- collapse and revival 301
- collapse theory 306
- collapse, of the wavefunction 35
- communication, classical 144
- complement, orthogonal 3
- complete positivity 274
- complete quantum operation 310
- complete system of commuting observables
  - 10
- completeness relation 5
- component 3
  - mathematical 41
- composite quantum system 120
- compound system *see* composite system
- computational basis 49
- computational complexity 244
- concurrence 212
- conditional entropy 99
- conditional probability 17
- conjugate linear 308
- consciousness 305
- conservation of the norm 11
- consistent histories 306
- continuous-variable entanglement 46
- control pair 210
- control qubit 136
- controlled NOT gate *see* CNOT gate
- controlled-controlled NOT 137
- convex sum 79
- Copenhagen interpretation 44
- copy 201
- correlation 99, 100
  - degree of 170
- correlation at a distance 187
- correlation coefficient 185
- correspondence rules 41
  - hypothetical 42
- correspondence, dual 2
- cryptogram 199
  
- data compression 96
- de Broglie-Bohm theory *see* Bohm theory
  
- decoherence 80, 239, 244, 290–292
  - environment-induced 293, 295, 297
- decomposition
  - bi-orthogonal 9, 149, 260
  - dyadic 5
    - of the identity operator 5
  - left-polar 259
  - orthogonal 7
  - polar 149
  - right-polar 260
  - spectral 7
  - tri-orthogonal 300
- decomposition of the identity *see* dyadic decomposition of the identity operator
- decomposition operator 249, 275
- degeneracy 36
- degenerate 7
- degree of degeneracy 32
- degree of mixture 79, 85
- delayed choice 46, 165, 166
- delayed entanglement 209
- density matrix 73
- density operator 73, 75, 79
  - maximally mixed 79
  - reduced 82, 122, 122
- depolarisation 282
- determination of states 85
- Deutsch gate 138
- Deutsch problem 225
- Deutsch-Jozsa problem 225
- developed domain of reality 42
- deviation, mean square 19
- dimension, of Hilbert space 35
- Dirac notation 2
- dispersion 19
- distillation protocol 209
- divisor, greatest common 231
- domain of reality 41
- dual correspondence 2
- dyad 5
- dyadic decomposition 5
- dynamics
  - unitary 33, 55, 56, 80, 108, 131, 247, 256
  
- eavesdropping 201
- effect operator 260, *see* POVM element
- eigenbasis 7, 105

- eigenvalue **3**
- eigenvector **3**
- Einstein
  - locality 135, **188**
  - reality 135, **188**
- either-or states **25**
- elements of physical reality **188**
- emergent property 294
- ensemble **75**
- ensemble decomposition **83**, 110
- entangled **117**, 224, 248
- entangled quantum state **145**
- entanglement **116**, 143, 152, 171, 253
- entanglement distillation **209**
- entanglement of formation **214**
- entanglement swapping **207**
- entanglement witness **193**
- entropy
  - classical **91**
  - conditional 99
  - of entanglement **153**
  - operational interpretation of **96**
  - relative **97**
  - Shannon's 89
  - theoretical relative **109**
  - von Neumann 89
- environment-induced decoherence 295
- EPR **145**
- EPR correlations **145**, 185
- error **96**
- error correction protocol **201**
- estimating a state **269**
- Euclidian algorithm **243**
- Eve **201**
- events
  - exclusive **16**
  - independent **17**
  - random **15**
- Everett interpretation **303**
- exchange coupling 141
- expectation value **6**
- experimentum crucis **191**
- extended operator **118**
  
- factor space **117**
- fidelity **96**, **210**
- forerunner theories **41**
- form, non-normalised **74**
- free system 31
  
- frequency, relative **16**
- fringe contrast **68**
- function, Boolean **221**
  
- general assumption **23**
- general measurement 256
- general non-selective measurement 257
- general selective measurement 279
- generalised selective measurement 251, **257**
- GHZ state **194**
- Gleason's theorem 82, **86**
- greatest common divisor *see* divisor, greatest common
- Grover algorithm **225**
  
- Hadamard
  - beam splitters **66**
  - gate **60**, 226
  - transformation 179
- Hamiltonian **34**
- Hermitian operators 9
- Hilbert space, finite-dimensional **1**
  
- idempotent **12**
- identical particles *see* particles, identical
- identity operator **3**
- ignorance interpretation **84**, 302
- implementation of the Hadamard gate
  - optical **65**
- improper mixture **123**
- in-out approach **132**, 273
- incoherent superposition 80
- incomplete **188**
- index state **307**
- indistinguishability **116**
- individual identity **116**
- inequality
  - Gibbs' **97**
  - Schwarz **2**
  - triangle **171**
- inequality, Bell 189
- inference 18
- information content **96**
- information transmission
  - assisted by entanglement 205
- information, mutual **98**, 170, 174
- informationally complete **268**
- informationally complete measurement **265**
- inner product 2

- integer **221**
- interference **67**
- interference pattern **24, 67, 81**
- interpretation **41**
  - London-Bauer **305**
- intervention **256, 273**
- intrinsic properties **35**
- inverse operator **3**
- ion trap **241**
  
- joint entropy **169**
- joint probability **15, 98**
  
- ket space **2**
- ket vector **2**
- key **199, 200**
- kick back **224**
- Klein's inequality **109**
- Kraus operator **249, 275, 290**
  
- law of large numbers **94**
- left-polar decomposition **259**
- Lindblad master equation **278**
- Lindblad operator **278**
- Lindblad superoperator **278**
- Lindbladian **278**
- linear operator **3**
- Liouville
  - space **13**
- Liouville operator **15, 74, 131**
- Liouvillian **15**
- LO *see* local operation
- local **115, 187, 188**
- local measurement **122, 125**
- local observable **122**
- local operation **115, 144**
- LOCC **144**
- loophole **196**
- lossless beamsplitter **64**
  
- Mach-Zehnder interferometer **66, 161**
- magic basis **214**
- manner of speaking **30**
- many-worlds interpretation **45, 303**
- mapping principles **41**
- marker
  - observable **164**
  - state **163, 307**
  - system **163**
  
- marking **290**
- Markovian approximation **279**
- master equation **277**
- matrix elements **5**
- maximally entangled state **153**
- mean square deviation **19**
- mean value **6, 10, 19**
- measure of entanglement **152**
- measured values, correlated **130**
- measurement **105**
  - general **256**
    - selective **256**
  - general selective **279**
  - generalised **178, 262**
    - selective **251, 257**
  - informationally complete **265**
  - local **121, 122, 125, 128, 175**
  - minimal **260, 261**
  - most general selective **311**
  - non-local **175, 239, 240**
  - non-selective **77, 110, 303**
  - projective *see* projective measurements
  - selective **26, 76, 303**
  - sharp **255**
  - unsharp **255**
- measurement dynamics **55, 247, 256**
- measurement operator **250, 257**
- measurement outcome **257, 285**
- measurement-based model **244**
- measuring device **285**
- memory state **304**
- message **90**
- microtraps **141**
- minimal interpretation **42, 43, 84**
- minimal measurement **260**
- mixture **82, 123**
  - separable **172**
  - statistical **25, 26, 31, 75**
- model
  - measurement-based **244**
- modular arithmetic, *see* modular arithmetic
- most general selective measurements **311**
- mutual information **98**
  
- natural philosophy **40**
- negative-result measurement **68**
- neither-nor state **26**
- no-cloning theorem **161**
- non-local measurement **175**

- non-local observable 175
- non-selective measurement 27
- norm **2**
- normal operator 6
- NOT gate 60
- null measurement **68**
- number
  - natural **221**
- observable **10, 32**
  - Bell-CHSH **192**
  - classical **44**
  - collective **121**
  - non-local **121, 175**
- ONB **3**
- ontology **40**
- open quantum system 131
- open system *see* open quantum system
- operation element **249, 275**
- operation, local **115, 144**
- operational 93, **116**
- operator
  - $\sigma$  *see* Pauli operator
  - diagonalisable **6**
  - extended **118**
  - function **9**
  - Hermitian **13**
  - inverse **3**
  - linear **3**
  - local **122**
  - normal **6**
  - unitary **11**
- operator basis **50**
  - orthonormal 14
- operator-sum decomposition **249, 275**
- operator-sum representation **249**
- oracle **225**
- orthogonal **2, 14**
- orthogonal complement **3**
- outer product *see* dyadic product
- outer product representation *see* dyadic decomposition
- output text **93**
- parallelogram equation **3**
- parity bit **179**
- partial trace **119**
- partial transposition **155**
- particles
  - identical **139**
- Pauli
  - matrices **52**
  - operator 49, **51, 175**
- Peres-Horodecki criterion *see* PPT criterion
- phase bit **179**
- phase damping channel **291**
- phase flip **52**
- phase flip channel **292**
- phase flip error **240**
- phase gate **60**
- phase shifter **60, 81**
- philosophy of science **40**
- photon **200, 204**
- photon polarisation **62**
- physical properties 34
- pointer 298
- pointer observable 302
- pointer state **302**
- polar expansion **149**
- positive integer 221
- positive operator 11
- positive operator valued measure, *see* POVM
- positive partial transpose criterion *see* PPT criterion
- positivity, complete **274**
- postulates **32, 82, 121, 302**
- POVM **260**
  - element **260, 264**
  - measurement **264, 266, 267, 280**
- PPT criterion 156
- pre-measurement **298**
- preparation
  - of a state **105**
- preparation apparatus **285**
- preparation entropy **111**
- preparation procedure **25, 30, 36**
- prime factorisation **231**
- private amplification protocol **201**
- probabilistic cloning **167**
- probability 16, 33, 122
  - classical **75**
  - conditional 76, 98
- product
  - dyadic **5**
  - Hilbert space **116**
  - inner **2**
  - operator **118**
  - vector **117**

- projection operator 12
  - local **122**
- projection valued measure **264**
- projective measurements **32, 38, 55**
- projector **7**
- proper mixture **123**
- property
  - emergent **294**
  - intrinsic **139**
- protocol **200**
- pure state 31
- purification **152, 209**
- PVM **264**
  
- quantisation, second 141
- quantum algorithm **225**
- quantum channel **103, 281**
- quantum circuit 135, **179, 220**
- quantum code, error correcting **244**
- quantum coding, dense **204**
- quantum computation **220**
- quantum computers 136, **220**
- quantum correlations **145**
- quantum data compression **107**
- quantum dense coding 204
- quantum dots 141, **241**
- quantum effects **29**
- quantum entropy **105**
- quantum erasure **164**
- quantum error-correcting code 239
- quantum Fourier transform 236
- quantum gates **49, 59, 135, 220**
  - universal 66, **138, 241**
- quantum information **106, 112**
- quantum information theory 89
- quantum jumps **282**
- quantum measurement process **42**
- quantum network **220**
- quantum objects **45**
- quantum operation **274, 275, 290, 311**
  - complete 275, **310**
  - incomplete 275
- quantum parallelism **224**
- quantum range **29**
- quantum register **219**
- quantum signal ensemble **103**
- quantum signal source **103**
- quantum state 26, **30, 82**
  - classically-correlated **144**
  - entangled **145**
- quantum state estimation 270
- quantum system **29**
  - composite **120**
  - isolated **31**
  - open **131**
- quantum teleportation **205**
- quantum theory **29**
- quantum wires **135, 220**
- quantum Zeno effect **39, 71**
- quantum-to-classical transition **293**
- qubit **49, 105, 106**
  - system **49, 62**
- query **225**
  
- Rabi
  - frequency **58**
  - oscillations **58**
- random variable **19, 90**
- randomised algorithm **233**
- re-preparation **27**
- realism, local **187, 188**
- reality **29, 40, 44, 187**
  - physical **42**
- recoherence 295, **301**
- reduced density operator **122**
- reflection factor **65**
- remainder **221**
- right-polar decomposition 260
  
- scalar product 2, 14, 117
- scenario of quantum mechanics 23, 285
- Schmidt
  - bases **151**
  - coefficients **150**
  - decomposition **149**
  - number **151**
- Schrödinger
  - representation **34, 131, 274**
- Schrödinger's cat **296**
- Schumacher's quantum noiseless coding theorem **107**
- second quantisation 141
- secret **202**
- selective measurement 76
- self-adjoint **9**
- separability problem **147**
- separable **175**
- separable state **145**

- sequence **90**
  - typical **91**
- Shannon's entropy **89, 91, 96, 105, 110**
- Shannon's noiseless coding theorem *see* Shannon's theorem
- Shannon's theorem **96**
- signal ensemble **90**
- signal source **90**
  - stochastic memoryless **90**
- signal state **103**
- simulation **123**
- single-qubit gate **242**
- singlet state **118**
- source text **199**
- spectral theorem **10**
- spin **51, 62**
- spin- $\frac{1}{2}$  particles **62, 203**
- spooky action into the past **209**
- standard basis **49**
- standard deviation **19**
- standard interpretation **29, 42, 44, 45, 303**
- state **25, 74, 123, 224**
  - classical **25, 295**
  - correlated **144**
  - entangled **115**
  - maximally entangled **153**
  - pure **26, 31, 73, 79, 80, 155**
  - relative **124, 308**
  - separable **145**
  - Werner **284**
- state evolution
  - deterministic **257**
  - non-deterministic **257**
- state reduction **35**
- state vector **32, 36**
- statistical mixture **25, 75, 302**
- Stern-Gerlach experiment **251**
  - ideal **254**
  - non-optimal **253**
- subadditivity **101, 170**
- subjectivistic interpretation **45**
- subspaces
  - decoherence-free **244**
- subsystem **115, 120**
- subsystem operator **118**
- sum, convex **79**
- super selection rules **44**
- superoperators **14, 279**
- superposition **117**
- supremum norm **6**
- SWAP gate **137**
- system
  - closed **31**
  - composite **82, 115**
  - open **31, 247**
- target pair **210**
- target qubit **136**
- tensor product **116, 120**
- theorem
  - of the operator-sum decomposition **275**
- theory
  - classical **188**
  - physical **41**
  - stochastic, local-realistic **188**
- time **35**
- time development operator **33**
- Toffoli gate **137**
- total probability **18**
- trace **6, 119**
- transfer of entanglement **207**
- transformation apparatus **28, 285**
- transmission factor **65**
- transposition **155**
- trapped atoms **241**
- tri-orthogonal decomposition **300**
- triangle inequality **2, 171**
- two-slit experiment **23**
- typical subspace **107**
- U gate, controlled **137**
- uncertainty **19, 91**
  - remaining **100**
- unilateral **209**
- unitary **11**
- unitary equivalence **11**
- universal quantum gates **138, 241**
- unsharp measurement **255**
- values
  - of a measurement **32**
- variables, classical **35**
- variables, hidden **188**
- variance **19**
- von Neumann
  - entropy **89, 111**
  - equation **74, 131**

Werner state 284

which-way marker **163**

XOR gate *see* CNOT gate

Zeno

effect **39**

time **39**