

# Index

**Note to the Reader:** Throughout this index **bold-faced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

accurate measurement, **147**  
ACR (Adobe Photoshop Camera Raw).  
    *See* Camera Raw format  
actions, **87**  
    creating, **90–93**, *90–93*  
    overview, **88**  
    running, **94–96**, *94–95*  
    saving, **96–97**, *97*  
    setup, **88–90**, *89*  
Actions palette, **88–89**, *89*  
Actual Pixels option, **146**  
Add to Selection option, **195**  
adjacent photographs, **130**, *131*  
adjustment layers, renaming, **70–71**, *70*  
adjustments, **63**  
    court testimony about, **15–16**  
    global, **64–71**, *65–71*  
    local, **72–75**, *72–75*  
    repeatable, **8–9**  
    Shadow/Highlight feature, **75–77**, *76–77*  
Adobe Photoshop Camera Raw (ACR).  
    *See* Camera Raw format  
Adobe Stock Photos panel, **55**  
Advanced panel for metadata, **56**  
Advanced Preferences panel, **35**, *35*  
Advanced tab for contact sheets, **108**  
alignment  
    fields, **224–225**, *225–226*  
    images, **123–124**  
    Photomerge, **132**  
alterations, court testimony about, **16**  
Amount setting  
    Shadow/Highlight, **76**  
    Smart Sharpen, **182**  
    Unsharp Mask, **180**  
analogy in court testimony, **15**  
Analysis menu item, **159–160**

angles  
    Interactive Deblur, **185**  
    measurements, **156**, *157*  
Animation palette, **226–229**, *227–228*  
annotations  
    as content change, **8**  
    court exhibits, **119**  
    measurements, **155**, *155–156*  
archiving images  
    Bridge, **29–31**, *30–31*  
    original, **7**  
arranging images, **205**  
artifacts, **185**  
aspect ratio correction, **232–235**, *233–234*  
Astigmatism Ratio setting, **184**  
audit trails, **9**, *9–10*  
Auto-Select Layer option, **122**  
automation  
    actions. *See* actions  
    Camera Raw adjustments, **43**  
**B**  
barrel distortion, **164**, *166*  
Basic settings, Camera Raw, **48**  
batch actions, **94–96**, *95*  
best practices  
    aspects, **6–9**, *9–10*  
    case law, **6**  
    rules of evidence, **3–5**  
Bicubic Sharper interpolation, **82**  
Bicubic Smoother interpolation, **82**, *235*  
bit depth, **40**  
black point setting, **67**, *190–191*  
Blacks setting, **48**  
blend modes, **241**  
blur, **177**  
    deblurring, **177**, *183–185*, *183–185*  
    focus, **178**, *183–185*  
    Gaussian, **178**, *178*, *182*  
    sharpening, **178–182**, *178–182*  
Blur Preview box, **184**  
Boolean logic, **239**

- Bridge, 27
  - customizing, 32–36, 32–35
  - demultiplexing in, 218–222, 218–221
  - downloading and archiving images, 29–31, 30–31
  - launching automatically, 21
  - metadata in, 55–58, 56–58
  - opening files, 37
  - overview, 28, 29
  - PDF presentations, 112
- brightness
  - Camera Raw, 48
  - layer masks for, 72
  - Levels, 67, 189–190
- Button mode for actions, 94
- C**
- cache files
  - Camera Raw, 42
  - and performance, 24
- calibration
  - Camera Raw, 49
  - image size, 147–149, 148–150, 160
  - monitor, 18–19, 18
- Camera Calibration tab, 49
- Camera Data category, 58
- Camera Data panels, 55
- Camera EXIF data, 55
- Camera Raw format, 39
  - archives, 7
  - Basic settings tab, 48
  - Bridge for, 28
  - interface, 43–46, 44–46
  - JPEG and TIFF files, 51
  - metadata, 58
  - multiple images, 49–50, 50
  - overview, 39–40
  - plug-in, 41
  - settings, 41–42, 42, 46–49, 47
  - working with, 43
- Canvas Size dialog box, 103, 104
- canvases
  - creating, 122
  - size, 103, 104
- captions for contact sheets, 103, 108, 108
- case law, 6
- Categories panel, 55
- Center Image option, 83
- Channel Mixer, 206–208, 206–208
- channels
  - noise reduction, 173
  - separation, 202–205, 202–206
- Channels palette, 204–205, 205
- ClearID plug-in
  - Interactive Deblur filter, 183–185, 183–185
  - pattern removal, 209–212, 210–212
- clipping
  - benefits, 190–191, 191
  - causes, 190
  - eliminating, 66, 67
- CMYK color space
  - Channel Mixer, 207
  - channels, 202–205
- color
  - annotations, 155, 155
  - isolation, 201
    - Channel Mixer, 206–208, 206–208
    - channel separation, 202–205, 202–206
  - labels, 160
  - layer masks for, 72
  - Levels adjustments, 65–69, 65–69
  - lines, 126
  - monitor, 18–19
  - noise, 172–176, 175–176
  - pattern removal, 212
  - printing, 80, 82–83, 83
  - profiles, 80
  - settings, 19–20, 20
  - Shadow/Highlight feature, 77
  - shift in, 68–69, 192, 198
  - temperature, 19, 48
- Color Management/Output menu, 83
- Color Sampler tool, 45
- Color Settings dialog box, 19–20, 20
- ColorVision Spyder calibrator, 19
- Compact Mode button, 32
- compositing images, 139
  - applications, 140, 140
  - combining process, 141–143, 142–143
  - photographing for, 141
- compression
  - contact sheets, 104
  - PDF presentations, 115–116
- Compression tab, 115, 115
- Constant slides, 207
- Constrain Proportions option, 81–82, 235
- contact sheets, 99
  - CSX script, 104–108, 105–109
  - headers and footers, 103–104, 103–104
  - working with, 100–103, 101–102
- content changes, 8
- Contiguous option, 194–195
- Contract/Expand setting, 195
- contrast
  - Camera Raw, 48

- enhancement, 187
  - global adjustments, 188–193, 188–193
  - local adjustments, 72, 193–198, 194–198
- Levels adjustments, 67
- Unsharp Mask, 180
- Conversion Options section, 20
- Convert to Grayscale option, 48
- Convert to Smart Object option, 64, 76, 188
- converting to 16-bit mode, 90–91, 90–91
- copies, working on, 7, 204
- copying and pasting in combining images, 141, 142
- Count tool, 159–160
- court exhibits, 119
  - creating, 120–124, 121–124
  - labeling, 124–128, 125–128
  - overview, 120
- court testimony
  - guidelines, 13–14
  - sample questions, 14–16
- Create Adjustment Layer option, 71
- Create New Document option, 204
- Create New Fields By settings, 223–224
- Create Smart Object after Loading Layers option, 232
- Crop tool, 45
- CRW format, 41
- CSX script, 104–108, 105–109
- Cursors Preferences panel, 24, 24
- Cylindrical option, 133

## D

- date and time metadata, 58
- Daubert hearings, 6
- De-Interlace dialog box, 223–224, 223
- deblur process, 177, 183–185, 183–185
- deconvolution process, 177–178
- default focal length, 164
- Deinterlace Frame Set dialog box, 227–228, 228
- deinterlacing video
  - action for, 91–92, 92
  - field level advance, 227–228, 228
  - process, 222–224, 222–224
- deleting
  - in ACR, 45
  - in Bridge, 32
  - count labels, 160
  - line sections, 158, 158
- demultiplexing video, 218–222, 218–221
- Desaturate option, 192

- detail
  - Camera Raw, 48
  - in reports, 12
  - sharpening. *See* sharpening
- DICOM panel, 55
- digital video security systems, 234
- direct examination, 14
- distortion correction, 163
  - limits, 164
  - perspective, 168–169
  - wide-angle, 164–168, 164–168
- DNG format
  - ACR for, 41–42
  - original images, 7
- Do Not Downsample option, 115
- Document Open Password field, 116
- Document options for contact sheets, 102–103, 106, 106
- Document Size area for printing, 81
- downloading Bridge images, 29–31, 30–31
- dPlex Pro system, 218
- drivers, print, 84–86, 84–85
- dT Fourier FreqPattern Remover option, 210
- duplicate images, working on, 7, 204

## E

- Edit History data category, 58
- Eliminate field settings, 223–224
- Embed Page Thumbnails option, 115
- Enable Color Management in Bridge option, 35
- equipment for court testimony, 15
- evidence
  - court testimony about, 14–16
  - in reports, 12
  - rules of, 4–6
- exhibits, court, 119
  - creating, 120–124, 121–124
  - labeling, 124–128, 125–128
  - overview, 120
- expert qualifications, 13
- expert reports, 12
- Export Layers to Files script, 239
- exposure
  - compositing images, 141
  - Photomerge, 132
- Eyedropper tool, 65, 65, 68–69

## F

- factual reports, 12
- Fast Fourier Transform (FFT) filters, 209, 212–214, 213–215

Favorites panel, 28, 33  
Feather Radius setting, 73  
Feather Selection dialog box, 73, 74  
Federal Rules of Evidence (Rules 1001—1008), 4–5  
FFT (Fast Fourier Transform) filters, 209, 212–214, 213–215  
fields, video  
    alignment, 224–225, 225–226  
    deinterlacing, 222–224, 222–224  
    field level advance, 226–229, 227–228  
File Handling Preferences panel, 22, 22  
file organization, Bridge for, 28  
File Properties category, 58  
File Type Associations settings, 35  
Fill Light setting, 48  
filters  
    ImageJ FFT, 212–214, 213–215  
    Interactive Deblur, 178, 183–185, 183–185  
    Lens Correction, 164–169, 165, 168  
    Median, 174–176, 175–176  
    Reduce Noise, 172–174, 172–173  
    Smart. *See* Smart Filters  
    Unsharp Mask, 178–180, 179–180  
Find dialog box, 37, 37  
fingerprints, 6  
    exhibits, 120–124, 121–124  
    Galton points on, 160  
Flatten Image option, 104  
fluorescing stains, 140–141, 140  
focal length, 164  
focus blur, 178, 183–185  
Focus Deblur Radius setting, 185  
focus for Photomerge, 132  
folder names, 29, 30  
fonts  
    captions, 103, 108  
    labels, 127  
    titles, 104, 240  
footers for contact sheets, 103–104, 103–104  
foreshortening effect, 168  
frames  
    averaging, 229–232, 231–232  
    contact sheets, 100  
    deinterlacing  
        action, 91–92, 92  
        process, 222–224, 222–224  
Fredericks, Grant, 15  
Frequency Acceptance setting, 212  
Frye hearings, 6  
Full Size Brush Tip option, 24

## G

Galton points, 160  
Gaussian blur, 178, 178, 182  
General preferences  
    Bridge, 32, 33  
    PDF presentations, 114, 114  
    Photoshop, 21–22, 21  
global adjustments  
    contrast, 188–193, 188–193  
    Levels, 64–71, 65–71  
gray point eyedropper, 68  
Gretag MacBeth Eye-One Display calibrator, 19  
grid lines for Lens Correction, 166, 166  
Group as Stack option, 35  
grouping layers, 158, 159  
groups of files, opening, 37

## H

Hand tool, 44–45  
    Lens Correction, 166  
    Match Zoom and Location, 238  
HDR (high-dynamic-range) images, 238–239  
headers and footers for contact sheets, 103–104, 103–104  
Height setting in printing, 82  
Help Menu, 240  
Hide Empty Fields option, 57  
Hide Selection option, 225  
hiding Bridge panels, 32, 56  
high-dynamic-range (HDR) images, 238–239  
High Quality Print preset, 114  
High Quality Thumbnails setting, 34  
highlight color in pattern removal, 212  
Highlights section for Shadow/Highlight, 77  
histograms  
    Camera Raw, 47, 47  
    Levels, 66–67, 66, 190  
History Log  
    activating, 9, 9  
    distortion corrections, 164  
    Levels, 70  
    metadata, 59  
    settings, 21–22, 21  
    Smart Sharpen, 182  
    Unsharp Mask, 180  
    viewing, 10, 10  
HSL/Grayscale tab, 49  
Hue/Saturation dialog box, 192, 193

**I**

Ignore EXIF Profile Tag option, 22  
Image Backdrop setting, 33  
Image Noise Floor setting, 185  
image processing documentation in reports, 12  
Image Size dialog box

- pixel aspect ratio correction, 234–235, 234
- for printing, 81–82, 81

ImageJ FFT filter, 212–214, 213–215  
Import Camera utility, 31  
Import Video to Layers dialog box, 227, 227  
Input settings for Levels, 66, 190  
Inspector settings, 35  
Interactive Deblur filter, 178, 183–185, 183–185  
Interactive Layout option, 134, 134  
Interface Preferences panel, 22, 22  
interlaced mode, 222  
interlaced video, deinterlacing

- action, 91–92, 92
- field level advance, 227–228, 228
- process, 222–224, 222–224

interpolation printing options, 81–82  
inversion, tonal, 197, 240  
IPTC metadata, 54–55, 55, 58–59  
isolation, color, 201

- Channel Mixer, 206–208, 206–208
- channel separation, 202–205, 202–206

**J**

JPEG format

- ACR for, 41, 43, 51
- vs. Camera raw, 40
- contact sheets, 104
- original images, 7
- PDF presentations, 115–116

JS Frame Average script, 229–232, 231–232

**K**

keystoning, 168  
keywords and Keywords panel, 36–37, 36–37, 54

**L**

Lab color channels, 202–205  
labels

- Bridge, 35
- color, 160

court exhibits, 124–128, 125–128  
rankings and ratings, 219–220, 220  
Labels settings, 35  
laser trajectories, 140–141, 140  
Lasso tools, 72  
layer masks

- contrast enhancement, 193–198, 194–198
- local adjustments, 72–75, 72–75

layers

- annotations, 155, 155
- blend modes, 241
- frame averaging, 230–232, 231
- grouping, 158, 159
- labels, 125
- Levels, 74, 75
- Merge Visible option, 128
- visibility, 198, 208

Layers palette, 74, 75, 125  
Layout tab, 106, 107  
Lens Correction filter, 164–169, 165, 168  
Lens Corrections tab, 49  
Levels adjustments

- contrast, 189–192, 189, 192, 196–197, 197
- global adjustments, 64–71, 65–71

lighting settings, 42  
Line tool, 126, 126–127  
lines

- labels, 125–127, 125–127
- measurements, 155, 158, 158

Load Layers Files dialog box, 232, 232  
Load Selection dialog box, 225, 225  
local adjustments

- contrast enhancement, 193–198, 194–198
- layer masks, 72–75, 72–75

Log Errors to File option, 96  
lossless compression

- contact sheets, 104
- PDF presentations, 115

lossy compression

- contact sheets, 104
- PDF presentations, 115

Low Frequency Cutoff setting, 212  
luminance noise, 172–173

**M**

magnification, 146–147, 146–147  
Make Frame Animation option, 226  
Make Frames from Layers option, 228  
manipulations, testimony about, 16  
manual exposure and focus for Photomerge, 132

Marquee tools, 72, 225  
 masks  
   layer  
     contrast enhancement, 193–198, 194–198  
     local adjustments, 72–75, 72–75  
     Unsharp Mask filter, 178–180, 179–180  
 Match Zoom and Location feature, 238  
 Measure tool, 147–148, 150, 154, 156  
 Measurement Log, 159–160  
 Measurement Scale dialog box, 160, 160  
 measurements, 153  
   annotating, 155, 155–156  
   extended features, 159–160, 159–160  
   image size, 147–148, 148  
   importance, 154, 154  
   layers, 158, 159  
   photographing for, 147  
   precision, 150  
   process, 156–158, 156–158  
 Median filter, 174–176, 175–176  
 Meetings settings, 36  
 Merge to HDR feature, 238–239  
 Merge Visible option, 128  
 merging. *See* Photomerge feature  
 metadata, 7, 53  
   Bridge, 28, 55–58, 56–58  
   entering, 54–55, 55  
   overview, 54  
   templates, 31  
 Metadata Preferences panel, 57–58, 57  
 midpoint slider, 68, 68  
 Midtone Contrast setting, 77  
 missing profiles, 20  
 Modify Adjustment Layer option, 71  
 Modify permission, 7  
 moire patterns, 185  
 monitor calibration, 18–19, 18  
 Monochrome option, 207  
 More Accurate option, 182  
 motion blur, 183–184  
 Motion Length setting, 184  
 Move tool, 122–124, 122  
 movie files, 226–227  
 multiple files, running actions on, 94–96, 95  
 multiple images in Camera Raw, 49–50, 50  
 multiplexed video, 218–222, 218–221

## N

names  
   action sets, 89  
   adjustment layers, 70–71, 70  
   folders, 29, 30

native resolution in Camera Raw, 46  
 NEF format, 41  
 New Action dialog box, 90–92, 90, 92–93  
 New Folder icon, 32  
 New Group from Layer option, 158  
 New Keyword Set option, 36  
 New Layer icon, 155  
 New Selection option, 73  
 New Set dialog box, 89, 89, 97  
 noise reduction, 171  
   Median filter, 174–176, 175–176  
   methods, 172  
   Reduce Noise filter, 172–174, 172–173  
 Notch Radius setting, 212

## O

opacity of layers, 155, 229–231  
 Open as Smart Object option, 64  
 Open Files as Smart Objects option, 43  
 Open Object option, 43  
 opening  
   Bridge files, 37  
   movie files, 226  
   PDF presentations, 117–118, 117–118  
 opinions in reports, 12  
 Optimize for Fast Web Preview option, 115  
 Options section  
   PDF presentations, 115  
   Photomerge, 134  
 order of contact sheet images, 100  
 orientation in printing, 82  
 Origin panel, 55  
 original images  
   archiving, 7  
   copying, 7, 204  
 Output Channel menu, 207  
 output settings  
   contact sheets, 108, 109  
   Levels, 190  
   PDF presentations, 113  
   printing, 83  
 overprocessing images, 8

## P

page numbering contact sheets, 105, 105  
 panoramic photographs, 130, 131  
 Pantone Huey calibrator, 19  
 passwords for PDF presentations, 116–117, 117  
 pattern removal, 209  
   ClearID, 210–212, 210–212  
   ImageJ FFT filter, 212–214, 213–215

- Pattern Remover dialog box, 210–212, 211
- PDF presentations, 111
  - creating, 112–117, 112–117
  - opening and viewing, 117–118, 117–118
- percentages for units, 150
- Performance Preferences panel, 23–24, 23
- permissions, file access, 7
- perspective distortion, 168–169
- Perspective option, 132, 135, 135
- Perspective Transform feature, 169
- Photo Downloader utility, 30–31, 31
- photographer names for folders, 29
- photographing
  - for accurate measurement, 147
  - for compositing images, 141
  - for Photomerge, 132
- Photomerge feature, 129
  - adjacent and panoramic photographs, 130, 131
  - merging images, 132–136, 133–135
  - photographing for, 132
- Photoshop Manages Colors option, 83
- Photoshop (PSD) format, 104
- pincushion distortion, 166
- Pixel Dimensions area, 81
- pixels
  - aspect ratio correction, 232–235, 233–234
  - printing, 81
- pixels per inch (ppi), 80–81
- plug-ins
  - Camera Raw, 41
  - ClearID
    - Interactive Deblur filter, 183–185, 183–185
    - pattern removal, 209–212, 210–212
  - folders for, 24, 25
- Plug-Ins Preferences panel, 24, 25
- ppi (pixels per inch), 80–81
- precision in sizing images, 150–151
- Preferences dialog box
  - Bridge, 33–36, 33–35, 57, 57
  - Photoshop, 21–24, 21–25
- Presentation Options section, 113
- Preserve Details setting, 174
- Preserve Embedded Profiles option, 19
- presets
  - Camera Raw, 49
  - PDF presentations, 114, 116
  - tools, 240
- Preview Image section, 44
- Preview panel
  - Bridge, 33
  - metadata, 56
- Preview toggle, 166

- print drivers, 80, 84–86, 84–85
- printer profiles, 82–83
- printing, 79
  - actions for, 92–93, 93, 96
  - contact sheets, 104
  - overview, 80
  - Print dialog box, 82–84, 83
  - print drivers, 84–86, 84–85
  - sizing, 80–82, 81, 150–151
- profiles
  - color, 80
  - mismatches, 20
  - printer, 82–83
- progressive video mode, 222
- PSD (Photoshop) format, 104

## Q

- qualifications and limitations for court testimony, 13
- questions, court testimony, 14–16
- Quick Thumbnails setting, 34

## R

- Radius setting
  - Feather, 73, 74
  - focus blur, 185
  - Median filter, 175, 176
  - pattern removal, 212
  - Shadow/Highlight, 76–77
  - Smart Sharpen, 182
  - Unsharp Mask, 180
- RAF format, 41
- RAID (Redundant Arrays of Independent Disks), 30
- RAM settings, 24
- rankings and ratings, 219–220, 220
- raw files. *See* Camera Raw format
- Record Measurements option, 160
- recording actions, 88, 90, 90
- Red Eye Removal tool, 45
- Reduce Color Noise setting, 174
- Reduce Noise filter, 172–174, 172–173
- Redundant Arrays of Independent Disks (RAID), 30
- Refine Edge dialog box, 195, 196
- Relative Colorimetric setting, 20
- renaming
  - adjustment layers, 70–71, 70
  - folders, 29, 30
- repeatable processes, 8–9

repetitive processes. *See* actions  
report writing, 11–13  
Reposition Only option, 133  
Resample Image option, 81–82, 150, 235  
resolution  
    Camera Raw, 46  
    image sizing, 149  
    monitor, 18–19  
    printing, 80–81  
Retouch tool, 45  
RGB color space  
    Channel Mixer, 207  
    channels, 202–205  
Rotate tools, 45  
rotating  
    Bridge, 32  
    Camera Raw, 45  
Ruler tool, 154, 156, 160  
rulers  
    for aligning images, 123–124  
    for sizing, 146–148, 146–148  
rules of evidence, 4–6  
running actions, 94–96, 94–95

## S

sample court testimony questions, 14–16  
saturation settings  
    Camera Raw, 48  
    Levels, 192, 192  
Save Adobe PDF window, 114–117, 114–117  
saving  
    actions, 96–97, 97  
    adjusted images, 70  
    Camera Raw files, 43  
    contact sheets, 104  
    distortion-correction settings, 167–168, 167–168  
    PDF presentations, 114–117, 114–117  
    workspace  
        Bridge, 32  
        preferences, 25  
Scale to Fit Media option, 83  
Schroering, Jimmy, 230  
scratch disks, 24  
screen magnification, 146–147, 146–147  
scripts, 239  
Scroll All Windows option, 238  
searching keywords, 37  
security camera systems, 218, 234  
Security tab, 116, 116  
Select Data Points option, 160  
Select Image tool, 134  
selections, 72–73, 73  
separation, channels, 202–205, 202–206  
sets, action, 89, 97, 97  
settings, 17  
    color, 19–20, 20  
    monitor calibration, 18–19, 18  
    Preferences, 21–24, 21–25  
    workspaces, 25–26  
Shadow/Highlight feature, 75–77, 76–77  
Shadows section, 77  
Shape tools, 126  
Sharpen Details setting, 174  
sharpening, 177  
    Camera Raw settings, 42  
    tools, 178, 178  
    Unsharp Mask, 179–182, 179–182  
shift, color, 68–69, 192, 198  
Show Crosshair in Brush Tip option, 24  
Show Metadata Placard option, 58  
Show More Options option, 76, 77  
sidecar files, 41–42  
16-bit mode  
    action for, 90–91, 90–91  
    converting to, 64  
size  
    Bridge panels, 56  
    canvas, 103, 104  
    thumbnails, 32  
sizing images, 145  
    calibrating, 147–149, 148–150  
    Camera Raw, 46  
    photographing for, 147  
    pixel aspect ratio correction, 234–235, 234  
    precision, 150–151  
    printing, 80–82, 81  
    screen magnification, 146–147, 146–147  
slide shows, 112  
Smart Filters  
    deblur adjustments, 185, 185  
    noise reduction adjustments, 173  
    overview, 64  
    renaming, 77  
    Shadow/Highlight feature, 75–76  
    sharpening adjustments, 180, 180, 182, 182  
Smart Objects  
    contrast adjustments, 188  
    deblur adjustments, 185  
    Levels adjustments, 65  
    noise reduction adjustments, 173  
    overview, 64  
    Shadow/Highlight feature, 75–76  
    sharpening adjustments, 180

- Smart Sharpen filter, 178, 181–182, 181–182
- Smooth setting, 195
- snow. *See* noise reduction
- Source Channel, 207
- Source Images options, 102
- Source tab, 106, 107
- spatial resolution, 18–19
- Split Channels option, 204–205
- Split Toning tab, 49
- square pixels, 232–234
- stacks
  - Bridge vs. Photoshop, 230
  - frame averaging, 232, 232
  - image, 35
- Startup Scripts settings, 36
- Stop for Errors option, 96
- Straighten tool, 45, 166
- Strength setting, 173
- Swatches palette
  - annotations, 155, 155
  - lines, 126, 126

## T

- telephoto lens distortion, 166
- temperature, color, 19, 48
- templates
  - contact sheets, 105, 105
  - metadata, 31
- test charts for distortion correction, 164–166, 165–166
- testimony
  - guidelines, 13–14
  - sample questions, 14–16
- text and Text tool
  - actions, 94
  - contact sheets, 104, 104
  - labels, 127, 128
  - measurements, 157–158, 157–158
- thickness, lines, 126
- Threshold setting, 180
- thumbnails
  - Bridge, 32–35, 34, 56
  - Camera Raw, 44, 50–51
  - contact sheets, 103
- Thumbnails Preference panel, 34–35, 34
- TIFF format
  - ACR for, 41, 43, 51
  - vs. Camera raw, 40
  - contact sheets, 104
  - original images, 7

- time metadata, 58
- tint settings, 48
- titles
  - contact sheet, 103–105, 103–105
  - presets, 240
- Tolerance setting
  - selections, 72–73, 73
  - Wand tool, 195
- tonal inversion, 197, 240
- tonal range, 66, 190
- Tonal Width setting, 76
- Tone Curve tab, 48
- tool presets, 240
- toolbars
  - Bridge, 32, 33
  - Camera Raw, 45, 45
- Transform options, 169

## U

- Units and Rulers Preferences panel, 147
- Unprocessed Image window, 134
- Unsharp Mask filter, 178–180, 179–180
- Use Auto-Spacing option, 103
- Use Black Point Compensation option, 20
- Use Dither option, 20
- Use File Name as Caption option, 103
- User Interface Brightness option, 33

## V

- valid forensic procedures, 8
- Vanishing Point tool, 134, 239
- Version Cue feature, 22
- video analysis, 217
  - deinterlacing, 222–224, 222–224
  - demultiplexing, 218–222, 218–221
  - field alignment, 224–225, 225–226
  - field level advance, 226–229, 227–228
  - frame averaging, 229–232, 231–232
  - pixel aspect ratio correction, 232–235, 233–234
- View menu for metadata, 56
- viewing
  - History log, 9, 10
  - PDF presentations, 117–118, 117–118
- visibility of layers, 198, 208
- voir dire process, 13

## W

- Wand tool, 72–73, 73, 194–195, 195
- Web Photo Gallery, 238
- White Balance tool, 44
- white point setting, 67, 67, 190–191
- wide-angle distortion, 164–168, 164–168
- Width setting for printing, 82
- Window menu, 32, 32
- workflow for multiple images, 50
- Workflow Options window, 45, 46
- Working Spaces section, 19
- workspace settings, 25–26

## X

- XMP sidecar files, 42

## Z

- Zip compression, 115
- Zoom all Windows option, 238
- Zoom Resizes Windows option, 21
- Zoom tool, 44, 146–147
  - Camera Raw, 45
  - Lens Correction, 166
  - Match Zoom feature, 238