
Contents

Preface	xvii
Series Preface	xxi
1. Supramolecular Structures and Functions with Inorganic Building Blocks	1
<i>Katsuhiko Ariga, Ajayan Vinu, Jonathan P. Hill, Pavuluri Srinivasu, Somobrata Acharya, and Qingmin Ji</i>	
I. Introduction	2
II. Hybrid Lipid Thin Films	2
III. Layer-by-Layer Assemblies	8
IV. Structure Transcription	13
V. Functional Mesoporous Hybrids	20
VI. Future Perspectives	30
VII. Acknowledgments	30
VIII. References	30
2. Self-Assembly of Hydrophilic Polyoxometalate Macroanions in Dilute Solutions	35
<i>Melissa L. Kistler, Joe Pigga, and Tianbo Liu</i>	
I. Introduction	36
II. Solution Behavior of POM Macroions: Soluble but Still Aggregate	38
III. Characterization of the Supramolecular Structures	40
IV. Controlling the Blackberry Formation and Blackberry Size by Changing Solvent Quality	41
V. Counterion Association around Discrete POM Macroions	45
VI. Counterion Condensation around Blackberries	46
VII. Identification of the Driving Forces Responsible for the Blackberry Formation	47
VIII. Soft Nature of the Blackberries—Effect of Additional Hydrogen Bonding	47
IX. Weak Electrolyte Type POMs	48
X. Effect of Additional Electrolytes	49

XI. Kinetic Process of Blackberry Formation	52
XII. Cation Transport over the Anionic Blackberry Membrane	55
XIII. Macroions in Solution: An important Linkage among Simple Ions, Polymers, Colloids, and Biosystems	57
XIV. Conclusions	58
XV. Acknowledgments	58
XVI. References	58
3. Supramolecular Structures and Polyoxometalates	61
<i>Samar K. Das</i>	
I. Introduction	62
II. Supramolecular Features of Polyoxometalate-Supported Transition-Metal Complexes	62
III. Polyoxometalate Crown Ether Complexes with Supramolecular cations	91
IV. Supramolecular Water Clusters Associated with Polyoxometalates	103
V. Concluding Remarks	118
VI. Acknowledgements	119
VII. References	120
4. Supramolecular Coordination Networks Employing Sulfonate and Phosphonate Linkers: From Layers to Open Structures	125
<i>George K. H. Shimizu, Jared M. Taylor, and Ramanathan Vaidhyanathan</i>	
I. Introduction	126
II. The Sulfonate Group as a Ligand	127
III. Layered Metal Sulfonates	128
IV. Nonlayered Metal Sulfonates	137
A. Dynamic and Crystalline Metal Sulfonate Frameworks	147
B. Hydrogen Bonded Second Sphere Coordination Networks	155
V. Metal phosphonates	167
VI. Conclusion	176
VII. References	177
5. Transition-Metal-Based Linear Chain Compounds	181
<i>Moumita Majumdar, and Jitendra K. Bera</i>	
I. Introduction	182
II. Ligand-Supported Metal Chains	183
A. Linear Chains of Chromium	183
B. Linear Metal Chains of Cobalt	187
C. Linear Chains of Copper	197
D. Linear Chains of Nickel	200

E. Linear Chains of Palladium	211
III. Unsupported Metal Chains	221
A. Linear Chain Compounds of Rhodium	221
B. Linear Chain of Iridium	233
C. The Platinum Blues	241
IV. Concluding Remarks	246
V. References	247
6. Boronate-Linked Materials: Ranging from Amorphous Assemblies to Highly Structured Networks	255
<i>Brett M. Rambo, R. William Tilford, Laura M. Lanni, Jie Liu, and John J. Lavigne</i>	
I. Introduction and Scope	256
II. Supramolecular Boronate Assemblies	257
A. “Traditional” Hydrogen Bonded Supramolecular Assemblies	258
B. “Novel” Phenyl-Boron-Phenyl Sandwich Supramolecular Assembly	258
C. Coordination-Based Macrocyclic Assemblies	261
D. Coordination-Based Linear Assemblies	267
III. Covalently Linked Boronate Assemblies	270
A. Covalently Linked Macrocyclic and Cage Assemblies	271
B. Covalently Linked Linear Assemblies	279
C. Covalently Linked Network Assemblies	284
IV. Summary and Outlook	289
V. References	291
7. Mixed-Metal Supramolecular Complexes Coupling Polyazine Light Absorbers and Reactive Metal Centers	295
<i>Shamindri M. Arachchige, and Karen J. Brewer</i>	
I. Introduction	299
A. Light Absorption	300
i. Molecular Photovoltaics	301
ii. Ruthenium Charge Transfer Light Absorbers	301
iii. Osmium Charge Transfer Light Absorbers	303
B. Solar Water Splitting	304
C. Metal Complexes as DNA Targeting Agents	306
D. Supramolecular Charge Transfer Complexes	306
E. Cyclic Voltammetry of Charge Transfer Light Absorbers	308
II. Supramolecular Complexes Coupling Ru(II) or Os(II) Polyazine Light Absorbers and Rh(III) Reactive Metal Centers	309
A. The Complexes $[(bpy)_2Ru(BL)RhH_2(PPh_3)_2]^{3+}$	309
i. Redox Properties of $[(bpy)_2Ru(BL)RhH_2(PPh_3)_2]^{3+}$	309

ii. Spectroscopic Properties of [(bpy) ₂ Ru(BL)RhH ₂ (PPh ₃) ₂] ³⁺	311
iii. Photophysical and Photochemical Properties of [(bpy) ₂ Ru(BL)RhH ₂ (PPh ₃) ₂] ³⁺	311
B. Cyanide-Bridged Ru(II)-Rh(III) Complexes	312
i. Redox Properties of Cyanide-Bridged Ru(II)-Rh(III) Complexes	312
ii. Spectroscopic Properties of Cyanide-Bridged Ru(II)-Rh(III) Complexes	313
iii. Photophysical and Photochemical Properties of Cyanide-Bridged Ru(II)-Rh(III) Complexes	313
C. Polyazine-Bridged [(bpy) ₂ Ru(dpp)Rh(bPy) ₂] ⁵⁺	314
i. Redox Properties of [(bpy) ₂ Ru(dpp)Rh(bPy) ₂] ⁵⁺	314
ii. Spectroscopic Properties of [(bpy) ₂ Ru(dpp)Rh(bPy) ₂] ⁵⁺	314
iii. Photophysical and Photochemical Properties of [(bpy) ₂ Ru(dpp)Rh(bPy) ₂] ⁵⁺	315
D. Tridentate-Bridged Complexes: [(tppy)Ru(tpy-(Ph) _n -tpy) Rh(tppy)] ⁵⁺ (n = 0–2)	315
i. Redox Properties of [(tppy)Ru(tpy-(Ph) _n -tpy) Rh(tppy)] ⁵⁺	316
ii. Spectroscopic Properties of [(tppy)Ru(tpy-(Ph) _n - tpy)Rh(tppy)] ⁵⁺	317
iii. Photophysical and Photochemical Properties of [(tppy)Ru(tpy-(Ph) _n -tpy)Rh(tppy)] ⁵⁺	317
E. Ru(II)-Rh(III) Complexes Bridged with a Flexible Spacer: [(Me ₂ phen) ₂ Ru(Mebpy-CH ₂ -CH ₂ -Mebpy)Rh(Me ₂ bpy) ₂] ⁵⁺	319
i. Redox Properties of [(Me ₂ phen) ₂ Ru(Mebpy-CH ₂ - CH ₂ -Mebpy)Rh(Me ₂ bpy) ₂] ⁵⁺	320
ii. Spectroscopic Properties of [(Me ₂ phen) ₂ Ru(Mebpy- CH ₂ -CH ₂ -Mebpy)Rh(Me ₂ bpy) ₂] ⁵⁺	320
iii. Photochemical and Photophysical Properties of [(Me ₂ phen) ₂ Ru(Mebpy-CH ₂ -CH ₂ -Mebpy)Rh (Me ₂ bpy) ₂] ⁵⁺	321
F. Dendrimeric Ru(II)/Os(II)-Rh(III) Complexes: [M{(dpp)Rh(ppy) ₂ }] ₃ (PF ₆) ₅	321
i. Redox Properties of [M{(dpp)Rh(ppy) ₂ }] ₃ (PF ₆) ₅	322
ii. Spectroscopic Properties of [M{(dpp) Rh(ppy) ₂ }] ₃ (PF ₆) ₅	323
iii. Photophysical and Photochemical Properties of [M{(dpp)Rh(ppy) ₂ }] ₃ (PF ₆) ₅	323
G. Extended Supramolecular Architectures with Fe(II)/ Ru(II)/Rh(III)	324
H. Stereochemically Defined Tridentate-Bridged Ru(II)- Rh(III) Complex	324
i. Redox Properties of [(tpy)Ru(tppz)RhCl ₃](PF ₆) ₂	325

ii. Spectroscopic Properties of [(tpy)Ru(tppz)RhCl ₃](PF ₆) ₂	326
iii. Photophysical and Photochemical Properties of [(tpy)Ru(tppz)RhCl ₃](PF ₆) ₂	326
I. Photoinitiated Electron Collection	327
i. LA-BL-Rh-BL-LA Supramolecular Assemblies	328
ii. Redox Properties of LA-BL-Rh-BL-LA	328
iii. Spectroscopic Properties of LA-BL-Rh-BL-LA	330
iv. Photochemical and Photophysical Properties of LA-BL-Rh-BL-LA	331
v. Photoinitiated Electron Collection on a Rhodium Center	332
vi. Photochemistry with LA-BL-Rh-BL-LA Architectures	333
III. Supramolecular Complexes Coupling Ru(II) or Os(II) Polyazine Light Absorbers to Reactive Pt(II) Metal Centers	338
A. Cyanide-Bridged Ru(II)-Pt(II) Complexes: [(bpy) ₂ (CN)Ru(CN)Pt(dien)](ClO ₄) ₂ and [(dien)Pt(NC)(bpy) ₂ Ru(CN)Pt(dien)](ClO ₄) ₄	338
i. Redox Properties of [(bpy) ₂ (CN)Ru(CN)Pt(dien)](ClO ₄) ₂ and [(dien)Pt(NC)(bpy) ₂ Ru(CN)Pt(dien)](ClO ₄) ₄	338
ii. Spectroscopic Properties of [(bpy) ₂ (CN)Ru(CN)Pt(dien)](ClO ₄) ₂ and [(dien)Pt(NC)(bpy) ₂ Ru(CN)Pt(dien)](ClO ₄) ₄	339
iii. Photochemical and Photophysical Properties of [(bpy) ₂ (CN)Ru(CN)Pt(dien)](ClO ₄) ₂ and [(dien)Pt(NC)(bpy) ₂ Ru(CN)Pt(dien)](ClO ₄) ₄	339
B. A Ru(II)-Pt(II) Complex as a Chemodosimeter	340
C. Ru(II)-Pt(II) Complexes Bridged by Flexible Spacers	341
i. Redox Properties of [(bpy) ₂ Ru(Mebpy-CH ₂ -CH ₂ -Mebpy)PtCl ₂](PF ₆) ₂	341
ii. Spectroscopic Properties of [(bpy) ₂ Ru(Mebpy-CH ₂ -CH ₂ -Mebpy)PtCl ₂](PF ₆) ₂	341
D. A bpm-Bridged Ru(II)-Pt(II) Complex: [(bpy) ₂ Ru(bpm)PtCl ₂] ²⁺	342
i. Redox Properties of [(bpy) ₂ Ru(bpm)PtCl ₂] ²⁺	342
ii. Spectroscopic Properties of [(bpy) ₂ Ru(bpm)PtCl ₂] ²⁺	343
E. Ru(II)-Pt(II) dpp-Bridged Complexes: [(bpy) ₂ Ru(dpp)PtMe ₂] ²⁺ and [(bpy) ₂ Ru(dpp)PtCl ₂] ²⁺	343
i. Redox Properties of [(bpy) ₂ Ru(dpp)PtMe ₂] ²⁺ and [(bpy) ₂ Ru(dpp)PtCl ₂] ²⁺	343
ii. Spectroscopic Properties of [(bpy) ₂ Ru(dpp)PtMe ₂] ²⁺ and [(bpy) ₂ Ru(dpp)PtCl ₂] ²⁺	344
iii. Photophysical and Photochemical Properties of [(bpy) ₂ Ru(dpp)PtMe ₂] ²⁺ and [(bpy) ₂ Ru(dpp)PtCl ₂] ²⁺	344

F. Ru(II)-Pt(II) Complexes Bridged by a BL Ligand with Two Inequivalent Sites.	345
i. Redox Properties of [(bpy) ₂ Ru(AB)PtCl ₂](PF ₆) ₂ and [(bpy) ₂ Ru(BA)PtCl ₂](PF ₆) ₂	345
ii. Spectroscopic Properties of [(bpy) ₂ Ru(AB)PtCl ₂](PF ₆) ₂ and [(bpy) ₂ Ru(BA)PtCl ₂](PF ₆) ₂	346
iii. Photophysical and Photochemical Properties of [(bpy) ₂ Ru(AB)PtCl ₂](PF ₆) ₂ and [(bpy) ₂ Ru(BA)PtCl ₂](PF ₆) ₂	346
G. DNA Binding of the Ru(II)-Pt(II) Complex: [(tpy)Ru(dtdeg)PtCl]Cl ₃	347
H. Ru(II)-Pt(II) Complexes with Amino Linkages: [(bpy) ₂ Ru(BL)PtCl ₂](PF ₆) ₂ (BL = bpy(CONH(CH ₂) ₃ NH ₂) ₂ and phenNHCO(COOH) _{bpy})	347
i. Photophysical Properties and DNA Binding Ability of [(bpy) ₂ Ru(BL)PtCl ₂](PF ₆) ₂	348
ii. Photophysical Properties and Photocatalytic Activity of [(bpy) ₂ Ru(BL)PtCl ₂](PF ₆) ₂	348
I. Systematic Studies of Ru(II)/Os(II)-Pt(II) Complexes with Polyazine Bridging Ligands	349
i. Redox Properties [(bpy) ₂ M(BL)PtCl ₂](PF ₆) ₂	349
ii. Spectroscopic Properties of [(bpy) ₂ M(BL)PtCl ₂](PF ₆) ₂	351
iii. DNA Binding by [(bpy) ₂ M(dpb)PtCl ₂](PF ₆) ₂	353
J. Dendrimeric Ru(II)-Pt(II) Complexes Bridged by Polyazine Bridging Ligands	354
i. Redox and Spectroscopic Properties of [Ru{(dpq)(PtCl ₂) ₃ }(PF ₆) ₂	354
ii. Multifunctional DNA Binding and Photocleavage Agent: [{(bpy) ₂ Ru(dpp)} ₂ Ru(dpp)PtCl ₂](PF ₆) ₆	355
IV. Supramolecular Complexes Coupling Ru(II) Polyazine Light Absorbers to Reactive Pd(II) Metal Centers	356
A. Ru(II)-Pd(II) Complexes Bridged by dpp and bpm Ligands: [(bpy) ₂ Ru(dpp)PdCl ₂](PF ₆) ₂ and [(bpy) ₂ Ru(bpm)PdCl ₂](ClO ₄) ₂	356
i. Redox Properties of [(bpy) ₂ Ru(dpp)PdCl ₂](PF ₆) ₂ and [(bpy) ₂ Ru(bpm)PdCl ₂](ClO ₄) ₂	356
ii. Spectroscopic Properties of [(bpy) ₂ Ru(dpp)PdCl ₂](PF ₆) ₂ and [(bpy) ₂ Ru(bpm)PdCl ₂](ClO ₄) ₂	356
B. Ru(II)-Pd(II) Complexes Bridged by an Extended Polyazine Ligand: [(^t Bu ₂ bpy) ₂ Ru(tpphz)PdCl ₂](PF ₆) ₂	357
i. Spectroscopic Properties of [(^t Bu ₂ bpy) ₂ Ru(tpphz)PdCl ₂](PF ₆) ₂	358
C. Ru(II)-Pd(II) Complexes Bridged by bpm type Ligands: [(bpy) ₂ Ru(BL)PdMeCl] ²⁺	358

D. A Ru(II)-Pd(II) Complex Bridged by a Flexible Polyazine Bridging Ligand: [(bpy) ₂ Ru(DMB)PdCl ₂] ²⁺	359
i. Redox and Spectroscopic Properties of (bpy) ₂ Ru(DMB)PdCl ₂ ²⁺	359
ii. Photochemistry of [(bpy) ₂ Ru(DMB)PdCl ₂] ²⁺	359
V. Conclusions	364
VI. Acknowledgments	366
VII. References	366
8. Supramolecular Hybrid Materials—Integrating Functionality with Sensing	369
<i>Ramón Martínez-Mañez, Félix Sancenón, Ana Belén Descalzo, and Knut Rurack</i>	
I. Introduction	370
II. Enhanced Coordination by Preorganization. Surface Chelate Effect and Signaling	371
III. Enhanced Signaling by Preorganization	378
IV. Assembly-Disassembly	381
V. Selectivity by Polarity and Size. Biomimetic Signaling	386
VI. Switching, Gating and Signaling	391
VII. Conclusions	399
VIII. Acknowledgments	400
IX. References	400
9. Molecular Recognition Process between Nucleobases and Metal-Oxalato Frameworks	407
<i>Oscar Castillo, Antonio Luque, Juan P. García-Terán, and Pilar Amo-Ochoa</i>	
I. Introduction	408
A. Molecular Recognition	408
B. Nucleobases	409
C. Oxalate	412
II. Metal-Oxalato-Nucleobase Extended Systems	413
III. Other metal-nucleobase 1D Extended Systems	427
VI. Hybrid Systems Based on Metal-Oxalato and Protonated Nucleobases	433
V. Conclusions	443
VI. References	443
10. Crystal Engineering of Coordination Polymers	451
<i>Marius Andruh, and Catalina Ruiz-Pérez</i>	
I. Introduction	452

II. Synthetic Approaches	453
A. The Node-and-Spacer Paradigm	454
i. Bridging ligands	455
ii. Oligonuclear Complexes as Nodes	461
a. Alkoxo-Bridged Binuclear Copper(II) Complexes as Nodes	463
b. Homobinuclear Complexes with Compartmental Ligands as Nodes	468
c. Heterobinuclear Complexes as Node	473
d. Heterotrimetallic Coordination Polymers	478
B. Flexible Ligand Approach: Polycarboxylates as Anionic Linkers. A Case Study—Malonate Complexes	479
i. Dicarboxylates	480
ii. The Case of Malonate.	482
iii. Influence of the synthetic conditions	482
iv. The use of co-ligands	489
v. Ligand Adaptation	493
vi. Perspectives	497
C. The Building-Block Approach	497
i. Oxalato-Bridged Coordination Polymers	498
ii. Bisoxamidato Complexes as Building Blocks	501
iii. Cyano-Bridged Coordination Polymers	501
III. Conclusions and Perspectives	505
IV. Acknowledgments	506
V. References	506
Index	513