

Index

- affine function, 551
- alternative hypothesis, 495
- anticipation function, 54, 78
- arc, 71
- arc routing, 402
- assortment, 11, 54
- autocorrelation, 479, 524
- autocovariance, 479

- backlog, 236
- backorder, 236
- backward induction, 374
- Bass model, 177
- Bayes' theorem, 442
- Beer Game, 324
- Bernoulli
 - random variable, 447, 493
- bias (in forecasting), 104
- binary decision variable, 77
- binomial
 - random variable, 493
- binomial coefficient, 448
- bounding strategy, 567
- branch and bound, 78, 567
- branching strategy, 567

- brand loyalty, 239
- bullwhip effect, 39, 42, 324
- bundle, 66
- bundle of products, 216

- capacity
 - allocation, 332
- CDF, *see* cumulative distribution function
- central limit theorem, 28, 470
- chi-square
 - random variable, 468
- chi-square test, 498
- coefficient of correlation, 485
- coefficient of variation, 95, 445
- collaborative planning, forecasting and planning, 330
- competitive factors, 9
- complementary slackness, 558
- component commonality, 38
- concave function, 83, 551
- concordance, 486
- concordance (between random variables), 465
- conditional

- expectation, 471
 - probability, 438, 471
- confidence
 - interval, 490
 - level, 490
- confidence interval, 506
- constrained optimization, 553
- constraint
 - equality, 545
 - inequality, 545
- constraint qualification, 554
- constructive method, 404
- continuous random variable, 452
- continuous relaxation, 565, 567
- continuous review, 271
- contracts
 - buy-back, 378
 - franchising, 378, 389
 - quantity discounts, 390
 - revenue sharing, 379
 - Vendor Managed Inventory, 381
- control variable, 78
- convex
 - combination, 86
 - function, 504, 550
 - hull, 86
 - optimization problem, 554
 - set, 549
- convex combination, 549
- convexity, 536, 577
- correlation, 467, 521, 525
 - among customers, 327
- correlation coefficient, 58
- cost
 - average, 12
 - backlog, 543
 - fixed, 12, 21, 77, 536, 571, 573
 - holding, 543
 - inventory, 203
 - inventory holding, 15, 21
 - linear, 12
 - marginal, 12, 551
 - nonlinear, 12, 21
 - ordering, 15, 200, 573
 - administrative, 200
 - receiving, inspection and handling, 202
 - setup, 202
 - transportation, 201
 - semi-variable, 14
 - stockout, 16
 - sunk, 13
 - transportation, 14
 - variable, 13
- counting process, 480
- covariance, 465, 478, 485
- cross-docking, 342
- cross-docking platform, 8
- cumulative distribution function, 443, 461
- customer goodwill, 239
- customer lifetime value, 239
- CV, *see* coefficient of variation
- decision variable, 544
- Delivery Lead Time, 10
- Delphi method, 166
- demand
 - deterministic, 335
 - uncertainty, 351
- demand uncertainty, 56
- dependability, 10
- design variable, 78
- diseconomy of scale, 551
- dispersion measure, 445
- distribution
 - F , 470
 - binomial, 448
 - chi-square, 484
 - empirical, 451, 455
 - exponential, 451, 475, 480
 - geometric, 447, 473
 - lognormal, 468, 532
 - normal, 459, 470, 476, 481
 - Poisson, 450, 458, 480
 - standard normal, 459, 492
 - Student's t , 469, 484, 491, 497, 519
 - support, 447
 - uniform, 446

- DLT, *see* Delivery Lead Time
- double marginalization, 361
- early sales, forecasting through, 172
- echelon stock, 308, 343
- economic order quantity, 19, 56, 61, 551
- economics of scale, 13
- economy of scale, 69, 83, 551
- edge, 71
- EDLP, *see* everyday low prices
- efficient frontier, 576
- efficient solution, 576
- elastic model formulation, 79, 546
- Enterprise Resource Planning, 3
- EOQ,
 - seeconomic order quantity¹⁹
 - policy, 45
 - quantity discount, 223
 - two-echelon, 335
 - under capacity constraints, 221
- epigraph, 550
- ERP, *see* Enterprise Resource Planning
- error (in regression), 508, 524
- estimator, 483
 - unbiased, 483
- event, 434
 - disjoint, 436
 - independent, 438
 - mutually exclusive, 436
- every day low prices, EDLP, 331
- every-day low prices, 30
- expected value, 445, 454
- explanatory variable, 485, 501
- exponential
 - random variable, 458
- exponential smoothing
 - simple, 128
 - with seasonality, 144
 - with seasonality and trend, 154
 - with trend, 138
- extreme point, 562
- factorial, 449
- feasible set, 544
- first-order optimality condition, 504
- fixed charge, 571
- flexibility, 11
 - delivery, 11
 - order cancellation, 333
 - product, 11
 - to product innovations, 11
 - volume, 11
- flow time, 6
- forecasting, 328
 - explanatory models, 119
 - causal models, 119
 - new products, 166
 - qualitative methods, 116, 166
 - quantitative methods, 116
- Forrester effect, *see* bullwhip effect
- function of a random variable, 446, 454, 462
- generalized assignment, 422
- gradient, 548
- graph, 71
 - bipartite, 72
 - directed, 71
 - undirected, 71
- heterogeneity
 - customer, 328
- heteroskedasticity, 527
- heuristics, 568
- horizontal transshipment, 307
- hypothesis testing, 495, 520
- i.i.d. (random variables), 464, 470
- incentives, 359
- incumbent solution, 567
- independent
 - events, 438
 - random variables, 463, 476
- industry
 - car, 18, 47
 - ebusiness, 17, 91, 334
 - electronics, 17, 91, 379

- electronics distribution, 326
- entertainment, 380
- food, 24, 98, 100, 303
- furniture, 17
- grocery, 342
- grocery, 386
- luxury, 47, 307
- retail, 10, 17, 96, 113, 118, 305–307, 326, 334
- spare parts, 39
- white goods, 117, 305
- information
 - sharing, 329
- initialization, 140, 147, 155
- initialization (of parameters in exponential smoothing), 134
- installation stock, 308
- integer linear programming, 564
- interior point method, 564
- intermodal center, 69
- inventory
 - (Q,R) model, 270
 - allocation, 347
 - fixed period, 270
 - fixed quantity, 270
 - in transit, 61
 - in-transit, 29
 - on hand, 211
 - periodic review, 270
 - position, 211
- inventory control system, 494
- inventory policy
 - (Q,R), 312, 352
 - S, 344
- iterative method, 404
- Kuhn–Tucker conditions, 558
- lack of memory, 481
- Lagrange multiplier, 553
- Lagrangian function, 554
- Lagrangian multiplier, 218
- Lancaster model, 171
- lateral shipment, 9
- lead time
 - uncertain, 355
- least-squares method, 84
- linear programming, 54, 71, 503, 540, 562
- location measure, 445
- logistics
 - industrial, 3
 - reverse, 4, 9
- lost sales, 236
- lot sizing, 325
- lower bound, 565, 567
- LTL, *see* transportation, less-than-truckload
- lurking variable, 488
- MAD, *see* mean absolute deviation
- Make to Order, 46, 91
- Make to Stock, 46, 91
- MAPE, *see* mean absolute percentage error
- marginal distribution, 462, 476
- Markov process, 479
- mean absolute deviation, 104, 110
- mean absolute percentage error, 107
- mean error, 110
- mean error (in forecasting), 104
- mean percentage error, 107
- mean square error, 454
- median, 456, 459
- memory, lack of, 458, 475
- meta-modeling, 84
- mixed-integer programming, 564
- mode, 454, 459, 469
- model
 - analytical, 49
 - descriptive, 49
 - multiperiod, 35, 44, 540
 - multistage, 35, 44
 - prescriptive, 48
 - simulation, 49
- moment (of a random variable), 444, 453
- moving average, 120
- MPE, *see* mean percentage error
- MSE, *see* mean square error

- MTO, *see* Make to Order
 MTS, *see* Make to Stock
 multicriteria decision-making, 575
 multiobjective optimization, 575
 multiperiod problem, 426
- nested policy, 313
 network, 71, 399
 - arborescent, 7, 55
 - convergent, 7
 - divergent, *see* network, arborescent
 - linear, 6
 - optimization, 71
 - pure distribution, 7
- newsvendor problem, 31, 245
 - multi-item, 259
 - two-period, 265
- node, 71
 - destination, 72
 - intermediate, 55
 - source, 72
- node routing, 400
 nondominated solution, 576
 nonlinear programming, 84, 553
 nonparametric test, 498
 normal
 - standard distribution, 28
- null hypothesis, 495
- objective function, 544
 operational
 - problem, 43
- optimization
 - nonconvex, 50
- optimizer
 - global, 515
 - local, 545
- order decoupling point, 47
 ordering cost, 327
- p*-value, 497, 520
 paired observations, 501
 parameters selection, 121, 132, 139, 147
- PDF, *see* probability density function
- penalty coefficient, 79
 penalty function, 546, 547
 performance evaluation
 - model, 49
- piecewise-linear function, 84
 plant location, 76
- PMF, *see* probability mass function
- Poisson
 - process, 480
 - compound, 481
 - inhomogeneous, 481
 - random variable, 450
 - stochastic process, 451
- polyhedron, 549, 562
 postponement, 39, 346
 Pricing policies, 331
 private information, 381
 probability
 - distribution, 27
 - joint, 437
 - measure, 436
- probability density function, 452, 462
 probability mass function, 443, 462
 problem
 - minimum cost flow, 74
 - operational, 71
 - plant location, 76
 - strategic, 42, 71
 - tactical, 43
 - transportation, 72
- programming
 - linear, 73
 - stochastic, with recourse, 35
- pull system, 44
 push system, 44
- quadratic programming, 555
 quality, 9, 18
 - conformance, 10
 - target, 10
- quantile, 28, 456, 460, 470, 491

- R^2 statistic, 521
- random sample, 482
- random variable, 442
 - binomial, 451
 - discrete, 442
- random walk, 479
- regression
 - multiple linear, 165
 - nonlinear, 528
 - simple linear, 158, 501
- rejection region, 495
- reorder level, 210
- reorder point, 56, 210
- residual, 503, 509, 521
- revenue management, 4, 50
- risk
 - adverse, 38
 - averse, 249
 - neutral, 38, 249
 - pooling, 36, 39, 56, 57, 347
- risk aversion, 575
- RMSE, *see* root mean square error
- rolling horizon, 35, 543
- root mean square error, 106, 110
- route, 400
- safety stock, 56, 273
- sample
 - correlation, 486, 501
 - covariance, 485
 - fit, 115
 - mean, 482
 - path, 476
 - space, 434
 - standard deviation, 483
 - test, 115
 - variance, 483
- scalarization, 576
- scenario, 78
- search tree, 407
- sell-in, 333
- sell-out, 333
- service, 10
- service level, 16, 28, 537, 578
 - type I, 242
 - type II, 243
- shadow price, 219, 561
- significance level, 495
- simple linear regression, *see* regression, simple linear
- simplex method, 564
- simulation, 49, 55
 - discrete-event, 49
- standard deviation, 445
- standard error of estimate, 511
- standard normal
 - random variable, 468
- stationarity (of a stochastic process), 478, 525
- stationarity condition, 547, 552
- statistic, 482
- statistical model, 508, 520
- stochastic process
 - continuous-time, 480
 - discrete-parameter, 476
 - discrete-time, 476
 - Gaussian, 476
 - weakly stationary, 478
- stochastic programming
 - two-stage, 78
- stock
 - cycle, 24
 - in-transit, 24
 - pipeline, 24
 - safety, 28
 - seasonal, 25
 - speculative, 24
- stockout, 56
 - cost, 28
 - probability, 28
- store loyalty, 239
- strategy, 9
- supply chain
 - arborescent, 342
- supply chain structure
 - convergent, 306
 - divergent or arborescent, 306
 - linear, 306
 - multiechelon, 303, 359

- support (of a probability distribution), 453
- sweep method, 421

- tactical problem, 71
- Theil's U statistic, 112
- time bucket, 541
- total probabilities (theorem of), 441, 473
- tour, 400
- transit point, 8, 342
- transportation
 - consolidation, 327
 - full truckload, 41
 - less-than-truckload, 41
 - point-to-point, 40
- transportation cost, 572
- transshipment node, 8
- transshipment point, 342
- type I error, 495, 498
- type II error, 495

- uncertainty
 - delivery, 233
 - delivery lead times, 233
 - demand, 233
 - inventory levels, 233
 - subjective, 27
- unconstrained problem, 544
- uncorrelated variables, 467
- uniform
 - random variable, 457
- upper bound, 565, 567

- variability, 324
- variance, 445, 454
- Vehicle Routing Problem, 41
- Vendor Managed Inventories, VMI, 330
- Vendor Managed Inventory, 41, 381
- vertex, 71, 562
- VMI. *see* Vendor Managed Inventory, 330
- VRP. *see* Vehicle Routing Problem

- yield management, 4

