

Table of Contents

| | | |
|---------------|--|-----------|
| | Preface | XV |
| | List of Contributors | XIX |
| Part I | Polymers and Fillers | 1 |
| 1 | Polymers and Polymer Composites | 3 |
| 1.1 | Thermoplastics and Thermosets | 3 |
| 1.2 | Processing of Thermoplastics and Thermosets | 4 |
| 1.3 | Polymer Composites | 6 |
| 1.3.1 | Types and Components of Polymer Composites | 6 |
| 1.3.2 | Effects of Fillers/Reinforcements – Functions | 8 |
| 1.3.3 | Rules of Mixtures for Composites | 11 |
| 1.3.4 | Functional Fillers | 12 |
| | References | 16 |
| 2 | Modification of Polymer Mechanical and Rheological Properties with Functional Fillers | 17 |
| 2.1 | Introduction | 17 |
| 2.2 | The Importance of the Interface | 18 |
| 2.3 | Modification of Mechanical Properties | 19 |
| 2.3.1 | General | 19 |
| 2.3.2 | Modulus of Fiber and Lamellar Composites | 22 |
| 2.3.3 | Modulus of Composites Incorporating Particulates | 25 |
| 2.3.4 | Strength of Composites with Fiber and Lamellar Fillers | 27 |
| 2.3.5 | Strength of Composites Incorporating Particulates | 30 |
| 2.3.6 | Toughness Considerations | 30 |
| 2.3.7 | Temperature and Time Effects | 31 |
| 2.4 | Effects of Fillers on Processing Characteristics of Polymers | 32 |
| 2.4.1 | General | 32 |
| 2.4.2 | Melt Rheology of Filled Polymers | 32 |
| 2.4.3 | Processing/Structure/Property Relationships | 35 |

| | | |
|----------------|--|-----------|
| | Symbols | 37 |
| | Subscripts | 37 |
| | References | 38 |
| 3 | Mixing of Fillers with Plastics | 39 |
| 3.1 | Introduction | 39 |
| 3.2 | Pretreatment of Fillers | 42 |
| 3.3 | Feeding | 42 |
| 3.4 | Melting | 46 |
| 3.5 | Introduction of Solids and Mixing | 47 |
| 3.6 | Venting | 52 |
| 3.7 | Pressure Generation | 52 |
| 3.8 | Process Examples | 53 |
| 3.9 | Further Information | 55 |
| | References | 55 |
| Part II | Surface Modifiers and Coupling Agents | 57 |
| 4 | Silane Coupling Agents | 59 |
| 4.1 | Introduction | 59 |
| 4.2 | Production and Structures of Monomeric Silanes | 60 |
| 4.3 | Silane Chemistry | 61 |
| 4.4 | Types of Silanes | 62 |
| 4.4.1 | Waterborne Silane Systems | 62 |
| 4.4.2 | Oligomeric Silanes | 62 |
| 4.5 | Silane Hydrolysis | 63 |
| 4.6 | Reactivity of Silanes Towards the Filler | 65 |
| 4.7 | Combining Silanes and Mineral Fillers | 66 |
| 4.7.1 | Method I | 66 |
| 4.7.2 | Method II | 67 |
| 4.7.3 | Method III | 67 |
| 4.7.4 | Method IV | 68 |
| 4.8 | Insights into the Silylated Filler Surfaces | 68 |
| 4.8.1 | Spectroscopy | 68 |
| 4.8.2 | Pyrolysis-Gas Chromatography | 72 |
| 4.8.3 | Carbon Analysis | 72 |
| 4.8.4 | Colorimetric Tests | 73 |
| 4.8.5 | Acid-Base Titration | 73 |
| 4.8.6 | Empirical Tests for Hydrophobicity | 73 |
| 4.8.7 | Combined Silane/Colorant Surface Modification | 74 |
| 4.9 | Selection of Silanes | 74 |
| 4.10 | Applications of Specific Silanes | 76 |
| 4.10.1 | Vinylsilanes | 76 |
| 4.10.2 | Aminosilanes | 78 |
| 4.10.3 | Methacryloxysilanes | 80 |

| | | |
|-----------------|--|------------|
| 4.10.4 | Epoxy silanes | 81 |
| 4.10.5 | Sulfur-Containing Silanes | 81 |
| 4.11 | Trends and Developments | 82 |
| | References | 83 |
| 5 | Titanate Coupling Agents | 85 |
| 5.1 | Introduction | 85 |
| 5.2 | The Six Functions of the Titanate Molecule | 88 |
| 5.2.1 | Effects of Function (1) | 88 |
| 5.2.2 | Effects of Function (2) | 93 |
| 5.2.3 | Effects of Function (3) | 95 |
| 5.2.4 | Effects of Function (4) | 97 |
| 5.2.5 | Effects of Function (5) | 99 |
| 5.2.6 | Effects of Function (6) | 101 |
| 5.3 | Summary and Conclusions | 101 |
| | References | 102 |
| 6 | Functional Polymers and Other Modifiers | 105 |
| 6.1 | Introduction | 105 |
| 6.2 | General Types of Modifiers and their Principal Effects | 106 |
| 6.2.1 | Non-Coupling Modifiers | 106 |
| 6.2.2 | Coupling Modifiers | 106 |
| 6.2.3 | Reinforcement Promoters | 107 |
| 6.3 | Modifiers by Chemical Type | 107 |
| 6.3.1 | Carboxylic Acids and Related Compounds | 107 |
| 6.3.2 | Alkyl Organophosphates | 121 |
| 6.3.3 | Alkyl Borates | 121 |
| 6.3.4 | Alkyl Sulfonates | 121 |
| 6.3.5 | Functionalized Polymers | 121 |
| 6.3.6 | Organic Amines and their Derivatives | 126 |
| | References | 127 |
| Part III | Fillers and their Functions | 129 |
| 7 | Glass Fibers | 131 |
| 7.1 | Background | 131 |
| 7.2 | Production Methods | 132 |
| 7.3 | Structure and Properties | 135 |
| 7.4 | Suppliers | 138 |
| 7.5 | Cost/Availability | 138 |
| 7.6 | Environmental/Toxicity Considerations | 140 |
| 7.7 | Applications | 141 |
| | References | 147 |

| | | |
|-----------|--|-----|
| 8 | Mica Flakes | 149 |
| 8.1 | Background | 149 |
| 8.2 | Production Methods | 151 |
| 8.3 | Structure and Properties | 152 |
| 8.4 | Suppliers | 156 |
| 8.5 | Cost/Availability | 157 |
| 8.6 | Environmental/Toxicity Considerations | 157 |
| 8.7 | Applications | 158 |
| 8.7.1 | General | 158 |
| 8.7.2 | Primary Function | 158 |
| 8.7.3 | Other Functions | 159 |
| | References | 161 |
| | | |
| 9 | Nanoclays and Their Emerging Markets | 163 |
| 9.1 | Introduction | 163 |
| 9.1.1 | Clays, Nanoclays, and Nanocomposites | 163 |
| 9.1.2 | Concept and Technology | 163 |
| 9.2 | Production Methods | 164 |
| 9.2.1 | Raw and Intermediate Materials | 164 |
| 9.2.2 | Purification and Surface Treatment | 166 |
| 9.2.3 | Synthetic Clays | 167 |
| 9.3 | Structure and Properties | 167 |
| 9.4 | Suppliers | 170 |
| 9.5 | Cost/Availability | 170 |
| 9.6 | Environmental/Toxicity Considerations | 170 |
| 9.7 | Applications | 171 |
| | References | 174 |
| | | |
| 10 | Carbon Nanotubes/Nanofibers and Carbon Fibers | 175 |
| 10.1 | Introduction | 175 |
| 10.1.1 | Types of Carbon Nanotubes/Nanofibers and their Synthesis | 175 |
| 10.1.2 | Types of Carbon Fibers and their Synthesis | 178 |
| 10.1.3 | Chemical Modification/Derivatization Methods | 181 |
| 10.1.4 | Polymer Matrices | 182 |
| 10.2 | Polymer Matrix Composites | 183 |
| 10.2.1 | Fabrication | 183 |
| 10.2.2 | Mechanical and Electrical Property Modification | 184 |
| 10.3 | Cost/Availability | 188 |
| 10.4 | Environmental/Toxicity Considerations | 188 |
| 10.5 | Applications | 190 |
| | References | 192 |
| | | |
| 11 | Natural Fibers | 195 |
| 11.1 | Introduction | 195 |
| 11.2 | Structure and Production Methods | 196 |

| | | |
|-----------|---|------------|
| 11.3 | Properties | 197 |
| 11.3.1 | Chemical Components | 197 |
| 11.3.2 | Fiber Dimensions, Density, and Mechanical Performance | 198 |
| 11.3.3 | Moisture and Durability | 199 |
| 11.4 | Suppliers | 200 |
| 11.5 | Cost/Availability | 201 |
| 11.6 | Environmental/Toxicity Considerations | 202 |
| 11.7 | Applications (Primary and Secondary Functions) | 202 |
| 11.7.1 | Mechanical Property Modification (Primary Function) | 203 |
| 11.7.2 | Environmental Preference and Biodegradability (Secondary Functions) | 203 |
| | References | 205 |
| 12 | Talc | 207 |
| 12.1 | Production Methods | 207 |
| 12.2 | Structure and Properties | 208 |
| 12.3 | Suppliers | 212 |
| 12.4 | Cost/Availability | 212 |
| 12.5 | Environmental/Toxicity Considerations | 214 |
| 12.6 | Applications | 215 |
| 12.6.1 | General | 215 |
| 12.6.2 | Applications by Polymer Matrix | 216 |
| | References | 220 |
| 13 | Kaolin | 221 |
| 13.1 | Introduction | 221 |
| 13.2 | Production Methods | 222 |
| 13.2.1 | Primary Processing | 223 |
| 13.2.2 | Beneficiation | 223 |
| 13.2.3 | Kaolin Products | 226 |
| 13.2.4 | Calcination | 227 |
| 13.2.5 | Surface Treatment | 228 |
| 13.3 | Properties | 228 |
| 13.4 | Suppliers | 230 |
| 13.5 | Cost/Availability | 231 |
| 13.6 | Environmental/Toxicity Considerations | 231 |
| 13.7 | Applications | 232 |
| 13.7.1 | Primary Function | 232 |
| 13.7.2 | Secondary Functions | 236 |
| | References | 239 |
| 14 | Wollastonite | 241 |
| 14.1 | Introduction | 241 |
| 14.2 | Production | 241 |
| 14.3 | Structure and Properties | 242 |

| | | |
|-----------|---|------------|
| 14.4 | Suppliers/Cost | 244 |
| 14.5 | Environmental/Toxicity Considerations | 244 |
| 14.6 | Applications (Primary and Secondary Functions) | 245 |
| | References | 247 |
| 15 | Wood Flour | 249 |
| 15.1 | Introduction | 249 |
| 15.2 | Production Methods | 251 |
| 15.3 | Structure and Properties | 253 |
| 15.3.1 | Wood Anatomy | 253 |
| 15.3.2 | Chemical Components | 254 |
| 15.3.3 | Density | 256 |
| 15.3.4 | Moisture | 257 |
| 15.3.5 | Durability | 259 |
| 15.3.6 | Thermal Properties | 260 |
| 15.4 | Suppliers | 262 |
| 15.5 | Cost/Availability | 263 |
| 15.6 | Environmental/Toxicity Considerations | 263 |
| 15.7 | Applications (Primary and Secondary Functions) | 263 |
| 15.7.1 | Thermosets | 263 |
| 15.7.2 | Thermoplastics | 264 |
| | Authors' Note | 267 |
| | References | 268 |
| 16 | Calcium Carbonate | 271 |
| 16.1 | Background | 271 |
| 16.2 | Production Methods | 272 |
| 16.3 | Structure and Properties | 273 |
| 16.4 | Suppliers | 274 |
| 16.5 | Cost/Availability | 274 |
| 16.6 | Environmental/Toxicity Considerations | 275 |
| 16.7 | Applications | 275 |
| 16.7.1 | General | 275 |
| 16.7.2 | Polyvinyl Chloride | 276 |
| 16.7.3 | Glass Fiber Reinforced Thermosets | 277 |
| 16.7.4 | Polyolefin Moldings | 277 |
| 16.7.5 | Polyolefin Films | 280 |
| 16.7.6 | Polyolefin Microporous Films | 280 |
| 16.7.7 | Bioactive Composites | 283 |
| | References | 284 |
| 17 | Fire Retardants | 285 |
| 17.1 | Introduction | 285 |
| 17.2 | Combustion of Polymers and the Combustion Cycle | 285 |
| 17.3 | Fuel | 287 |

| | | |
|-----------|---|------------|
| 17.4 | Smoke | 287 |
| 17.4.1 | Toxicity | 288 |
| 17.4.2 | Visibility | 288 |
| 17.5 | Flammability of Polymers | 289 |
| 17.6 | Mechanisms of Fire Retardant Action | 290 |
| 17.6.1 | Condensed Phase | 290 |
| 17.6.2 | Chemical Effects in the Gas Phase | 291 |
| 17.7 | Classification of Fire Retardants | 292 |
| 17.7.1 | Metal Hydroxides | 292 |
| 17.7.2 | Halogenated Fire Retardants | 299 |
| 17.7.3 | Zinc/Boron Systems | 303 |
| 17.7.4 | Melamines | 303 |
| 17.7.5 | Phosphorus-Containing Flame Retardants | 303 |
| 17.7.6 | Low Melting Temperature Glasses | 306 |
| 17.8 | Tools and Testing | 307 |
| 17.9 | Toxicity | 308 |
| 17.9.1 | Metal Hydroxides | 308 |
| 17.9.2 | Antimony Trioxide | 309 |
| 17.9.3 | Brominated Fire Retardants | 309 |
| 17.9.4 | Chlorinated Fire Retardants | 310 |
| 17.9.5 | Boron-Containing Fire Retardants | 311 |
| 17.9.6 | Phosphorus-Containing Fire Retardants | 311 |
| 17.10 | Manufacturers of Fire Retardants | 312 |
| 17.11 | Concluding Remarks | 312 |
| | Acknowledgements | 312 |
| | References | 314 |
| 18 | Conductive and Magnetic Fillers | 317 |
| 18.1 | Introduction | 317 |
| 18.2 | Carbon Black | 318 |
| 18.2.1 | General | 318 |
| 18.2.2 | Varieties | 318 |
| 18.2.3 | Commercial Sources | 321 |
| 18.2.4 | Safety and Toxicity | 321 |
| 18.2.5 | Surface Chemistry and Physics | 321 |
| 18.3 | Phenomena of Conductivity in Carbon Black Filled Polymers | 322 |
| 18.3.1 | General | 322 |
| 18.3.2 | Percolation Theories | 323 |
| 18.3.3 | Effects of Carbon Black Type | 324 |
| 18.3.4 | Effects of Polymer Matrix | 324 |
| 18.3.5 | Other Applications | 326 |
| 18.4 | Distribution and Dispersion of Carbon Black in Polymers | 326 |
| 18.4.1 | Microscopy and Morphology | 326 |
| 18.4.2 | Percolation Networks | 327 |
| 18.4.3 | CB in Multiphase Blends | 327 |

| | | |
|-----------|--|------------|
| 18.4.4 | Process Effects on Dispersion | 328 |
| 18.5 | Other Carbon-Based Conductive Fillers | 328 |
| 18.6 | Intrinsically Conductive Polymers (ICPs) | 329 |
| 18.7 | Metal Particle Composites | 330 |
| 18.8 | Magnetic Fillers | 333 |
| 18.9 | Concluding Remarks | 334 |
| | Acknowledgements | 334 |
| | Appendix: Measurements of Resistivity | 334 |
| | References | 336 |
| 19 | Surface Property Modifiers | 339 |
| 19.1 | Introduction | 339 |
| 19.2 | Solid Lubricants/Tribological Additives | 340 |
| 19.2.1 | General | 341 |
| 19.2.2 | Production | 342 |
| 19.2.3 | Structure/Properties | 344 |
| 19.2.5 | Cost/Availability | 353 |
| 19.2.6 | Environmental/Toxicity Considerations | 354 |
| 19.2.7 | Applications | 355 |
| 19.3 | Anti-Blocking Fillers | 356 |
| 19.3.1 | General | 356 |
| 19.3.2 | Silica as an Anti-Blocking Filler | 358 |
| 19.3.3 | Applications of Silicas | 362 |
| | References | 364 |
| 20 | Processing Aids | 367 |
| 20.1 | Introduction | 367 |
| 20.2 | Production | 368 |
| 20.2.1 | Magnesium Oxide | 368 |
| 20.2.2 | Fumed Silica | 369 |
| 20.2.3 | Hydrotalcites | 369 |
| 20.3 | Structure/Properties | 370 |
| 20.3.1 | Magnesium Oxide | 370 |
| 20.3.2 | Fumed Silica | 371 |
| 20.3.3 | Hydrotalcites | 372 |
| 20.4 | Suppliers/Manufacturers | 373 |
| 20.5 | Environmental/Toxicological Considerations | 375 |
| 20.5.1 | Magnesium Oxide | 375 |
| 20.5.2 | Fumed Silica | 375 |
| 20.5.3 | Hydrotalcites | 375 |
| 20.6 | Applications | 376 |
| 20.6.1 | Magnesium Oxide | 376 |
| 20.6.2 | Fumed Silica | 378 |
| 20.6.3 | Hydrotalcites | 378 |
| | References | 380 |

| | | |
|-----------|--|------------|
| 21 | Glass and Ceramic Spheres | 381 |
| 21.1 | Introduction | 381 |
| 21.2 | Production and Properties | 381 |
| 21.3 | Functions | 382 |
| 21.4 | Suppliers | 384 |
| | References | 385 |
| | | |
| 22 | Bioactive Fillers | 387 |
| 22.1 | Introduction | 387 |
| 22.2 | Bone as a Biocomposite | 388 |
| 22.3 | Bioceramics Suitable for Tissue Engineering Applications | 389 |
| 22.4 | Bioceramics as Functional Fillers | 390 |
| 22.4.1 | Hydroxyapatite (HA) | 390 |
| 22.4.2 | Calcium Phosphate Ceramics | 393 |
| 22.4.3 | Calcium Carbonate | 394 |
| 22.4.4 | Bioactive Glasses | 395 |
| 22.4.5 | Apatite–Wollastonite Glass Ceramics (A-W) | 396 |
| 22.4.6 | Other Bioactive Fillers | 396 |
| 22.5 | Modification of Bioceramic Fillers | 397 |
| 22.6 | Fillers Formed <i>In Situ</i> | 397 |
| 22.7 | Concluding Remarks | 398 |
| | References | 399 |
| | | |
| 23 | <i>In Situ</i> Generated Fillers: Organic–Inorganic Hybrids | 401 |
| 23.1 | Introduction | 401 |
| 23.2 | Methodology for the Production of Organic–Inorganic Hybrids | 403 |
| 23.3 | General Properties of Organic–Inorganic Hybrid Materials | 404 |
| 23.4 | Potential Applications of Hybrids in Polymer Composites and Blends | 406 |
| 23.4.1 | Use of Polyimide–Silica Hybrids in Polymer Composites | 406 |
| 23.4.2 | Utilization of Hybrids in Thermosetting Resins | 413 |
| | Acknowledgements | 418 |
| | References | 419 |

