

Index

a

- absorption spectra
 - Alq₃ thin films 298
 - iridium complexes 366
 - osmium-based emitters 196
 - platinum-based emitters 213–214
 - ruthenium containing polymers 350–351
- allowedness 74
 - electronic transitions 23–25, 29–30, 62
 - Herzberg–Teller activity 67
 - lowest triplet state 40–41
 - vibrational satellites 64–65
 - zero-field splitting 30
- Alq₃ 133–134, 294–301
 - chemical structure 295–296
 - metal-containing polymers 329
 - spectra 298
 - thin films 298
- aluminum-tris-8-hydroxyquinolate *see* Alq₃
- ancillary ligands
 - cyclometallated complexes 143–145
 - electrochemical potentials 144
 - Ir *bis*immine complexes 147
 - iridium-based emitters 207
 - low triplet energies 146–148
 - spin density 146–147
- anionic iridium complexes
 - chemical structure 374
 - electrochemical properties 374
 - HOMO levels 373, 375–376
 - phosphorescent color shift 375–377
 - photophysical properties 372–377
 - synthesis 372
 - tuning 372–377

- annihilation *see* triplet-triplet annihilation
- 6-aryl-2,2'-bipyridine arylacetylde Pt(II) complexes 265–268
- arylacetylde complexes, Pt(II) materials 262–263, 265–268

b

- B(L1)(C₆F₅)₂ 194
- BAlq 301–306
 - chemical structure 302
 - temperature dependence 305–306
 - thin film 303, 305
 - vibronic-structured emission 303
- benzazole ligands 148
- 4-biphenyloxolato aluminum(III) *bis* (2-methyl-8-quinolinato)4-phenylphenolate *see* BAlq
- tris*(2,2'-bipyridyl) ruthenium(II) *see* Ru(bpy)₃²⁺
- 2,2'-bipyridine
 - neutral iridium complexes 366
 - ruthenium containing polymers 337
- blocking layer
 - exciton confinement 137
 - OLED design 5
- blue-emitting materials 153, 288–294
 - high-energy triplet states 288
 - iridium-based 209–212
 - osmium-based 193–198
- broadening effects *see* spectral broadening

c

- carbazole-based host materials 316–318
- carbazole derivatives 318–322
 - chemical structure 319
 - oxidation behavior 317
 - triplet energies 317–318

- carbazole polymers
 - chemical structure 319, 323
 - high-efficiency phosphorescent pLEDs 322–325
 - ionization potentials 323
 - triplet energies 323
- carrier-transporting layers 289
- carriers
 - confinement 136–139
 - generation 114–125
 - *see also* charge carriers
- cationic iridium complexes
 - molecular orbitals 372
 - photophysical properties 369–372
 - synthesis 369
 - tuning 369–372
- CBP 134–138, 261, 276
 - energy transfer 283–307
 - thin film 288
- charge carriers
 - electric-field induced generation 114–125
 - spin correlations 103–107
 - spin persistence 119–120
 - *see also* carriers
- charge transfer
 - dopant-matrix 9
 - metal-metal-to-ligand 212
 - metal-to-ligand *see* metal-to-ligand charge transfer
- charge transfer states 8
 - electric field modulated fluorescence 111, 114
 - electronic excitations 18–29
 - iridium complexes 378
 - metal-to-ligand 29
 - spin correlations 101
 - spin-lattice relaxation 104
- charge transporting materials 395
- charge trapping 230
 - conjugated polymer matrices 243–244
 - PVK 224–227
 - recombination 7
 - ruthenium containing polymers 353
 - sequential 222
- chelating chromophores 209
- chelating ligands
 - ancillary 143
 - modifications 188
 - pyridyl azolate 185–186
- chemiluminescence 40
- chromophoric ligands 23
- color tuning 148
 - anionic iridium complexes 372–377
 - cationic iridium complexes 369–372
 - iridium-based emitters 207–209
 - luminescent complexes 190
 - metal cation 190
 - neutral iridium complexes 366–369
 - phosphorescence 367
- compounds, organo-transition metal *see* organo-transition metal compounds
- configuration interaction (CI)
 - organo-transition metal compounds 30
 - zero-field splitting 30
- conjugated polymers
 - charge trapping 243–244
 - energy difference 315
 - PtOEP doped 243–251
 - ruthenium containing 337, 347–357
- coordination chemistry 189
- coordination reaction 339
- coordination sphere
 - MC excitation 15
 - recombination 9
- copolymerization
 - carbazole tuning 322
 - ruthenium containing polymers 346–347
- crystal field theory 15
- crystalline matrices 82
- current density
 - blue phosphorescent molecules 293
 - carbazole polymers 324
 - Pt(II) *bis*(phenoxy)diimine 275
 - tridentate Pt(II) complexes 269–270
- current efficiency
 - Ir(ppy)₃ 6
 - organometallic complexes 135
- current-voltage characteristics
 - exciplex emission 236–238
 - PVK 225
- cyanide ligands 376–377
- tris*-cyclometalated iridium complexes 163
- cyclometalated complexes 139–153
 - ancillary ligands 143–145
 - energy level mixing 140
 - excited states 140–145
 - facial isomers 145–146
 - iridium 131–162, 177–178
 - isomers 145–146
 - ligand tuning 148–150
 - ligands 140, 143–145
 - lowest excited state 141
 - meridional isomers 145–146
 - MO analysis 142–143

- modifications 139
 - near-UV luminescent 150–153
 - organoiridium 131–162
 - parent complex modifications 139
 - Pt(II) 265–268
 - synthesis 139–140
- d**
- d-orbitals splitting 15, 365
 - decay dynamics
 - emission 80
 - excited states 175–176
 - phosphorescence 51–56
 - decay rates
 - radiative 24–29
 - triplet substates 25
 - decay time(s)
 - emission 56, 80
 - Ir(btp)₂ (acac) 60, 80
 - Ir(ppy)₃ 47–48, 52
 - lowest triplet state 45–48
 - magnetic field 62
 - organo-transition metal compounds 38
 - spin-lattice relaxation 53
 - substates 48, 52, 61, 80
 - triplet emitters 1
 - vibrational satellites 72
 - degenerate states 21–22
 - delayed emission modulation 122
 - delayed fluorescence 115, 119, 300
 - E-type 124
 - delayed photoluminescence 115, 117
 - dendrimers 339
 - PDI 231
 - ruthenium containing polymers 348
 - dendritic shells 230–234
 - density functional theory (DFT) 43
 - triplet substates 24
 - depopulation
 - rate constant 47
 - spectral broadening 82
 - Dexter energy transfer
 - BALq 304
 - guest-host systems 284
 - polymer-based electrophosphorescent devices 222
 - PtOEP doped devices 247–250
 - DFT *see* density functional theory
 - 4,4'-N,N'-dicarbazole-biphenyl *see* CBP
 - 4,4'-di(N-carbazolyl)biphenyl *see* CBP
 - bis[(4,6-difluorophenyl)-pyridinato-N,C²](picolinate) iridium *see* FIrpic
 - α-diimine arylacetylide complexes 262–263
 - β-diketone complexes 404
 - diketones, modified 401–402
 - N,N'-diphenyl-N,N'-(bis(3-methylphenyl)-[1,1-biphenyl]-4,4'-diamine (TPD) 229
 - dipole-forbidden transition 45
 - direct charge injection 382
 - direct process
 - phosphorescence dynamics 49–50
 - spin-lattice relaxation 49
 - dopant-matrix charge transfer (DMCT) 9
 - dopant-matrix interactions 78
 - dopants
 - high-resolution spectroscopy 40
 - recombination 9
 - site energy distribution 77
 - spectral broadening 81
 - doping
 - phosphor 136–139
 - polymer-based electrophosphorescent devices 221
 - PtOEP devices 243–251
 - doping concentrations, iridium complexes 378, 380–382
 - DPPZ *see* ruthenium dipyriddyphenazine
 - Dq parameter 15–16
 - dyes
 - chemical structure 230
 - metal-containing polymers 333–334
 - separation 222
- e**
- E-type delayed fluorescence 124
 - efficiencies
 - current *see* current efficiency
 - internal conversion 378
 - lanthanide complexes 414–415
 - luminance 134, 228
 - luminous power 5–6
 - OLEDs 120
 - Pt(II) bis(pyrrole)diimine 276
 - quantum *see* quantum efficiency
 - Einstein relation 225–226
 - electric field modulated fluorescence and phosphorescence
 - detection scheme 112
 - diffusivity 108
 - ISC 110
 - singlet population 107
 - spin persistence 114–125
 - spin states 107–125
 - triplet formation rate 113
 - electric field pulse
 - phosphorescence modulation 121
 - spin persistence 117

- electro-active materials 330
- electroluminescence
 - efficiencies 136, 414–415
 - electron trap 231
 - emission 7
 - erbium complexes 411–415
 - europium complexes 396–404
 - excited states 3–10
 - lanthanide complexes 391–420
 - ligand emission 415–417
 - near infrared 411–415
 - neodymium complexes 411–415
 - OLEDs 3–10
 - organoiridium complexes 132
 - spin states 113–114
 - terbium complexes 404–411
 - time-resolved 113
 - tridentate Pt(II) complexes 268
- electroluminescence spectra
 - ancillary ligands 147
 - multifunctional complexes 346
 - poly(para-phenylene) 109
 - Pt(II) *bis*(pyrrole)diimine 277
 - Pt(II) porphyrin complexes 279
 - Pt(II) Schiff base 273
 - PtOEP 133
 - ruthenium containing polymers 354
 - tridentate Pt(II) complexes 267
 - *tris*(8-hydroxyquinoline) 412
- electron-electron interactions 27
 - singlet-triplet splitting 37
- electron-hole recombination 7
- electron spin resonance, spin–lattice relaxation 105
- electron transport layer (ETL)
 - iridium complexes 379–380
 - OLEDs 4
 - Pt(II) α -diimine arylacetylide complexes 264
- electron-transporting materials, chemical structure 394
- electron trapping 231, 233
 - recombination 7
- electron withdrawing 150
- electronic transitions 11–29
 - 0–0 transitions 42
 - allowedness 62
 - Alq₃ 298
 - Franck–Condon activity 70
 - high magnetic fields 58
 - highly resolved 42–43
 - spectral broadening 83
 - triplet emitters 2
 - vibrational satellites 65
- electrons, binding energy 101–102
- electrophosphorescence
 - blue organic 153
 - cyclometallated organoiridium complexes 131–162
 - polymer-based devices 221–258
 - PtOEP doped devices 250–250
- emission
 - delayed 117, 122
 - electroluminescence 7
 - ligand tuning 148–150
 - luminescent lanthanides 392
 - near infrared 148–150
 - organo-transition metal compounds 29
 - phosphorescent devices 235–239
 - quenching 5, 16–17
 - time-resolved 72–74
 - vibrational satellite structures 70–72, 75–76
- emission color *see* color tuning
- emission decay
 - spin–lattice relaxation 55
 - temperature dependence 80
 - triplet state properties 80–81
- emission decay time
 - high magnetic fields 62
 - organo-transition metal compounds 38
 - triplet emitters 1
- emission energy
 - ancillary ligands 144
 - phosphorescent iridium complexes 174–175
- emission layer (EML)
 - HOMO-LUMO diagram 6
 - iridium complexes 379–380
 - triplet emitters 3
- emission spectra 193
 - anionic iridium complexes 375
 - B(L1)(C₆F₅)₂ 194
 - Ir(btpp)₂ (acac) 57–58, 60, 75
 - Ir(ppy)₃ 46
 - osmium-based emitters 196
 - platinum-based emitters 213
 - Pt(II) α -diimine arylacetylide complexes 263
 - Pt(thpy)₂ 69, 71
 - tridentate Pt(II) complexes 266
- emitters
 - cyclometallated organoiridium complexes 131–162

- heavy metal-containing 193
- iridium-based *see* iridium-based emitters
- metal triplet 18–29
- osmium-based *see* osmium-based emitters
- platinum-based *see* platinum-based emitters
- ruthenium-based *see* ruthenium-based emitters
- EML *see* emission layer
- energy gap
 - ligand field splitting 364
 - ruthenium-based emitters 205
- energy gap law
 - Ir(piq)₃ 176
 - red-phosphorescent iridium complexes 165
- energy level diagrams 43
 - Ir(btp)₂ (acac) 61
 - Ir(ppy)₃ 48
 - OLED heterostructure 137
 - Pt(thpy)₂ 43
 - terbium complexes 411
- energy levels
 - Alq₃ 297
 - BALq 304
 - Dexter transfer 247
 - guest-host systems 285
 - terbium complexes 410
- energy states
 - extended model 21
 - extended MO model 20–23
 - HOMO-LUMO diagram 12
 - ligand-centered 11–14, 18, 21, 26, 31, 36
 - metal-to-ligand charge transfer 11, 18–21, 34–40, 48
 - simple energy state model 19
- energy transfer 288–294, 301–306
 - BALq 304
 - CBP 283–307
 - Dexter *see* Dexter energy transfer
 - endothermic 286
 - excitons 284
 - guest-host systems 284–286
 - lanthanide complexes 412
 - luminescence 286–288
 - OLEDs 283–310
 - phosphorescence enhancement 294–301
 - polymer-based electrophosphorescent devices 222
 - terbium complexes 411
 - triplet 300
- engineering, molecular *see* molecular engineering
- environmental effects 76–81
- Er-containing OLEDs 412
- erbium complexes 411–415
- ETL *see* electron transport layer
- europium complexes
 - binary metal 402
 - chemical structure 397
 - decomposition 403
 - device performance 399
 - diketones, modified 401–402
 - ligand modifications 398, 400
 - luminescent spectrum 396
 - red electroluminescence 396–404
- exchange interactions
 - intermolecular 124
 - LC excitation 13
 - MLCT excitation 18
 - recombination 9
 - singlet-triplet splitting 37
 - spin correlations 100
- exciplex emission 235–239
- excitation confinement
 - luminescence decay 241
 - photoluminescence transients 240
- excitations
 - electronic 11–29
 - intersystem crossing rates 37
- excited states 11–29, 301–306
 - cyclometallated complexes 140–145
 - electroluminescence 3–10
 - iridium(III) complexes 365
 - phosphorescent iridium complexes 165–167, 175–176
 - phosphorescent polymer LEDs 312–313
 - triplet *see* triplet excited states
- exciton 132
 - confinement 136–139, 239–243
 - dynamics of formation 8
 - energy transfer 284
 - formation 7–10
 - generation 118
 - recombination 10
 - singlet *see* singlet excitons
 - spin correlations 101
 - trapping 8
 - triplet *see* triplet excitons

extended MO model 20–23
 extended Orbach process 50

f

fac tris(2-phenylpyridine) iridium *see* Ir(ppy)₃
 facial isomers 145–146
 field quenching effect 119
 film formation 261
 films
 – electric field modulated fluorescence 109
 – Förster transfer 246
 – *see also* layers; thin films; polymer films
 FLRpic
 – blue phosphorescent molecules 290, 293
 – endothermic transfer 292
 – photoluminescence spectra 291
 – temperature dependence 291–292
 fluorescence
 – delayed *see* delayed fluorescence
 – host molecules 283–310
 – materials 286–288
 – quenching 248
 – spin states 107–125
 – *see also* electric field modulated fluorescence and phosphorescence
 Förster transfer 231–232
 – Alq₃ 298–299
 – BALq 304
 – guest-host systems 284
 – phosphorescent devices 230–239
 – polymer-based electrophosphorescent devices 222
 – PtOEP doped devices 245–247
 forbidden transitions 42
 – photoluminescence quantum yield 38
 forbiddenness
 – high magnetic fields 59
 – symmetry 44
 Franck–Condon activity 70–72
 – time-resolved emission 72–74
 – vibrational satellite structures 64–67
 Franck–Condon factors
 – MC excitation 17
 – vibrational satellites 65
 free carrier recombination 227–230
 frontier orbitals
 – color tuning 192
 – extended MO-model 21, 23
 – metal-to-ligand charge transfer 21

– MLCT excitation 18
 – MO-model 19

g

gadolinium complexes 415–417
 geometry changes
 – excited triplet state 39–40
 – spectral broadening 84
 glass substrate
 – host materials 316
 – ITO-coated 394
 – Ir(4F5mpiq)₃ 179
 green electroluminescence 404–411
 green to near-infrared emission 148–150
 grouptheoretical considerations 43–45
 guest molecules, energy transfer 283–310
 guest-host systems
 – electronic structure 284–286
 – endothermic energy transfer 286
 – energy transfer 288–294
 – exothermic energy transfer 286

h

Hammett constant 175
 heavy metal-containing emitters 193
 heavy transition metals 333
 Heck coupling reaction 356
 Herzberg–Teller activities
 – allowedness 67
 – induced emission 69–70
 – time-resolved emission 72–74
 – vibrational satellite structures 67–68
 – vibronic coupling 67–68
 heterostructure devices 137
 high-efficiency phosphorescent PLEDs 322–325
 high magnetic fields 56–63
 – splitting pattern 59
 – wavefunction mixing 60
 high-efficiency polymer LEDs 311–328
 high-resolution spectroscopy 40–45
 highest occupied molecular orbital *see* HOMO
 hole injection/transport layer (HTL) 3
 – iridium complexes 379–380
 hole-blocking layer
 – BALq 301
 – iridium complexes 379–380
 hole-blocking materials
 – chemical structure 394
 – exciton confinement 137
 hole-transport layer, iridium complexes 379–380

- hole-transporting materials, chemical structure 394
- holes, binding energy 101–102
- HOMO
- red-phosphorescent iridium complexes 166
 - triplet emitters 2
- HOMO levels
- anionic iridium complexes 373, 375–376
 - exciton confinement 138
 - neutral iridium complexes 368
 - phosphorescent color shift 375–377
 - PtOEP in MeLPPP 244
 - tuning 375–377
- HOMO-LUMO
- diagram 6
 - energy difference 315
 - energy states 12
- homogeneous line broadening 86
- homoleptic *tris*-cyclometallated complexes 145
- host materials
- carbazole-based 316–318
 - injection barriers 316
 - phosphorescent polymer LEDs 314–325
- host molecules
- energy transfer 283–310
- HTL *see* hole injection/transport layer
- Huang–Rhys parameters, vibrational satellites 64, 66, 72
- 6-(2-hydroxyphenyl)-2,2'-bipyridine 268–270
- tris*(8-hydroxyquinoline) 412
- tris*(8-hydroxyquinoline) aluminum *see* Alq₃
- i**
- indium tin oxide (ITO) 3
- coated glass substrate 394
- inhomogeneous broadening 77, 91–92
- intermolecular exchange interaction 124
- intermolecular forces 44
- intersystem crossing (ISC)
- electric field modulated fluorescence 110
 - guest-host systems 285
 - organo-transition metal compounds 37
 - relaxation 10
 - reverse 124
- intramolecular donor-acceptor (DA) systems 167
- ionization potentials
- carbazole derivatives 320
 - carbazole polymers 323
- Ir complexes *see* iridium complexes
- Ir cyclometallates 142–143
- Ir-isoquinoline family 172–173
- Ir-thiophene family 172–173
- Ir(4,6-dFppy)₂(pic) 31
- Ir(4f5mpiq)₃ 179
- Ir(btp)₂(acac) 31
- environmental effects 76–81
 - high magnetic fields 56–63
 - low-temperature emission spectrum 75–77
 - site energy distribution 78
 - vibrational satellite structures 63–76
- Ir(btp)₂(acac) emission
- decay times 61–62, 80
 - electronic origins 58
 - magnetic field dependence 60–62
 - site structure in CH₂Cl₂ 57, 77
 - SLR time 56, 80
 - vibrational satellite structure 75
- Ir(phenylpyridyl)₃ *see* Ir(ppy)₃
- Ir(piq)₂(acac) 31
- Ir(piq)₃ 31, 174
- molecular design 168
 - nonradiative rate constant 175–176
 - ORTEP diagram 169
 - red-phosphorescent iridium complexes 166
 - substituent effects 173–176
- Ir(pmb)₃ 153
- Ir(ppy)₂(CO)(Cl) 31
- Ir(ppy)₃ 31, 301–306
- Alq₃ thin film 301
 - chemical structure 302
 - decay time 47
 - emission spectrum 46
 - energy level diagram 48
 - exciton confinement 139
 - lowest triplet state 45–48
 - luminous power efficiency 5
 - phosphorescence enhancement 294–301
 - phosphorescent devices 224–227
- Ir(thpy)₃ 170
- iridium-based emitters 207–212
- tuning 207–209
- iridium complexes
- anionic *see* anionic iridium complexes
 - applications 378–388
 - blue-emitting materials 209–212

- cationic *see* cationic iridium complexes
 - charge injection 382
 - charge transfer states 378
 - cyclometallated 131–162, 177–178, 363
 - direct charge injection 382
 - doping concentrations 378
 - ETL 379–380
 - excited states 365
 - external quantum efficiency 385–386
 - hole injection layer 379–380
 - bisimmine 147
 - internal conversion efficiency 378
 - kinetics 175–176
 - LEC 387–388
 - LC states 365
 - lowest excited state 165–167
 - MC excited states 365
 - molecular engineering 167, 363–390
 - multilayer OLEDs 379
 - neutral *see* neutral iridium complexes
 - OLEDs 176–179
 - phosphorescent *see* phosphorescent iridium complexes
 - photophysical properties 35, 366–377
 - polypyridyl ligands 364
 - quantum efficiencies 385–386
 - quantum yields 171, 377–378
 - quasioctahedral geometry 35, 364
 - recombination zone distribution 383
 - red-phosphorescent *see* red-phosphorescent iridium complexes
 - substituent effects 173–176
 - synthesis 139–140
 - ISC *see* intersystem crossing
 - isocyanate ligands 376–377
 - ITO *see* indium tin oxide
- I**
- lanthanide complexes 391–420
 - construction 393–395
 - efficiencies 414–415
 - energy transfer 412
 - infrared luminescence 413
 - ligand emission electroluminescence 415–417
 - near-infrared electroluminescence 411–415
 - operating principles 393–395
 - pure emission colors 391
 - lanthanide metals 333
 - lanthanides 392
 - layer structure
 - high-efficiency polymer LEDs 311
 - PtOEP in MeLPPP 250
 - layer-by-layer deposition technique 346
 - layers 261
 - blocking 137
 - carrier-transporting 289
 - electron transport *see* electron transport layer
 - emission *see* emission layer
 - hole-blocking *see* hole-blocking layer
 - LC *see* ligand-centered
 - LEC *see* light-emitting electrochemical cell
 - ligand-centered (LC) excitation 11–15
 - exchange integral 13
 - iridium complexes 365
 - spin flip 12
 - splittings 14
 - state degeneracies 14
 - transitions 18–29
 - triplet emitters 2
 - ligand coordination 11
 - ligand emission 208
 - gadolinium complexes 415–417
 - lanthanide complexes 415–417
 - ligand field
 - orbital splitting 16, 364–365
 - strength 17
 - theory 15
 - ligand modifications
 - europium complexes 398, 400
 - luminescent complexes 188
 - luminescent lanthanides 392
 - phosphorescent materials 260
 - tridentate Pt(II) complexes 266
 - ligand synthesis 187
 - ligand tuning 148–150
 - ligand-ligand coupling 40
 - ligands
 - ancillary *see* ancillary ligands
 - chelating *see* chelating ligands
 - chromophoric 23
 - cyanide 376–377
 - cyclometallated complexes 143–145
 - functional 329–362
 - low triplet energies 146–148
 - metal-containing polymers 329–362
 - multifunctional 343–346
 - photophysical properties 152
 - polypyridyl 364
 - Pt(II) complexes 268–270
 - pyridylquinoline-arene 148

- strong 16
 - substituted 174
 - thiocyanate 376–377
 - weak 16
 - light-emitting devices (LEDs)
 - metal-containing polymers 339–343
 - organic *see* OLEDs
 - polymer-based *see* PLEDs
 - ruthenium containing polymers 346–357
 - light-emitting electrochemical cells (LEC) 387–388
 - line broadening, homogeneous 86
 - linewidth broadening
 - Pt(thpy)₂ 85–86
 - temperature increase 85
 - linewidths
 - homogeneous 82–85
 - inhomogeneous 81–82
 - phenomenological simulation 86–87
 - triplet emitters 81–87
 - low-temperature vibrational satellite structure 75–76
 - lowest excited state 166
 - cyclometallated complexes 141
 - phosphorescent iridium complexes 165–167
 - lowest triplet state
 - decay time measurements 45–48
 - high-resolution spectroscopy 40–45
 - individual decay times 46
 - Ir(btp)₂ (acac), magnetic fields 61
 - ruthenium-based emitters 206
 - spectroscopy 40–45
 - lowest unoccupied molecular orbital *see* LUMO
 - luminance characteristics
 - Pt(II) *bis*(phenoxy)diimine 275
 - tridentate Pt(II) complexes 269–270
 - luminance efficiency
 - organometallic complexes 134
 - PVK 228
 - luminance-voltage characteristics 236–238
 - luminescence
 - decay 241
 - infrared 413
 - organometallic compound 25
 - luminescent complexes
 - color tuning 190
 - ligand modifications 188
 - pyridyl azolate 185–220
 - pyridyl azolate based 185–220
 - synthesis 187
 - tuning 190
 - luminescent lanthanides
 - advantages 392
 - grouping 392–393
 - internal quantum efficiency 392
 - luminescent spectrum
 - europium complexes 396
 - MeLPPP film 248
 - Tb(eb-PMP)₃ 405
 - luminous power efficiency 5–6
 - LUMO
 - red-phosphorescent iridium complexes 166
 - triplet emitters 2
 - LUMO energies 408
 - LUMO levels
 - anionic iridium complexes 373, 376
 - exciton confinement 138
 - neutral iridium complexes 369
 - PtOEP in MeLPPP 244
 - lutetium complexes 415–417
- m**
- magnetic field effects
 - electronic transitions 42–43
 - emission decay time 62
 - induced Franck-Condon activity 70
 - state mixing 59–62, 74
 - triplet state 56–63
 - magnetic resonance, optically detected (ODMR) 32
 - magnetic resonance signature, electric field modulated fluorescence 107
 - matrices
 - phosphorescent devices 239–243
 - PtOEP doped devices 243–251
 - recombination 9
 - spectral broadening 81–82
 - MC *see* metal-centered
 - MeLPPP
 - fluorescence spectra 246
 - luminescence spectra 248
 - PtOEP doped devices 243, 245–250
 - metal-centered (MC) excitation 11, 15–18, 365
 - complex symmetry 15
 - quenching of emission 16–17
 - splittings 16
 - strong ligands 16
 - triplet emitters 2
 - weak ligands 16
 - metal-chelate interaction 186, 190
 - metal complexes 329–362
 - pendant 356–357
 - metal-containing polymers 329–362

- molecular materials 330–335
- optoelectronics 330
- pure organic dyes 333–334
- small molecules 333–334
- traditional materials 330–332
- 5d metal ions 164
- metal-ligand bonding 17
 - near-UV luminescence 153
- metal-ligand interaction 186
- metal-metal-to-ligand charge transfer (MMLCT) 212
- metal-to-ligand charge transfer (MLCT) 11, 21
 - ancillary ligands 144–145
 - cationic iridium complexes 369
 - electronic excitations 18–29
 - iridium(III) complexes 365
 - Ir(piq)₃ 177
 - linewidth broadening 86
 - molecular design 168
 - organo-transition metal compounds 21
 - singlet-triplet splittings 19
 - triplet emitters 2
 - vibrational satellites 67
 - zero-field splitting 29
- metal triplet emitters 18–29
- metals
 - heavy transition 333
 - lanthanide 333
- bis*(2-methyl-8-quinolinato)-4-phenylphenolate aluminum *see* BALq
- mixing
 - configuration interaction 19–20, 22, 26–27, 35
 - energy states 18–19, 22, 24–26, 35, 37, 60, 62, 74, 140
 - mode 70
 - orbital 15
 - quantum mechanical *see* quantum mechanical mixing
 - SOC 19, 24–29
 - spin *see* spin mixing
 - substates 24–25, 60–62
 - wavefunction 60
- MLCT *see* metal-to-ligand charge transfer
- MMLCT *see* metal-metal-to-ligand charge transfer
- MO *see* molecular orbitals
- mode mixing 70
- modulation
 - delayed emission 122
 - phosphorescence 121
- molecular engineering 363–390
 - ligand field splitting 16, 364–365
 - photophysical properties 365–366
- molecular metal complexes 332
- molecular orbitals (MO)
 - analysis 142–143
 - cationic iridium complexes 372
 - cyclometallated Ir complexes 142–143
 - diagram 366
 - electronic excitations 11
 - highest occupied *see* HOMO
 - lowest unoccupied *see* LUMO
 - ruthenium containing polymers 336
- molecular orbitals (MO) model
 - extended 20–23
 - metal-to-ligand charge transfer 18–20
- molecular structure
 - osmium-based emitters 203
 - [Tb(acac-azain)₃]₂ 406
 - Tb(III) β-diketonate 405
- multifunctional complexes 345
 - charge carrier mobilities 347
 - metal containing polymers 349
 - ruthenium 347–356
 - synthesis 344
- multilayer OLEDs 3–6
 - iridium complexes 379
 - Pt(II) *bis*(phenoxy)diimine 273
- n**
- near infrared emitting complexes 411–415
- near-UV emitting complexes 150–153
- neodymium complexes 411–415
- neutral iridium complexes
 - electrochemical properties 367–368
 - HOMO levels 368
 - LUMO levels 369
 - photophysical properties 366–369
 - tuning 366–369
- nonconjugated polymers 346–347
- nonradiative processes
 - near-UV 152
 - rate constant 175–176
 - relaxation 100
- o**
- octaethylporphyrin, platinum *see* PtOEP
- 2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphine platinum (PtOEP) *see* PtOEP
- octahedral complexes, photophysical properties 34

- ODMR *see* optically detected magnetic resonance
- OLEDs 1–97
- applications 131, 259–282
 - blocking layer 5
 - cyclometallated organoiridium complexes 131–132
 - device architecture 379–387
 - efficiency 120
 - energy level diagrams 137
 - hole injection/transport layer (HTL) 3
 - iridium complexes 176–179, 378–388
 - layers 4
 - material development 332–335
 - material requirements 5
 - molecular engineering 363–390
 - multilayer *see* multilayer OLEDs
 - operation principle 17, 100
 - performance 181
 - phosphorescent polymer 312
 - Pt(II) materials 260
 - spin correlations 99–130
 - thermal stability 176–179
 - traditional materials 330–332
- open-shell transition metals 15
- optically detected magnetic resonance (ODMR) 32
- Orbach process
- phosphorescence dynamics 50–51
 - spin–lattice relaxation 49–51
- orbital mixing 15
- orbital splitting 16
- orbitals
- frontier *see* frontier orbitals
 - molecular *see* molecular orbitals
- organic light-emitting diodes *see* OLEDs
- organic light-emitting polymers *see* PLEDs
- organic molecules
- photoluminescence quantum yield 38
 - singlet–triplet splitting 36
- organo-transition metal compounds, emission band structures 39
- organometallic complexes 333–334
- current efficiency 135
 - iridium 131–162
 - phosphorescent emitters 134–136
 - phosphorescent lifetime 134
 - phosphors 143
 - Pt(II) 34
- organo-transition metal complexes 24, 29
- CI (configuration interaction) 30
 - electronic excitations 11
 - metal-to-ligand charge transfer 21
 - MO-model 19
 - singlet–triplet splittings 36–37
 - spin–lattice relaxation 56
 - triplet emitters 1, 18–40
- ORTEP diagram
- molecular design 169
 - osmium-based emitters 199
- orthometallated iridium complexes 377
- [Os(bpy)₃]²⁺ 31
- [Os(phen)₂(dppee)]²⁺ 31
- [Os(phen)₃]²⁺ 31
- osmium-based emitters
- blue 193–198
 - phosphorescent OLED applications 193–203
 - photophysical properties 195, 200
- oxadiazole
- carbazole tuning 322
- 1,3,4-oxadiazole 343
- p**
- PAA *see* poly(acrylic acid)
- Pd(qol)₂ 31
- Pd(thpy)₂ 31
- PDI dendrimers 231
- bis(phenoxy)diimine complexes 273–276
- 2-phenylpyridine-based neutral iridium complexes 367
- tris-phenylpyridine iridium(III) *see* Ir(pppy)₃
- PhLPPP *see* poly(para-phenylene)
- phonons
- sidebands 84–87
 - spin–lattice relaxation 49, 51
- phosphor doping 136–139
- phosphorescence
- decay 110
 - colors 366–377
 - enhancement 294–301
 - modulation 121
 - spectra 169–171, 176
 - spin states 107–125
 - yields 171–173
 - *see also* electric field modulated fluorescence and phosphorescence
- phosphorescent devices 223–243
- confinement 239–243
- phosphorescent emitters 313–314
- host materials 314–325
 - organometallic complexes 134–136
 - tuning 318–322

- phosphorescent iridium complexes
 - emission energy 174–175
 - excited states 165–167, 175–176
 - highly efficient 163–184
 - molecular design 167–169
 - molecular engineering 366–378
 - phosphorescence yield 171–173
 - redox potential 174–175
 - state decay 175–176
 - tuning 174–175
- phosphorescent materials
 - chemical structure 287, 289
 - cyclometallated organoiridium complexes 131–132
 - development 332–335
 - energy transfer 286–288
 - saturation 260
- phosphorescent molecules
 - blue 288–294
 - guest 283–310
- phosphorescent OLEDs
 - applications 193–216
 - energy transfer 283–310
 - near-UV luminescence 151
- phosphorescent PLEDs *see* PLEDs
- phosphorescent polymer LEDs *see* PLEDs
- phosphorescent Pt(II) materials 259–282
- photoexcitation
 - luminescence properties 287
 - spin persistence 120
- photoluminescence
 - delayed 115, 117
 - iridium-based emitters 210
 - intensity 106
 - quantum yield 38
 - quenching *see* quenching
 - ruthenium-based emitters 205
 - transients 240
- photoluminescence spectra
 - Alq₃ 296
 - Alq₃ thin films 298
 - ancillary ligands 147
 - BALq thin film 303, 305
 - CBP thin film 288
 - Flrpic 291
 - Ir(ppy)₃-doped Alq₃ thin film 301
 - PDI dendrimers 230–231
 - poly(para-phenylene) 109
 - ruthenium containing polymers 354–355
 - spin persistence 115
 - [Tb(acac-azain)₃]₂ 407
- photophysics
 - luminescent complexes 185–220
 - ruthenium complexes 335–336
- π -system expansion 150
- planar organometallic Pt(II) compounds 34
- plasmons 103
- platinum-based emitters 212–216
 - aggregation 215
 - photophysical properties 213
- platinum octaethylporphyrin *see* PtOEP
- platinum(II) materials *see* Pt(II) materials
- PLEDs 221, 311–328, 331
 - excited states 312–313
 - singlet excited states 312–313
- PMMA 343
- point group symmetry 14
- polaron pairs 123
- polarons
 - recombination 7
 - spin correlations 101
- poly(acrylic acid) (PAA) 346
- polyamides 348
- polycrystalline matrices 82
- polyester 348
- polyfluorene 250–251
- polymer-based electrophosphorescent devices 221–258
 - excitation transfer 222
 - singlet-triplet splittings 223
 - spin statistics 221
- polymer-based light-emitting diodes *see* PLEDs
- polymer films
 - delayed emission modulation 122
 - electric field modulated fluorescence 109
 - photoluminescence quenching 112
 - spin persistence 114
- polymer hosts 200–202
- polymer LEDs *see* PLEDs
- polymer matrices 243–251
- polymeric materials
 - development 334–335
 - metal-containing 330–335
- polymers
 - carbazole *see* carbazole polymers
 - conjugated *see* conjugated polymers
 - containing complexes 337–339
 - dendritic 339
 - metal complexes 329–362
 - metal-containing 335–357
 - nonconjugated 346–347
 - phosphorescent emitters 322–325
 - rhenium containing *see* rhenium containing polymers

- ruthenium containing *see* ruthenium containing polymers
 - *see also* PLEDs
 - poly(para-phenylene) (PhLPPP) 107–108
 - polyphenyl molecules
 - chemical structure 321
 - triplet energies 321
 - polypyridyl ligands 364
 - polypyrroles 337
 - poly(vinylcarbazole) *see* PVK
 - population dynamics 51–56
 - spin–lattice relaxation 49
 - porphyrin complexes 277–279
 - ppy ligands 207
 - ppz ligands 146
 - Pt(II) *bis*(phenoxy)diimine complexes 273–276
 - voltage characteristics 275
 - Pt(II) *bis*(pyrrole)diimine complexes 276–277
 - Pt(II) complexes 264–279
 - cyclometallated 265–268
 - 6-(2-hydroxyphenyl)-2,2'-bipyridine 268–270
 - tridentate *see* tridentate Pt(II) complexes
 - Pt(II) materials 259–282
 - arylacetylde complexes 265–268
 - device fabrication 260–261
 - α -diimine arylacetylde complexes 262–263
 - electroluminescence measurements 260–261
 - Pt(II) porphyrin complexes 277–279
 - Pt(4,6-dFppy)₂ 56
 - Pt(4,6-dFppy)(acac) 31
 - Pt(bhq)₂ 31
 - [Pt(bpy)₂]²⁺ 31
 - Pt(dhpy)(CO) 31
 - Pt(Me₄-salen) 31
 - Pt(octaethylporphyrin) 131
 - Pt(ONN-t-Bu)Cl 31
 - Pt(ph-salen) 31
 - Pt(ppy)(CO)(Cl) 31
 - Pt(ppy)₂ 31
 - Pt(qol)₂ 31
 - Pt(qtl)₂ 31
 - Pt(thpy)(CO)(Cl) 31
 - Pt(thpy)₂ 31
 - decay dynamics 51–56
 - energy level diagram 43
 - Franck–Condon activity 71
 - Herzberg–Teller coupling 69
 - high-resolution spectroscopy 41
 - linewidth broadening effects 85–86
 - lowest triplet state 40–45
 - phosphorescence dynamics 49–56
 - spectrum, simulated 88–89
 - spin–lattice relaxation 52
 - time-resolved emission 73
 - vibrational satellite structures 68–76
 - PtOEP
 - doped devices 243–251
 - electroluminescence spectra 133
 - MeLPPP 243, 245–250
 - phosphorescent lifetime 134
 - polyfluorene 250–251
 - PVK
 - carrier trapping 225–226
 - chemical structure 224
 - devices 221, 223–243
 - electron mobility 223
 - PVK:PBD matrix 239–243
 - pyridylquinoline-arene ligands 148
 - pyridyl azolate based luminescent complexes 185–220
 - fluorescent behavior 190
 - synthetic strategies 186
 - pyridyl pyrazolate complexes 191
 - pyridyl pyrazole 187
 - 2-pyridyl pyrazole ligands 193
 - pyridyl pyrrole 188
 - pyridyl triazole 189
 - bis*(pyrrole)diimine complexes 276–277
- ## q
- quantum efficiency
 - blue phosphorescent molecules 293
 - iridium complexes 385–386
 - luminescent lanthanides 392
 - PVK 223
 - spin persistence 117
 - spin–lattice relaxation 103
 - quantum mechanical mixing 166
 - ancillary ligands 144
 - energy levels 140
 - MLCT excitation 18–19
 - MO-model 22
 - quantum yields 133
 - Alq₃ 295
 - ancillary ligands 145
 - Ir(4F5mpiq)₃ 179
 - iridium complexes 171, 377–378
 - orthometallated iridium complexes 377
 - photoluminescence 38

- red-phosphorescent iridium complexes 165
- triplet emitters 1
- quasi-octahedral complexes 34
- quasi-square planar organometallic Pt(II) compounds 34
- quenching
 - field 119
 - fluorescence 248
 - photoluminescence 112
- r**
- radiative decay
 - ancillary ligands 145
 - electric field modulated fluorescence 111
 - metal-containing polymers 329
 - metal-to-ligand charge transfer 24–29
- radiative lifetimes 132
 - organometallic complexes 135
- radiative rate constant 25
 - ancillary ligands 144
 - phosphorescence yield 172
- Raman process
 - phosphorescence dynamics 51
 - spin–lattice relaxation 49
- rare earth complexes 333, 400
- RC time constant 132
- reaction sequence
 - ligand synthesis 187
 - pyridyl pyrrole 188
 - pyridyl triazole 189
- recombination
 - electroluminescence 7
 - exciton 10
 - PVK 228
 - spin persistence 116
 - spin-dependent 103–107
 - thermal energy 8
- recombination zone distribution 383
- red electroluminescence 396–404
- red OLED 179
- red-emitting materials 165
 - osmium-based emitters 198–203
- red-phosphorescent iridium complexes
 - 5d metal ions 164
 - emission quantum yield 165
 - highly efficient 163–184
 - HOMO 166
- relaxation paths
 - electroluminescence 7
 - osmium-based emitters 197
 - *see also* spin–lattice relaxation
- Re(phbt)(CO)₄ 31
- Re(phen)(CO)₃(Cl) 31
- [Rh(bpy)₃]³⁺ 31
- rhenium complexes 17–18, 344
- rhenium containing polymers
 - chemical structure 349
 - physical properties 351
- Ru(bpy)₃²⁺ 31, 336
- ruthenium-based emitters 203–207
- ruthenium complexes 335–357
 - light-emitting devices 339–343
 - multifunctional 347–356
 - nonconjugated polymers 346–347
 - photophysics 335–336
 - synthesis 344
- ruthenium containing polymers 346–357
 - bathochromic shift 350
 - carrier mobilities 355
 - chemical structure 338, 340–341, 348–349
 - electroluminescence performance 342, 353
 - electronic configuration 335
 - PAA 346
 - pendant metal complexes 356–357
 - physical properties 351
- ruthenium dipyrrophenanzine (DPPZ) 354
- s**
- satellite structures 63–76
 - low-temperature 75–76
 - temperature-time-dependence 68–74
 - vibrational *see* vibrational satellite structures
 - zero-field splitting 39
- Schiff bases 270–273
- Shpol'skii spectroscopy 42
- singlet density 106
- singlet excitons
 - formation 105
 - phosphorescent devices 239–243
- singlet-triplet splittings
 - metal character 37
 - MLCT excitation 19
 - organo-transition metal compounds 36–37
 - polymer-based electrophosphorescent devices 223
- singlet-triplet transitions 39
- SLR *see* spin–lattice relaxation
- smOLED 325

- SOC *see* spin-orbit coupling
- spectral broadening
- cryogenic temperatures 81
 - dephasing 82
 - energy relaxation time 82
 - homogeneous linewidths 82–85
 - inhomogeneous linewidths 81–82
 - phonon sideband 84–87
 - phonon progression 84
 - polycrystalline matrices 82
 - Pt(thpy)₂ 85–86
 - pure dephasing time 82
 - simulation 86–87
 - solid matrix 81
 - temperature dependence 81
 - triplet emitters 81–87
 - zero-phonon line (ZPL) 83–86
- spectrum
- 1.3 K, Herzberg–Teller induced emission 69–70
 - 20 K, Franck–Condon activity 70–72
 - absorption *see* absorption spectra
 - Alq₃ 298
 - electroluminescence *see* electroluminescence spectra
 - emission *see* emission spectra
 - linewidth broadening 88–89
 - low-temperature emission 77
 - luminescent *see* luminescent spectrum
 - organo-transition metal compounds 39
 - photoluminescence *see* photoluminescence spectra
- spin conversion 114
- spin correlations
- binding energy 101–102
 - charge localization 101
 - molecular excitation 101
 - organic light-emitting diodes 99–130
 - relaxation 100, 103–107
- spin-lattice relaxation (SLR) 49–56, 103–107
- chain length dependence 105
 - electron spin resonance 105
 - exchange splitting 104
 - lattice vibrations 49
 - longer molecules 105
 - metal compounds 56
 - molecular level population 104
 - phosphorescence dynamics 49–56
 - Raman scattering 51
 - short molecules 105
 - singlet recombination 105
 - spin-flips 49
 - temperature dependence 50–51, 54
 - times 80–81, 116
 - triplet emitters 3
- spin mixing 103
- electric field modulated fluorescence 111
- spin-orbit coupling (SOC) 19, 27
- matrix elements 28
 - metal-to-ligand charge transfer 24–29
 - PVK 224
 - routes 27, 35
 - strength 28
 - triplet emitters 1
- spin persistence 114–125
- charge carrier pairs 119–120
 - emission overshoot 123
- spin resonance, electron 105
- spin states 107–125
- energy transfer 284
 - interconversion 99
 - triplet formation rate 113–114
- spin wavefunction 100
- spin-vibronic coupling 67
- splittings
- electronic excitations 11–15
 - exchange 13, 104
 - ligand field 15, 364–365
 - LC excitation 14
 - MC excitation 16
 - singlet-triplet *see* singlet-triplet splittings
 - zero-field *see* zero-field splitting
- states
- charge transfer *see* charge transfer states
 - degenerate 21–22
 - electroluminescence 3–10
 - electronic excitations 11–29
 - energy *see* energy states
 - excited *see* excited states
 - LC 11–15, 365
 - metal triplet emitters 18–29
 - metal-centered transitions 15–18
 - MLCT 29
 - modification 143–145
 - perturbed 26
 - singlet excited 312–313
 - spin *see* spin states
 - triplet *see* triplet states

- substates
 - Herzberg–Teller-induced emission 69–70
 - Ir(btp)₂ (acac) emission 75
 - LC excitation 13
 - lowest triplet 46
 - magnetic field-induced shifts 61
 - metal-to-ligand charge transfer 24–29
 - organo-transition metal compounds 30
 - triplet *see* triplet substates
 - vibrational satellite structure 70–72
- substituent effects
 - tuning 148
- substituted ligands 174
- substrates, glass *see* glass substrate
- surface plasmons 103
- symmetry
 - C₃ 21–23
 - crystal structure 43
 - lowest triplet state 43–45
 - matrix cages 44
 - MC excitation 15
 - O_h 15–16, 26, 35
 - point group 14
- t**
- Tanabe-Sugano diagrams 16
- [Tb(acac-azain)₃]₂
 - molecular structure 406
 - PL spectra 407
- Tb(eb-PMP)₃ (TPPO) 405
- Tb(III) β-diketonate 405
- temperature-time-dependence 68–74
- terbium carboxylates 404
- terbium complexes
 - coordination environments 410
 - energy transfer 411
 - green electroluminescence 404–411
 - HOMO energies 408
- terbium pyrazolonate complexes 407
- ternary lutetium complexes 417
- tetradentate Pt(II) complexes 270–273
- thin films
 - Alq₃ 296, 298
 - Alq₃ 298
 - Balq 303, 305
 - blue phosphorescent molecules 293
 - CBP 288
 - energy transfer 283
 - *see also* films; layers; polymer films
- thiocyanate ligands 376–377
- time-resolved emission 113
 - Boltzmann distribution 74
 - Pt(thpy)₂ 73
 - vibrational satellite structure 72–74
- TPD *see* N,N'-diphenyl-N,N'-(bis(3-methylphenyl)-[1,1'-biphenyl]-4,4'-diamine
- transient electroluminescence 113–114
- transient photoluminescence 240, 293–294, 352
- transition metal complexes
 - chemical structure 314
 - high-efficiency polymer LEDs 313
 - pyrazole 186
 - triplet emitters 29–40
- transitions
 - dipole-forbidden 45
 - electronic *see* electronic transitions
 - forbidden 38, 42
 - forbiddenness 44
 - high magnetic fields 58
 - highly resolved 42–43
 - ligand-centered *see* ligand-centered (LC) transitions
 - metal-centered *see* metal-centered (MC) transitions
 - singlet-triplet 39
 - spectral broadening 83
 - zero-field splitting 79
- trapping
 - carrier 225–226
 - charge *see* charge trapping
 - electron 233
 - excitons 8
 - phosphorescent devices 227–239
 - recombination 7
- tridentate Pt(II) complexes 264–270
 - current density 269–270
 - electroluminescence spectra 267
 - emission spectra 266
 - ligand modifications 266
 - luminance characteristics 269–270
 - thermal stability 265
 - voltage characteristics 269–270
- triphenylamine 343
- triplet emitters 1–97
 - characterization 45–48
 - emission linewidths 81–87
 - field splitting 29–40
 - highly resolved electronic transitions 42–43
 - homogeneous linewidths 82–85
 - inhomogeneous linewidths 81–82
 - metal 18–29

- phosphorescence dynamics 49–56
 - photophysical properties 34–40
 - Pt(II) Schiff base 271
 - triplet energies
 - carbazole derivatives 317–318, 320–321
 - carbazole polymers 322–323
 - cyclometallated complexes 146–148
 - host 315
 - polyphenyl molecules 321
 - triplet energy transfer 300
 - guest-host systems 285
 - triplet excited states 39–40
 - blue phosphorescent molecules 288
 - PLEDs 312–313
 - thermal equilibrium 301–306
 - triplet excitons
 - confinement 136–139
 - diffusion 284
 - phosphorescent devices 239–243
 - triplet harvesting 10
 - excitation confinement 241
 - triplet states
 - delocalization 20
 - emission decay 80–81
 - energy distribution 77–78
 - environmental effects 76–81
 - excited *see* triplet excited states
 - formation rate 113–114
 - geometry changes 39–40
 - high magnetic fields 56–63
 - high-energy 288
 - LC excitation 13
 - lowest *see* lowest triplet state
 - relaxation times 80–81
 - triplet substates
 - energies 24
 - metal-to-ligand charge transfer 24–29
 - perturbed 26
 - phosphorescence dynamics 51–56
 - spin–lattice relaxation 51
 - zero-field splitting 39
 - triplet-triplet annihilation 5
 - Ir(ppy)₃ and Alq₃ 297, 300
 - iridium complexes 385
 - organometallic complexes 134
 - polymer-based electrophosphorescent devices 222
 - spin persistence 122
 - triplets 40–45
 - density 106
 - diffusion rate 114
 - diffusivity 108
 - electric field modulated fluorescence 107
 - emission overshoot 123
 - tuning, color *see* color tuning
 - two-phonon Raman scattering 51
- v**
- vacuum deposition
 - Er-containing OLEDs 412
 - thermal stability 177
 - vibrational satellite structures 63–76
 - Herzberg–Teller-induced emission 69–70
 - low-temperature 75–76
 - side bands 63
 - temperature-time-dependence 68–74
 - time-resolved emission 72–74
 - vibrational satellites
 - background 63–76
 - cage modes 70
 - decay times 72
 - dipole moment 65
 - FC activity 63–66, 70, 72–74, 75–76
 - harmonic oscillator functions 65
 - harmonic potentials 64
 - HT activity 66–70, 72–74
 - organo-transition metal compounds 39
 - Pt(thpy)₂ 70
 - substates 70–72
 - voltage characteristics *see* current–voltage characteristics
- w**
- wavefunctions
 - LC excitation 13
 - overlap 37
 - recombination 9
 - triplet substates 24
 - vibrational satellites 65
- y**
- ytterbium complexes 411–415
 - yttrium complexes 415–417
- z**
- Zeeman shifts 59
 - zero-field splitting (ZFS) 38–39, 78–80
 - admixtures 38
 - allowedness 30

- emitter compounds 32–33
 - ligand-centered (LC) excitation 14
 - metal-to-ligand charge transfer 24–29
 - ordering scheme 31–34
 - site energy distribution 78
 - transitions 79
 - triplet emitters 2, 29–40
 - triplet substates 39
- zero-phonon line (ZPL) 83–86