

Index

#

- # (pound sign), 124
- . (period character), 124

A

- absolute hyperlinks, 68–70
 - absolute links, 70
 - absolute positioning, 129–131
 - Absolutely Positioned CSS layouts, 147–149
 - accessibility, web page, 359
 - action attribute, <form> tag, 276
 - Action section, Property Inspector, 291
 - Active links field, Page Properties dialog box, 47
 - Add new Server button, Site Setup dialog box, 337
 - Add property, CSS Styles panel, 314
 - adding
 - additional content and styles to page, 141–142
 - content to tables
 - adding additional table, 405–407
 - overview, 400–404
 - descriptions to page, 358–359
 - elements to web forms, 279–291
 - checkboxes, 282–284
 - File Upload field, 289–290
 - lists and menus, 286–287
 - radio buttons, 285
 - radio groups, 285–286
 - Submit and Reset buttons, 290–291
 - text area, 288
 - text field, 280–282
 - image placeholders, 79–80
 - images
 - brightness and contrast, 80–81
 - gallery page, 75–77
 - image formats, 74–75
 - image resolution, 74
 - linking, 78
 - resizing, 81–83
 - updating, 83–84
 - main content area to page, 139–140
 - meta keywords to page, 358–359
 - <noframes> content, 389
 - pages to web site
 - fixed columns, 41
 - liquid columns, 41–43
 - overview, 39–41
 - saving pages, 43
 - sidebar content area to page, 139–140
 - text
 - hyperlinks, 66–71
 - lists, 71–72
 - overview, 57–61
 - previewing pages in web browser, 65–66
 - styles, 61–64
 - typography and images on web, 58
 - using Text Insert panel, 73–74
 - validation, 298–301
 - video, 223–226
- addressing listed item, 352–353
- Adobe AIR, 13
- Adobe Browserlab, 419
- Adobe CS Live service, 419
- Adobe Device Central, 118
- Adobe Flash CS5 Professional application, 220
- Adobe Flash Media Server, 224
- Adobe Media Encoder, 223
- Adobe Photoshop CS5, 8
- Adobe Soundbooth program, 231
- Advance Formatting CSS button, 268
- advanced page layout
 - AP divs, 152
 - browser compatibility
 - adding code for IE 6, 168–169
 - applying finishing touches, 169–170
 - changing column layout and size, 164–165
 - creating appearance of equal height columns, 166–167
 - creating columns with CSS
 - setting width and floating columns, 157–158
 - using Clear property, 158–159
 - creating columns with HTML, 155–156
 - creating more sophisticated layouts, 170–171
 - float property, 152–155
 - list-based navigation bar, 159–164
 - overview, 151–152
- Advanced Settings option, Site Setup dialog box, 34, 37
- advanced site-creation options
 - Cloaking category, 38
 - Contribute category, 38
 - Design Notes category, 38
 - File View Columns category, 38
 - overview, 37–38
 - Spry category, 38
 - Templates category, 38
- advanced text formatting, CSS, 105–106
- .aif format, 229
- AJAX (Asynchronous JavaScript and XML), 308
- All button, CSS Styles panel, 169
- alt attribute, tag, 76, 359
- alternate row styling, 194–196
- alternate text, 359–360
- Alternate text field, Image Tag Accessibility Attributes dialog box, 76, 400
- America Online, 16
- ancestor elements, CSS, 108
- animation, 220
- Anything radio button, Validate Form dialog box, 302
- AP Divs
 - advanced page layout, 152
 - positioning content
 - adding additional content and styles, 141–142
 - adding images to layout, 136–137
 - adding introduction section to page, 135–136
 - adding main and sidebar content areas, 139–140
 - creating header section with Draw AP Div tool, 132–135
 - Photoshop integration, 137–138
- AP Elements panel, docking, 203
- Appearance (CSS) category, Page Properties dialog box, 44
- Appearance (HTML) category, Page Properties dialog box, 46
- Apple Soundtrack Pro program, 231
- Apply Class section, Property Inspector, 297
- Apply Comment button, Coding toolbar, 263
- Apply Source Formatting command, 270
- Arial font, 60
- ASP.NET
 - coding environment, 9
 - collecting form data, 305
 - form processing and validation, 298
 - inserting tags, 257
 - Server Model menu, Testing Server section, 37
- Assets panel
 - adding content to tables, 400
 - Library Items category, 240
 - managing library items and templates, 253
 - Refresh button, 246
 - Templates list, 244
- Assets tab, Files panel, 221
- Asynchronous JavaScript and XML (AJAX), 308
- Attach CSS setting, 42
- Attach External Style Sheet dialog box
 - formatting tables, 407
 - overview, 292–293
- Attach Style Sheet command, CSS Styles panel, 114
- attached style sheets, 115–116
- attributes
 - action, 276
 - alt, 76, 359
 - border, 76–77
 - id, 276
 - method, 276
 - name, 276
 - overview, 18–20
 - Src, 76, 83
- Audacity program, 231

- audio
 - compressing, 231
 - inserting, 229–231
 - making web content interesting, 220
 - overview, 219–220
 - Auto Indent option, 260
 - automatic margins, containers, 126
- B**
- background color
 - adding to sidebar, 166
 - alternate row styling in CSS, 195
 - Cascading Style Sheets (CSS), 293–295
 - Background color option, Page Properties dialog box, 45
 - background image, 137
 - Background image field, Page Properties dialog box, 46
 - Background text field, Page Properties dialog box, 45
 - Balance Braces button, Coding toolbar, 262
 - banner, web, 220
 - BCC (Browser Compatibility Check)
 - CSS Advisor, 354–355
 - overview, 353–354
 - site management and FTP, 8
 - tables and boxes, 125
 - Behaviors panel, 298–300, 305
 - Bg color swatch option, Property Inspector, 408
 - Bindings panel, 329
 - _blank command, Target drop-down menu, 388
 - Blank Page category, New Document dialog box, 40
 - Block category, CSS Rule definition dialog box, 106
 - <body> tag
 - creating and modifying styles, 99
 - hierarchy of tags, 27
 - HTML document, 20
 - modifying, 115
 - tag selector, 214
 - bold () tag
 - compound selectors, 107
 - tag hierarchy, 27
 - bookmarks, 357
 - border attribute, tag, 76–77
 - Border property, 193
 - border value, Property Inspector, 413
 - border-collapse property, 189–190
 - borders
 - adding to elements, 145
 - Box model, CSS, 123
 - frame
 - dragging, 383–384
 - properties, 383–384
 - overview, 142–143
 - removing from HTML tables, 186
 - tables, 193–194, 397
 - Box model, CSS
 - <div> element, 123
 - floated images, 154
 - ID selector, 124–125
 - margins, 123
 - modifying attached style sheets, 115
 - overview, 122
 - padding, 123
 -
 (break) tag, 26, 28
 - bracketed keywords, 18
 - break (
) tag, 26, 28
 - brightness, adjusting, 80–81
 - broken links, preventing, 83
 - Broken Links report, 350
 - Browse button, Hyperlink dialog box, 68
 - browser compatibility
 - adding code for IE 6, 168–169
 - applying finishing touches, 169–170
 - page layouts, 168–170
 - Browser Compatibility Check (BCC)
 - CSS Advisor, 354–355
 - overview, 353–354
 - site management and FTP, 8
 - tables and boxes, 125
 - Browser Compatibility Check tab, Results panel, 354
 - browser hacks, 152
 - browser, web
 - previewing pages, 65–66
 - XHTML 1.0 Transitional, 17
 - Browserlab tool, 419
 - built-in FTP, 11
 - bulleted lists, 71
 - Business Catalyst Integration, 421
 - buttons
 - Add new Server, 337
 - Advance Formatting CSS, 268
 - All, CSS Styles panel, 169
 - Anything, Validate Form dialog box, 302
 - Apply Comment, 263
 - Balance Braces, 262
 - Browse, Hyperlink dialog box, 68
 - Code View, 51
 - Collapse Full Tag, 262, 264
 - Collapse Selection, 262, 265
 - CSS, 93
 - Current, 91
 - Design View, 50, 95, 275–276
 - Detect Size, 225
 - Disable/Enable CSS Property, 147
 - Draw AP Div, 123, 132
 - Email address, 302
 - Expand, 344
 - Expand All, 262
 - Format Source Code, 263
 - Freeze JavaScript, 13
 - Get/Put, 11
 - HTML, 59
 - Indent Code, 263
 - Insert, 258
 - Insert Div Tag, 123
 - Insert Rows radio, 181
 - Italic, 74
 - Line breaks radio, 286
 - Line Numbers, 263
 - Live View, 66, 312, 316, 318, 333
 - Merge Selected Cells, 397
 - Move or Convert CSS, 263
 - New CSS Rule, 103, 191
 - New Library Item, 240
 - Open Documents, 262
 - Ordered List, 72
 - Outdent Code, 263
 - Play, Property Inspector, 222
 - Plus, Behaviors panel, 299
 - Preview/Debug in Browser, Document toolbar
 - adding tables, 406
 - adding text fields, 282
 - closing Hyperlink dialog box, 70
 - Draw AP Div tool, 132
 - formatting tables, 410
 - inserting sound, 230
 - previewing page, 228
 - setting table borders, 397
 - targeting frames, 385–386
 - Recent Snippets, 263
 - Refresh
 - Assets panel, 246
 - Files panel, 342
 - Property Inspector, 64
 - Remove Comment, 263
 - Reset, 290–291
 - Select Parent Tag, 262, 264
 - Show All Events, 300
 - Show Code Navigator, 262
 - Show Set Events, 303
 - Site Root, 309
 - Source Code, 98
 - Split
 - changing workspace, 62
 - creating gallery page, 76
 - placing images in HTML, 21
 - tag structure and attributes, 18
 - whitespace rules, 25
 - Split View, 52
 - Spry Region, 330
 - Submit, 290–291
 - Syntax Error Alerts in Info Bar, 263

- Tag info, 258
- Test Connection, 338
- Text Field, 280
- Unordered List, 71, 159
- Update from Original, 15
- Wrap Tag, 263

Buttons, Insert toolbar, 279

C

- cascade view, 215
- cascading documents, 214–215
- Cascading Style Sheets (CSS)
 - tags, 87–88
 - applying .label style, 296–297
 - Clear property, 158–159
 - creating and modifying styles
 - advanced text formatting, 105–106
 - contextual and pseudo-class selectors, 106, 108–110
 - CSS Styles panel, 103–104
 - overview, 99–101
 - Property Inspector, 101–103
 - CSS rules
 - Code Navigator, 95, 97
 - Code view, 93–94
 - CSS Styles panel, 90–92
 - Property Inspector, 92–93
 - customizing Spry Widgets, 313–316
 - defining cascading, 98–99
 - div tags
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - overview, 110–112
 - external
 - attaching, 292–297
 - overview, 96–98
 - HTML formatting, 389
 - ID selectors
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - overview, 110–112
 - inline, 96
 - internal, 96–98
 - overview, 61–62, 85–86, 88–90
 - page layouts
 - Absolutely Positioned CSS layouts, 147–149
 - Box model, 122–125
 - creating centered container for page, 126–131
 - overview, 121–122
 - positioning content with AP Divs, 132–142
 - setting margins and borders, 142–146
 - setting background color, 293–295
 - setting width and floating columns, 157–158
 - snippets and, 238
 - styling form elements, 295–296
 - versus tables, 390
 - tables
 - advanced styling, 190–192
 - alternate row styling, 194–196
 - controlling cell alignment, padding, and borders, 193–194
 - formatting and styling, 188–190
 - reusing for other tables, 196–197
- case sensitivity
 - HTML, 24–25
 - tags, 24
- case-sensitive link checking feature, 38
- cell alignment, tables, 193–194
- CellPad property, 185, 193, 406
- CellSpace property, 186, 193, 406
- centered container
 - absolute positioning, 129–131
 - making layouts cross-browser compatible, 129
 - overview, 126–128
 - relative positioning, 130–131
- CFML (ColdFusion Markup Language), 9, 265
- CGI (Common Gateway Interface) script
 - collecting form data, 305
 - form processing and validation, 298
 - setting form properties, 277
 - verifying field contents, 304
- Character menu, Text Insert panel, 73
- Characters drop-down menu, 84
- Check In/Check Out
 - built-in FTP, 11
 - checking files in and out, 344–345
 - overview, 342–344
- Check Links feature, 348
- checkboxes
 - adding to form, 305
 - adding to web form, 282–284
 - Insert toolbar, 279
- child of the body element, CSS, 108
- Class drop-down menu, Property Inspector, 90, 290–291
- Clear property, CSS, 158–159
- client-side languages, 9
- Cloaking category, Site Setup dialog box, 78
- closing tag, 18
- CMS (Content Management Systems), 415–416
- code
 - accessing with tag selector, 256–257
 - editing comments, 258–260
 - formatting
 - indenting, 269
 - overview, 268–269
 - HTML, 28
 - inserting comments, 258–260
 - inserting tags with Tag Chooser, 257–258
 - object Insert panels, 11
 - text editor and, 9
 - validating
 - highlighting and correcting invalid code, 265–266
 - running report, 267–268
- code blocks
 - collapsing, 264–265
 - expanding, 264–265
- Code Format preferences, 268–269, 270
- Code Inspector, 260
- Code Navigator
 - CSS rules
 - creating, 95
 - locating, 97
 - overview, 14
- Code view
 - <form> tag attributes, 276
 - Coding toolbar, 262–263
 - collapsing and expanding tags and code blocks, 264–265
 - containers and, 124
 - creating CSS rules, 93–94
 - defined, 270
 - editing in Live View, 66
 - modifying workspace, 260–262
 - overview, 10
 - viewing comments, 259
 - work views, 51
- Code View button, Document toolbar, 51
- codecs, 228
- code-editing features
 - code
 - accessing with tag selector, 256–257
 - formatting, 268–269
 - inserting and editing comments, 258–260
 - inserting tags with Tag Chooser, 257–258
 - validating, 265–268
 - Code view
 - Coding toolbar, 262–263
 - collapsing and expanding tags and code blocks, 264–265
 - modifying Code View workspace, 260–262
 - overview, 255–256
- Coding toolbar
 - Apply Comment button, 263
 - Balance Braces button, 262
 - Collapse Full Tag button, 262, 264
 - Collapse Selection button, 262, 265
 - Expand All button, 262

- Format Source Code button, 263
- Highlight Invalid Code button, 263
- Indent Code button, 263
- Line Numbers button, 263
- Move or Convert CSS button, 263
- Open Documents button, 262
- Outdent Code button, 263
- Recent Snippets button, 263
- Remove Comment button, 263
- Select Parent Tag button, 262
- Select Parent Tag button, 264
- Show Code Navigator button, 262
- Syntax Error Alerts in Info Bar button, 263
- Wrap Tag button, 263
- ColdFusion Markup Language (CFML), 9, 265
- Collapse Full Tag button, Coding toolbar, 262, 264
- Collapse Selection button, Coding toolbar, 262, 265
- collapsing
 - Insert panel, 202
 - tags and code blocks, 264–265
- color
 - background
 - adding to sidebar, 166
 - alternate row styling in CSS, 195
 - CSS, 293–295
 - HTML, 24
- Color category, CSS Style panel, 145
- Color Picker, 376
- columns
 - changing layout and size, 164–165
 - creating appearance of equal height columns, 166–167
 - creating with CSS
 - setting width and floating columns, 157–158
 - using Clear property, 158–159
 - creating with HTML, 155–156
 - fixed, 41
 - liquid, 41–43
- comma-delimited file, 174
- commands
 - Apply Source Formatting, 270
 - Attach Style Sheet, 114
 - _blank, 388
 - Frame Borders, 371
 - Get, 342
 - Import Tabular Data, 199
 - Insert Table, 182, 398
 - menu commands, tables, 395
 - Open in Frame, 384–385
 - _parent, 388
 - Put, 340–342
 - _self command, 388
 - Split Frame, 382
 - Template, 252
 - _top, 388
- comma-separated values (.csv) file format, 174
- Comment dialog box, 259
- comments
 - Apply Comment button, 263
 - editing, 258–260
 - inserting, 258–260
 - Remove Comment button, 263
- Common Gateway Interface (CGI) script
 - collecting form data, 305
 - form processing and validation, 298
 - setting form properties, 277
 - verifying field contents, 304
- Common Insert bar, 358
- Common section, Insert panel, 111
- compound selectors, 107
- compressing audio files, 231
- CompuServe, 75
- contact form
 - inserting <form> tag, 273–276
 - setting properties, 276–278
- Container Tag drop-down menu, Insert Spry Repeat List dialog box, 329
- containers
 - centered
 - absolute positioning, 129–131
 - creating, 126–128
 - making layouts cross-browser compatible, 129
 - relative positioning, 130–131
 - positioning, 122
- content
 - adding to tables
 - adding additional table, 405–407
 - overview, 400–404
 - dynamic, 292
 - frame
 - adding <noframes> content, 389
 - linking to outside web pages, 387
 - targeting frames, 385–386
 - using _top to replace frameset, 388
 - positioning
 - adding images to layout, 136–137
 - adding introduction section to page, 135–136
 - adding main and sidebar content areas, 139–140
 - creating header section with Draw AP Div tool, 132–135
 - Photoshop integration, 137–138
 - styles and, 141–142
- Content Management Systems (CMS), 415–416
- contextual selectors, 106, 108–110
- contrast, adjusting, 80–81
- Contribute category, 38
- Contribute category, Site Setup dialog box, 38
- Contribute tool, 244
- controls, HTML form, 273
- Copy Dependent Files dialog box, 222, 312
- copyright
 - inserting notification, 73–74
 - video material, 229
- correcting invalid code, 265–266
- Create New column, Welcome Screen, 29
- Creative Suite programs, 15
- criticism, constructive, 364
- CS Live service, 419
- .csh extension, 237
- CSS (Cascading Style Sheets)
 - tags, 87–88
 - applying .label style, 296–297
 - Clear property, 158–159
 - creating and modifying styles
 - advanced text formatting, 105–106
 - contextual and pseudo-class selectors, 106, 108–110
 - CSS Styles panel, 103–104
 - overview, 99–101
 - Property Inspector, 101–103
- CSS rules
 - Code Navigator, 95, 97
 - Code view, 93–94
 - CSS Styles panel, 90–92
 - Property Inspector, 92–93
- customizing Spry Widgets, 313–316
- defining cascading, 98–99
- div tags
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - overview, 110–112
- external
 - attaching, 292–297
 - overview, 96–98
- HTML formatting, 389
- ID selectors
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - overview, 110–112
- inline, 96
- internal, 96–98
- overview, 61–62, 85–86, 88–90
- page layouts
 - Absolutely Positioned CSS layouts, 147–149
 - Box model, 122–125
 - creating centered container for page, 126–131
 - overview, 121–122
 - positioning content with AP Divs, 132–142

- setting margins and borders, 142–146
 - setting background color, 293–295
 - setting width and floating columns, 157–158
 - snippets and, 238
 - styling form elements, 295–296
 - versus tables, 390
- tables
 - advanced styling, 190–192
 - alternate row styling, 194–196
 - controlling cell alignment, padding, and borders, 193–194
 - formatting and styling, 188–190
 - reusing for other tables, 196–197
- CSS Advisor, 8, 125, 354–355
- CSS button, Property Inspector, 93
- CSS color property, 94
- CSS Enable/Disable feature, 418
- .css file (external style sheet), 116–118
- CSS hacks, 129
- CSS Inspect tool, 417
- CSS inspection, 417
- CSS Rule Definition dialog box
 - adding images to layout, 136
 - Box category, 115
 - changing type styles of form field labels, 296
 - overview, 104–106
- CSS rules
 - Code Navigator
 - creating, 95
 - locating, 97
 - Code view, 93–94
 - CSS Styles panel, 90–92
 - internal and external style sheets, 96
 - Property Inspector, 92–93
- CSS Starter pages, 422
- CSS Styles panel
 - Add property, 214, 314
 - All button, 169
 - Attach Style Sheet command, 114
 - Box category, 154
 - creating and modifying styles, 103–104
 - creating CSS rules, 90–92
 - Current button, 91
 - customizing Spry Menu bar, 309
 - Disable/Enable CSS Property button, 147
 - Move CSS Rules option, 113, 170
 - New CSS Rule button, 191
 - New CSS Rule icon, 103
 - overview, 12
 - Text-transform section, 106
- .csv (comma-separated values) file format, 174
- Current button, CSS Styles panel, 91
- customizable workspace layout, 11
- Customize Favorite Objects dialog box, 205
- customizing
 - panel groups, 202–204
 - panels, 202–204
 - Spry Menu bar, 309
 - Spry Widgets, 313–316

D

- DD Column drop-down menu, Insert Spry Repeat List dialog box, 330
- Default option, Method drop-down menu, 277
- Default Panel drop-down menu, Property Inspector, 319
- default split view, 261
- default workspace, Dreamweaver, 52
- dependent files, 341, 345
- Description dialog box, 359
- descriptions, adding to page, 358–359
- design
 - layout tools and, 8
 - site
 - library items, 239–243
 - modular page elements, 234
 - overview, 233–234
 - repeating regions, 249–252
 - snippets, 234–239
 - templates, 244–249
 - tables, 174

- Design Notes
 - displaying in Files panel, 347
 - overview, 345–346
 - sharing, 346
- Design Notes category, Site Setup dialog box, 38
- design tools, 8
- Design view, 10, 50
 - CSS-styled text, 87
 - modifying snippets, 239
 - previewing files of CMS framework, 416
 - resizing document window, 206–207
 - setting form properties, 278
 - tag selector and, 270
 - viewing comments, 259
- Design View button, Document toolbar, 50, 95, 275–276
- Design-Time style sheets, 12
- detaching library item, 243
- Detect Size button, Insert Flv dialog box, 225
- Device Central, 118
- dialog boxes
 - Attach External Style Sheet
 - formatting tables, 407
 - overview, 292–293
 - Comment, 259
 - Copy Dependent Files, 222, 312
 - CSS Rule Definition
 - adding images to layout, 136
 - Box category, 115
 - changing type styles of form field labels, 296
 - overview, 104–106
 - Customize Favorite Objects, 205
 - Description, 359
 - Email Link, 71
 - Grid Settings, 210–211
 - Guides, 209
 - Hyperlink, 68, 69–70
 - Image Preview, 81–83, 137–138
 - Image Tag Accessibility Attributes
 - adding text fields, 280
 - Alternate text field, 76, 400
 - placing images in HTML, 22–23
 - Import Tabular Data, 175
 - Input Tag Accessibility Attributes, 280
 - Insert Div Tag, 111, 155
 - Insert Flv, 224
 - Insert Rows or Columns, 181
 - Insert Spry Repeat List, 329–330
 - List Properties, 72
 - List Values, 287
 - Manage Sites, 34
 - Move Guide, 208, 218
 - New CSS Rule
 - creating new external style sheets, 116–117
 - naming style in, 19
 - styling paragraphs, 62
 - styling text, 60
- New Document
 - adding pages to web site, 39–40
 - DocType drop-down menu, 42
 - overview, 30
 - Page from Template option, 247
 - Page Type column, 41
- New Editable Region, 245–246
- Page Properties
 - Active links field, 47
 - Appearance (CSS) category, 44
 - Appearance (HTML) category, 46
 - Background color option, 45
 - Background image field, 46
 - Background text field, 45
 - Headings (CSS) category, 47
 - Link Color field, 47
 - Links (CSS) category, 46–48
 - Margin settings, 46
 - overview, 44
 - Rollover links field, 47
 - setting frame background color, 381–382
 - Size field, 44
 - Text color option, 44
 - Title/Encoding category, 48
 - Tracing Image category, 48–49

- Transparency slider, 49
 - Visited links field, 47
 - Parameters, 231
 - Popup Message, 300
 - Preferences
 - File Types/Editors section, 80
 - formatting code, 268
 - Radio Group, 285
 - Repeating Region, 250
 - Reports, 351
 - Save As , Site Root button, 309
 - Save As Template, 245
 - Save Style Sheet, 114
 - Select Style Sheet File, 292
 - Site Setup
 - accessing CMS capabilities, 420
 - Add new Server button, 337
 - Advanced Settings option, 34, 37
 - Cloaking category, 38
 - Contribute category, 38
 - Design Notes category, 38
 - File View Columns category, 38
 - Local Info settings, 38
 - Local Site Folder field, 35
 - Save button, 339
 - Servers option, 34
 - Servers tab, 36
 - Spry category, 38
 - Templates category, 38
 - Test Connection button, 338
 - Version Control option, 34
 - Snippet, 236
 - Table
 - Insert Table command, 398
 - inserting table, 392
 - Update Library Items, 242
 - Update Pages, 242
 - Validate Form, 302
 - directory paths, 67
 - Disable/Enable CSS Property button, CSS Styles panel, 147
 - div tags
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - overview, 110–112
 - <div> element
 - Box model, CSS, 122–123
 - HTML and, 155–156
 - DNS (Domain Name Service) server, 16–17
 - DocType drop-down menu, New Document dialog box, 42
 - Document toolbar
 - Code View button, 51
 - Design View button, 50, 95, 275–276
 - Live View button, 312, 316, 318, 333
 - Preview/Debug in Browser button, 228, 282
 - Split button, 18, 21, 25, 62, 76
 - Split View button, 52
 - Document Type (DTD), 48
 - documents
 - creating, 30–31
 - Hypertext Markup Language (HTML), 20
 - opening, 30–31
 - saving, 30–31
 - titles, 366
 - titling with <title> tag, 355–357
 - validating, 265
 - Domain Name Service (DNS) server, 16–17
 - domain names, 16
 - Draw AP Div button, Insert panel, 123, 132
 - Draw AP Div tool, 132–135
 - Dreamweaver CS5
 - coding environment and text editor, 9
 - design and layout tools, 8
 - features
 - built-in FTP, 11
 - CSS Styles panel, 12
 - customizable workspace layouts, 11
 - Page and code object Insert panels, 11
 - points of view, 10
 - visual aids, 12
 - overview, 7–9
 - site management and FTP, 8
 - Drupal, 415
 - DT Column drop-down menu, Insert Spry Repeat List dialog box, 330
 - DTD (Document Type), 48
 - dynamic content, CSS forms, 292
- ## E
- Earthlink, 16
 - Edit link, 80
 - editable regions
 - templates and, 245–246
 - editing
 - code-editing features
 - accessing with tag selector, 256–257
 - Code view, 260–265
 - formatting, 268–269
 - inserting and editing comments, 258–260
 - inserting tags with Tag Chooser, 257–258
 - overview, 255–256
 - validating, 265–268
 - comments, 258–260
 - files, 53–54
 - images
 - adjusting brightness and contrast, 80–81
 - resizing, 81–83
 - updating, 83–84
 - elements
 - <div>, 122, 123, 155–156
 - adding borders, 145
 - adding to web forms
 - checkboxes, 282–284
 - File Upload field, 289–290
 - lists and menus, 286–287
 - radio buttons, 285
 - radio groups, 285–286
 - Submit and Reset buttons, 290–291
 - text area, 288
 - text field, 280–282
 - ancestor, 108
 - HTML page, 61
 - nesting, 130
 - parent, 108
 - e-mail address, linking, 70–71
 - Email address radio button, Validate Form dialog box, 302
 - Email Link dialog box, 71
 - embedded style sheets, 96–98, 112–114
 - Enable/Disable CSS Property feature, 91–92
 - Enctype drop-down menu, Properties dialog box, 278
 - event, setting in web form, 300
 - Expand All button, Coding toolbar, 262
 - Expand button, Files panel, 344
 - Expanded Tables mode, 409
 - expanding code blocks, 264–265
 - expanding tags, 264–265
 - eXtensible Markup Language (XML)
 - incorporating real-time data from files, 308
 - validating documents, 265
 - Widgets, Spry, 327
 - XHTML and, 27
 - external JavaScript, 14
 - External Links report, 350
 - external links, validating, 349
 - external style sheet (.css file), 116–118
 - external style sheets
 - attaching to page, 114
 - CSS, 292–293
 - versus internal style sheets, 96–98, 112–114
 - eyedropper, sampling color, 323
- ## F
- .f4v format, 223
 - Favorites panel, 11
 - customizing, 11
 - Favorites tab, Insert bar, 205–206
 - features. *See also* code-editing features

- case-sensitive link checking feature, 38
- Check Links feature, 348
- CSS Enable/Disable feature, 418
- Enable/Disable CSS Property feature, 91–92
- Inspect feature, 143–144
- Live View feature, 12–13, 65
- Point to File feature, 78
- Preview in Browser feature, 65–66
- Sort Table feature, 198
- Top Features (videos) column, Welcome Screen, 29
- feedback, 364
- file formats
 - .aif, 229
 - .csv, 174
 - .f4v, 223
 - .flv, 223
 - .mp3, 229
 - Flash video, 223
 - PNG, 48, 75
 - text (.txt), 174
- File Transfer Protocol (FTP)
 - creating remote connection, 336
 - defined, 366
 - site management and, 8
- File Transfer Protocol(FTP), 11
- File Types/Editors section, Preferences dialog box, 80
- File Upload field, 289–290
- File View Columns category, Site Setup dialog box, 38
- filename protocols, 83
- files
 - audio, 231
 - comma-delimited, 174
 - dependent, 341, 345
 - local, 53
 - selecting and editing, 53–54
 - transferring on remote server, 340–342
 - XML, 308
- Files panel
 - adding pages, 11, 39
 - Assets tab, 221
 - creating and viewing Design Notes, 346
 - creating Design notes, 345
 - Expand button, 344
 - FTP and file transfer functionality, 340
 - Get command, 342
 - managing files, 55
 - overview, 52–54
 - Put command
 - transferring files on remote server, 340–342
 - transferring files on testing server, 342
 - remote connection, 336–339
 - remote web server, 340–342
 - resizing images, 81
 - selecting and editing files, 53–54
 - Spry Assets folder, 312
 - uploading and downloading files, 11
 - viewing local files, 53
- Firebug plugin, Mozilla Firefox browser, 417
- Fireworks, 407
- Fit Table Width To Data option, 178
- fixed columns, 41
- Fixed columns layout category, 41
- fixed-width frame, 413
- Flash
 - adding video, 223–226
 - inserting movies, 220–223
 - making web content interesting, 220
 - overview, 219–220
- Flash CS5 Professional application, 220
- Flash Media Server, 224
- float property, 172
- float property, advanced page layout, 152–155
- float-based layout, 149
- flow chart, web site, 16
- .flv file, 232
- .flv format, 223
- focus groups, 364–365
- Font drop-down menu, Property Inspector, 60
- tags, 87–88
- fonts
 - Helvetica, 60
 - sans-serif, 60
- footer
 - floated elements and, 158
 - modular page, 234
 - naming, 111
 - page layout, 112
- form elements
 - adding
 - adding checkboxes, 282–284
 - adding File Upload field, 289–290
 - adding lists and menus, 286–287
 - adding radio buttons, 285
 - adding radio groups, 285–286
 - adding text area, 288
 - adding text field, 280–282
 - overview, 279
 - Submit and Reset buttons, 290–291
 - defined, 305
- form ID, 277
- <form> tag
 - background color and, 293
 - inserting into contact form, 273–276
- Format drop-down menu, Property Inspector, 59
- Format Source Code button, Coding toolbar, 263
- formats, file
 - .aif, 229
 - .csv, 174
 - .f4v, 223
 - .flv, 223
 - .mp3, 229
 - Flash video, 223
 - PNG, 48, 75
 - text (.txt), 174
- formatting
 - code, 268–269
 - tables, 407–411
- Forms category, Insert panel, 279
- forms, web
 - adding form elements
 - adding checkboxes, 282–284
 - adding File Upload field, 289–290
 - adding lists and menus, 286–287
 - adding radio buttons, 285
 - adding radio groups, 285–286
 - adding text area, 288
 - adding text field, 280–282
 - overview, 279
 - Submit and Reset buttons, 290–291
 - adding validation
 - Behaviors panel, 298–300
 - previewing button behavior, 301
 - setting event or trigger, 300
 - contact form
 - inserting <form> tag, 273–276
 - setting properties, 276–278
 - overview, 271–273
 - processing, 298
 - styling with CSS
 - applying .label style, 296–297
 - attaching external styles, 292–293
 - setting background color, 293–295
 - styling form elements, 295–296
 - validating form fields
 - changing form field's behavior order, 303–304
 - overview, 301–302
 - validation, 298
- Frame Borders command, 371
- Frame Tag Accessibility Attributes dialog box, 373
- frames
 - advantages and disadvantages of frames, 368–370
 - advantages to using, 413
 - Frames panel
 - overview, 375–376
 - setting frame properties, 380–382
 - setting frameset properties, 376–379
 - framesets
 - overview, 371–373
 - selecting frames, 373–375
 - specifying content
 - _top command to replace frameset, 388
 - adding <noframes> content, 389

- linking to outside web pages, 387
- targeting frames, 385–386
- splitting
 - dragging frame border, 383–384
 - overview, 382–383
- Frames panel
 - overview, 375–376
 - setting frame properties
 - overview, 380–381
 - setting background color of frame, 381–382
 - setting frameset properties
 - border properties, 376
 - dimensions, 376–379
- framesets
 - defined, 368
 - overview, 371–373
 - predefined, 371
 - selecting frames, 373–375
 - setting properties, 376–379
- Freeze JavaScript button, 13
- FTP (File Transfer Protocol)
 - built-in, 11
 - creating remote connection, 336
 - site management and, 8

G

- gallery page, inserting images, 75–77
- generating site reports
 - addressing listed item, 352–353
 - Browser Compatibility Check
 - CSS Advisor, 354–355
 - overview, 353–354
 - saving reports, 353
 - understanding report results, 352
- Get command, Files panel, 342
- GET option, Method drop-down menu, 277
- Get/Put button, 11
- GIF (Graphics Interchange Format), 75
- GIF image, 48
- GoDaddy, 17
- Google, 355
- Google Gmail, 308
- Google Images search engine, 359
- Graphics Interchange Format (GIF), 75
 - logos, 84
- graphics, modifying, 407
- Grid Settings dialog box, 210–211
- grids, 210–213
- guides, 207–210
- Guides dialog box, 209

H

- <h2> tag, 100–101
- hacks
 - browser, 152
 - CSS, 129
- Hand tool, 216
- hand-coding, 28, 64, 93, 273
- handheld devices, XHTML 1.0, 27
- <head> tag
 - CSS rules, 63
 - HTML document, 20
- Header checkbox, Property Inspector, 181
- headers
 - adding background image, 190
 - adding images, 136
 - aligning, 134
 - modular page, 234
 - organizing content, 389
 - page layout, 112
 - POST command, 277
 - setting width, 135
- Headings (CSS) category, Page Properties dialog box, 47
- headings, HTML structure, 59
- Help menu, 363
- Help system, 363–365
- Helvetica font, 60
- hexadecimal code, 24

- Hidden Characters option, 260
- Highlight Invalid Code option, 260, 263, 270
- highlighting invalid code, 265–266
- horizontal navigation bar, 160
- hover property, hyperlinks, 163–164
- HTML <meta> tag, 358
- HTML (Hypertext Markup Language), 16, 17–28
 - case sensitivity, 24–25
 - colors, 24
 - div elements and, 155–156
 - explorations in code, 28
 - incorporating real-time data from, 308
 - language, 61
 - placing images in, 21–23
 - reports, 351
 - snippets and, 238
 - structure of document, 20
 - tables, 184–187
 - tag
 - hierarchy, 27
 - structure and attributes, 18–20
 - validating documents, 265
 - whitespace rules, 25–27
 - XHTML 1.0 Transitional, 27–28
- HTML button, Property Inspector, 59
- <html> tag, 20, 27
- Hyperlink dialog box, 68, 69–70
- Hyperlink icon, Insert panel, 69
- hyperlinks
 - absolute, 68–70
 - linking to e-mail address, 70–71
 - overview, 66–67
 - relative, 68–70
 - styling, 108–110
 - validating, 349
- Hypertext Markup Language (HTML), 16, 17–28
 - case sensitivity, 24–25
 - colors, 24
 - div elements and, 155–156
 - explorations in code, 28
 - incorporating real-time data from, 308
 - language, 61
 - placing images in, 21–23
 - reports, 351
 - snippets and, 238
 - structure of document, 20
 - tables, 184–187
 - tag
 - hierarchy, 27
 - structure and attributes, 18–20
 - validating documents, 265
 - whitespace rules, 25–27
 - XHTML 1.0 Transitional, 27–28

I

- id attribute, <form> tag, 276
- ID selectors, CSS
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - Box model, 124–125
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
- IE (Internet Explorer) scroll bar, 392
- IE 6 (Internet Explorer 6)
 - adding code for browser compatibility, 168–169
 - CSS boxes and, 168
- IE4 (Internet Explorer 4), 129
- image () tag
 - alt attribute, 359
 - attributes, 76
 - placing in HTML, 21
 - tag hierarchy, 27
 - tag selector, 213
- image editor, 53
- image placeholder, 79–80
- Image Preview dialog box, 81–83, 137–138
- Image Tag Accessibility Attributes dialog box
 - adding text fields, 280
 - Alternate text field, 76, 400

- placing images in HTML, 22–23
- images
 - adding to layout, 136–137
 - describing with alternate text, 359–360
 - editing
 - adjusting brightness and contrast, 80–81
 - resizing images, 81–83
 - updating images, 83–84
 - inserting
 - gallery page, 75–77
 - image formats, 74–75
 - image resolution, 74
 - placing in Hypertext Markup Language (HTML), 21–23
 - on web, 58
- (image) tag
 - alt attribute, 359
 - attributes, 76
 - placing in HTML, 21
 - tag hierarchy, 27
 - tag selector, 213
- Import Tabular Data command, File menu, 199
- Import Tabular Data dialog, 175
- Import Tabular Data dialog box, 175
- Indent Code button, Coding toolbar, 263
- indenting, 269
- inheritance, 118
- inline style sheets, 96, 98
- Input Tag Accessibility Attributes dialog box, 280
- Insert bar, 205–206
- Insert Block option, Snippet dialog box, 237
- Insert button, Tag Chooser, 258
- Insert code window, Snippet dialog box, 237
- Insert Div Tag button, Insert panel, 123
- Insert Div Tag dialog box, 111, 155
- Insert Flv dialog box, 224
- Insert panel
 - adding Spry Menu bar, 309
 - collapsing, 202
 - design and layout tools, 8
 - expanding, 205
 - Hyperlink icon, 69
 - Layout category, 409
 - Layout section, 133
- Insert Rows or Columns dialog box, 181
- Insert Rows radio button, Insert Rows and Columns dialog box, 181
- Insert Spry Repeat List dialog box, 329–330
- Insert Table command, Table dialog box, 182, 398
- Insert toolbar, 285
- inserting
 - comments, 258–260
 - Flash movies, 220–223
 - images
 - gallery page, 75–77
 - image formats, 74–75
 - image resolution, 74
 - sound, 229–231
 - tables, 390–391
- Inspect feature, 143–144
- Inspect mode, 417
- integrity, site
 - Check Links feature, 348
 - Check Links Sitewide, 349–350
- interactivity, navigation links, 163
- internal style sheets, 96–98, 112–114
- Internet Explorer (IE) scroll bar, 392
- Internet Explorer 4 (IE4), 129
- Internet Explorer 6 (IE 6)
 - adding code for browser compatibility, 168–169
 - CSS boxes and, 168
- Internet Service Provider (ISP), 16
- introduction section, adding to page, 135–136
- invalid code, correcting, 265–266
- ISP (Internet Service Provider), 16
- Italic button, Property Inspector, 74

J

- Java Server Pages (JSP), 265, 305
- JavaScript, 9, 298
 - external files, 14

- Joint Photographic Experts Group (JPEG) format
 - versus GIFs, 75
 - tracing image, 48
- Joomla, 415
- JPEG (Joint Photographic Experts Group) format
 - versus GIFs, 75
 - tracing image, 48
- JSP (Java Server Pages), 265, 305

K

- keywords
 - bracketed, 18
 - meta, 358–359

L

- .label style, 295–297
- languages
 - CFML (ColdFusion Markup Language), 9, 265
 - client-side, 9
 - HTML (Hypertext Markup Language), 16, 17–28
 - case sensitivity, 24–25
 - colors, 24
 - div elements and, 155–156
 - explorations in code, 28
 - incorporating real-time data from, 308
 - language, 61
 - placing images in, 21–23
 - reports, 351
 - snippets and, 238
 - structure of document, 20
 - tables, 184–187
 - validating documents, 265
 - whitespace rules, 25–27
 - XHTML 1.0 Transitional, 27–28
 - scripting, 9
 - text-based, 30
 - Wireless Markup Language (WML), 265
 - XML (eXtensible Markup Language)
 - incorporating real-time data from files, 308
 - validating documents, 265
 - Widgets, Spry, 327
 - XHTML and, 27
- languages, scripting, 9
- launching site
 - Site Launch Checklist, 361
 - uploading site, 361–362
- Layout category, Insert panel, 409
- Layout column, New Document dialog box, 41
- Layout CSS setting, 42
- Layout section, Insert panel, 133
- layout tools, 8
- layouts
 - adding images, 136–137
 - advanced
 - AP divs, 152
 - browser compatibility, 168–170
 - changing column layout and size, 164–165
 - creating appearance of equal height columns, 166–167
 - creating columns with CSS, 157–159
 - creating columns with HTML, 155–156
 - creating more sophisticated layouts, 170–171
 - float property, 152–155
 - list-based navigation bar, 159–164
 - overview, 151–152
 - CSS
 - Absolutely Positioned CSS layouts, 147–149
 - Box model, 122–125
 - creating centered container for page, 126–131
 - overview, 121–122
 - positioning content with AP Divs, 132–142
 - setting margins and borders, 142–146
 - making cross-browser compatible, 129
 - using tables, 389
 - workspace, 11
- LCK (lock) file, 343
- legacy tools
 - adding content to tables
 - adding additional table, 405–407

- overview, 400–404
- formatting tables, 407–411
- frames, 368–370
- Frames panel
 - overview, 375–376
 - setting frame properties, 380–382
 - setting frameset properties, 376–379
- framesets
 - overview, 371–373
 - selecting frames, 373–375
- inserting table, 390–391
- legacy sites, 368
- modifying tables
 - merging cells, 397
 - overview, 396
 - setting table borders, 397
- nesting table inside row, 398–399
- overview, 367–368
- selecting tables, 392–395
- specifying frame content
 - adding <noframes> content, 389
 - linking to outside web pages, 387
 - targeting frames, 385–386
 - using _top to replace frameset, 388
- splitting frame
 - dragging frame border, 383–384
 - overview, 382
- tables versus CSS, 390
- using tables for layout, 389
- length, video, 229
- tag, 89–90
- Library folder, 253
- library items, 241–243, 253
- Library Items category, Assets panel, 240
- Line breaks radio button, Radio Group dialog box, 286
- Line Numbers button, Coding toolbar, 263
- Line Numbers option, 260
- line returns, Design view, 25
- Line-height drop-down menu, CSS Rule definition dialog box, 105
- Link Checker panel, 348, 349
- Link Color field, Page Properties dialog box, 47
- Link text field, Property Inspector, 67
- <link> tag, 86
- links
 - absolute, 68–70
 - to e-mail address, 70–71
 - image, 78
 - linking to e-mail address, 70–71
 - overview, 66–67
 - relative, 68–70
 - setting for Home text, 387
 - styling, 108–110
 - validating, 349
- Links (CSS) category, Page Properties dialog box, 46–48
- liquid columns, 41–43
- List menus, Insert toolbar, 279
- List Properties dialog box, 72
- List Values dialog box, 287
- list-based navigation bar, 159–164
- listed item, addressing, 352–353
- lists
 - adding to web form, 286–287
 - borders, 71–72
 - bulleted, 71
- Live View button, Document toolbar, 66, 312, 316, 318, 333
- Live View feature, 12–13, 65
- LiveSearch, 355
- local files, 53
- Local Info settings, Site Setup dialog box, 38
- local root folder
 - checking files in/out, 344
 - defined, 35
 - saving pages, 43
 - storing resources, 55
- Local Site Folder field, Site Setup dialog box, 35
- lock (LCK) file, 343
- Lock Guides option, Guides dialog box, 209
- logos, 75, 84

M

- Macromedia ColdFusion library, 257
- Manage Sites dialog box, 34
- managing web site
 - Check In/Check Out
 - checking files in and out, 344–345
 - overview, 342–344
 - Design Notes
 - content, 345–346
 - displaying in Files panel, 347
 - sharing, 346
 - using, 345–346
 - Files panel
 - remote connection, 336–339
 - transferring files to and from remote server, 340–342
 - viewing files on remote web server, 340
 - focus groups, 364–365
 - generating site reports
 - addressing listed item, 352–353
 - Browser Compatibility Check, 353–355
 - overview, 350–351
 - saving reports, 353
 - understanding report results, 352
 - Help system, 363–365
 - launching site
 - Site Launch Checklist, 361
 - uploading your site, 361–362
 - optimizing pages for launch
 - adding meta keywords and descriptions, 358–359
 - describing images with alternate text, 359–360
 - search engine visibility and Search Engine Optimization, 355
 - titling your documents with <title> tag, 355–357
 - overview, 335–336
 - Reference panel, 364
 - testing site integrity
 - checking links sitewide, 349–350
 - importance of, 347
 - using Check Links, 348
 - web site design resources, 365
- Margin settings, Page Properties dialog box, 46
- margins
 - Box model, CSS, 123
 - overriding default margins in CSS, 143–144
 - overview, 142–146
- Marquee tool, Photoshop, 167
- McKnight Institute, 355–360, 392
- Media Encoder program, 223
- menu commands, tables, 395
- menus
 - adding to web form, 286–287
 - Character, Text Insert panel, 73
 - Characters, 84
 - Class, Property Inspector, 90, 290–291
 - Container Tag, Insert Spry Repeat List dialog box, 329
 - DD Column, Insert Spry Repeat List dialog box, 330
 - Default Panel, Property Inspector, 319
 - DocType, New Document dialog box, 42
 - DT Column, Insert Spry Repeat List dialog box, 330
 - Enctype, Properties dialog box, 278
 - Font, Property Inspector, 60
 - Format, Property Inspector, 59
 - Help, 363
 - Line-height, CSS Rule definition dialog box, 105
 - Lists, Insert toolbar, 279
 - menu commands, tables, 395
 - Method, 277
 - Order, 198
 - Relative from the (Column) Units, 378
 - Selector Type, New CSS Rule dialog box, 60
 - Show, Link Checker panel, 350
 - Size, Property Inspector, 64
 - Skin, Insert Flv dialog box, 225
 - Sort By, 198
 - Spry Data Set, Insert Spry Repeat List dialog box, 330
 - Style, Property Inspector, 90, 411
 - Target, 388
 - Targeted Rule, Property Inspector, 103
 - Vert (vertical alignment), Property Inspector, 402
 - View, 261

- Window Size, 207, 218
- menus, adding to web form, 286–287
- Merge Selected Cells button, Property Inspector, 397
- meta keywords, 358–359
- method attribute, <form> tag, 276
- Method drop-down menu, 277
- mobile phones
 - Adobe Device Central, 118
 - XHTML 1.0 Transitional, 27
- modifying
 - <body> tag, 115
 - Cascading Style Sheets (CSS)
 - advanced text formatting, 105–106
 - contextual and pseudo-class selectors, 106, 108–110
 - CSS Styles panel, 103–104
 - overview, 99–101
 - Property Inspector, 101–103
 - CodeView workspace, 260–262
 - graphics to fit table columns and rows, 407
 - library items, 241–243
 - tables
 - merging cells, 397
 - overview, 396–397
 - setting table borders, 397
 - templates, 248–249
- modular page elements, 234
- mono sound, 229
- Move CSS Rules option, CSS Styles panel, 113, 170
- Move Guide dialog box, 208, 218
- Move or Convert CSS button, Coding toolbar, 263
- movement, 220
- movies, Flash, 220–223
- Mozilla Firefox browser, 417
- .mp3 format, 229
- multiple servers, 419–420

N

- name attribute, <form> tag, 276
- nesting
 - elements, 130
 - rules, 118
 - table inside row, 398–399
- Netscape, 392
- Netscape 4, 129
- New CSS Rule button, CSS Styles panel, 103, 191
- New CSS Rule dialog box
 - creating new external style sheets, 116–117
 - naming style in, 19
 - styling paragraphs, 62
 - styling text, 60
- New Document dialog box
 - adding pages to web site, 39–40
 - DocType drop-down menu, 42
 - overview, 30
 - Page from Template option, 247
 - Page Type column, 41
- New Editable Region dialog box, 245–246
- New Library Item button, Assets panel, 240
- nodes, XML file, 327
- <noframes> content, 389

O

- object Insert panels, 11
- Open a Recent Item column, Welcome Screen, 29
- Open Documents button, Coding toolbar, 262
- Open in Frame command, 384–385
- optimizing pages for launch
 - adding meta keywords and descriptions, 358–359
 - describing images with alternate text, 359–360
 - and Search Engine Optimization, 355
 - Search Engine Optimization, 355
 - titling your documents with <title> tag, 355–357
- options
 - Advanced Settings, Site Setup dialog box, 34, 37
 - advanced site-creation
 - Cloaking category, 38
 - Contribute category, 38
 - Design Notes category, 38

- File View Columns category, 38
- overview, 37–38
- Spry category, 38
- Templates category, 38
- Auto Indent, 260
- Background color, Page Properties dialog box, 45
- Bg color swatch, Property Inspector, 408
- Default, Method drop-down menu, 277
- Fit Table Width To Data, 178
- GET, Method drop-down menu, 277
- Hidden Characters, 260
- Highlight Invalid Code, 260, 263, 270
- Insert Block, Snippet dialog box, 237
- Line Numbers, 260
- Lock Guides, Guides dialog box, 209
- Move CSS Rules, CSS Styles panel, 113, 170
- Page from Template, New Document dialog box, 247
- Percent, Relative from the (Column) Units drop-down menu, 378
- POST, Method drop-down menu, 277
- Remove Tag, 257
- Servers, Site Setup dialog box, 34
- Show Grid, Grid Settings dialog box, 211
- Show Log, Update Pages dialog box, 242
- site-creation, advanced
 - Cloaking category, 38
 - Contribute category, 38
 - Design Notes category, 38
 - File View Columns category, 38
 - overview, 37–38
 - Spry category, 38
 - Templates category, 38
- Snap to Grid, Grid Settings dialog box, 211
- Split Vertically, View menu, 261
- Syntax Coloring, 260
- Syntax Error Alerts, 260
- Text color, Page Properties dialog box, 44
- Text, Insert panel, 74
- Version Control, Site Setup dialog box, 34
- Word Wrap, 260
- Order menu, 198
- Ordered List button, Property Inspector, 72
- Organic Utopia example
 - adding introduction section to page, 135
 - adding main and sidebar content areas, 139
 - advanced site creations, 37–38
 - creating home page, 126
 - creating new templates, 244
 - site setup, 35–37
 - using Snippets panel, 235
- orphaned files, 349
- Orphaned Files report, 350
- Outdent Code button, Coding toolbar, 263
- overflow property, CSS, 146

P

- <p> (paragraph) tag
 - case sensitivity, 26–27
 - compound selectors, 107
 - creating rule definitions, 99
 - structure and attributes, 18
- padding
 - Box model, CSS, 123
 - tables, 193–194
- Page font field, Page Properties dialog box, 44
- Page from Template option, New Document dialog box, 247
- page layout
 - advanced
 - AP divs, 152
 - browser compatibility, 168–170
 - changing column layout and size, 164–165
 - creating appearance of equal height columns, 166–167
 - creating columns with CSS, 157–159
 - creating columns with HTML, 155–156
 - creating more sophisticated layouts, 170–171
 - float property, 152–155
 - list-based navigation bar, 159–164
 - overview, 151–152
 - CSS
 - Absolutely Positioned CSS layouts, 147–149

- Box model, 122–125
 - creating centered container for page, 126–131
 - overview, 121–122
 - positioning content with AP Divs, 132–142
 - setting margins and borders, 142–146
- Page Properties dialog box
 - Active links field, 47
 - Appearance (CSS) category, 44
 - Appearance (HTML) category, 46
 - Background color option, 45
 - Background image field, 46
 - Background text field, 45
 - Headings (CSS) category, 47
 - Link Color field, 47
 - Links (CSS) category, 46–48
 - Margin settings, 46
 - overview, 44
 - Rollover links field, 47
 - setting frame background color, 381–382
 - Size field, 44
 - Text color option, 44
 - Title/Encoding category, 48
 - Tracing Image category, 48–49
 - Transparency slider, 49
 - Visited links field, 47
- Page Type column, New Document dialog box, 41
- pages
 - adding title, 356
 - creating from templates, 246–248
 - defining properties, 44–49
 - object Insert panels, 11
 - optimizing for launch, 355–359
 - adding meta keywords and descriptions, 358–359
 - describing images with alternate text, 359–360
 - search engine visibility and Search Engine Optimization, 355
 - titling your documents with <title> tag, 355–357
 - previewing in web browser, 65–66
- panel groups, customizing, 202–204
- panels
 - Assets
 - adding content to tables, 400
 - Library Items category, 240
 - managing library items and templates, 253
 - Refresh button, 246
 - Templates list, 244
 - Behaviors, 298–300, 305
 - Bindings, 329
 - CSS Styles
 - Add property, 214, 314
 - All button, 169
 - Attach Style Sheet command, 114
 - Box category, 154
 - creating and modifying styles, 103–104
 - creating CSS rules, 90–92
 - Current button, 91
 - customizing Spry Menu bar, 309
 - Disable/Enable CSS Property button, 147
 - Move CSS Rules option, 113, 170
 - New CSS Rule button, 191
 - New CSS Rule icon, 103
 - overview, 12
 - Text-transform section, 106
 - customizing, 202–204
 - Favorites, 11
 - Files
 - adding pages, 11, 39
 - Assets tab, 221
 - creating and viewing Design Notes, 346
 - creating Design notes, 345
 - Expand button, 344
 - FTP and file transfer functionality, 340
 - Get command, 342
 - managing files, 55
 - overview, 52–54
 - Put command, 340–342, 342
 - remote connection, 336–339
 - remote web server, 340–342
 - resizing images, 81
 - selecting and editing files, 53–54
 - Spry Assets folder, 312
 - uploading and downloading files, 11
 - viewing local files, 53
- Frames
 - overview, 375–376
 - setting frame properties, 380–381, 381–382
 - setting frameset properties, 376, 376–379
- Insert
 - adding Spry Menu bar, 309
 - collapsing, 202
 - design and layout tools, 8
 - expanding, 205
 - Hyperlink icon, 69
 - Layout category, 409
 - Layout section, 133
- Link Checker, 348, 349
- Reference, 364
- Results
 - Browser Compatibility Check tab, 354
 - site reports, 350–351
- Site Definition, 366
- Site Reports, 267
- Snippets, 235–236
 - moving snippets with, 253
- Spry Collapsible, 325–326
- Spry Tabbed, 316–325
 - tabbed, 316
 - Text Insert, 73–74
- Panels column, Property Inspector, 317
- panels, customizing, 202–204
- paragraph (<p>) tag
 - case sensitivity, 26–27
 - compound selectors, 107
 - creating rule definitions, 99
 - structure and attributes, 18
- Parameters dialog box, 231
- _parent command, Target drop-down menu, 388
- parent elements, CSS, 108
- passive FTP connection, 339
- PDAs, 118
- Percent option, Relative from the (Column) Units drop-down menu, 378
- percentage-based table, 199, 398, 413
- period character (.), 124
- periods, avoiding in site name, 55
- Photoshop
 - creating Flash video, 223
 - CS5, 8
 - integration, 137–138
 - modifying graphics to fit table columns and rows, 407
 - smart objects, 15
- PHP
 - code hinting, 421
 - coding environment, 9
 - content management systems, 416
 - creating new site, 37
 - form processing and validation, 298
 - hand-coding environment, 51
 - inserting tags, 257
 - validating documents, 265
 - working in Code view, 260
- pixel-based table, 199, 413
- pixel-based tables, 398
- pixels, 208
- placeholders, image, 79–80
- Play button, Property Inspector, 222
- Plus button, Behaviors panel, 299
- PNG format
 - versus GIF and JPEG, 75
- Photoshop
 - creating fake column background, 167
 - integration, 138
 - tracing image, 48
- Point to File feature, 78
- Popup Message dialog box, 300
- positioning content
 - absolute positioning, 129–131
 - adding additional content and styles, 141–142
 - adding images to layout, 136–137
 - adding introduction section to page, 135–136
 - adding main and sidebar content areas, 139–140

- creating header section with Draw AP Div tool, 132–135
- Photoshop integration, 137–138
- POST option, Method drop-down menu, 277
- pound sign (#), 124
- predefined framesets, 371
- Preferences dialog box
 - File Types/Editors section, 80
 - formatting code, 268
- Premiere Pro program, 223
- Preview in Browser feature, 65–66
- Preview/Debug in Browser button, Document toolbar
 - adding tables, 406
 - adding text fields, 282
 - closing Hyperlink dialog box, 70
 - Draw AP Div tool, 132
 - formatting tables, 410
 - inserting sound, 230
 - previewing page, 228
 - setting table borders, 397
 - targeting frames, 385–386
- previewing
 - button behavior, 301
 - pages, 65–66
- processing web forms, 298
- Progressive Download Video, 224
- properties
 - Add, CSS Styles panel, 314
 - Border, 193
 - border-collapse, 189–190
 - CellPad, 185, 193, 406
 - CellSpace, 186, 193, 406
 - Clear, CSS, 158–159
 - CSS color property, 94
 - float, 152–155, 172
 - hover, 163–164
 - overflow, CSS, 146
 - Target, Properties dialog box, 278
- Property Inspector
 - applying classes to tables, 189
 - Bg color swatch option, 408
 - border properties, 376
 - border value, 413
 - Brightness and Contrast button, 80
 - CellPad window, 406
 - CellSpace value, 406
 - correcting invalid code, 265, 270
 - creating class style, 101–103
 - creating CSS rules, 92–93
 - creating hyperlinks, 67–68
 - CSS button, 93
 - customizing Spry Menu bar, 309
 - Default Panel drop-down menu, 319
 - displaying properties of AP Div, 134
 - formatting text, 58–59
 - Header checkbox, 181
 - Merge Selected Cells button, 397
 - modifying table width, 396
 - naming frames, 374
 - Ordered List button, 72
 - Panels column, 317
 - Play button, 222
 - selecting and activating widgets, 310
 - selecting table elements, 176
 - setting column width, 180
 - setting form properties, 278
 - setting table width to percentage of browser window, 179–180
 - Style drop-down menu, 411
 - Targeted Rule drop-down menu, 103
 - versus Text Insert panel, 73
 - Unordered List button, 71
 - Vert (vertical alignment) drop-down menu, 402
- protocols
 - filename, 83
 - FTP, 8, 336
- PSD file
 - dragging into web page, 15
 - importing into Dreamweaver, 138
 - optimizing, 137
- pseudo-class selectors, 106, 108–110
- Put command, Files panel

- transferring files on remote server, 340–342
- transferring files on testing server, 342

Q

- Question Mark icon, 352
- Quick Tag editor, 256
- QuickTime video, 226–229
- Quicktime video, 228

R

- radio buttons
 - adding to form, 305
 - adding to web form, 285
 - Insert toolbar, 279
- Radio Group dialog box, 285
- Radio Group element, Insert toolbar, 285
- radio groups, 285–286
- ready-to-use snippets, 235
- real-time data, 308
- Recent Snippets button, Coding toolbar, 263
- Rectangular Marquee tool, Photoshop, 167
- Red X icon, 352
- Reference panel, 364
- Refresh button
 - Assets panel, 246
 - Files panel, 342
 - Property Inspector, 64
- Related Files bar, 14
- Relative from the (Column) Units drop-down menu, 378
- relative hyperlinks, 68–70
- relative positioning, 130–131
- relative positioning, container, 126
- remote server
 - copying files to, 362
 - LCK files, 343
 - sharing Design Notes, 346
 - transferring files with Get and Put, 340–342
 - using Files panel to transfer files to, 52
 - using Server tab to define, 36
- Remove Comment button, Coding toolbar, 263
- Remove Tag option, 257
- Repeating Region dialog box, 250
- repeating regions
 - detaching from Template command, 252
 - overview, 249–250
 - putting into action, 251–252
- Reports dialog box, 351
- reports, site
 - addressing listed item, 352–353
 - Browser Compatibility Check, 353–355
 - overview, 350–351
 - saving, 353
 - understanding report results, 352
- Required checkbox, Validate Form dialog box, 302
- Reset button, adding to web form, 290–291
- resizing
 - document window, 206–207
 - images, 74, 81–83
- Results panel
 - Browser Compatibility Check tab, 354
 - site reports, 350–351
- RGB spectrum, 24
- Rich Internet Applications (RIAs), 308
- Rollover links field, Page Properties dialog box, 47
- root folder, local
 - checking files in/out, 344
 - defined, 35
 - saving pages, 43
 - storing resources, 55
- row, nesting tables
 - overview, 398–399
 - specifying column widths, 399
- RowCol Selection area, Property Inspector, 377
- rules
 - making visible, 134, 391
 - purpose of, 12
 - units of measurement, 208
- rules, CSS

- Code Navigator
 - creating, 95
 - locating, 97
 - Code view, 93–94
 - CSS Styles panel, 90–92
 - internal and external style sheets, 96
 - Property Inspector, 92–93
 - runaround, 152
- S**
- Safari web browser, 13
 - sans-serif font, 60
 - Save As dialog box, Site Root button, 309
 - Save As Template dialog box, 245
 - Save button, Site Setup dialog box, 339
 - Save Style Sheet dialog box, 114
 - saving
 - frames, 379
 - framesets, 379
 - pages, 43
 - reports, 353
 - schema, XML file, 327
 - scripts
 - AJAX, 308
 - CGI
 - form processing and validation, 298
 - setting form properties, 277
 - JavaScript, 9, 298
 - server-side, 298
 - search engine
 - <title> tag, 357
 - accessibility, 359
 - Google Images, 359
 - navigation bars, 159
 - page optimization, 355
 - ranking and listing web pages, 358
 - Search Engine Optimization (SEO), 355, 358
 - Select Parent Tag button, Coding toolbar, 262
 - Select Parent Tag button, Coding toolbar, 264
 - Select Style Sheet File dialog box, 292
 - selecting
 - files, 53–54
 - frames, 373–375
 - tables, 392–395
 - Selection tool, 217
 - Selector Name field, New CSS Rule dialog box, 102
 - Selector Name section, New CSS Rule dialog box, 109
 - Selector Type drop-down menu, New CSS Rule dialog box, 60
 - selectors
 - compound, 107
 - contextual, 106, 108–110
 - CSS ID
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - Box model, 124–125
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - pseudo-class, 106, 108–110
 - tag
 - accessing code, 256–257
 - overview, 213–214
 - _self command, Target drop-down menu, 388
 - self-closing tags, 28
 - SEO (Search Engine Optimization), 355, 358
 - servers
 - defined, 17
 - DNS, 16–17
 - remote
 - copying files to, 362
 - LCK files, 343
 - sharing Design Notes, 346
 - transferring files with Get and Put, 340–342
 - using Files panel to transfer files to, 52
 - using Server tab to define, 36
 - Servers option, Site Setup dialog box, 34
 - Servers tab, Site Setup dialog box, 36
 - server-side script
 - defined, 9
 - form processing and validation, 298
 - Show All Events button, Behaviors panel, 300
 - Show Code Navigator button, Coding toolbar, 262
 - Show Grid option, Grid Settings dialog box, 211
 - Show Log option, Update Pages dialog box, 242
 - Show menu, Link Checker panel, 350
 - Show Set Events button, Behaviors panel, 303
 - Site Definition panel, 366
 - site design
 - library items
 - modifying and updating, 241–243
 - overview, 239–241
 - modular page elements, 234
 - overview, 233–234
 - repeating regions
 - detaching from Template command, 252
 - overview, 249–250
 - putting into action, 251–252
 - snippets
 - creating new, 236–239
 - overview, 234
 - Snippets panel, 235–236
 - templates
 - creating new, 244–245
 - creating new pages from, 246–248
 - modifying, 248–249
 - working with editable regions, 245–246
 - Site Launch Checklist, 361
 - site management, 8
 - Site Reports panel, 267
 - Site Root button, Save As dialog box, 309
 - Site Setup dialog box
 - accessing CMS capabilities, 420
 - Add new Server button, 337
 - Advanced Settings option, 34, 37
 - Cloaking category, 38
 - Contribute category, 38
 - Design Notes category, 38
 - File View Columns category, 38
 - Local Info settings, 38
 - Local Site Folder field, 35
 - Save button, 339
 - Servers option, 34
 - Servers tab, 36
 - Spry category, 38
 - Templates category, 38
 - Test Connection button, 338
 - Version Control option, 34
 - Site Setup window. *See* Site Setup dialog box
 - site-creation options, advanced
 - Cloaking category, 38
 - Contribute category, 38
 - Design Notes category, 38
 - File View Columns category, 38
 - overview, 37–38
 - Spry category, 38
 - Templates category, 38
 - Size drop-down menu, Property Inspector, 64
 - Size field, Page Properties dialog box, 44
 - skin, defined, 224
 - Skin drop-down menu, Insert Flv dialog box, 225
 - slashes, avoiding in site name, 55
 - smart objects, Photoshop, 15
 - Snap to Grid option, Grid Settings dialog box, 211
 - Snippet dialog box, 236
 - snippets
 - creating new, 236–239
 - defined, 253
 - overview, 234
 - Snippets panel, 235–236
 - Snippets panel, 235–236
 - moving snippets with, 253
 - Sort By menu, 198
 - Sort Table feature, 198
 - sound
 - inserting, 229–231
 - making web content interesting, 220
 - overview, 219–220
 - Soundbooth program, 231
 - Source Code button, 98
 - spaces, avoiding in site name, 55
 - Split button, Document toolbar

- changing workspace, 62
- creating gallery page, 76
- placing images in HTML, 21
- tag structure and attributes, 18
- whitespace rules, 25
- Split Frame command, 382
- Split Vertically option, View menu, 261
- Split view
 - addressing listed item, 352
 - case sensitivity and whitespace, 25
 - Code Navigator, 95
 - CSS and, 89
 - default, 261
 - displaying page in multiple modes, 52
 - editing in Live View, 66
 - formatting tables in HTML, 187
 - hand-coding, 64
 - internal style, 98
 - Live view and, 66
 - overview, 10, 62
 - placing images in HTML, 21
 - resizing document window, 206
 - view options, 260
 - viewing files on remote server, 340
- Split View button, Document toolbar, 52
- splitting frames
 - dragging frame border, 383–384
 - overview, 382
- Spry Assets folder, 334
- Spry category, Site Setup dialog box, 38
- Spry Collapsible panel, 325–326
- Spry Data Set drop-down menu, Insert Spry Repeat List dialog box, 330
- Spry Data Widgets
 - overview, 326
 - Spry Repeat List, 329–331
 - Spry XML data set, 327–329
 - styling and fine-tuning, 331–333
 - XML, 327
- Spry Framework
 - additional features, 307–308
 - Spry Collapsible panel, 325–326
 - Spry Data Widgets, 326–331
 - Spry Repeat List, 329–331
 - Spry XML data set, 327–329
 - styling and fine-tuning, 331–333
 - XML, 327
 - Spry Menu bar, 309–312
 - Spry Tabbed panel, 316–325
 - Spry Widgets, 308
 - AJAX, 308
 - customizing with CSS, 313–316
- Spry Menu bar, 309–312
- Spry Region button, 330
- Spry Repeat List, 329–331
- Spry Tabbed panel, 316–325
- Spry Widgets
 - AJAX, 308
 - customizing with CSS, 313–316
- Src attribute
 - tag, 76
 - changing, 83
- Standard tables mode, 409
- states, defined, 108
- Streaming Video, 224
- (bold) tag
 - compound selectors, 107
 - tag hierarchy, 27
- Style category, CSS Style panel, 145
- Style drop-down menu, Property Inspector, 411
- Style menu, Property Inspector, 90
- style sheets, CSS
 - tags, 87–88
 - applying .label style, 296–297
 - creating and modifying styles
 - advanced text formatting, 105–106
 - contextual selectors, 106, 108–110
 - CSS Styles panel, 103–104
 - overview, 99–101
 - Property Inspector, 101–103
 - pseudo-class selectors, 106, 108–110

- CSS rules
 - Code Navigator, 95, 97
 - Code view, 93–94
 - CSS Styles panel, 90–92
 - Property Inspector, 92–93
- customizing Spry Widgets, 313–316
- defined, 86
- defining cascading, 98–99
- div tags
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - overview, 110–112
- external
 - attaching, 292–297
 - versus internal, 96–98
- HTML formatting, 389
- ID selectors
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - overview, 110–112
- inline, 96
- internal, 96–98
- overview, 61–62, 85–86, 88–90
- page layouts
 - Absolutely Positioned CSS layouts, 147–149
 - Box model, 122–125
 - creating centered container for page, 126–131
 - overview, 121–122
 - positioning content with AP Divs, 132–142
 - setting margins and borders, 142–146
 - setting background color, 293–295
 - styling form elements, 295–296
 - versus tables, 390
- <style> tag
 - CSS rules, 63, 86
 - internal style sheets, 96, 112
- .styledtable class
 - applying to unstyled table, 197
 - formatting and styling tables, 189
- styles, defined, 61–64
- styling form elements, CSS, 295–296
- Submit button, adding to web form, 290–291
- Subversion system, 422
- Swatches panel, 24
- .swf extension, 222
- .swf file, 232
- Syntax Coloring option, 260
- Syntax Error Alerts in Info Bar button, Coding toolbar, 263
- Syntax Error Alerts option, 260

T

- tabbed panels, 316
- Table dialog box
 - Insert Table command, 398
 - inserting table, 392
- tables
 - adding content
 - adding additional table, 405–407
 - overview, 400–404
 - converting to snippets, 236
 - creating, 182–183
 - versus CSS, 390
 - CSS
 - advanced styling, 190–192
 - alternate row styling, 194–196
 - cell alignment, 193–194
 - cell borders, 193–194
 - cell padding, 193–194
 - formatting and styling, 188–190
 - reusing for other tables, 196–197
 - data sorting, 197–198
 - formatting, 407–411
 - HTML, 184–187
 - importing data, 174–176

- inserting, 390–391
 - modifying
 - merging cells, 397
 - overview, 396–397
 - setting table borders, 397
 - size, 178–180
 - structure, 181–182
 - nesting inside row
 - overview, 398–399
 - specifying column widths, 399
 - overview, 173–174
 - percentage-based, 199, 413
 - pixel-based, 199, 413
 - selecting, 392–395
 - selecting elements, 176–178
 - using for layout, 389
 - web design, 174
- tabs, document window, 214–215
- tabular data, 174, 199
- Tag Chooser, 257–258
- Tag info button, Tag Chooser, 258
- tag selector
 - accessing code, 256–257
 - overview, 213–214
- tags
- <body>
 - creating and modifying styles, 99
 - hierarchy of tags, 27
 - HTML document, 20
 - modifying, 115
 - tag selector, 214
 -
 (break), 26, 28
 - , 87–88
 - <form>
 - background color and, 293
 - inserting into contact form, 273–276
 - <h2>, 100–101
 - <head>
 - CSS rules, 63
 - HTML document, 20
 - <html>, 20, 27
 - (image)
 - alt attribute, 359
 - attributes, 76
 - placing in HTML, 21
 - tag hierarchy, 27
 - tag selector, 213
 - , 89–90
 - <link>, 86
 - <p> paragraph
 - case sensitivity, 26–27
 - compound selectors, 107
 - creating rule definitions, 99
 - structure and attributes, 18
 - (bold)
 - compound selectors, 107
 - tag hierarchy, 27
 - <style>
 - CSS rules, 63, 86
 - internal style sheets, 96, 112
 - <td>, 402
 - <title>, 355–357
 - case sensitivity, 24
 - closing, 18
 - collapsing, 264–265
 - div
 - .css file, 116–118
 - Adobe Device Central, 118
 - attaching external style sheet to page, 114
 - internal versus external style sheets, 112–114
 - modifying attached style sheets, 115–116
 - overview, 110–112
 - expanding, 264–265
 - hierarchy, 27
 - selecting portions of table, 394
 - self-closing, 28
 - structure and attributes, 18–20
 - styles, 99
 - XML and, 327
 - Target drop-down menu, 388
 - Target property, Properties dialog box, 278
 - Targeted Rule drop-down menu, Property Inspector, 103
 - targeting frames, 385–386
 - <td> tag, 402
 - Template command, 252
 - templates
 - creating new, 244–245
 - creating new pages from, 246–248
 - modifying, 248–249
 - working with editable regions, 245–246
 - Templates category, Site Setup dialog box, 38
 - Templates folder, 253
 - Templates list, Assets panel, 244
 - Test Connection button, Site Setup window, 338
 - testing site integrity
 - Check Links feature, 348
 - Check Links Sitewide, 349–350
 - overview, 347
 - text (.txt) file format, 174
 - text, adding
 - hyperlinks, 66–71
 - lists, 71–72
 - overview, 57–61
 - previewing pages in web browser, 65–66
 - styles, 61–64
 - Text Insert panel, 73–74
 - typography and images on web, 58
 - text area, adding to web form, 288
 - Text color option, Page Properties dialog box, 44
 - text editor, 9
 - text field, adding to web form, 280–282
 - Text Field button, Insert panel, 280
 - Text fields, Insert toolbar, 279
 - text formatting, advanced, 105–106
 - Text Insert panel, 73–74
 - Text options, Insert panel, 74
 - text wrap, 152
 - text-based languages, 30
 - Text-transform section, CSS Styles panel, 106
 - <title> tag, 355–357
 - Title/Definition sets, 330
 - Title/Encoding category, Page Properties dialog box, 48
 - toolbars
 - Coding
 - Apply Comment button, 263
 - Balance Braces button, 262
 - Collapse Full Tag button, 262, 264
 - Collapse Selection button, 262, 265
 - Expand All button, 262
 - Format Source Code button, 263
 - Highlight Invalid Code button, 263
 - Indent Code button, 263
 - Line Numbers button, 263
 - Move or Convert CSS button, 263
 - Open Documents button, 262
 - Outdent Code button, 263
 - Recent Snippets button, 263
 - Remove Comment button, 263
 - Select Parent Tag button, 262
 - Select Parent Tag button, 264
 - Show Code Navigator button, 262
 - Syntax Error Alerts in Info Bar button, 263
 - Wrap Tag button, 263
 - Document
 - Code View button, 51
 - Design View button, 50, 95, 275–276
 - Live View button, 312, 316, 318, 333
 - Preview/Debug in Browser button, 228, 282
 - Split button, 18, 21, 25, 62, 76
 - Split View button, 52
 - Insert, 285
 - tools
 - Contribute tool, 244
 - CSS Inspect tool, 417
 - design, 8
 - Hand tool, 216
 - layout, 8
 - legacy
 - adding content to tables, 400–411
 - formatting tables, 407–411
 - frames, 368–370
 - Frames panel, 375–382

- framesets, 371–375
- inserting table, 390–391
- legacy sites, 368
- modifying tables, 396–397
- nesting table inside row, 398–399
- overview, 367–368
- selecting tables, 392–395
- specifying frame content, 385–389
- splitting frame, 382–384
- tables versus CSS, 390
- using tables for layout, 389
- _top command, Target drop-down menu, 388
- Top Features (videos) column, Welcome Screen, 29
- Tracing Image category, Page Properties dialog box, 48–49
- Transparency slider, Page Properties dialog box, 49
- trigger, 300
- .txt (text) file format, 174
- typography, web, 58

U

- Unordered List button, Property Inspector, 71, 159
- Update from Original button, Property Inspector, 15
- Update Library Items dialog box, 242
- Update Pages dialog box, 242
- updating
 - images, 83–84
 - library items, 241–243
- URL address, 67

V

- Validate Form dialog box, 302
- validating
 - code
 - highlighting and correcting invalid code, 265–266
 - running report, 267–268
 - documents, 265
 - external links, 349
 - form fields
 - changing behavior order, 303–304
 - overview, 302–303
 - web forms, 298
- Value column, Radio Group dialog box, 286
- VCS (version control system), 37
- Version Control option, Site Setup dialog box, 34
- version control system (VCS), 37
- Vert (vertical alignment) drop-down menu, Property Inspector, 402
- video
 - adding, 223–226
 - making web content interesting, 220
 - overview, 219–220
 - QuickTime video, 226–229
 - Windows Media, 226–229
- View menu, 261
- views
 - cascade, 215
 - Code
 - <form> tag attributes, 276
 - Coding toolbar, 262–263
 - collapsing and expanding tags and code blocks, 264–265
 - containers and, 124
 - creating CSS rules, 93–94
 - defined, 270
 - editing in Live View, 66
 - modifying workspace, 260–262
 - overview, 10
 - viewing comments, 259
 - work views, 51
 - Design, 10, 50
 - CSS-styled text, 87
 - modifying snippets, 239
 - previewing files of CMS framework, 416
 - resizing document window, 206–207
 - setting form properties, 278
 - tag selector and, 270
 - viewing comments, 259
 - previewing
 - button behavior, 301

- pages, 65–66
- Split
 - addressing listed item, 352
 - case sensitivity and whitespace, 25
 - Code Navigator, 95
 - CSS and, 89
 - default, 261
 - displaying page in multiple modes, 52
 - editing in Live View, 66
 - formatting tables in HTML, 187
 - hand-coding, 64
 - internal style, 98
 - Live view and, 66
 - overview, 10, 62
 - placing images in HTML, 21
 - resizing document window, 206
 - view options, 260
 - viewing files on remote server, 340
- visibility, search engine, 355
- Visited links field, Page Properties dialog box, 47
- visual aids, 12
- Visual Sourcesafe (VSS), 422

W

- W3C (World Wide Web Consortium), 86
- Warning Sign icon, 352
- .wav format, 229
- WCAG (Web Consortium Accessibility Guidelines), 350
- web banner, 220
- web browser
 - previewing pages, 65–66
 - XHTML 1.0 Transitional, 17
- Web Consortium Accessibility Guidelines (WCAG), 350, 357
- web design
 - layout tools and, 8
 - library items, 239–243
 - modular page elements, 234
 - overview, 233–234
 - repeating regions, 249–252
 - snippets, 234–239
 - tables, 174
 - templates, 244–249
- web forms
 - adding form elements
 - adding checkboxes, 282–284
 - adding File Upload field, 289–290
 - adding lists and menus, 286–287
 - adding radio buttons, 285
 - adding radio groups, 285–286
 - adding text area, 288
 - adding text field, 280–282
 - overview, 279
 - Submit and Reset buttons, 290–291
 - adding validation
 - Behaviors panel, 298–300
 - previewing button behavior, 301
 - setting event or trigger, 300
 - contact form
 - inserting <form> tag, 273–276
 - setting properties, 276–278
 - overview, 271–273
 - processing, 298
 - styling with CSS
 - applying .label style, 296–297
 - attaching external styles, 292–293
 - setting background color, 293–295
 - styling form elements, 295–296
 - validating form fields
 - changing form field's behavior order, 303–304
 - overview, 301–302
 - validation, 298
- Web hosting services, 17
- web page
 - adding title, 356
 - creating from templates, 246–248
 - optimizing for launch
 - adding meta keywords and descriptions, 358–359
 - describing images with alternate text, 359–360
 - search engine visibility and Search Engine Optimization, 355

