

INDEX

- Acoustic model emulation, 61
- Actuators, in robotic design, 4
- Adaptation, 93–94, 117, 128–129
- Adaptive critics, 119
- Adaptive dynamic programming (ADP), 119–120
- Adaptive intelligence, 247
- Adaptive resonance theory (ART), 268
- Agent:
 - character, 214
 - personlike, 214
- Algorithms, generally:
 - alternating optimization, 153–154
 - evolutionary, 247
 - gene replacement genetic (GRGA), 193
 - genetic (GAs), 4, 207
 - intelligence measurement, 37
 - NeuroLinear, 100–101, 107–109
 - numerical optimization, 83
 - REFANN, 37, 100–101, 106–107, 109–111
 - rule extraction, 99–111
 - shortest path (SPA), 255
- Alternating optimization (AO):
 - algorithm, 153–154
 - applications, generally, 149–150
 - benefits of, 154–155
 - existence, 152–153
 - explicit, 157
 - global convergence of, 160–162
 - implicit, 157
 - local convergence of, 158–160
 - solutions, 150, 152–153, 155–158
 - uniqueness, 152–153
- Amazon deforestation, 234
- Angiogenesis, 229
- Animal learning, 118
- Annealing, simulated, 247
- Antidiuretic hormone (ADH), 239
- Antitrust legislation, 245
- Approximate reasoning, 140
- Approximation, *see* Best robust approximation; Universal approximation
- Architecture, *see* Chips; Cognitive architecture
- Artificial and natural neural systems, 66
- Artificial intelligence (AI), characteristics of, 25, 118, 209
- Artificial neural networks (ANNs):
 - characteristics of, 117, 225–226, 228, 238
 - unsupervised learning, 219–241
- Artistocrat utility (AU), 253–254, 257
- Auditory model, 49–51
- Auditory system, 49, 53
- Automated sonar controller, 61
- Backpropagation:
 - basic, 265
 - cerebellum, 265
 - error critic (EC), 265
 - forwards, 264
 - future research directions, 268–269
 - history of, 264
 - implications of, generally, 117, 207
 - ordered derivatives, 263–265
 - simultaneous, 264
 - stochastic, 264
 - for supervised learning, 265–268
 - truncation, 264–265
 - vanilla, 261–267
- Baldwin Effect, 184–187
- Ball:
 - closed, 37
 - open, 37
- Bankruptcy prediction, 107–109
- Banners, 214
- Bar attendance problem, 256
- Bayes' theorem, 250
- Behavior-based robotics, 122, 127
- Bell-Sejnowski-Amari-Oja (BSAO)
 - space-invariant ICA, 240

- Best robust approximation:
 abstract neural network, 83
 abstract power series, 85
 characteristics of, generally, 66, 81
 deF dimension, 87
 exemplary inputs/exemplars, 83
 functional artificial neural networks, 83
 functional synaptic weight, 83
 input-output data constraints, 81
 instantaneous learning, 83
 minimum norm problem, 82
 numerical optimization algorithms, 83
 point evaluation functionals, 83–84
 prior uncertainty ellipsoidal set, 81
 radial basis functions model, 86–87
 sequential (adaptive/evolutionary) learning, 83
 shifted Sigmoids model representation, 84–85
- Biomorph, 211
- Birds, intelligence in:
 corvids, 29–30
 parrots, 29
 pigeon, 27–28
- Blackbody radiation, 229
- Blind source separation (BSS), 219
- Body-brain coevolution, 2
- Boltzmann entropy, 225
- Boltzmann-Shannon entropy, 228
- Braess' paradox, 255
- Brain:
 cerebellum, 265–266
 complexity of, *see* Brain complexity
 evolution, 186
 mammalian, 115, 262
 neocortex, 53
- Brain complexity:
 computing technology, 53–54
 neuroscience, 48–53
 nontechnical issues, 54–55
 overview, 45–48
 reverse engineering, 46
 subsystems, 48–53
- Breast imaging, *see* Mammography
- Bush, Vannevar, 34
- Cancer:
 diagnostic tools, 36, 40
 ductal carcinoma in situ (DCIS), 233–234
 medical diagnostic imaging, 229, 232–233
- Cellular phones, analog evolvable hardware chip:
 characteristics of, 196–197
 chip architecture, 197–198
 yield rate, 197–198
- Center-average defuzzifier, 167
- Central equation, 250
- Chess, 34
- Chips:
 analog evolvable hardware, 197–198
 clock-timing adjusting, 199–200
 data compression evolvable hardware, 194–196
 for gate-level hardware evolution, 193
 large-scale integration (LSI), 193, 196, 198–199
- Chromosome register, 199
- Clamping, 253–254
- Classifier, 214
- Clock skew, 198
- Clock-timing adjusting chip, EHW-based:
 architecture, 199–200
 characteristics of, generally, 198–199
 simulation study, 200–201
- Cluster-detection-and-labeling (CDL) network, 95
- Cluster-first-route-second approach, 142
- CMAC, 268
- Coevolution, 2–3
- Coevolutionary computation (CEC), 125–126
- Cognitive architecture:
 classic view, 180–181
 connectionist view, 181
 embodied cognitive view, 182
 evolutionary view of, 182–183
 implications of, generally, 179–180
 modules, 180–182
 theories of, 180
- Cognitive science, 179–180
- Collective intelligence:
 design of, 247–255, 257–258
 motivation and background, 245–247
 tests of mathematics, 255–257
- Collective INtelligence (COIN) techniques, 250, 255
- Combinatorial optimization, 140
- Communication:
 with partner robots, 132–136
 wireless, 95
- Compactification, 140
- Complementary metal-oxide semiconduction (CMOS), 197
- Complex adaptive systems, 116
- Computational intelligence (CI):
 characteristics of, generally, 65–66, 122
 cluster-detection-and-labeling (CDL) network, 95
 combined adaptation and evolution, 93–94
 discovery, 94–95

- emerging synthesis of, 125–126
- humanized, 207–210
- in logistics, *see* Logistics
- mixed continuous/discrete systems, 91
- MOI (mixed OI) net, 69, 93
- MOS (mixed OS) net, 69, 93
- Maxnet, 93
- Computer-aided design (CAD), 3–4, 40, 42
- Computer-aided design (CAD)/computer-aided manufacture (CAM), 8
- Computer graphics, lighting design, 211
- Computing performance, 53–54
- Conditional probability, 39
- Connectionism, *see* Neural networks
- Connectivity, 132
- Consciousness, 32
- Consumer robots, 209
- Controller:
 - design, 165
 - neural network, 214
 - synthesis, *see* Controller synthesis
- Controller synthesis, fuzzy dynamic systems:
 - characteristics of, 170–173
 - simulation examples, 173–176
- Convergence:
 - global, 160–162
 - local, 158–160
 - Lyapunov, 239
 - q -linear, 158
- Cooperative technology, 207
- CPU performance prediction, 109–111
- Critics:
 - adaptive, 119
 - error (EC), 265
- Curse of dimensionality, 118
- Cybernetics, 121

- Darwin, Charles, 28, 184
- Data compression evolvable hardware chip:
 - image data, 194–195
 - pixel value predictions, 195–196
- Data migration, 246
- Data mining, 209
- Decision trees, 99
- Deep Blue, 34, 42
- deF dimension, intrinsic dimensionality, 87
- de Figueiredo-Dwyer-Zyla (dFDZ) space, 75
- Degree of rationality, 248
- Degrees of freedom, 1
- Delay generators, 199
- Dendrite ion channels, 235

- Derivatives, ordered, 263–265
- Descent of Man* (Darwin), 28
- Development time, 155
- Diagnostic imaging, *see* Mammogram/Mammography; Medical imaging
- Difference utility, 253
- Direct Rambus, 200
- Divide and conquer, 223–224
- Driving behavior, 141
- Drug design, computer-aided, 36
- Dual logic, 140
- Ductal carcinoma in situ (DCIS), 233–234
- Duda-Hart book, 239
- Dynamic environments, 129–130
- Dynamic programming:
 - adaptive, 119–120
 - approximate, 119
 - importance of, 118
- Dynamic samples weight (DSW), 204

- Education, 215
- Electromechanical systems, robotics, 4–5
- Electromyogram (EMG) signals, 192
- Electromyography (EMG), 191
- Embryonic electronics, 203
- Embryonics, asynchronous, 203
- Emotion, 32, 214
- Emotional intelligence quotient measures (E-IQ), 238
- Enabling technologies, 45
- Encoding design, in robotics, 5–8
- Entropy information theory, 225–228, 241
- Error critic (EC), 265
- Evolution:
 - of altruism, 188
 - in biology, 182
 - of brains, 186
 - cognitive, 179–180
 - of language, 187–188
 - learning and, 184–186
- Evolutionary algorithms, 247
- Evolutionary computation (EC):
 - alternating optimization, 155
 - applications, generally, 139
 - artificial neural networks (ANNs) and, 119
 - cognitive science and, 180, 183–184
 - interactive, 207
- Evolutionary programming (EP), 207
- Evolutionary robotics, 122
- Evolutionary strategy (ES), 207
- Evolvable femtosecond laser, 202
- Evolvable fiber-alignment system, 202

- Evolvable hardware (EHW):
 analog chip for cellular phone, 196–198
 clock-timing adjusting chip, 198–201
 current research, 203–204
 data-compression chips, printing image data,
 194–196
 defined, 191
 evolvable optical systems, 201–202
 myoelectric prosthetic hand controller with,
 191–193
- Evolvable interferometer, 202
- Evolvable optical systems:
 advantages of, 202
 characteristics of, 201
 defined, 201
 types of, 202
- Exaptation, 183
- Expert systems technology, 140
- Factories, 144
- Fatigue, 211, 215–216
- Feasible region, 149
- Feature extraction, 212
- Feedforward, 70–71, 83, 102, 263
- Fiber, generally:
 alignment, 202
 nonlinear dynamical systems, 95
- Field-programmable transistor array (FPGA),
 203–204
- Filters:
 image-enhanced, 212
 intermediate frequency (IF), 196, 198
 Laplacian, 213
- Financial risk, 262
- Fireworks, 215
- First-order necessary conditions, 150
- Fleet management, 142–143
- Force histograms, 12–16, 22
- From tanks to tumors, 229
- Fully automated design (FAD), in robotics, 3
- Function(s):
 assessment, 38
 constraint, 149
 intelligence, 37
 objective, 149
 problem, 149
- Fusion technology, 207
- Fuzzy classifier, 214
- Fuzzy control, 141–142, 214
- Fuzzy dynamic systems:
 controller synthesis, 170–176
 defined, 166
 piecewise-quadratic stability, 166–170
- Fuzzy linear programming, 141, 143
- Fuzzy logic:
 characteristics of, generally, 16, 268
 control (FLC), 165
 rules, 214
- Fuzzy set theory, 140, 142
- Fuzzy systems (FS), 207
- Fuzzy technology, 139–140
- Game-playing, 119
- Game theory, 251
- Gaussian thermal diffusion, 229
- Generalization, 268
- Gene replacement genetic algorithm (GRGA),
 193
- Genetic algorithms (GAs), 4, 207
- Genetic programming (GP), 204, 207, 211
- Genetic redistribution, 186–187
- Glial cells, 238–239, 241
- Global coordinates, 250, 252
- Globally exponentially stable, 169
- Global stability, 166
- Gradient ascent, 247
- Gradient-based descent, 155
- Gradient vector, 156
- Hamilton-Jacobi-Bellman equation, 119
- Hearing-aid, fitting, 212
- Hebb, 241
- Hebbian synaptic memory, 238
- Helmholtz free energy, 225–226, 229–230,
 239
- Hessian matrix, 156
- Hidden unit activation, neural networks:
 approximating, 105–106
 discretization of, 103–104
- Histograms:
 applications, generally, 11–12, 39
 of angles, 12
 force, 12–16, 22
- Hodgkin, 235, 241
- Holder triangle-inequality identity, 228
- Homeostatic, 239
- Homeostasis learning, 240–241
- Hopfield, 207
- Human reasoning, 140
- Human-robot dialog, 16–19
- Human-robot systems, 14
- Huxley, 235, 241
- Hypertext markup language (HTML), 215
- IA, *see* Intelligence, amplification (IA)
- IEC fitting, 212

- Image(s)
 - echocardiographic, 213
 - enhancement, 212
 - magnetic resonance, 213
- Imitation Game, 25, 33
- Independent components analyses (ICA), 219, 223, 237
- Industrial design, 211
- Industrial robots, 209, 214
- Inference, types of, 127, 131–132, 140, 167
- In-house logistics, 143–146
- Intelligence:
 - adaptation, 117
 - amplification (IA), *see* Intelligence amplification (IA)
 - animals, 25
 - artificial, 25
 - computational, 25
 - interaction, 25
 - learning, 117
 - measurement of, 25, 35
 - reasoning and, 118
- Intelligence amplification (IA):
 - characteristics of, generally, 118
 - defined, 25
 - estimation of, 26–33
 - future directions in, 41–43
 - measurement of, 35–41
 - Turing Test, 33–35, 43
- Intelligent control, 262
- Intelligent learning, 69, 93–94
- Intelligent robotic system, 122–123
- Interactive evolutionary computation (IEC):
 - characteristics of, 208, 210–211
 - computer graphics, 211–212
 - control, 213–214
 - fitting, 212
 - interface research, 215–216
 - Internet, 214–215
 - signal processing, 212–213
- Intermediate frequency (IF) filters, 196, 198
- International Conference on Evolvable Systems (ICES), 203
- International Standards Organization (ISO), 194
- Internet, IEC-based, 214–215
- Intuitive inference, 127, 131–132
- Iteration function, 155–156
- Iterative optimization, 149–152

- Job migration, 246
- Joint-pdf density factorization, 240
- Jumping, in robotics, 5

- KANSEI engineering, 210
- Kasparov, 34

- Labeling, linguistic scene description, 14
- Lagrange constraint neural networks (LCNN), 229, 231–232, 235, 237–238
- Lagrange multipliers, 225, 235, 238
- Lamarckian inheritance, 184
- Landsat 7, 234–236
- Language, 187–188
- Laplacian singular heat concentration, 229
- Large-scale integration (LSI) chip, 193, 196, 198–199
- Laser radar (LADAR), linguistic description, 14–15
- Law of Accelerating Returns, 54
- Layered-perceptron neural net, 61
- Layers, backpropagation, 266
- Learnability, 252
- Learning:
 - adaptation and, 117
 - animal, 118
 - evolutionary computation, 184–186
 - gradient, 262
 - homeostasis, 240–241
 - instantaneous, 83
 - intelligent, 69, 93–94
 - one-trial, 268
 - probability distribution, 262
 - reinforcement, 119, 247–249, 256–257
 - sequential, 83
 - supervised, 262–263
 - unsupervised, 219–241
- Lego robot, 213
- Lighting design, 211
- Limbic, 239
- Linear matrix inequality (LMI), 165
- Linear programming, 141, 143
- Linear time-invariant (LTI) systems, 68
- Linguistics, 140, 146. *See also* Language
- Linguistic spatial computational models:
 - force histograms, 12–16, 22
 - future directions for, 21–22
 - human-robot dialog, 16–19
 - scene matching, 15–16
 - sketched route map, 19–21
- Locomotion cycle, robotics, 5–8
- Logical inference, 127, 131–132
- Logistics:
 - fleet management, 142–143
 - in-house, 143–146
 - traffic management, 141–142

- L-system, 211
- Lyapunov convergence, 239
- Macromodeling, 188
- Magnetic resonance image (MRI), 213
- Mammalian brain, 115, 262
- Mammograms/mammography, 36, 40, 229, 232–233
- Maxnet, 93
- Mean absolute error (MAE), 111
- Meaning, 140
- Medical imaging:
 - diagnostic, 95, 229, 232–233
 - multispectral, 229–234
- Medium transfer function (MTF), 219–224
- Memory, 29, 31
- Mendel, Gregor, 184
- Metric, intelligence measurement, 37
- Metric space, 37
- Microcalcifications, 229
- Micromodeling, 188
- Microsoft, 35
- Minimizer:
 - global, 150
 - local, 150
 - strong local, 150
 - weak local, 150
- Minimum resolvable temperature difference (MRTD), 231
- Minority game, 256
- Model-free approach, 118
- Modularity, in robotics, 6–8
- MOI (mixed OI) net, 69, 93
- Moore's Law, 46
- MOS (mixed OS) net, 69, 93
- Motion, generally:
 - directives, 19
 - planning, 123
- Multi-agent systems (MASs), 247–248
- Multiple robotic systems, 124
- Multivariate discriminant analysis (MDA), 108
- Myoelectric prosthetic hand controller:
 - background, 191–192
 - general purpose chip for gate-level hardware evolution, 193
 - learning method, 192–193
 - performance, 192–193
- Nash equilibrium, 248–249, 251
- Naval Research Laboratory, 18
- Neher, 235
- Neural network control:
 - adaptive, 119
 - intelligent, 116
 - optimal, 118
 - robust, 119
- Neural networks:
 - artificial (ANN), *see* Artificial neural networks (ANNs)
 - characteristics of, generally, 139, 155
 - cognitive architecture and, 118
 - control, *see* Neural network control
 - hidden unit activation, 103–106
 - Lagrange constraint (LCNN), 229, 231–232
 - problems with, 99
 - pruning, 102
 - rule extraction, 101–107
 - three-layer feedforward network, 102
 - traffic management, 146
- Neural Network Society, 267
- Neural space, 69
- Neurodynamic programming, 119
- Neurofuzzy systems, 208–209
- Neuroidentification, 262
- NeuroLinear algorithm:
 - bankruptcy prediction using, 107–109
 - defined, 100–101
- Neurons, in robotic design, 4
- Neuroscience, 48–53, 95, 115, 263
- Newton's law of physics, 238
- No Free Lunch Theorem:
 - characteristics of, 25, 36
 - performance, 39
 - problem, 39
- Nonlinear dynamical system models:
 - analytic functional, 72
 - characteristics of, 65, 69
 - continuous-time-parameter (CTP) system, 69–73
 - discrete-time-parameter (DTP) system, 69–73
 - feedforward models, 70–71
 - nonlinear convolution, 72
 - recurrent models, 71–72
 - state-space models, 72–73
- Nonlinear dynamical systems:
 - automated manufacturing, 95
 - best robust approximation, 81–88
 - best estimate, 66
 - cable, 95
 - control of, 68
 - Euclidean space, 65
 - feedforward model, 70–71, 83
 - fiber, 95
 - Hilbert space, 65

- homogeneous Hilbert-Schmidt (H-S)
 - polynomial, 74
- input-output data constraints, 81
- medical diagnostics, 95
- models of, *see* Nonlinear dynamic system models
- neural space, 69
- neuroscience, 95
- nonlinear adaptive time-series prediction, 95
- nonlinear equalization, 95
- nonparametric models, 65
- OMNI (optimal multilayer neural interpolating) net, 69
- optimal combined structural and parametric modeling, 88–90
- optimal interpolating (OI) neural network, 69
- optimal smoothing (OS) neural network, 69
- OSMAN (optimal smoothing multilayer artificial neural) net, 69
- prior uncertainty, 66, 81
- radial basis functions (RBF), 69, 86–87
- recurrent models, 71–72
- reproducing kernel Hilbert space (RKHS), 65, 68
- reproducing kernels, 76
- sigmoid functions, 69, 77–80
- state-space models, 72–73
- symmetric Fock space, 75
- system design, 65
- system identification, 65
- system modeling, 65
- system realization, 65
- Volterra functional series (VS) shortcomings, 66–67
- white Gaussian noise (WGN), 67–68
- Wiener-Bose model, shortcomings of, 67
- Winner-Take-All layer, 88, 93
- wireless communications, 95
- wireline, 95
- Nonlinearly constrained optimization problem (NCOP):
 - alternating optimization compared with, 154–156
 - existence, 152–153
 - defined, 149–152
 - uniqueness, 152–153
- Nonlinear systems, 165
- Normal distribution, 150
- Object recognition, 17–18, 21
- Oblique decision hyperplanes, 100
- Observations, 116
- OCR systems, 262
- Office of Naval Research (ONR), 57–58
- OMNI (optimal multilayer neural interpolating) net, 69
- Open systems, 225–228
- Optimal combined structural and parametric modeling, 88–90
- Optimal control, 116, 118
- Optimal interpolating (OI) neural network, 69
- Optimal smoothing (OS) neural network, 69
- Optimization:
 - alternating, 149–156
 - combinatorial, 140
 - explicit AO, 157
 - implicit AO, 157
 - iterative, 149–152
 - methods, 140
 - non-linear, 149–156
 - numerical, 83
 - unconstrained, 156
- Orb web spider, 26–27
- Orders of magnitude, 256
- ORG, 62
- OSMAN (optimal smoothing multilayer artificial neural) net, 69
- Packet routing, 255
- PalmPilot, 19
- Parallax, 221
- Partitioning:
 - refined, 151–152
 - of variables, 150
- Partner robots, 132–136
- Path planning, 123
- Pattern recognition, 262
- Perceiving-acting cycle, 134
- Perception-based robotics, 134
- Perceptron, Generalized Multilayer (GMLP), 265
- Performance, generally:
 - computing, 53–54, 109–111
 - functions of, 39
 - improvement (PI), 40
 - No Free Lunch Theorem, 39
 - underwater sensors, 59–60
- Personal-assistant robots, 22
- Personal digital assistant (PDA), sketched route map, 19–20
- Piecewise-quadratic-Lyapunov function, 165–170, 176
- Pit vipers, 30
- Pixels:
 - computer graphics, 212–213
 - EHW-based data-compression, 194–196

- Pixels on target (POT), 224
- Portia spider, 26–27, 32
- Power of pairs, 220–225
- Preserving, 140
- Prior knowledge, 117
- Priors, 117
- Private utility, 245–246, 249–258
- Problem diversity space, 25
- Product inference, 167
- Programmable logic array (PLA), 193
- Prototypes, in robotics, 2

- Quale, 30–31
- Qualia:
 - characteristics of, 25, 29–33
 - insight, 41

- Radial basis functions (RBF), 69, 86–87, 268
- Radiologists, functions of, 40
- Random set, intelligence measurement, 39
- Reasoning, 140. *See* Human reasoning; Spatial reasoning; Symbolic reasoning
- Recognition technology, 21
- Recurrent, simultaneous network (SRN):
 - cellular neural networks, 265
 - defined, 264
- REFANN:
 - CPU performance prediction using, 109–111
 - defined, 100–101
 - intelligence, 37
 - regression rules, 106–107
- Reinforcement learning, 119, 247–249, 256–257
- Relative mean absolute error (RMAE), 111
- Relative root-mean-square errors (RRMSE), 111
- Relaxation, 140
- Remote sensing, multispectral, 234–235
- Reverse engineering, 46
- Roboeconomics, 1–2
- Robot(s), generally:
 - arm path, 213–214
 - arm-wrestling, 214
 - care, 214
 - cognitive architecture, 182, 188
 - consumer, 209, 214
 - controller, 209
 - industrial, 209, 214
 - language, 17–18
 - Lego, 213
 - pet, 214
- Robotics, *see* Robotic systems
 - behavior-based, 122, 127
 - coevolution, 2–3
 - electromechanical systems, 4–5
 - encoding, 5–8
 - evolutionary, 122
 - roboeconomics, 1–2
 - simulators, 3–4
- Robotic systems:
 - adaptation, 128–129
 - evolution, 129–130
 - information, 126–128
 - learning, 128–129
 - representation, 126–128
 - search, 129–130
 - structured intelligence, 130–136
- Root-mean-square errors (RMSE), 111
- Route choice, 141
- Route-first-cluster-second approach, 142
- Route map, 19–21
- Rule-based fuzzy systems, 155
- Rule-extraction algorithm:
 - components of, 99–100
 - classification rules, 104–105
 - neural network training and pruning, 102
 - NeuroLinear applications, 107–109
 - REFANN applications, 109–111
 - regression rules, 106–107
- Run time, 155

- Sakmann, 235
- SAS, 111
- SBART, 211
- Scaling, in robotic construction, 3
- Schur complements, 169, 172
- Second law of thermodynamics, 225
- Second Look[®], 35–36, 40
- Segmentation, linguistic scene description, 14
- Self-awareness, 30–31
- Self-organizing maps (SOMs), 268
- Sensitivity, 40
- Sequential (adaptive/evolutionary) learning, 83
- Shannon's entropy information theory, 225–228, 241
- Shifted Sigmoid model representation, 84–85
- Shortest Path Algorithm (SPA), 255
- Sigmoid functionals:
 - applications, generally, 77–78
 - backpropagation, 265
 - Bernoulli number, 80
 - defined, 66
 - Euler number, 79
 - exponential activation functional, 78–79
 - hyperbolic tangent, 79–80
 - modified exponential, 79
 - shifted model representation, 84–85

- Signal processing:
 - auditory-based, 212
 - characteristics of, 209, 212–213
 - visual-based, 212
- Signal-to-noise properties, 249, 251–252, 258
- Simulators, in robotics, 3–4
- Simultaneous recurrent network (SRN), 264
- Singleton fuzzifier, 167
- Skinner, B. F., 27
- Smoothing, 69
- Smoothness, 117
- Solution:
 - existence, 152–153
 - global, 150
 - local, 150
 - uniqueness, 152–153
- Sonobuoys, 59, 63
- Space-variant, 219
- Spatial reasoning, 22
- Spatial relationships, significance of, 11
- Speech, *see* Language; Linguistics
 - recognition, 52
 - synthesis, 214
- Spider:
 - Australia jumping, 26
 - Orb web, 26–27
 - Portia, 26–27, 32
- Stability:
 - analysis, 165
 - global, 166
 - global exponential, 169
 - importance of, 118
 - quadratic, 119
 - universal, 119
- Stationary points, 158
- Statistics, maximum likelihood, 117
- Steepest descent, 268
- Stochastics, 116, 118
- Subsumption architecture, 122, 127–128
- Subsymbolic computation, connectionist view, 181
- Surveillance, automated, 22
- SVD, 240
- Symbolic reasoning, 118
- Symbolic systems, classic view of, 180–181
- Symbol processing, 140, 144

- Task planning, 123
- Thermodynamics, free energy, 223–225, 241
- Thermoplastic, in robotic, 4–5
- Thinking, 31
- Traffic, generally:
 - control, 142
 - management, 141–142
 - supervision, 141
- Tragedy of the Commons (TOC), 245
- Training set, 262
- Trajectory planning, 123
- Traveling salesman problem (TSP), 140, 142, 144
- Truncation, 264–265
- T-S fuzzy model, 166
- Turing Test, 25, 33–35, 43
- Turning rate, route map, 20–21

- Uncertainty modeling, 140
- Underwater sensors:
 - acoustic model emulation, 61
 - characteristics of, generally, 58–59
 - computational intelligent processing, 60–61
 - development of, 57
 - future directions in, 63–64
 - geoacoustic condition estimation, 62
 - layered-perceptron neural net, 61–62
 - performance challenges, 59–60
- Universal approximations, 268
- Unlabeled data, 239
- Unsupervised classifications, space-variant, 219–220
- Unsupervised learning:
 - benchmarks, 229
 - biological relevance, 235–239
 - entropy information theory to open systems, 225–228, 241
 - multispectral medical imaging, 229–234
 - multispectral remote sensing, 234–235
 - power of pairs, 220–225
 - unsupervised classifications, 219–220
- Utility function, 116, 118

- Vehicle, 214
- Very large-scale integration (VSLI), 203
- Virtual aquarium, 215
- Virtual Lagrange constraint forces, 227
- Virtual reality (VR), 213–215
- Visualized IEC, 212
- Visual system, 53
- Volterra functional series (VS):
 - abstract power series, 66
 - control, nonlinear dynamical system, 68
 - Gram-Schmidt orthogonalization, 67
 - Hermite functions, 67
 - Laguerre functions, 67
 - minimum mean-square estimate, 68
 - non-Gaussian input, 68
 - nonlinear map, 66
 - shortcomings of, 66–68
 - white Gaussian noise (WGN), 67–68

- Volterra functional series (VS): *(Continued)*
 - Wiener-Bose model, 67
 - Wiener G-functions, 68
- WaveNet, 240
- Web banners, 214
- White Gaussian noise (WGN), 67–68
- Wiener-Bose nonlinear functional series model, 67
- Wiener series, shortcomings of, 66
- Winner-Take-All layer, 88, 93
- Wireless communications, 95. *See also* Cellular phones
- Wonderful Life Utility (WLU), 253–256
- World utility, 245–246, 249, 256
- X-ray mammography, 233. *See also* Mammogram/mammography