

# Index

COPYRIGHTED MATERIAL



# Index

## SYMBOLS AND NUMERICS

[aeiou] character class, 367  
 [^aeiou] character class, 367  
 \* (asterisk) quantifier, 367  
 \b character spaces, 366  
 \ (backslash) character spaces, 366  
 \D character class, 367  
 \d character class, 367  
 \f character spaces, 366  
 \n character spaces, 366  
 {N,} quantifier, 367  
 {N} quantifier, 367  
 {N,M} quantifier, 367  
 . (period) quantifier, 367  
 + (plus sign) quantifier, 367  
 ? (question mark) quantifier, 367  
 \r character spaces, 366  
 \S character class, 367  
 \s character class, 367  
 \t character spaces, 366  
 [3-7a-dA-D] character class, 367  
 \v character spaces, 366  
 \W character class, 367  
 \w character class, 367

## A

abstract base class, 57–60  
 Abstract property, 198

access control list (ACL), 136  
 AccessDenied.aspx page, 151–152  
 accessibility, 24–25  
 “Accessibility Improvements in ASP.NET 2.0 – Part 1” (Homer), 25  
 “Accessibility Improvements in ASP.NET 2.0 – Part 2” (Homer), 25  
 accessing the profile for users other than the current user, 141  
 ACL (access control list), 136  
 AddedBy property, 198  
 AddedDate property, 198  
 AddEditArticle.aspx page, 259–264  
 AddEditArticle.aspx.cs code-behind file, 263–264  
 AddEditPost.aspx page, 400–406  
 AddEditProduct.aspx page, 449–450  
 AddUsersToRole method, 134  
 AddUsersToRoles method, 134  
 AddUserToRole method, 134  
 AddUserToRoles method, 134  
 administering forums, 400  
 administration  
   edit users administrative page, 175–180  
   manage users administrative page, 170–175  
   overview, 170  
 Administrator role, 208  
 Adobe Photoshop, 9  
 ADO.NET transactions, 69–70  
 [aeiou] character class, 367

## [^aeiou] character class

---

[^aeiou] character class, **367**

all pages, applying theme to, **20**

amount property, **428**

anonymous users, support for, **141–142**

appearance of site, importance of, **7–8**

AppearanceEditorPart control, **488**

applicationName attribute, **122**

approval of site layout design, **10**

Approve instance method, **199**

ApproveArticle static method, **200**

Approved property, **198**

architecture

Business Logic Layer (BLL)

  caching data for better performance, **63–69**

  exception handling, **74–80**

  health monitoring, **74–80**

  overview, **60–62**

  transaction management, **69–73**

connection strings, storing, **81–84**

multi-tier design, **47, 48–49**

overview, **47–48**

user interface

  data-bound controls, **84–85**

  DetailsView control, **84**

  FormsView control, **84, 94–97**

  GridView control, **84, 87–91**

  master-detail forms and DetailsView control,  
  **91–94**

  ObjectDataSource control, **97–101**

  overview, **84**

  SqlDataSource control, **85–91**

ArchivedNewsletters.aspx page, **375–376**

ArchivedPolls.aspx page, **325–328**

ArchivedPolls.aspx.cs code-behind file, **328**

ArchiveIsPublic property, **290, 349**

Article class

  Abstract property, **198**

  AddedBy property, **198**

  AddedDate property, **198**

  Approve instance method, **199**

  ApproveArticle static method, **200**

  Approved property, **198**

  AverageRating property, **199**

  Body property, **198**

  in business logic layer, **229–238**

  Category property, **198**

  CategoryID property, **198**

  CategoryTitle property, **198**

  City property, **198**

  Comments property, **199**

  CommentsEnabled property, **198**

  Country property, **198**

  Delete instance method, **199**

  DeleteArticle static method, **200**

  ExpireDate property, **198**

  GetArticleByID static method, **200**

  GetArticleCount static method, **199**

  GetArticleFromArticleDetails static  
  method, **200**

  GetArticleListFromArticleDetailsList  
  static method, **200**

  GetArticles static method, **199**

  ID property, **198**

  IncrementArticleViewCount static  
  method, **200**

  IncrementViewCount instance method, **199**

  InsertArticle static method, **200**

  Listed property, **198**

  Location property, **198**

  OnlyForMembers property, **198**

  Published property, **199**

  Rate instance method, **199**

  RateArticle static method, **200**

  ReleaseDate property, **198**

  State property, **198**

  Title property, **198**

  TotalRating property, **199**

  Update instance method, **199**

  UpdateArticle static method, **200**

  ViewCount property, **198**

  Votes property, **199**

article list user control, **204–205**

ArticleDetails class, **219–220**

ArticleListing.ascx user control,  
**249–257**

ArticleListing.ascx.cs code-behind  
file, **253–257**

ArticlesProvider class, **221–223**

**ASP.NET 1.x**

- described, 10
- localizing the site with, 508–509
- .aspx file, 10, 13

**asterisk (\*) quantifier, 367****asynchronous page processing, 346–347****“Asynchronous Pages in ASP.NET 2.0” (Prosize), 347****ATOM, 183–184****authentication, 112****authentication modes**

- forms authentication, 114–115
- Windows security, 114

**authorization, 112****AverageRating property, 199****B****\b character spaces, 366****background threads, 338–342****backslash (\) character spaces, 366****base class for all business classes, use of a, 80****BaseArticle class, 228–229****BasePage class, 25–26****Beauchemin, Bob (“Query Notifications in ADO.NET 2.0”), 69****TheBeerHouse project**

- AccessDenied.aspx page, 151–152
- administration
  - edit users administrative page, 175–180
  - manage users administrative page, 170–175
  - overview, 170

**BLL base class, 107–109****configuration file, 145–148****custom BasePage class, 42–45****custom configuration section, 101–105****DataAccess base DAL class, 105–107****edit profile page, 167–169****features needed for, 2–4****first theme, creating, 33–36****health monitoring system, 109–110****login box, creating, 148–151****marketing issues, 1–2****master page, creating, 30–32****password recovery page, 163–166****PayPal integration, 427–429****registration page, 159–163****sample Default.aspx page, creating, 36–37****second theme, creating, 37–38****site design, creating, 27–45****site map file, creating, 32–33****theme selector user control, creating, 38–42****themes saved between sessions, 169–170****UserProfile control****loading and editing a profile, 157–158****overview, 152–156**

- persisting properties through the new control state, 156–157

**Beginning Regular Expressions (Wrox Press), 366****BehaviorEditorPart control, 488****BLL. See business logic layer (BLL)****Body property, 198****breadcrumbs, 7, 24****BronzePosterDescription property, 390****BronzePosterPosts property, 390****Browse mode, 482****BrowseArticles.aspx page, 267–268****BrowseProducts.aspx page, 451–454****browsers**

- cross-browser portability, 32
- and visual site design, 8

**BrowseThreads.aspx page, 408–412****“Building ASP.NET 2.0 Web Sites Using Web Standards” (Walther), 25****built-in controls of Web Part Framework**

- AppearanceEditorPart control, 488
- BehaviorEditorPart control, 488
- CatalogZone control, 487
- ConnectionsZone control, 488
- DeclarativeCatalogPart control, 488
- EditorZone control, 488
- ImportCatalogPart control, 488
- LayoutEditorPart control, 488
- PageCatalogPart control, 488
- PropertyGridEditorPart control, 488
- sample page used for testing, 488–495
- source code for, 490–492
- WebPartManager control, 487
- WebPartZone control, 487

### **business classes, accessing profiles from, 140–141**

#### **business logic layer (BLL)**

- Article class, 198–200, 229–238
- base class, 107–109
- BaseArticle class, 228–229
- caching data for better performance, 63–69
- Category class, 200–201, 238–239
- Comment class, 201–202, 239–240
- CommentComparer class, 240–241
- content, 195–202
- described, 48
- designing, 195–202
- e-commerce store
  - designing, 433–437
  - implementing, 439–447
- exception handling, 74–80
- forums
  - designing, 391–393
  - implementing, 398–399
- health monitoring, 74–80
- implementing
  - Article class, 229–238
  - BaseArticle class, 228–229
  - Category class, 238–239
  - Comment class, 239–240
  - CommentComparer class, 240–241
- overview, 228
- newsletters
  - designing, 350–352
  - implementing, 357–367
- opinion polls
  - designing, 290–292
  - implementing, 303–309
- overview, 60–62
- transaction management, 69–73
- business **property, 428**
- BusinessEmail **property, 432**

## **C**

### **CA (certificate authorities), 424**

CacheDuration **property, 194, 290, 349, 390**

### **caching data for better performance**

- overview, 63
- with SQL dependency support, 63

- SQL Server 2005-specific SQL dependency support, 66–69
- strategies for caching, 69
- table-level SQL dependencies, support for, 63–66

cancel\_return **property, 429**

### **Cascading Style Sheets (CSS)**

- devices, targeting different classes of, 14
- flexibility of, 14
- stylesheet files, using CSS to define styles in, 11–13

### **Catalog mode, 482**

CatalogZone **control, 487**

Category **class, 200–201, 238–239**

Category **property, 198**

CategoryID **property, 198**

CategoryTitle **property, 198**

**certificate authorities (CA), 424**

ChangePassword **control, 132**

**ChangePassword method, 117**

**ChangePasswordQuestionAndAnswer method, 117**

City **property, 198**

**clear text, storing passwords in, 124**

cmd **property, 428**

### **code-behind files**

- AddEditArticle.aspx.cs code-behind file, 263–264
- ArchivedPolls.aspx.cs code-behind file, 328
- ArticleListing.ascx.cs code-behind file, 253–257
- GetArticlesRss.aspx.cs code-behind file, 276
- ManageCategories.aspx.cs code-behind file, 246–247
- ManagePolls.aspx.cs code-behind file, 315–318
- PollBox.ascx.cs code-behind file, 320–324
- RssReader.ascx.cs code-behind file, 277–279
- ShowArticle.aspx.cs code-behind file, 271–274

### **color blindness and visual site design, 8**

### **COM+ transactions, 70–73**

#### **Comment class**

- business logic layer (BLL), 201–202, 239–240
- overview, 201
- sorting comments, 201–202

**Comment property, 117**`CommentComparer` class, 240–241**comments, 190**`Comments` property, 199`CommentsEnabled` property, 198**common behavior shared among all pages, 25–26****common design shared among multiple pages**

master page, 15–19

overview, 15

**configuration**

file for TheBeerHouse project, 145–148

of health monitoring system, 76–80

of Web Part Framework, 496–497

**configuration module**

content, 193–194

e-commerce store, 432

forums, 390–391

implementing, 216–218

newsletters

designing, 349

implementing, 353–355

opinion polls

designing, 289–290

implementing, 299–301

**Connect mode, 483****connection strings, storing, 81–84**`ConnectionStringName` property, 194, 289, 349, 390`ConnectionZone` control, 488**content, 2****content localization, 3****content management system, 111****content page used to access master page, 18–19****Contributor role, 208****cookieless clients, forms authentication support for, 115****cookies and multiple votes, 286****copying the site locally or remotely, 537–540**`Country` property, 198`CreateRole` method, 134`CreateUser` method, 116`CreateUserWizard` control, 127–131`CreationDate` property, 117**cross-browser portability, 32****CSS (Cascading Style Sheets)**

devices, targeting different classes of, 14

flexibility of, 14

stylesheet files, using CSS to define styles in, 11–13

**.css file, 13**`CurrencyCode` property, 432`currency_code` property, 428**current culture, setting, 516–519**`custom BasePage` class, 42–45**custom configuration section for TheBeerHouse project, 101–105****custom control, Web Parts as, 486–487****custom entities and `DataSets` compared, 53–55**`custom` property, 428**custom style classes, 12****custom templates, 148****D****\D character class, 367****\d character class, 367****data access layer (DAL)**

abstract base class, 57–60

`ArticleDetails` class, 219–220`ArticlesProvider` class, 221–223

content, 194–195

`DataSet` compared to custom entities, 53–55  
described, 48

e-commerce store, 432–433

forums

designing, 391

implementing, 396–398

implementing, 219–228

multiple data stores, using provider model

design pattern to support, 51–53

newsletters

designing, 350

implementing, 355–357

opinion polls

designing, 290

implementing, 301–303

overview, 51

### **data access layer (DAL) (continued)**

- providers, 52
- SiteProvider class, 228
- SQL text queries, 56–57
- SqlArticlesProvider class, 223–228
- stored procedures, 56–57

### **data store**

- choosing, 49–51
- described, 48
- Relational Database Management Systems (RDBMS), 50

DataAccess **base DAL class, 105–107**

### **database**

- forums, implementing, 394–396
- opinion polls
  - overview, 294–295
  - tbh\_Polls\_ArchivePoll stored procedure, 296
  - tbh\_Polls\_GetCurrentPollByID stored procedure, 297–298
  - tbh\_Polls\_GetOptionByID stored procedure, 299
  - tbh\_Polls\_GetOptions stored procedure, 298
  - tbh\_Polls\_GetPollByID stored procedure, 297
  - tbh\_Polls\_GetPolls stored procedure, 296–297
  - tbh\_Polls\_InsertPoll stored procedure, 295–296
- setup for SQL Server provider, 80

### **database tables**

- content, 186–190
- e-commerce store, 429–431
- forums, 385–388
- newsletters, 348
- opinion polls
  - designing, 287–288
  - stored procedures managing, 288–289
- overview, 186–187
- relationships between tables, 208–210
- stored procedures, 210–216, 288–289
- tbh\_Articles table, 188–190
- tbh\_Categories table, 187–188
- tbh\_Comments table, 190

### **data-bound controls, 84–85**

- DataSets
  - advantages of, 54
  - custom entities compared, 53–55
  - disadvantages of, 54

### **DB2, 50**

### **declarative coding, 208**

### **declarative transactions, 71**

DeclarativeCatalogPart **control, 488**

### **decoupling tiers, 47**

### **default content, 17**

### **default SQL Server data store, 124–126**

DefaultOrderListInterval **property, 432**

Delete **instance method, 199**

DeleteArticle **static method, 200**

DeleteRole **method, 134**

DeleteUser **method, 116**

### **deploying the site**

- with external FTP client, 539
- methods for
  - copying the site locally or remotely, 537–540
  - installer package, creating, 546–550
  - overview, 536–537
  - pre-compiling the site, 540–546
- overview, 525–526
- to SQL Server 2005
  - creating standard ASPNET objects, 528
  - database objects, scripting, 529–531
  - existing data, importing, 531–536
  - overview, 526–528
  - providers pointing to SQL Server 2005, 536
  - with Visual Studio Copy Web Site, 537–540
  - Web Setup Project, 547

### **description attribute, 123**

### **design**

- approval of site layout design, 10
- browsers and visual site design, 8
- business logic layer (BLL)
  - forums, 391–393
  - newsletters, 350–352
  - opinion polls, 290–292
  - overview, 195–202
- color blindness and visual site design, 8
- common design shared among multiple pages, 15–19

- configuration module
  - newsletters, 349
  - opinion polls, 289–290
- data access layer (DAL)
  - forums, 391
  - multiple data stores, using provider model
    - design pattern to support, 51–53
  - newsletters, 350
  - opinion polls, 290
- database tables for opinion polls, 287–288
- e-commerce store
  - business logic layer, 433–437
  - user interface, 437–439
- forums
  - business logic layer, 391–393
  - configuration module, designing, 390–391
  - data access layer, 391
  - database tables, designing, 385–388
  - user interface, 394
- HTML
  - site layout design and, 10
  - tables, site layout design and, 13–14
- loading speed and site layout design, 14
- multi-tier design
  - Data Access Layer (DAL), 51–60
  - data store, 49–51
  - edit and continue process, 49
  - overview, 48–49
- news and article management, 202–207
- newsletters
  - business logic layer, 350–352
  - configuration module, 349
  - data access layer, 350
  - database tables, designing, 348
  - user interface, designing, 352–353
- opinion polls
  - business logic layer, 290–292
  - configuration module, 289–290
  - data access layer, 290
  - database tables for, 287–288
  - user interface, 292–293
- partial classes and site layout design, 10
- provider model design pattern, 119–122
- screen readers and site layout design, 14
- site design for TheBeerHouse project
  - creating, 27–45
    - custom `BasePage` class, 42–45
    - first theme, creating, 33–36
    - master page, creating, 30–32
    - sample `Default.aspx` page, creating, 36–37
    - second theme, creating, 37–38
    - site design, creating, 27–45
    - site map file, creating, 32–33
    - theme selector user control, creating, 38–42
- site layout design
  - accessibility, 24–25
  - approval of, 10
  - common behavior shared among all pages, 25–26
  - common design shared among multiple pages, 15–19
  - CSS used to define styles in stylesheet files, 11–13
  - HTML and, 10
  - HTML tables and, 13–14
  - loading speed and, 14
  - mock-ups, 9–10
  - navigation system, 22–24
  - overview, 9–10
  - partial classes and, 10
  - `PollBox.ascx` user control plugging into, 324
  - screen readers and, 14
  - technologies used to implement, 10–11
  - user-selectable themes, creating a set of, 19–22
- technologies used to implement site layout design, 10–11
- user interface
  - e-commerce store, 437–439
  - forums, 394
  - newsletters, 352–353
  - opinion polls, 292–293
  - overview, 202–207
- visual site design
  - appearance, importance of, 7–8
  - browsers and, 8
  - color blindness and, 8
  - overview, 7–8
  - site layout design, 9–14

## Design mode, 482

DetailsView **control**, 84

**devices, targeting different classes of**, 14

### display modes

- Browse mode, 482
- Catalog mode, 482
- Connect mode, 483
- Design mode, 482
- Edit mode, 482
- overview, 482

**divisions**, 148

**domain objects**, 55

**drop-down lists**, 155

**dynamically changing master pages**, 19

## E

### e-commerce store

- business logic layer
  - designing, 433–437
  - implementing, 439–447
- configuration module, 432
- data access layer, 432–433
- database tables, 429–431
- online payment solutions
  - CA (certificate authorities), 424
  - overview, 424–427
  - payment gateways, 424–426
  - PayPal, 427–429
  - Sandbox test environment, 428–429
  - SSL (Secure Sockets Layer), 424
- overview, 421–424
- stored procedures, 429–431
- user interface
  - AddEditProduct.aspx page, 449–450
  - BrowseProducts.aspx page, 451–454
  - designing, 437–439
  - EditOrder.aspx page, 473–478
  - implementing, 447–478
  - ManageOrders.aspx page, 473–478
  - ManageProducts.aspx page, 451
  - OrderHistory.aspx page, 472–473
  - PayPal and, 468–470
  - ShoppingCart.ascx user control, 470–472
  - ShoppingCart.aspx page, 457–467

ShowProduct.aspx page, 454–457

Storekeeper role, 437

WizardStep control, 458–460

**edit and continue process**, 49

**Edit mode**, 482

**edit profile page for TheBeerHouse project**, 167–169

**editing**, 494–495

**Editor role**, 208

EditOrder.aspx **page**, 473–478

EditorZone **control**, 488

**Email property**, 117

### e-mails

- creating and sending, 334–337
- Network delivery method, 335
- newsletters, 334–337
- PickupDirectoryFromIis delivery method, 335
- SpecifiedPickupDirectory delivery method, 335

EnableCaching **property**, 194, 290, 349, 390

EnableHighlighter **property**, 205

EnablePaging **property**, 205

**enablePasswordReset attribute**, 123

**enablePasswordRetrieval attribute**, 123

**Enterprise Library**, 74

**EntityBroker**, 55

EventLogWebEventProvider **class**, 77

**Evjen, Bill (Professional ASP.NET 2.0)**, 101, 347

**exception handling**, 74–80

**executing stored procedures**, 224

ExpireDate **property**, 198

**explicit localization expressions**, 514–515

**external FTP client**, 539

## F

**\f character spaces**, 366

**FCKeditor**, 259

**feed reader**, 183

**feedback from customers**, 3

FileUploader.ascx **user control**, 247–249

**FileZilla FTP client**, 539

FindUsersByEmail **method**, 116

FindUsersByName **method**, 116

`FindUsersInRole` **method**, 134  
**first theme in TheBeerHouse project, creating**, 33–36

**flexibility of CSS (Cascading Style Sheets), 14**  
**forms authentication, 114–115**

`FormsView` **control**, 84, 94–97

#### forums

- business logic layer
  - designing, 391–393
  - implementing, 398–399
- configuration module, designing, 390–391
- data access layer
  - designing, 391
  - implementing, 396–398
- database, implementing, 394–396
- database tables, designing, 385–388
- overview, 383–385
- policy statement, 385
- security, 418–419
- stored procedures, 388–390
- user interface
  - `AddEditPost.aspx` page, 400–406
  - administering forums, 400
  - `BrowseThreads.aspx` page, 408–412
  - designing, 394
  - implementing, 400–419
  - `ManageUnapprovedPosts.aspx` page, 406–407
  - `MoveThread.aspx` page, 412–413
  - RSS feeds, producing and consuming, 417–418
  - security, 418–419
  - `ShowThread.aspx` page, 413–417
  - viewing forums, 400

**fragment caching, 66**

`FromDisplayName` **property**, 349

`FromEmail` **property**, 349

## G

**Generate Local Resource command, 519**

`GeneratePassword` **method**, 116

**generic lists, 178**

`GetAllRoles` **method**, 134

`GetAllUsers` **method**, 116

`GetArticleByID` **static method**, 200

`GetArticleCount` **static method**, 199

`GetArticleFromArticleDetails` **static method**, 200

`GetArticleListFromArticleDetailsList` **static method**, 200

`GetArticles` **static method**, 199

`GetArticlesRss.aspx` **page**, 274–276

`GetArticlesRss.aspx.cs` **code-behind file**, 276

`GetNumberOfUsersOnline` **method**, 116

**GetPassword** **method**, 117

`GetRolesForUser` **method**, 134

`GetUser` **method**, 116

`GetUserNameByEmail` **method**, 116

`GetUsersInRole` **method**, 134

**global resources, use of, 510–513**

`GoldPosterDescription` **property**, 391

`GoldPosterPosts` **property**, 391

#### graphical login controls

- `ChangePassword` control, 132
- `CreateUserWizard` control, 127–131
- `Login` control, 131–132
- `LoginName` control, 133
- `LoginStatus` control, 133
- `LoginView` control, 133
- overview, 126–127
- `PasswordRecovery` control, 132

`GridView` **control**, 84, 87–91

**“GridView Examples for ASP.NET 2.0” (Mitchell), 101**

## H

**hashing method, 114**

`HeaderText` **property**, 293

#### health monitoring system

- base class for all business classes, use of a, 80
- TheBeerHouse project, 109–110
- configuration of, 76–80
- database setup for SQL Server provider, 80
- `EventLogWebEventProvider` class, 77
- overview, 74–76

### health monitoring system (continued)

SimpleMailWebEventProvider class, 77  
SqlWebEventProvider class, 77  
TemplatedMailWebEventProvider class, 77  
TraceWebEventProvider class, 77  
WebAuditEvent event, 77  
WebBaseErrorEvent class, 77  
WebBaseEvent class, 76  
WebErrorEvent event, 77  
WebHeartbeatEvent event, 77  
WebManagementEvent class, 76  
WebRequestEvent class, 77  
WmiWebEventProvider class, 77

HideFromArchiveInterval **property**, 349

**home page, customizing**, 3

Homer, Alex (“Accessibility Improvements in ASP.NET 2.0 – Part 1”), 25

Homer, Alex (“Accessibility Improvements in ASP.NET 2.0 – Part 2”), 25

HotThreadPosts **property**, 390

.htm file

HTML, site layout design and, 10

HTML tables, site layout design and, 13–14

## I

ID **property**, 198

identity of site, 2

Image **control**, 24

imperative coding, 208

implementation and localizing the site, 519–523

implicit localization expressions, 515

ImportCatalogPart **control**, 488

IncrementArticleViewCount **static method**, 200

IncrementViewCount **instance method**, 199

inheritance, 15

in-line view, 214

in-place compilation, 540

InsertArticle **static method**, 200

installer package, creating, 546–550

integrated web server, 27

“Introducing System.Transactions in the Microsoft.NET Framework version 2.0” (Lowy), 73

IP locking, multiple votes and, 286–287

IPN notifications and PayPal, 470

IsApproved **property**, 117

IsLockedOut **property**, 117

IsOnline **property**, 117

IsUserInRole **method**, 134

item\_name **property**, 428

item\_number **property**, 428

## J

Jasc Paint Shop Pro, 9

## L

Label **control**, 24

LastActivityDate **property**, 117

LastLockoutDate **property**, 117

LastLoginDate **property**, 117

LastPasswordChangedDate **property**, 117

LayoutEditorPart **control**, 488

lazy-load, 55

legacy systems, provider model design pattern and, 121

lightweight postback, 345

Listed **property**, 198

lists

drop-down lists, 155

generic lists, 178

LLBLGen Pro, 55

loading speed and site layout design, 14

localizing the site

in ASP.NET 1.x, 508–509

current culture, setting, 516–519

explicit localization expressions, 514–515

Generate Local Resource command, 519

global resources, use of, 510–513

implementation, 519–523

implicit localization expressions, 515

new features for, 509–518

overview, 507–508

page-level resources, use of, 513–516

static content and, 516

Web.sitemap file, 521–522

Location **property**, 198

**login box, creating, 148–151**Login **control, 131–132**LoginName **control, 133**LoginStatus **control, 133**LoginView **control, 133****long operations management**

asynchronous page processing, 346–347

background threads, 338–342

overview, 337–338

partial page updates with script callbacks,  
342–346LowAvailability **property, 432****Lowy, Juval (“Introducing System.Transactions  
in the Microsoft.NET Framework version  
2.0”), 73****M**ManageArticles.aspx **page, 259**ManageCategories.aspx **page, 241–247**ManageCategories.aspx.cs **code-behind file,  
246–247**ManageComments.aspx **page, 264–265**ManageOrders.aspx **page, 473–478**ManagePolls.aspx **page, 309–318**ManagePolls.aspx.cs **code-behind file,  
315–318**ManageProducts.aspx **page, 451**ManageUnapprovedPosts.aspx **page,  
406–407****managing long operations on the server**

asynchronous page processing, 346–347

background threads, 338–342

overview, 337–338

partial page updates with script callbacks,  
342–346**managing roles, 134–135****master page**

TheBeerHouse project, 30–32

content page used to access, 18–19

creating, 30–32

default content, 17

dynamically changing master pages, 19

modifying, 501–505

nested master pages, 17–18

overview, 15–17

personalization at page level, enabling, 504–505

switching master pages at runtime, 19

themes, 21

**master-detail forms and DetailsView****control, 91–94****maxInvalidPasswordAttempts attribute, 123**Membership **class, 116–119****membership system**

authentication, 112

authentication modes, 114–115

authorization, 112

graphical login controls, 126–133

Membership class, 116–119

MembershipUser class, 116–119

module designed for handling user membership,  
115–116

overview, 111–113

password storage mechanisms, 113–114

provider model design pattern, 119–122

roles, 133–138

SqlMembershipProvider, 120–126

user profiles

accessing the profile for users other than the  
current user, 141

anonymous users, support for, 141–142

business classes, accessing profiles from,  
140–141

overview, 112–113, 138–140

Web Site Administration Tool, 142–144

MembershipUser **class, 116–119****menu controls, 23****Microsoft Pattern & Practices Team, 74****minRequiredNonalphanumericCharacters  
attribute, 123****minRequiredPasswordLength attribute, 123****Mitchell, Scott (“GridView Examples for  
ASP.NET 2.0”), 101****mock-ups, 9–10****module designed for handling user membership,  
115–116**MoreText **property, 207**

## MoreUrl property

---

**MoreUrl property, 207**

**MoveThread.aspx page, 412–413**

**multiple data stores, using provider model design pattern to support, 51–53**

**multiple votes**

cookies, 286

IP locking, 286–287

opinion polls, 286–287

**multi-threaded programming, 340–342**

**multi-tier design**

business logic layer (BLL)

  caching data for better performance, 63–69

  exception handling, 74–80

  health monitoring, 74–80

  overview, 60–62

  transaction management, 69–73

data access layer (DAL)

  abstract base class, 57–60

  DataSet compared to custom entities, 53–55

  described, 48

  multiple data stores, using provider model design pattern to support, 51–53

  overview, 51

  providers, 52

  SQL text queries, 56–57

  stored procedures, 56–57

data store

  choosing, 49–51

  described, 48

  multiple data stores, using provider model design pattern to support, 51–53

  Relational Database Management Systems (RDBMS), 50

edit and continue process, 49

overview, 48–49

user interface

  data-bound controls, 84–85

  DetailsView control, 84

  FormsView control, 84, 94–97

  GridView control, 84, 87–91

  master-detail forms and DetailsView control, 91–94

  ObjectDataSource control, 97–101

  overview, 2, 84

  SqlDataSource control, 85–91

**MultiView control, 462**

**MySQL, 50**

## N

**\n character spaces, 366**

**{N,} quantifier, 367**

**{N} quantifier, 367**

**name attribute, 123**

**navigation system**

  breadcrumbs, 24

  menu controls, binding SiteMap to, 23

  overview, 22

  site map file, defining, 22–23

**nested master pages, 17–18**

**Network delivery method, 335**

**new features**

  DetailsView control, 84

  FormsView control, 84

  GridView control, 84

  for localizing the site, 509–518

  PreInit event, 19

  script callback, 343

  themes, 19–22

**news aggregator, 183**

**news and article management**

  business layer, 195–202

  configuration module, 193–194

  data access layer (DAL), 194–195

  database tables, 186–190

  overview, 183–186

  security and, 207–208

  stored procedures that manage the database, 191–193

  user interface design, 202–207

**newsfeed, 183**

**Newsletterbox user control, 379–381**

**newsletters**

  business logic layer

    designing, 350–352

    implementing, 357–367

- configuration module
  - designing, 349
  - implementing, 353–355
- data access layer
  - designing, 350
  - implementing, 355–357
- database tables, designing, 348
- e-mails, creating and sending, 334–337
- managing long operations on the server, 337–347
- overview, 331–333
- spam and, 333–334
- stored procedures, 348–349
- user interface
  - ArchivedNewsletters.aspx page, 375–376
  - designing, 352–353
  - implementing, 368–380
  - Newsletterbox user control, 379–381
  - SendingNewsletter.aspx page, 371–374
  - SendNewsletter.aspx page, 368–371
  - ShowNewsletter.aspx page, 376–378

**NHibernate, 55****{N,M} quantifier, 367****notifying users of changes in site, 3****notify\_url property, 429****n-tier design**

- business logic layer (BLL)
  - caching data for better performance, 63–69
  - exception handling, 74–80
  - health monitoring, 74–80
  - overview, 60–62
  - transaction management, 69–73
- data access layer (DAL)
  - abstract base class, 57–60
  - DataSet compared to custom entities, 53–55
  - described, 48
  - multiple data stores, using provider model
    - design pattern to support, 51–53
  - overview, 51
  - providers, 52
  - SQL text queries, 56–57
  - stored procedures, 56–57

- data store
  - choosing, 49–51
  - described, 48
  - multiple data stores, using provider model
    - design pattern to support, 51–53
  - Relational Database Management Systems (RDBMS), 50
- edit and continue process, 49
- overview, 48–49
- user interface
  - data-bound controls, 84–85
  - DetailsView control, 84
  - FormsView control, 84, 94–97
  - GridView control, 84, 87–91
  - master-detail forms and DetailsView control, 91–94
  - ObjectDataSource control, 97–101
  - overview, 2, 84
  - SqlDataSource control, 85–91

**O****Object Relational Mappers (ORM), 55****ObjectDataSource control, 97–101****online payment solutions**

- CA (certificate authorities), 424
- overview, 424–427
- payment gateways, 424–426
- PayPal, 427–429
- Sandbox test environment, 428–429
- SSL (Secure Sockets Layer), 424

**online store, 3****OnlyForMembers property, 198****opinion polls**

- advantages of, 283–284
- business logic layer
  - designing, 290–292
  - implementing, 303–309
- configuration module
  - designing, 289–290
  - implementing, 299–301
- data access layer
  - designing, 290
  - implementing, 301–303

### opinion polls (continued)

- database
  - overview, 294–295
  - tbh\_Polls\_ArchivePoll stored procedure, 296
  - tbh\_Polls\_GetCurrentPollByID stored procedure, 297–298
  - tbh\_Polls\_GetOptionByID stored procedure, 299
  - tbh\_Polls\_GetOptions stored procedure, 298
  - tbh\_Polls\_GetPollByID stored procedure, 297
  - tbh\_Polls\_GetPolls stored procedure, 296–297
  - tbh\_Polls\_InsertPoll stored procedure, 295–296
- database tables for
  - designing, 287–288
  - stored procedures managing, 288–289
- features needed for, 285–286
- multiple vote handling, 286–287
- overview, 283–286
- user interface
  - ArchivedPolls.aspx page, 325–328
  - designing, 292–293
  - implementing, 309–328
  - ManagePolls.aspx page, 309–318
  - PollBox user control, 293
  - PollBox.ascx user control, 319–325

### Oracle, 50

OrderHistory.aspx page, 472–473

ordinary characters, 366

ORM (Object Relational Mappers), 55

ORMapper, 55

out-of-band postback, 345

## P

PageCatalogPart control, 488

page-level resources, use of, 513–516

PageSize property, 194, 432

partial classes and site layout design, 10

partial page updates with script callbacks, 342–346

passwordAttemptWindow attribute, 123

passwordFormat attribute, 123

PasswordQuestion property, 117

PasswordRecovery control, 132

### passwords

TheBeerHouse project password recovery page, 163–166

clear text, storing in, 124

hashing method, 114

plain text method, 113

storage mechanisms, 113–114

symmetric encryption method, 113

passwordStrengthRegularExpression attribute, 123

payment gateways, 424–426

### PayPal

IPN notifications and, 470

overview, 427–429

and user interface, 468–470

period (.) quantifier, 367

personalization. *See also* themes

of home page, 3

overview, 481–482

at page level, enabling, 504–505

PickupDirectoryFromIis delivery method, 335

plain text password storage method, 113

plus sign (+) quantifier, 367

policy statement, 385

PollBox user control, 293

PollBox.ascx user control, 319–325

PollBox.ascx.cs code-behind file, 320–324

PollID property, 293

polymorphism, 57

Postgress, 50

PostsPageSize property, 390

pre-compiling the site, 540–546

PreInit event, 19

Professional ASP.NET 2.0 (Evjen), 101, 347

Professional C# 2005 (Wrox), 198, 342

Professional Web Parts and Custom Controls with ASP.NET 2.0 (Vogel), 506

programmatic security, 135–137

project files, elimination of, 11

PropertyGridEditorPart **control**, 488  
**Prorise, Jeff** (“Asynchronous Pages in ASP.NET 2.0”), 347  
**protecting pages and functions against unauthorized access with roles**, 135–138  
**provider model design pattern**, 119–122  
**providers**, 52  
 ProviderType **property**, 194, 289, 349, 390  
 Published **property**, 199  
 PublishedOnly **property**, 205

## Q

“Query Notifications in ADO.NET 2.0”  
 (Beauchemin), 69  
**question mark (?) quantifier**, 367

## R

\r **character spaces**, 366  
 Rate **instance method**, 199  
 RateArticle **static method**, 200  
 RatingDisplay.ascx **user control**, 258–259  
 RatingLockInterval **property**, 205, 432  
**Really Simple Syndication (RSS)**, 3, 183–184  
**registration page for TheBeerHouse project**, 159–163  
**regular expression syntax**  
 [aeiou], 367  
 [^aeiou], 367  
 \* (asterisk), 367  
 \b, 366  
 \ (backslash), 366  
 \D, 367  
 \d, 367  
 \f, 366  
 \n, 366  
 {N,}, 367  
 {N}, 367  
 {N,M}, 367  
 period (.), 367  
 plus sign (+), 367  
 question mark (?), 367  
 \r, 366  
 \S, 367

\s, 367  
 \t, 366  
 [3-7a-dA-D], 367  
 \v, 366  
 \W, 367  
 \w, 367

## Relational Database Management Systems (RDBMS), 50

**relationships between database tables**, 208–210  
 ReleaseDate **property**, 198  
 RemoveUserFromRole **method**, 135  
 RemoveUserFromRoles **method**, 135  
 RemoveUsersFromRole **method**, 135  
 RemoveUsersFromRoles **method**, 135  
**requiresQuestionAndAnswer attribute**, 123  
**requiresUniqueEmail attribute**, 123  
**ResetPassword method**, 118  
 return **property**, 429  
 RoleExists **method**, 135  
**roles**  
 managing, 134–135  
 overview, 133–135  
 protecting pages and functions against unauthorized access with, 135–138  
**root folders**, 33  
**RSS feeds**  
 overview, 205–207  
 producing and consuming, 417–418  
**RSS (Really Simple Syndication)**, 3, 183–184  
 RssItems **property**, 194, 390, 432  
 RssReader.ascx **user control**, 276–279  
 RssReader.ascx.cs **code-behind file**, 277–279  
 RssUrl **property**, 207

## S

\S **character class**, 367  
 \s **character class**, 367  
**sample Default.aspx page, creating**, 36–37  
**Sams Press** (*Teach Yourself Regular Expressions in 24 Hours*), 366  
**Sandbox test environment**, 428–429  
 SandboxMode **property**, 432  
**screen readers and site layout design**, 14

**screen-scraping, 183**

**script callback, 343**

**scripting-based attacks, 201**

**second theme for TheBeerHouse project, creating, 37–38**

**Secure Sockets Layer (SSL), 424**

**security**

Administrator role, 208

Contributor role, 208

Editor role, 208

forums, 418–419

and news and article management, 207–208

programmatically, 135–137

roles used for protecting pages and functions against unauthorized access, 135–138

settings, configuring, 280

Web Site Administration Tool, 142

`SendingNewsletter.aspx` **page, 371–374**

`SendNewsletter.aspx` **page, 368–371**

**server and long operations management**

asynchronous page processing, 346–347

background threads, 338–342

overview, 337–338

partial page updates with script callbacks, 342–346

**Services Without Components (SWC)**

**transactions, 71–73**

shipping **property, 428**

`ShoppingCart.ascx` **user control, 470–472**

`ShoppingCart.aspx` **page, 457–467**

`ShowArchiveLink` **property, 293**

`ShowArticle.aspx` **page, 268–274**

`ShowArticle.aspx.cs` **code-behind file, 271–274**

`ShowCategories.aspx` **page, 265–267**

`ShowCategoryPicker` **property, 205**

`ShowHeader` **property, 293**

`ShowNewsletter.aspx` **page, 376–378**

`ShowPageSizePicker` **property, 205**

`ShowProduct.aspx` **page, 454–457**

`ShowQuestion` **property, 293**

`ShowThread.aspx` **page, 413–417**

`SilverPosterDescription` **property, 391**

`SilverPosterPosts` **property, 391**

`SimpleMailWebEventProvider` **class, 77**

**single page, applying theme to, 20**

**site design for TheBeerHouse project**

first theme, 33–36

overview, 27–29

master page creation, 30–32

sample `Default.aspx` page, 36–37

second theme, 37–38

site map file creation, 32–33

style, adding, 42–45

`ThemeSelector` user control, 38–42

**site layout design**

accessibility, 24–25

approval of, 10

common behavior shared among all pages, 25–26

common design shared among multiple pages, 15–19

CSS used to define styles in stylesheet files, 11–13

HTML and, 10

HTML tables and, 13–14

loading speed and, 14

mock-ups, 9–10

navigation system, 22–24

overview, 9–10

partial classes and, 10

`PollBox.ascx` user control plugging into, 324

screen readers and, 14

technologies used to implement, 10–11

user-selectable themes, creating a set of, 19–22

**site map file**

for TheBeerHouse project, creating, 32–33

defining, 22–23

`SiteProvider` **class, 228**

**skin files, 19–22**

**skinning, 7**

**sorting comments, 201–202**

**spam, 333–334**

SpecifiedPickupDirectory **delivery method, 335**

**SQL dependency support, 63**

**SQL Server 2005**

- deploying the site
  - creating standard ASPNET objects, 528
  - database objects, scripting, 529–531
  - existing data, importing, 531–536
  - overview, 526–528
  - providers pointing to SQL Server 2005, 536
- overview, 50

**SQL Server 2005 Express Edition**

- overview, 50–51
- XCopy deployment, 51

**SQL Server Management Studio Express, 64**

**SQL Server Management Studio (SSMS), 526, 528**

**SQL Server 2005-specific SQL dependency support, 66–69**

**SQL text queries, 56–57**

SqlArticlesProvider **class, 223–228**

SqlDataSource **control, 85–91**

SqlMembershipProvider, **120–126**

SqlMembershipProvider **class**

- applicationName attribute, 122
- connectionStringName attribute, 122
- default SQL Server data store, 124–126
- description attribute, 123
- enablePasswordReset attribute, 123
- enablePasswordRetrieval attribute, 123
- maxInvalidPasswordAttempts attribute, 123
- minRequiredNonalphanumericCharacters attribute, 123
- minRequiredPasswordLength attribute, 123
- name attribute, 123
- overview, 120–122
- passwordAttemptWindow attribute, 123
- passwordFormat attribute, 123
- passwordStrengthRegularExpression attribute, 123
- requiresQuestionAndAnswer attribute, 123
- requiresUniqueEmail attribute, 123

SqlWebEventProvider **class, 77**

**SSL (Secure Sockets Layer), 424**

State **property, 198**

**static content, 516**

**stored procedures**

- creating, 210–216
- database tables, 210–216
- e-commerce store, 429–431
- executing, 224
- forums, 388–390
- managing database content, 191–193
- newsletters, 348–349
- overview, 56–57
- tbh\_Articles\_ApproveArticle procedure, 191, 212
- tbh\_Articles\_DeleteArticle procedure, 191, 212
- tbh\_Articles\_DeleteCategory procedure, 191
- tbh\_Articles\_DeleteComment procedure, 191
- tbh\_Articles\_GetArticleByID procedure, 191, 213
- tbh\_Articles\_GetArticleCount procedure, 191, 215
- tbh\_Articles\_GetArticleCountByCategory procedure, 191
- tbh\_Articles\_GetArticles procedure, 191, 213–215
- tbh\_Articles\_GetArticlesByCategory procedure, 191
- tbh\_Articles\_GetCategories procedure, 191
- tbh\_Articles\_GetCategoriesByID procedure, 191
- tbh\_Articles\_GetCommentByID procedure, 191
- tbh\_Articles\_GetCommentCount procedure, 192
- tbh\_Articles\_GetCommentCountByArticle procedure, 192
- tbh\_Articles\_GetComments procedure, 192
- tbh\_Articles\_GetCommentsByArticle procedure, 192

### stored procedures (continued)

`tbh_Articles_GetPublishedArticle`  
Count procedure, 192

`tbh_Articles_GetPublishedArticle`  
CountByCategory procedure, 192, 216

`tbh_Articles_GetPublishedArticles`  
procedure, 192

`tbh_Articles_GetPublishedArticlesBy`  
Category procedure, 192, 215–216

`tbh_Articles_IncrementViewCount`  
procedure, 192, 212

`tbh_Articles_InsertArticle` procedure,  
192, 210–211

`tbh_Articles_InsertCategory`  
procedure, 192

`tbh_Articles_InsertComment` proce-  
dure, 192

`tbh_Articles_InsertVote` procedure,  
192, 212

`tbh_Articles_UpdateArticle` procedure,  
192, 211

`tbh_Articles_UpdateCategory`  
procedure, 192

`tbh_Articles_UpdateComment`  
procedure, 192

**Storekeeper role, 437**

**strategies for caching, 69**

**stylesheet files, using CSS to define styles in,**  
**11–13**

**sub virtual folders, 33**

**SWC (Services Without Components)**  
transactions, 71–73

**switching master pages at runtime, 19**

**symmetric encryption, 113**

**synchronizing access to shared resources,**  
**340–342**

**syndication, 205–207**

`System.Transactions` namespace, 72–73

## T

`\t` character spaces, 366

table-level SQL dependencies,  
support for, 63–66

`tbh_Articles` table, 188–190

`tbh_Articles_ApproveArticle` procedure,  
**191, 212**

`tbh_Articles_DeleteArticle` procedure,  
**191, 212**

`tbh_Articles_DeleteCategory`  
procedure, **191**

`tbh_Articles_DeleteComment`  
procedure, **191**

`tbh_Articles_GetArticleByID` procedure,  
**191, 213**

`tbh_Articles_GetArticleCount` procedure,  
**191, 215**

`tbh_Articles_GetArticleCountBy`  
Category procedure, **191**

`tbh_Articles_GetArticles` procedure,  
**191, 213–215**

`tbh_Articles_GetArticlesByCategory`  
procedure, **191**

`tbh_Articles_GetCategories`  
procedure, **191**

`tbh_Articles_GetCategoriesByID`  
procedure, **191**

`tbh_Articles_GetCommentByID`  
procedure, **191**

`tbh_Articles_GetCommentCount`  
procedure, **192**

`tbh_Articles_GetCommentCountByArticle`  
procedure, **192**

`tbh_Articles_GetComments` procedure, **192**

`tbh_Articles_GetCommentsByArticle`  
procedure, **192**

`tbh_Articles_GetPublishedArticleCount`  
procedure, **192**

`tbh_Articles_GetPublishedArticle`  
CountByCategory procedure, **192, 216**

`tbh_Articles_GetPublishedArticles`  
procedure, **192**

`tbh_Articles_GetPublishedArticlesBy`  
Category procedure, **192, 215–216**

`tbh_Articles_IncrementViewCount`  
procedure, **192, 212**

`tbh_Articles_InsertArticle` procedure,  
**192, 210–211**

- tbh\_Articles\_InsertCategory  
     **procedure, 192**
- tbh\_Articles\_InsertComment  
     **procedure, 192**
- tbh\_Articles\_InsertVote **procedure, 192, 212**
- tbh\_Articles\_UpdateArticle **procedure, 192, 211**
- tbh\_Articles\_UpdateCategory  
     **procedure, 192**
- tbh\_Articles\_UpdateComment  
     **procedure, 192**
- tbh\_Categories **table, 187–188**
- tbh\_Comments **table, 190**
- tbh\_Forums\_ApprovePost **property, 388**
- tbh\_Forums\_CloseThread **property, 388**
- tbh\_Forums\_DeleteForum **property, 388**
- tbh\_Forums\_DeletePost **property, 389**
- tbh\_Forums\_GetForumByID **property, 389**
- tbh\_Forums\_GetForums **property, 389**
- tbh\_Forums\_GetPostBody **property, 389**
- tbh\_Forums\_GetPostByID **property, 389**
- tbh\_Forums\_GetPostCountByThread  
     **property, 389**
- tbh\_Forums\_GetThreadByID **property, 389**
- tbh\_Forums\_GetThreadCount **property, 389**
- tbh\_Forums\_GetThreadCountByForum  
     **property, 389**
- tbh\_Forums\_GetUnapprovedPosts  
     **property, 389**
- tbh\_Forums\_IncrementViewCount  
     **property, 389**
- tbh\_Forums\_InsertForum **property, 389**
- tbh\_Forums\_InsertPost **property, 389**
- tbh\_Forums\_MoveThread **property, 389**
- tbh\_Forums\_UpdateForum **property, 389**
- tbh\_Forums\_UpdatePost **property, 389**
- tbh\_Newsletters\_DeleteNewsletter  
     **property, 348**
- tbh\_Newsletters\_GetNewsletters  
     **property, 348**
- tbh\_Newsletters\_GetNewslettersByID  
     **property, 348**
- tbh\_Newsletters\_InsertNewsletter  
     **property, 348**
- tbh\_Newsletters\_UpdateNewsletter  
     **property, 348**
- tbh\_Polls\_ArchivePoll **property, 288**
- tbh\_Polls\_ArchivePoll **stored procedure, 296**
- tbh\_Polls\_DeleteOption **property, 288**
- tbh\_Polls\_DeletePoll **property, 288**
- tbh\_Polls\_GetCurrentPollByID **stored procedure, 297–298**
- tbh\_Polls\_GetCurrentPollID **property, 288**
- tbh\_Polls\_GetOptionByID **property, 289**
- tbh\_Polls\_GetOptionByID **stored procedure, 299**
- tbh\_Polls\_GetOptions **property, 289**
- tbh\_Polls\_GetOptions **stored procedure, 298**
- tbh\_Polls\_GetPollByID **property, 288**
- tbh\_Polls\_GetPollByID **stored procedure, 297**
- tbh\_Polls\_GetPolls **property, 288**
- tbh\_Polls\_GetPolls **stored procedure, 296–297**
- tbh\_Polls\_InsertOption **property, 288**
- tbh\_Polls\_InsertPoll **property, 288**
- tbh\_Polls\_InsertPoll **stored procedure, 295–296**
- tbh\_Polls\_InsertVote **property, 289**
- tbh\_Polls\_UpdateOption **property, 288**
- tbh\_Polls\_UpdatePoll **property, 288**
- Teach Yourself Regular Expressions in 24 Hours (Sams Press), 366*
- technologies used to implement site layout design, 10–11**
- TemplatedMailWebEventProvider **class, 77**
- TemplateMonster, 10**
- TheBeerHouse project**
  - AccessDenied.aspx page, 151–152
  - administration
    - edit users administrative page, 175–180
    - manage users administrative page, 170–175
    - overview, 170
  - BLL base class, 107–109

### TheBeerHouse project (continued)

- configuration file, 145–148
- custom BasePage class, 42–45
- custom configuration section, 101–105
- DataAccess base DAL class, 105–107
- edit profile page, 167–169
- features needed for, 2–4
- first theme, creating, 33–36
- health monitoring system, 109–110
- login box, creating, 148–151
- marketing issues, 1–2
- master page, creating, 30–32
- password recovery page, 163–166
- PayPal integration, 427–429
- registration page, 159–163
- sample Default.aspx page, creating, 36–37
- second theme, creating, 37–38
- site design, creating, 27–45
- site map file, creating, 32–33
- theme selector user control, creating, 38–42
- themes saved between sessions, 169–170
- UserProfile control
  - loading and editing a profile, 157–158
  - overview, 152–156
  - persisting properties through the new control state, 156–157

### themes

- all pages, applying theme to, 20
- master pages, 21
- overview, 19–22
- saved between sessions, 169–170
- single page, applying theme to, 20
- skin files, 19–22
- theme selector user control, creating, 38–42

ThreadsPageSize **property, 390**

[3-7a-dA-D] **character class, 367**

Title **property, 198, 207**

TotalRating **property, 199**

TraceWebEventProvider **class, 77**

### transaction management

- ADO.NET transactions, 69–70
- COM+ transactions, 70–73
- declarative transactions, 71

- overview, 69

- SWC transactions, 71–73

- System.Transactions namespace, 72–73

**transparent server request, 342**

## U

**UDFs (user defined functions), 50**

**UDTs (user defined types), 50**

**UnlockUser method, 118**

**unnamed skins, 21**

Update **instance method, 199**

UpdateArticle **static method, 200**

UpdateUser **method, 116**

upload **property, 428**

**uploading files, 204**

**URLs, 280**

**user control, Web Parts as, 483–486**

**user defined functions (UDFs), 50**

**user defined types (UDTs), 50**

**user interface**

- AddEditArticle.aspx page, 259–264

- article list user control, 204–205

- ArticleListing.ascx user control, 249–257

- BrowseArticles.aspx page, 267–268

- data-bound controls, 84–85

- designing, 202–207

- DetailsView control, 84

- e-commerce store

  - AddEditProduct.aspx page, 449–450

  - BrowseProducts.aspx page, 451–454

  - designing, 437–439

  - EditOrder.aspx page, 473–478

  - implementing, 447–478

  - ManageOrders.aspx page, 473–478

  - ManageProducts.aspx page, 451

  - OrderHistory.aspx page, 472–473

  - PayPal and, 468–470

  - ShoppingCart.ascx user control, 470–472

  - ShoppingCart.aspx page, 457–467

  - ShowProduct.aspx page, 454–457

  - Storekeeper role, 437

  - WizardStep control, 458–460

- FileUploader.ascx user control, 247–249

- FormsView control, 84, 94–97
  - forums
    - AddEditPost.aspx page, 400–406
    - administering forums, 400
    - BrowseThreads.aspx page, 408–412
    - designing, 394
    - implementing, 400–419
    - ManageUnapprovedPosts.aspx page, 406–407
    - MoveThread.aspx page, 412–413
    - RSS feeds, producing and consuming, 417–418
    - security, 418–419
    - ShowThread.aspx page, 413–417
    - viewing forums, 400
  - GetArticlesRss.aspx page, 274–276
  - GridView control, 84, 87–91
  - implementing, 241–280
  - ManageArticles.aspx page, 259
  - ManageCategories.aspx page, 241–247
  - ManageComments.aspx page, 264–265
  - master-detail forms and DetailsView control, 91–94
  - news and article management, 202–207
  - newsletters
    - ArchivedNewsletters.aspx page, 375–376
    - designing, 352–353
    - implementing, 368–380
    - Newsletterbox user control, 379–381
    - SendingNewsletter.aspx page, 371–374
    - SendNewsletter.aspx page, 368–371
    - ShowNewsletter.aspx page, 376–378
  - ObjectDataSource control, 97–101
  - opinion polls
    - ArchivedPolls.aspx page, 325–328
    - designing, 292–293
    - implementing, 309–328
    - ManagePolls.aspx page, 309–318
    - PollBox user control, 293
    - PollBox.ascx user control, 319–325
  - overview, 2, 84
  - RatingDisplay.ascx user control, 258–259
  - RSS feeds, 205–207
    - RssReader.ascx user control, 276–279
    - security settings, configuring, 280
    - ShowArticle.aspx page, 268–274
    - ShowCategories.aspx page, 265–267
    - SqlDataSource control, 85–91
    - uploading files, 204
    - URLs, 280
    - WYSIWYG text editor, writing articles with, 203–204
  - user profiles**
    - accessing the profile for users other than the current user, 141
    - anonymous users, support for, 141–142
    - business classes, accessing profiles from, 140–141
    - overview, 112–113, 138–140
  - UserName property, 117**
  - UserProfile **control**
    - loading and editing a profile, 157–158
    - overview, 152–156
    - persisting properties through the new control state, 156–157
  - user-selectable themes, creating a set of, 19–22**
  - user-to-site communication, 3**
  - user-to-user communication, 3**
- ## V
- \v character spaces, 366**
  - ValidateUser **method, 116**
  - ViewCount **property, 198**
  - viewing forums, 400**
  - virtual folders, 33**
  - visual site design**
    - appearance, importance of, 7–8
    - browsers and, 8
    - color blindness and, 8
    - overview, 7–8
    - site layout design, 9–14
  - Visual Studio 2005, 26–27**
  - Visual Studio Copy Web Site, 537–540**
  - Vogel, Peter (*Professional Web Parts and Custom Controls with ASP.NET 2.0*), 506**

## Votes property

---

Votes **property, 199**

VotingLockByCookie **property, 289**

VotingLockByIP **property, 290**

VotingLockInterval **property, 289**

## W

**\W character class, 367**

**\w character class, 367**

**Walther, Stephen (“Building ASP.NET 2.0 Web Sites Using Web Standards”), 25**

**W3C, 13**

**WCAG (Web Content Accessibility Guidelines 1.0), 24**

**Web Part Framework**

AppearanceEditorPart control, 488

BehaviorEditorPart control, 488

built-in controls of Web Part Framework, 487–495

CatalogZone control, 487

configuring Web Part Framework, 496–497

ConnectionZone control, 488

creating the Web Parts, 499–501

custom control, Web Parts as, 486–487

DeclarativeCatalogPart control, 488

developing, 483–487

editing, 494–495

EditorZone control, 488

ImportCatalogPart control, 488

LayoutEditorPart control, 488

master page, modifying, 501–505

overview, 481–483

PageCatalogPart control, 488

personalization at page level, enabling, 504–505

PropertyGridEditorPart control, 488

user control, Web Parts as, 483–486

WebPartManager control, 487

WebPartZone control, 487

**Web Setup Project, 547**

**Web Site Administration Tool, 142–144**

WebAuditEvent **event, 77**

WebBaseErrorEvent **class, 77**

WebBaseEvent **class, 76**

WebErrorEvent **event, 77**

WebHeartbeatEvent **event, 77**

WebManagementEvent **class, 76**

WebPartManager **control, 487**

WebPartZone **control, 487**

WebRequestEvent **class, 77**

WebResource.axd, **345**

Web.sitemap **file, 521–522**

**Windows security, 114**

WizardStep **control, 458–460**

WmiWebEventProvider **class, 77**

**Wrox Press**

*Beginning Regular Expressions*, 366

*Professional C# 2005*, 198, 342

**WYSIWYG text editor, writing articles with, 203–204**

## X

XCopy **deployment, 51**

**XML site map file, 22–23**

