

Index

A

- <AboutIconData>**, 102
- <AboutIconLocation>**, 102
- Abrams, Brad**, 18
- AbsoluteCharOffset**, 133, 135, 137
- Access**, 24, 158, 160
- ActiveConfiguration**, 166
- ActiveDocument**, 140, 153
- ActivePane**, 202
- ActivePoint**, 130
- active points**, 131–132
- Active Server Pages (ASP)**, 24
- ActiveSolutionProjects**, 120
- ActiveTab**, 205
- ActiveWindow**, 128
- ActiveX controls**, 208
- ActiveX Data Objects (ADO)**, 25
- AddAttribute**, 159, 162
- AddFromDirectory**, 118–119
- AddFromFile**, 109, 118–119
- AddFromFileCopy**, 118–119
- AddFromTemplate**, 109, 118–119
- AddFunction**, 160
- AddImplementedInterface**, 160
- .AddIn**, 85–86, 101–102, 209, 241
 - Add-in-Wizard, 100–102
 - debugging, 100
 - EnvDTE, 85
 - tokens, 222
- AddInInstance**, 177
- Add-in/Macros Security**, 222
- Add-in Manager**, 66, 102, 252–253
- add-ins**, 35–40, 79–103, 241–253
 - autogenerated, 87–92
 - clipboard, 188–192
 - code, 139–141, 148
 - COM, 36, 80
 - command line, 95–96
 - command window, 87
 - debugging, 223–239
 - DLL, 35, 224, 242
 - embedded resources, 261–267
 - Exec, 96–97, 153
 - HostApplication, 101
 - IDE, 87, 170
 - IDTExtensibility, 80–81
 - IDTToolsOptions Page, 212–213
 - internationalization, 255–267
 - localization, 255–267
 - menu items, 170–179
 - options, 87–100
 - QueryStatus, 98–99
 - shared, 103
 - source code, 153, 224
 - startup, 82, 87
 - status bar, 242–245
 - templates, 37
 - testing, 233–239
 - toolbars, 87, 99–100, 170
 - tools menu item, 87–95
 - ToolsOptionsPage, 219–222
 - UI, 169, 170–186
 - Visual Basic, 35
 - Visual C, 35
 - Windows Forms, 193–197
 - XML, 208
- Add-in Setup Wizard**, 61–78, 248
 - .AddIn files, 100–102
 - debugging, 225
 - embedded resources, 261
 - IDE, 65
 - macros IDE, 65
 - programming languages, 64
 - templates, 63
 - UI, 170
 - XML, 100
- AddInterface**, 157
- AddMenuItems**, 176
- AddNamedCommand2**, 177
- AddNamespace**, 157
- AddOn Studio for World of Warcraft (WoW)**, 275
- AddParameter**, 162
- AddProperty**, 160, 164–165
- AddSolutionFolder**, 109
- AddStruct**, 157, 160
- AddToolbar**, 181
- AddVariable**, 160
- ADO**. *See* **ActiveX Data Objects**
- Adobe Flash**, 26
- ADO.NET**, 4, 21, 24–25
- AfterClosing**, 121
- Agile**, 442
- AJAX**, 24
- Allen, Scott**, 30
- AnchorColumn**, 130
- AnchorPoint**, 130
- anonymous types**, 26
- Apache Ant**, 442
- APIs**, 7, 31, 35, 59, 145, 169
 - code, 123
 - Development Tools Extensibility, 199
 - DSL, 296

APIs (continued)

- DTD, 105
- testing, 373
- VSPackages, 347
- AppEnvStup.dll, 285**
- AppId, 273**
- Application Configuration File, 412**
- ASP. See Active Server Pages**
- ASP.NET, 4, 17, 24**
- ASP.NET Web Application, 410**
- <Assembly>, 102**
- asynchronous result, 402–407**
- AtEndOfDocument, 133, 135, 137**
- AtEndOfLine, 133, 135, 137**
- AtStartOfDocument, 134, 135, 137**
- AtStartOfLine, 134, 135**
- attach to process, 313**
- Attributes, 158, 160**
- <Attributes>, 249**
- Author, 392**
- automated continuous integration, 442–443**
- automation model. See Development Tools Extensibility**
- Avalon. See Windows Presentation Foundation**

B

- Backspace, 131**
- BAML. See Binary Application Application Markup Language**
- <BaseApplicationManifest>, 447**
- Base Class Library (BCL), 18, 21, 296**
- Bases, 158**
- BCL. See Base Class Library**
- BeforeClosing, 121**
- BeforeOpeningFile, 434**
- Binary Application Application Markup Language (BAML), 25**
- Birth, 309**
- bitmaps, 343–346**
- body, 466**
- bookmarks, 129, 131, 132, 136**
 - EditPoint, 135, 137
- <BootstraperFile>, 447**
- BottomLine, 130**
- BottomPoint, 130**
- breakpoints, 313**
 - debugging, 231, 490
 - macros, 490
 - visualizers, 332
 - Watch window, 318–319
- Build, 167**
- Build Action, 257**
- BuildDependencies, 166**
- BuildEvents, 484**
- build model, 48**
- BuildOnLoad, 415**
- build process, 145–168**
- BuildProject, 167**
- BuildState, 166**
- ButtonText, 177**

C

- CanOverride, 160**
- Category, 103**
- ChangeCase, 131, 135**
- CharLeft, 131, 135**
- CharRight, 131, 135**
- Children, 155, 156, 158, 160**
- <Choose>, 445**
- Cider, 6**
- C languages. See Visual C**
- Clarius Consulting, 276**
- Class, 412**
- Class Diagrams, 298, 301**
- ClassKind, 158**
- Class Library, 410**
- ClassName, 398**
- Class View, 15, 288–289, 468–469**
- Clean, 167**
- Clear, 200**
- ClearBookmark, 129, 131, 135**
- CLI. See Common Language Infrastructure**
- clipboard, 188–192**
- CloseAll, 125, 126**
- CLR. See Common Language Runtime**
- Code, 392**
- code, 152**
 - add-ins, 139–141, 148
 - APIs, 123
 - class, 162–165
 - clipboard, 188–192
 - commenting, 139–141
 - Document, 124
 - manipulating, 145–168
 - Package class, 363–365
 - templates, 148
 - validation, 310–312
 - visualizers, 338–339
 - Windows Forms, 187–188
- <CodeAnalysisDictionary>, 447**
- CodeClass, 146, 158–160**
- CodeClass2, 159–160**
- Code Complete, 2nd ed. (McConnell), 22**
- code editor, 138**
- CodeElement, 134, 135, 146, 153, 154–156**
 - VirtualPoint, 137
- CodeElement2, 155–156**
- code-elements, 146–154**
- CodeEnum, 146**
- CodeFunction, 146, 160–162**
- CodeFunction2, 160–162**
- CodeModel, 114, 145, 146**
- code model, 48, 145, 146**
- CodeModelEvents, 484**
- CodeNamespace, 146, 156–157**
 - Development Tools Extensibility, 156
 - enumeration, 157
 - methods, 157
- CodeProperty, 146**
- CodeSnippet, 391, 400**

- code snippets, 385–408**
 - asynchronous result, 402–407
 - IntelliSense, 397
 - languages, 389
 - templates, 394
 - XML, 389, 390
 - Code Snippets Manager, 407–408**
 - CodeVariable, 146**
 - Collapse, 131, 329**
 - Collection, 114, 128, 155, 156, 158, 160**
 - COM. See Component Object Model**
 - CommandBarControl, 94, 177**
 - CommandBarEvents, 484**
 - CommandBarPopup, 177**
 - CommandBar.resx, 68–69**
 - command line, 95–96**
 - <CommandLineSafe>, 102**
 - <CommandPreLoad>, 102**
 - CommandStyleFlags, 177**
 - command table file, 289**
 - commandText, 98**
 - CommandWindow, 200–201**
 - methods, 200
 - properties, 200
 - command window, 87, 289**
 - Comment, 156, 158, 161**
 - Common Intermediate Language. See Microsoft Intermediate Language**
 - Common Language Infrastructure (CLI), 20, 25**
 - Common Language Runtime (CLR), 18, 20–21**
 - <Compile>, 447**
 - Component Models, 298, 301**
 - Component Object Model (COM), 18, 23**
 - add-ins, 36, 80
 - Development Tools Extensibility, 51
 - .NET Framework and, 27
 - VSPackages, 348
 - <COMReference>, 447**
 - ConfigurationManager, 114, 116**
 - Connect, 68–73, 76, 95**
 - Console Application, 410–411**
 - console code, 317–318**
 - ContainingProject, 116**
 - <Content>, 447**
 - Content Adviser, 280**
 - Content Installer, 249–252**
 - <ContentVersion>, 249**
 - ContextUIGUIDs, 177**
 - continuous integration, 442–443**
 - CopyShellFiles.buildrule, 280**
 - CopySourceAsHtml, 58**
 - CopyTypeRef, 161**
 - Count, 124**
 - CreateEditPoint, 134, 136, 138**
 - CreateInPlace, 415**
 - CreateNewFolder, 415**
 - culture, 256**
 - CultureInfo, 149, 181**
 - CurrentColumn, 130**
 - CurrentLine, 130**
 - current line, 142–143**
 - customization, 11**
 - CustomParameter, 432**
 - Cwalina, Krzysztof, 18**
- ## D
- DataGridView, 339**
 - DataTypeInfo, 158**
 - Death, 309**
 - Debug, 167**
 - DebuggerBrowsable, 324, 328–331**
 - DebuggerDisplay, 324–328**
 - DebuggerEvents, 484**
 - DebuggerExpressionEvaluationEvents, 484**
 - DebuggerProcessEvents, 484**
 - DebuggerTypeProxy, 321**
 - debugging, 48, 53, 167, 226, 314**
 - .AddIn files, 100
 - add-ins, 223–239
 - Add-in Wizard, 225
 - breakpoints, 231
 - DLL, 223
 - DSL, 307
 - extension, 313–346
 - IDE, 224
 - macros, 487–490
 - visualizers, 41–42
 - <Declarations>, 395**
 - Default, 395**
 - DefaultCommentToken, 204**
 - DefaultLocation, 247**
 - DefaultName, 415**
 - DefaultRegistryRoot, 365**
 - DefaultTargets, 445**
 - The Definitive ANTLR Reference: Building Domain-Specific Languages, 296***
 - DeleteLeft, 131**
 - DeleteWhitespace, 131, 136**
 - dependencies, 166, 381**
 - DeployProject, 167**
 - DerivedTypes, 158**
 - DestructiveInsert, 131**
 - Developer Load Key (DLK), 291**
 - Development Tools Extensibility (DTE), 31, 47–59, 108, 145**
 - APIs, 199
 - CodeClass2, 158
 - CodeElement2, 155
 - CodeFunction2, 161
 - CodeNamespace, 156
 - commands, 55–56
 - CommandWindow, 200
 - debugging, 57–58
 - documents, 57, 124
 - EditPoint, 135
 - ErrorList, 201
 - events, 56–57
 - limits, 58–59
 - macros
 - IDE, 59

Development Tools Extensibility (DTE) (continued)

- OutputWindow, 202
- projects, 54–55
- SolutionBuild2, 166
- SolutionExplorer, 203
- solutions, 54–55
- TaskList, 204
- TextSelection, 130
- Toolbox, 205
- VirtualPoint, 138

DialogDebuggerVisualizer, 333

Dictionary, 435

disable, 289–291

DisconnectMode, 150

DisplayColumn, 135, 137

DLK. See Developer Load Key

DLL, 27

- add-ins, 35, 224, 242
- debugging, 223
- SDK, 285
- VSPackages, 376

DocComment, 156, 158, 161

Document, 124, 125, 128, 129

- EditPoint, 129
- IEnumerable interface, 124
- Language, 128
- ProjectItem, 128
- TextDocument, 129
- TextPoint, 129
- TextSelection, 129
- VirtualPoint, 129
- XML, 124

DocumentEvents, 484

documents

- closing, 126–127
- Development Tools Extensibility, 57, 124
- EditPoint, 134–137
- IDE, 127
- listing, 125–126
- manipulating, 123–143
- TextDocument, 138–139
- TextPoint, 133–134
- TextSelection, 130–133

Document Tools Extensibility (DTE), 105

Document Type Definitions (DTD), 25

DoDefaultAction, 203

domain model, 302–303

- embedding relationship, 303–304
- reference relationship, 303–304

Domain-Specific Development with Visual Studio DSL Tools, 295

Domain-Specific Language Designer Wizard, 298–301, 304

domain-specific languages (DSLs), 295–312

- APIs, 296
- debugging, 307
- file extensions, 298–299
- icons, 298
- IDE, 302
- projects, 312
- SDK, 296

- templates, 298, 301
- validation, 309
- VSPackages, 312
- XML, 304–305

DslDefinition.dsl, 309

DSLs. See domain-specific languages

DSL Tools, 295–312

DTD. See Document Type Definitions

DTE. See Development Tools Extensibility; Document Tools Extensibility

_DTE, 51

DTE2.Solution, 107

DTE2.ToolWindows, 199

DTEEvents, 484

E

Eclipse, 296

EditorFactory, 361, 368, 369–372

editor model, 48

EditorPane, 361, 368

EditorTextBox, 361, 368

EditPoint, 123, 129, 135–137

ElementID, 155, 156

embedded resources, 257–261

- localization, 261–267

<EmbeddedResources>, 447

embedding relationship, 303–304

EnableEditOfLocationField, 415

EnableLocationBrowseButton, 415

<Encoding>, 448

EndOfDocument, 131, 136

EndOfLine, 131, 136

EndPoint, 141–142, 155, 156, 158, 161

Enterprise Architect, 4

Enterprise Developer, 4

EnumerationLiteral, 398

EnvDTE, 36, 51, 52

- AddIn interface, 85
- shared add-ins, 103
- Solution, 107

EnvDTE.IDTToolsOptionsPage. See ToolsOptionsPage

EqualTo, 134, 136, 138

ErrorItems, 201

ErrorList, 16, 201–202, 313

- macros, 469–470
- UI, 169
- validation, 311–312

Event Log, 233

events, 121–122

- Development Tools Extensibility, 56–57
- handlers, 56

ExampleModel, 304

Excel, 30

exception handling, 232–233

Exclude, 448

Exec, 92, 95, 178–179

- add-ins, 96–97, 153
- default, 96–97
- MessageBox, 97–98

experimental hive IDE, 226–227, 307

Export Template Wizard, 428–431

Express, 5

ext_ConnectMode, 82

ext_DisconnectMode, 83

Extender, 108, 114, 116, 156

CodeClass2, 158

CodeElement2, 155

CodeFunction2, 161

Document, 128

ExtenderCATID, 108, 114, 116, 156

CodeClass2, 158

CodeElement2, 155

CodeFunction2, 161

Document, 128

ExtenderNames, 108, 114, 116, 156

CodeClass2, 158

CodeElement2, 155

CodeFunction2, 161

Document, 128

extensibility, 6–7

Extensibility node, 297

Extensible Markup Language (XML), 21, 24, 25, 26, 289

add-ins, 208

Add-in-Wizard, 100

code snippets, 389, 390

content installer, 249

Document, 124

DSL, 304–305

MSBuild, 443

resources, 259

templates, 412–414

visualizers, 41, 331–333

Extensible Stylesheet Language Transformations (XSLT), 25

extreme programming (XP), 442

F

Family Tree, 310, 312

FileCodeModel, 116, 145, 146, 153

FileCount, 116

file extensions, 298–299

FindEvents, 484

FindPattern, 131, 136

FindProjectItem, 109

<Folder>, 447

forms model, 48

Framework Design Guidelines (Cwalina and Abrams), 18

<FriendlyName>, 102

<FullClassName>, 102

FunctionKind, 161

G

GAC. See Global Assembly Cache

Gardner, David, 6

General.vssettings, 280

GenerateSinFolderOnDirStructure, 502–503

GenerateSinFolderOnDirStructure2, 500–502

GenerateSwitchCases, 398

Generic Eclipse Modeling System, 296

GetData, 336

GetEndPoint, 156, 157, 160, 162

GetItem, 203

GetLines, 136

GetManifestResourceStream, 259

GetObject, 336

GetProjectItemTemplate, 109, 119

GetProperties, 210, 213

GetStartPoint, 156, 157, 160, 162

GetString, 260

GetText, 136

GetValue, 214

Global Assembly Cache (GAC), 434

Globals, 108, 115

GlobalSuppressions.cs, 361

GotoLine, 131

GreaterThan, 134, 136, 138

GUID, 85, 115, 116, 128, 366

isolated IDE, 286

VSPackages, 361

H

handlers, 56

Header, 392

header references, 479

help, 45–46

HelpUrl, 392

<HostApplication>, 101

HTML, 279

I

IAsyncResult, 402

icons, 102, 280, 416

DSL, 298

macros, 473–474

IDE. See Integrated Development Environment

IDisposable, 402

IDTCommandTarget, 92, 95–96, 98–99

IDTExtensibility, 36, 80–81

IDTToolsOptions Page, 208, 209–219

IDTWizard, 51–52

IEditor, 361, 368

IEnumerable interface, 107, 108, 124

IIS. See Internet Information Services

IL. See Intermediate Language

ImageViewer, 345–346

image visualizers, 343–346

ImplementedInterfaces, 158

<Import>, 445, 447

<Imports>, 397

indentation, 128, 131, 136

Unindent, 132, 137

InfoLocation, 155, 157, 158, 161

- InitialTargets, 445**
- InputBox, 231**
- InputForm, 435–436**
- InsertFromFile, 131, 136**
- installation, 8–10**
- InstalledProductRegistration, 365**
- Integrated Development Environment (IDE), 1, 7, 10–16, 127, 170, 174–177, 287, 291–292**
 - add-ins, 87, 170
 - debugging, 224
 - DSL, 302
 - HostApplication, 101
 - IronPython, 276
 - isolated mode, 275, 281
 - macros, 31, 34, 59, 65, 464, 466–470
 - source code, 282–285
 - visualizers, 343
 - Visual Studio Shell, 269, 273
- integrated mode, 271, 273–274**
- Integration Package Wizard, 352–356**
- IntelliSense, 4, 6, 387**
 - code snippets, 397
 - macros, 480
 - MSBuild, 444
 - templates, 414
- Intermediate Language (IL), 35**
 - MSIL, 3, 21
- internationalization, 255–267**
- Internet Information Services (IIS), 24**
- interoperability, 18**
- IOleCommandTarget, 349**
- IronPython, 22**
 - IDE, 276
 - VSPackages, 347
- IsActiveEndGreater, 130**
- IsCodeType, 155, 157, 158, 161**
- IsDerivedFrom, 158**
- IsDirty, 108, 115, 116**
- IsEmpty, 130**
- IServiceContainer, 349**
- IServiceProvider, 349**
- IsFileExcluded, 500**
- IsGeneric, 159, 161**
- IsObjectReplaceable, 336**
- isolated IDE**
 - splash screen, 288
 - stubs, 286
- isolated mode, 270, 271, 274–277**
 - IDE, 275, 281
 - source code, 282–285
- IsOpen, 108, 116**
- IsOverloaded, 161**
- IsShared, 161**
- <ItemDefinitionGroup>, 445**
- <ItemGroup>, 445**
- items. See project items**
- IVisualizerObjectProvider, 336**
- IVsPackage, 349**
- IVsPersistSolutionOpts, 349**
- IVsToolWindowFactory, 349**
- IVsUserSettings, 349**

- IVsUserSettingsMigration, 349**
- IWizard, 434–438**

J

- Java Virtual Machine (JVM), 3**
- JIT. See just-in-time**
- just-in-time (JIT), 21**
- JVM. See Java Virtual Machine**

K

- Keywords, 392**
- Kind, 159, 161**

L

- lambda expressions, 26**
- Language, 128, 155, 157, 159, 161**
- Language Integrated Query (LINQ), 6, 20, 26, 412**
- languages, 256, 389. See also programming languages**
- LastBuildInfo, 166**
- LastPublishedInfo, 166**
- latched, 98**
- left-to-right language (LTR), 256**
- Lema, Jose, 303**
- LessThan, 134, 136, 138**
- LineCharOffset, 135, 138**
- LineDown, 136**
- LineLength, 134, 135**
- LINQ. See Language Integrated Query**
- ListAllDocuments, 126**
- List visualizer, 41**
- <Literal>, 395**
- <LoadBehavior>, 102**
- localization**
 - add-ins, 255–267
 - embedded resources, 261–267
 - VSPackages, 373
 - Windows Forms, 261
- LocalizeForm, 266**
- Locals window, 231**
- LocationField, 416**
- LTR. See left-to-right language**

M

- Macro Explorer, 464, 470–472, 491–492**
- macros, 30–34, 463–504**
 - Add-in Wizard, 65
 - debugging, 487–490
 - Development Tools Extensibility, 59
 - ErrorList, 469–470
 - HostApplication, 101
 - icons, 473–474
 - IDE, 464, 466–470

IntelliSense, 480
 menu items, 492–495
 shortcut keys, 495–496
 toolbar buttons, 492–495
 UI, 481–484
 VSPackages, 362

Managed Package Framework (MPF), 349

manifest, 413–424

MarkText, 129

markup languages, 2, 19

Martin, Jim, 303

McConnell, Steve, 22

menuBarCommandBar, 150

MenuItemCallback, 366

menu items

add-ins, 170–179
 macros, 492–495
 startup, 176

MessageBox, 54, 97–98, 153

metadata, 448

Microsoft Developer Network (MSDN), 2, 45–46

vsCMElement, 147

Microsoft Intermediate Language (MSIL), 3, 21

Minimal Language, 298, 301

MiscFilesEvents, 484

module body, 479

MoveToAbsoluteOffset, 132, 136

MoveToLineAndOffset, 136

MoveToPoint, 136

MPF. See Managed Package Framework

MSBuild, 145, 441–461

IntelliSense, 444
 .NET Framework, 442
 XML, 443

MSDN. See Microsoft Developer Network

MSIL. See Microsoft Intermediate Language

MSOButton, 177

multiplicities, 304

MustImplement, 161

MyControl, 361, 372–373

MyEditor, 361, 368

MyToolWindow, 362, 367–368

N

Namespace, 159, 162–164. See also

CodeNamespace

NativeMethods.cs, 362

<NativeReference>, 447

Nayeri, Keyvan, 303

neededText, 98

.NET CF. See .NET Compact Framework

.NET Compact Framework (.NET CF), 20

.NET Framework, 1, 2, 4, 17–28

architecture, 21
 BCL, 296
 COM and, 27
 MSBuild, 442
 programming languages, 17, 22–24

resources, 27–28
 source code, 313
 Visual Studio Shell, 273

New Project, 410–411

NextBookmark, 136

ninched, 98

NumberOfParentCategoriesToRollUp, 416

O

<Object>, 395

Object Browser, 126

objectProvider.GetObject, 339

Office, 31, 177

OnAddInsUpdate, 84

OnAfterCreated, 210, 213

OnBeginShutdown, 84–85

OnCancel, 210, 213

OnConnection, 82–83, 92–94

OnDisconnection, 83

OnHelp, 210

OnOK, 210, 213

OnStartupComplete, 56, 84

Orcas, 6

OutlineSection, 136

Output, 16, 169

OutputString, 200

OutputWindow, 202

OutputWindowEvents, 484

Overloads, 161

OverrideKind, 161

P

Package class, 362–367

Package Load Analyzer, 382–384

Package Load Key (PLK), 350, 376–377, 380

PackageRegistration, 365

PadToColumn, 132, 136

Parameters, 161

parameters, 432–433

Parent, 108, 124, 157, 159, 161, 200–205

EditPoint, 135

SolutionBuild2, 166

TextPoint, 134

TextSelection, 130

VirtualPoint, 138

ParentProjectItem, 115

Parsons, Andrew, 5

PartialClasses, 159

Parts, 159

PHP, 24

PICSRules, 280

PictureBox, 345–346

PkgCmdID.cs, 362

platforms, 1, 18

PLK. See Package Load Key

Points, 321, 330

pre-build event, 281

- pre-load, 102**
- Premier Partner Edition, 270**
- Preul, Wyatt, 303**
- PreviousBookmark, 137**
- PRF, 281**
- print, 129**
- Professional Visual Studio 2005 (Parsons and Randolph), 5**
- Professional Visual Studio 2008 (Randolph and Gardner), 6**
- programming languages, 1, 2, 18, 22–24**
 - Add-in Wizard, 64
 - .NET, 17
- <Project>, 418–419, 444–445**
- project(s), 105–122**
 - ActiveSolutionProjects, 120
 - building, 168
 - Development Tools Extensibility, 54–55
 - DSL, 312
 - embedded resources, 259
 - events, 121–122
 - methods, 115
 - project items, 118–119
 - properties, 114–115
 - solutions, 111–113
 - templates, 109, 410–412
 - visualizers, 334
 - Visual Studio Shell, 278
 - VSPackages, 350–373
- <ProjectCollection>, 420–421**
- Project Explorer, 468**
- ProjectExtensions, 446**
- ProjectFinishedGenerating, 434**
- ProjectItem, 115, 116, 117, 155, 157**
- <ProjectItem>, 418, 421**
 - CodeClass2, 159
 - CodeFunction2, 161
 - Document, 128
- ProjectItemFinishedGenerating, 434**
- project items, 105–122, 445, 446–448**
 - events, 121–122
 - projects
 - adding, 118–119
 - listing, 118
 - properties, 116
 - templates, 412–413
- ProjectItemsEvents, 484**
- ProjectItemsTemplatePath, 109**
- project model, 48**
- Project Output, 246**
- <ProjectReference>, 447**
- ProjectsEvents, 484**
- ProjectSubType, 416**
- <ProjectTemplateLink>, 420**
- ProjectType, 416**
- PromptForSaveOnCreation, 416**
- Properties, 13, 108, 309**
- PropertyDescriptor, 197**
- <PropertyGroup>, 446**
- Prototype, 161**
- ProvideEditorExtension, 366**
- ProvideEditorLogicalView, 366**
- ProvideKeyBindingTable, 366**

- ProvideLoadKey, 366, 377–380**
- ProvideMenuResource, 366**
- ProvideToolWindow, 366**
- Publish, 167**
- <PublishFile>, 447**
- PublishProject, 167**
- PublishState, 166**
- Python. See IronPython**

Q

- QueryCloseSolution, 121**
- QueryStatus, 92, 95, 98–99, 177–178**
 - testing, 237–238

R

- Ram View, 323**
- Randolph, Nick, 5, 6**
- Raw Header, 326**
- ReadOnly, 137**
- read-only, 129, 137, 319**
- Refactor, 145**
- <Reference>, 447**
- reference relationship, 303–304**
- references, 458, 466**
- <References>, 397, 421–422**
- registry editor, 286**
- registry keys, 208**
- relational databases, 26, 304**
- RELAX NG, 25**
- Remove, 285**
- remove, 288–289**
- RemoveBase, 160**
- RemoveInterface, 160**
- RemoveMember, 160**
- RemoveParameter, 162**
- RenameSymbol, 156**
- ReplaceData, 336**
- ReplaceObject, 336**
- ReplacePattern, 137**
- ReplaceText, 129, 137**
- RequiredFrameworkVersion, 416**
- ReSharper, 145**
- ResourceManager, 149, 175, 181**
- resources, 256**
 - embedded, 257–261
 - VSPackages, 372–373
 - XML, 259
- Resources.resx, 362**
- RichTextBox, 368**
- right-to-left language (RTL), 256, 267**
- root domain model, 306**
- RootHidden, 329**
- RTL. See right-to-left language**
- RunFinished, 434**
- RunStarted, 434**
- runtime, 21, 40, 332**
- runtime error, 340**

S

SDK. See Software Development Kit
security, 18, 21

Content Installer, 251
 templates, 306–307

SelectDown, 203

SelectedItems, 201, 203, 204

SelectionEvents, 484

SelectUp, 203

SendInput, 200

Server Explorer, 14–15

<Service>, 447

Service Pack 1, 5

SetBookmark, 137

Setup, 246–249, 285

SetValue, 213–214

Share Add-in, 63

shared add-ins, 103

Shared Add-in Wizard, 74–78

SharePoint, 24

Shell Load Key (SLK), 291–292

shortcut keys, 495–496

shortcuts, 392

ShouldAddProjectItem, 434

ShowByDefault, 416

ShowErrors, 201

ShowHierarchy, 153–154

ShowMessages, 201

ShowToolWindow, 366

ShowWarnings, 201

Silverlight, 26

SimpleTypeName, 398

Skibo, Craig, 249

SLK. *See* Shell Load Key

SmartFormat, 137

Snippet, 392

snippets. *See* code snippets

SnippetTypes, 392

SOAP, 24

Software Development Kit (SDK), 7, 10

debugging, 226

DLL, 285

DSLs, 296

isolated mode, 270

templates, 347

**Software Factories: Assembling Applications
 with Patterns, Models, Frameworks, and
 Tools (Wiley), 296**

Solution, 107–114

SolutionBuild, 108, 145, 166–167

SolutionBuild2, 166, 167

SolutionConfigurations, 166

SolutionEvents, 484

Solution Explorer, 12, 110

SolutionExplorer, 203

Solution Explorer, 274

SolutionItemsEvents, 485

solutions, 105–122, 167

closing, 110–111

Development Tools Extensibility,
 54–55

events, 121–122

opening, 110–111

projects, 111–113

SortOrder, 417

source code

add-ins, 153, 224

IDE, 282–285

.NET Framework, 313

splash screen, 274, 287–288

SQL Classes, 412

SQL Server, 24, 271–272

Standard, 5

Starter Kits, 439

StartOfDocument, 137

StartPoint, 155, 157, 159, 161

startup, 176

add-ins, 82, 87

StartupProjects, 166

status bar, 242–245

statusExpected, 238

Storyboard Designer, 276–277

strCulture, 266

Stream visualizer, 44–45

String.Concat, 149

stubs, 273, 286

SubCategory, 103

SubProject, 116

SupportsCodeSeparation, 417

SupportsLanguageDropDown, 417

SupportsMasterPage, 417

SuppressMessage, 361

SwapAnchor, 132

System.Diagnostics, 328

System.GlobalizatiOn, 267

System.IServiceProvider, 349

System.Reflection, 257

system requirements, 8

System.Web.HttpResponse, 315

T

TabSize, 128

Target, 446

targets, 445, 449, 459–461

visualizers, 341

Task Flow, 298, 301

TaskItems, 204

TaskList, 169, 203–204, 274

TaskListEvents, 485

tasks, 445, 449–454

TDD. See test-driven development

Team Explorer, 274

Team Foundation Server, 273

Team System, 5

<TemplateContent>, 414, 418

<TemplateData>, 414, 415–417

TemplateGroupID, 417

TemplateID, 417

templates, 409–439

- add-ins, 37
- Add-in Wizard, 63
- code, 148
- code snippets, 394
- creation, 424–428
- customization, 432–438
- DSL, 298, 301
- IntelliSense, 414
- manifest, 413–424
- parameters, 432–433
- ProjectItems, 117
- project items, 412–413
- projects, 109, 410–412
- SDK, 347
- security, 306–307
- transformation, 306
- visualizers, 334–336
- VSPackages, 347
- XML, 412, 413–414

test-driven development (TDD), 233

testing, 2

- add-ins, 223–239
- APIs, 373
- image visualizers, 346
- QueryStatus, 237–238
- visualizers, 340–341
- VSPackages, 373–376

TestShowVisualizer, 43, 340

TextBox, 193–197

TextDocument, 123

- CommandWindow, 200
- Document, 129
- documents, 138–139
- TextSelection, 138–139
- Visual C++, 138

TextDocumentKeyPressEvents, 485

TextPane, 130

TextPoint, 123, 155

- CodeFunction2, 161
- Document, 129
- documents, 133–134
- hierarchy, 133
- methods, 134
- Parent, 134
- properties, 133–134

TextRanges, 130

TextSelection, 123

- active points, 131–132
- Development Tools Extensibility, 130
- Document, 129
- documents, 130–133
- methods, 131–133
- Mode, 130
- Parent, 130
- properties, 130
- TextDocument, 138–139

textual language, 296

Themes, 208

threading, 21

tokens, 222

Toolbar, 359

toolbar buttons, 180–186, 492–495

toolbars, 11

- add-ins, 87, 99–100, 170
- items, 179–186

Toolbox, 13–14, 205, 274

- UI, 169

ToolBoxTabs

- Toolbox, 205

tools menu item, 87–95

toolsMenuName, 94

ToolsMenuSample, 97

ToolsOptionsPage, 103

- add-ins, 219–222

<Tools Options page>, 207–222

ToolsVersion, 445

Tooltip, 177, 395

<Tooltip>, 400

TopLine, 130

TopPoint, 130

ToString, 324

TransferData, 336

TransferObject, 336

Transform All Templates, 306

TryToShow, 134, 137, 138

Type, 161, 395

type proxy, 314–331

- console code, 317–318
- read-only, 319

U

UI. See user interface

<UIHierarchy>, 203

UML. See Unified Modeling Language

Unified Modeling Language (UML), 4, 274–275

Unindent, 132, 137

UniqueName, 115

unit-testing. See testing

user interface (UI), 169–205

- add-ins, 169, 170–186
- Add-in Wizard, 170
- ErrorList, 169
- macros, 481–484
- manipulating, 192–199
- Output, 169
- Task List, 169
- Toolbox, 169
- Windows Forms, 187

<UsingTask>, 446, 453

V

validation

- code, 310–312
- DSL, 309
- ErrorList, 311–312
- Properties, 309

ValidationContext, 311

- ValidationState, 311**
 - VBA. See Visual Basic for Applications**
 - VirtualCharOffset, 138**
 - VirtualDisplayColumn, 138**
 - VirtualPoint, 123, 129, 137–138**
 - Visual Basic, 2, 22, 23**
 - add-ins, 35
 - VSPackages, 350
 - Visual Basic for Applications (VBA), 31**
 - Visual C, 22, 23**
 - add-ins, 35
 - DebuggerBrowsable, 328
 - VSPackages, 350
 - Visual C++, 2, 22, 23–24, 278**
 - TextDocument, 138
 - Visual Studio Shell, 270
 - VSPackages, 350
 - Visual C++/CLR, 74**
 - visual diagramming language, 296**
 - Visual FoxPro 5.0, 2**
 - Visual InterDev, 2**
 - visualizers, 40–45, 313, 314, 331–346**
 - breakpoints, 332
 - code, 338–339
 - debugging, 41–42, 490
 - IDE, 343
 - image, 343–346
 - List, 41
 - macros
 - debugging, 490
 - projects, 334
 - runtime, 332
 - Stream, 44–45
 - target type, 341
 - templates, 334–336
 - test code, 40
 - test description, 341
 - testing, 340–341
 - types, 341, 343–344
 - writing, 333–340
 - XML, 41, 331–333
 - Visual J++, 2, 22**
 - Visual Studio Ecosystem Team, 30, 249, 295**
 - Visual Studio Extensibility (VSX), 45, 295**
 - Visual Studio Integration Package (VSIP). See VSPackages**
 - Visual Studio Shell, 7, 24, 269–293**
 - IDE, 269, 273
 - integrated mode, 271
 - .NET Framework, 273
 - projects, 278
 - SQL Server, 271–272
 - Visual C++, 270
 - VSPackages, 272
 - Visual Studio Team System (VSTS), 5**
 - Visual Studio Tools for Applications (VSTA), 5**
 - Visual Studio Tools for Office (VSTO), 5**
 - vsCMElement, 147, 161**
 - vsCMOverrideKind, 161**
 - vsCommandControlType, 176, 182**
 - vsCommandStatus, 98, 150, 176, 177, 183**
 - vsCommandStyle, 150**
 - VSContent. See Content Installer**
 - VSMacroRecorder.cs, 362**
 - VSPackages, 49, 208, 227, 272, 291–292, 347–384. See also Visual Studio Shell**
 - APIs, 347
 - COM, 348
 - DLL, 376
 - DSL, 312
 - editor, 368–372
 - extensions, 348–349
 - GUID, 361
 - installers, 380–382
 - Integration Package Wizard, 352–356
 - IronPython, 347
 - limits, 58
 - localization, 373
 - macros, 362
 - projects, 350–373
 - resources, 372–373
 - templates, 347
 - testing, 373–376
 - ToolBar, 359
 - tool window, 367–368
 - Visual Basic, 350
 - Visual C, 350
 - Visual C++, 350
 - VSPackages.resx, 362**
 - VSTA. See Visual Studio Tools for Applications**
 - <VSTemplate>, 414**
 - VSTO. See Visual Studio Tools for Office**
 - VSTS. See Visual Studio Team System**
 - VSX. See Visual Studio Extensibility**
- ## W
- Watch window, 313, 315**
 - breakpoints, 318–319
 - DebuggerBrowsable, 331
 - DebuggerDisplay, 328
 - WCF. See Windows Communication Foundation**
 - WCF Service, 412**
 - WCS. See Windows CardSpace**
 - <WebReferences>, 447**
 - <WebReferenceUrl>, 447**
 - web-site authentication, 26**
 - WF. See Windows Workflow Foundation**
 - Whidbey, 4**
 - While loop, 140**
 - whitespace, 131, 136**
 - wildcards, 447**
 - WindowEvents, 485**
 - Windows CardSpace (WCS), 19, 26**
 - Windows Communication Foundation (WCF), 5, 6, 19, 24, 25, 409**
 - Windows Forms, 170, 186–199, 258**
 - add-ins, 193–197
 - code, 187–188
 - controls, 193–197
 - localization, 261
 - TextBox, 193–197

Windows Forms, (continued)

Windows Forms, (continued)

toolbar buttons, 193–197
UI, 187

Windows Forms Application, 410

Windows Forms Controls Library, 209

Windows Installer, 241, 242–249

Windows Presentation Foundation (WPF), 5, 6, 17, 19, 25, 385, 409, 457

Windows Workflow Foundation (WWF), 5, 6, 19, 25, 409

WindowVisibilityEvents, 485

<WizardData>, 415, 422–423

<WizardExtension>, 423–424

WizardRunKind, 435

WizardSample.AddIn, 68

Word, 30

WordLeft, 132, 137

WordRight, 132, 137

Workflow Designer, 208

WoW. See **AddOn Studio for World of Warcraft**

WPF. See **Windows Presentation Foundation**

Wrox, 280–281, 358–362

WSDL, 24

WWF. See **Windows Workflow Foundation**

X

XAML, 6, 19, 457

XHTML/CSS editor, 6

XML. See **Extensible Markup Language**

XML Path Language (XPath), 25

XML Schema Datatype (XSD), 25

XP. See **extreme programming**

XPath. See **XML Path Language**

XSD. See **XML Schema Datatype**

XSLT. See **Extensible Stylesheet Language Transformations**