

# Index

---

**Note to the reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

- A/D (analog-digital) conversion, 206
- AAC format, converting CD to, 252
- Abbey Road Keyboards collection, 24
- Ableton Live, 394, 395
  - drum loops for, 141
- account, creating at propellerheads.se, 15
- ACID, 394
- acoustic instruments, reverb for, 263
- Active Channels setting, 20
- Add Labels To Clips function, 375
- ADSR (Attack, Decay, Sustain, Release)
  - parameters, 153–154
- Advanced MIDI device, 36, 36
- AIFF file format, 25
  - converting CD to, 252
  - converting into REX format, 84–85
  - creating custom kits from, 127
  - exporting drum loop as, 141
  - for Redrum, 112
  - for saved songs, 397
- Algorithm display, for RV7 Digital Reverb, 262
- alien clips, **387**
- aligning selected clips, 387–388
- Alter Notes function, in Tool window, 101, 101
- Alternative Take recording, **388–389**
- AM (Amplitude Modulation) filter, 157
  - AM from OSC 2 parameter, in Thor Voice Programmer, 192, 192
  - ambient texture, creating multilayered, **241**
  - Amount controls, in Thor, 195
  - Amp (Amplifier) section, in Thor Voice Programmer, 191, 191–192
  - Amplitude Attack Velocity control, in NN-19 Digital Sampler, 219
  - Amplitude Envelope, 153, **154–156**
    - in Dr. Rex Loop Player, **93–94**
    - in Malström oscillator, 175
    - in NN-19 Digital Sampler, 215, 215
    - in NN-XT Advanced Sampler, 232
    - in Thor Voice Programmer, 192, 192
  - Amplitude section, in NN-XT, 249
  - Amplitude Velocity Amount control, in NN-19 Digital Sampler, 219, 224
  - analog-digital (A/D) conversion, 206
  - Analog Modulation Delay Combinator,
    - included devices, 339
    - routing, 340
  - Analog oscillator, in Thor, 189, 189
  - “analog warmth”, 280
  - Analogue Monsters ReFills, 234
  - Anchor Point, in ReGroove mixer, 323–324
  - anti-spyware programs, Reason
    - requirements, 7
  - antivirus programs, Reason requirements, 7
  - Apple GarageBand, drum loops for, 141

- Arena algorithm, in RV7000 Advanced Reverb, 283
- Arpeggiator Combinators, 351–352
- arpeggio, 312
  - creating, in sequencer, 317–318
  - recording, 316–317
  - RPG-8 Monophonic Arpeggiator for, 312, 312–318
    - recording, 316–317
  - sending notes to track, 318
  - simulated, Malström Graitable Synthesizer for creating, 183–184
- arrangements in Redrum Drum Computer, 120–122
  - multiple patterns, 120
  - sequencing pattern, 121–122
- arranging, in sequencer, 385–393
  - cutting, copying and pasting clips, 385–386
  - joining clips, 387
  - pattern device tracks conversion to notes, 390–391
  - recording options with instrument tracks, 388–390
- ASIO drivers, 19
- Attack parameter
  - in BV512 Digital Vocoder, 319
  - for Comp-01 Compressor, 274
  - for envelope generators, 154
  - in SubTractor, 155, 158
- Audacity, 254
- audio
  - editors for, 254
  - merging, 309
  - splitting, 307–309
- Audio Export dialog, 397, 397
- audio inputs, for Malström, 184
- audio interfaces
  - Hardware Device as, 35
  - Reason requirements, 7–9
- Audio Out Clip LED, 62
- Audio Output
  - in Redrum back panel, 113
  - in SubTractor, 172
- Audio Output menu, preferred playback device selection, 19
- audio settings, for Dr. Rex Loop Player, 87
- audioMIDI, 8
- Auto setting, in Scream 4 Sound Destruction Unit, 279
- automapping
  - in NN-19 Digital Sampler, 224
  - in NN-XT Advanced Sampler, 239
- automation, 14, 75–77, 384
  - advanced, 380–385
  - for creating filter sweep, 106–107
  - of Dr. Rex Loop Player, 104–105
  - drawing
    - in Arrange view, 381–382
    - in Edit view, 383
  - editing, 76–77, 383
  - exercise, 76
  - in Matrix Pattern Sequencer, 303
  - of Mixer 14:2, 391–392
  - of NN-19 Digital Sampler
    - parameters, 219
  - of NN-XT, 249
  - performance controller, 384
  - as performance controller, 385
  - of Redrum Drum Computer, 134–135
  - of sequencer, 105
- Automation Cleanup setting, 17
- automation lanes, 376
  - creating, 377, 381
  - in sequencer Arrange view, 361, 361
- Autoplay option, for REX loop or sample, 56
- Aux section, of mixer, 51
- Aux Sends, 51
  - for channel strip, 38, 38, 39
- Auxiliary (Aux) Return knobs, 37
- Avid, M-Audio MobilePre USB audio interface, 8, 8

**B**

backup, of Reason files, 25  
 Band Pass filter, 156  
 “band reject” filters, 156  
 Band Selector, in BV512 Digital  
   Vocoder, 319  
 Bank/Channel Display LED, for ReGroove  
   channel, 324  
 Bank Select buttons, in Redrum Drum  
   Computer, 120  
 Banks, in Matrix interface, 78  
*Basic Mixing Techniques* (White), 393  
 beat, programming simple, 115–116  
 Beats Per Minute (BPMs), 62–63  
 Bend control, for Redrum channel strips,  
   129–130  
 BIAS’ Peak, 254  
 Big Fish Audio, 209  
 Bipolar Curve mode, 300, 300  
 bit depth, **20**  
   for audio export, 397  
   in NN-19 Digital Sampler, 213  
   in NN-XT Advanced Sampler, 234  
 Body section, in Scream 4 Sound  
   Destruction Unit, 279, 279  
 BPMs (Beats Per Minute), 62–63  
 breakpoints, in Automation clips, 382, 382  
 “brick wall” limiting, **291–292**  
 Browse Patch button, in Redrum Drum  
   Computer, 113  
 Browse Sample button, 46, 46  
   in NN-19 Digital Sampler, 220, 221  
   in Redrum Drum Computer, 128, 128  
 Buffer Size setting, 19  
 BV512 Digital Vocoder, 318, **318–322**  
   carriers and modulators, **319**  
   classic vocoding, **321–322**  
   as EQ device, **322**  
   interface, **319**  
   percussive Vocoding, **320–321**

BW Play mode, in NN-XT Remote  
   Editor, 238  
 Bypass All FX button, in Combinator, 332

**C**

C3 (MIDI note #60), 58  
 Cable Animation setting, 17  
 cabling in Reason, showing and hiding, 50  
 carriers, in BV512 Digital Vocoder, 319  
 cavern effects, 106  
 CDs, converting to MP3, 252  
 CF-101 Chorus/Flanger, 269, **269–270**  
 Chaining Aux routing, 39  
 Chaining Master routing, 39, 39  
 Channel 8&9 Exclusive button, in Redrum  
   Drum Computer, 126–127  
 Channel banks, in ReGroove mixer, 323  
 channel strips, 37, **37–38**  
   guidelines for drum kits, 132–133  
   parameters in ReGroove mixer, 324  
   in Redrum Drum Computer, 113  
   parameters, 128, 128–130  
 chopping clips, **98–99**  
 chorus effect, **269–270**  
   in Thor, 193  
 classic vocoding, 321–322  
 Clear buttons, in Thor, 195  
 clearing samples, 253  
 Click Level knob, on Transport panel, 62  
 click track, turning on and off, 62  
 client program, for ReWire, 395  
 Clip Color function, 375  
 Clip Length indicator, in sequencer, 70  
 Clip Position indicator, in sequencer, 70  
 clips, 68, 68–69, 72  
   alien, **387**  
   cutting, copying and pasting, **385–386**  
   editing, **373–375**  
   editing and arranging, **98–100**  
   joining, **387**  
   moving between tracks and lanes, **387**

- in sequencer Arrange view, **360–361**
  - in sequencer Edit view, **365–368**
  - soft, 291
- Comb filter, 157
  - in Thor, 190, 190
- Combinator device, 143, 329
  - Arpeggiator, **351–352**
  - back panel, 336
  - basics, **330**
  - creating, 93, 344
  - CV routing, **337**
  - Device area, **336**
  - with Dr. Rex Loop Player, **352–353, 353**
  - Effects, **356–358**
  - effects chains, 294–295
  - interface, 332, **332–333**
  - Key Mapping section, 333, **333–336, 346–347**
  - loading, playing and saving patches, **330–332**
  - Modulation Routing section, 335, **335–336, 348–352**
  - multi-instrument, **345**
  - patches, **337–342**
    - changing look of, 346
    - creating, **343–358**
    - for effects, **339–341**
  - Pattern Device, **355**
  - previewing patches, **331–332**
  - Programmer, **333–336**
  - routing, **336–337**
  - with SubTractor Analog Synthesizer, for drum kit, **353–355, 354**
- Combinator HQ, 330
- Commit to Groove function, 380
- Comp-01 Compressor, 48, 273, **273–274**
- compression, 273, 391
  - of Dr. Rex loops, 106
  - in Redrum Drum Computer, **137–138**
- Computer Music Inc., 206
- computer, Reason requirements, **6–7**
- Contacts menu, >> Register Reason Now, 15
- content
  - for NN-19 Digital Sampler, 212
  - for NN-XT Advanced Sampler, 231
  - for Reason’s samplers, **209–211**
- context menus
  - for clips, 373, **373–375**
  - device creation with, 33–34
  - Go To submenu in, 47
  - for SubTractor, 47
  - for Track list, 378, **378–380**
- control surfaces, 12
  - setup, 21–22
- Controller messages, 60. *See also* MIDI messages
- Controller panel in Thor, 185, 186, 187, **187–188**
  - assigning parameter to button, 202
- Controller section, in NN-19 Digital Sampler, 218
- Convert Pattern Track to Notes function, 379
- copy and paste
  - clips, **385–386**
  - drum patterns, 120
  - effects, **261**
  - to save Dr. Rex settings, 93
- Copy function, for clips, 374
- Copy to Track function
  - in Dr. Rex Loop Player, **96–98**
  - in Matrix Pattern Sequencer, 303–304
  - in Redrum Drum Computer, 122–123
- Copy Track and Device function, 379
- copyright issues, **253**
- Create menu, 33, 33
  - >> Mixer 14:2, 37
  - >> Redrum Drum Computer, 112
- Create Pattern Lane function
  - in sequencer, 70
  - for tracks, 380

- Crop Events To Clips function, 375, 380
  - crossfading, 254
  - Cubase, 85, 394
  - The Cure, 150
  - Curve CV, 77, **300**, 300, 305
    - adding to pattern sequence, **304**
  - Curve mode, in Matrix interface, 78
  - Cut function, for clips, 374
  - Cut section, in Scream 4 Sound Destruction Unit, 279, 279
  - Cut Track and Device function, 379
  - cutting clips, **385–386**
  - CV (control voltage) inputs, 298
    - explained, 77
    - inverted, 311
    - for Matrix Pattern Sequencer, 77
    - merging, **311–312**
    - to mixer, 40, 40
    - Spider CV Merger and Splitter for, 309, **309–312**
    - splitting, **310**
  - CV (control voltage) routing
    - in Combinator device, **337**
      - for controlling Rotary knobs, **349–351**
    - for half-rack effects, 259
    - in Scream 4 Sound Destruction Unit, 279
  - CV types
    - Curve CV, 300, **300**
    - Gate CV, 299, **299**
    - Note CV, 299, 299
- 
- D**
- D-11 Foldback Distortion, 267, **267**
  - Daft Punk, 318
  - Damage section, in Scream 4 Sound Destruction Unit, 277, 277–278
  - Damp parameter, for RV7 Digital Reverb, 262
  - DAW (digital audio workstation)
    - for creating audio files, 251
    - Reason vs. other, 3
  - DDL-1 Digital Delay, 48, 48, 265, **265–267**
  - dead air, editing out in vocal tracks, 227, 254
  - Decay mode, in Redrum Drum Computer, 128, 129
  - Decay parameter
    - in BV512 Digital Vocoder, 319
    - for envelope generators, 154, 155
    - for RV7 Digital Reverb, 262
    - for RV7000 Advanced Reverb, 282
    - in SubTractor, 158
  - decay time, for slice, 92
  - default demo song, 26, 26
  - default level for fader, 37
  - Default Song setting, 18
  - default tempo, 62–63
  - Delay control
    - for CF-101 Chorus/Flanger, 269
    - for envelope generators, 154
  - Delay effect
    - adding, 49
    - in Redrum Drum Computer, 138
    - in Thor, 193
  - delay time, setting, 265
  - Delete function, for clips, 374
  - Delete Note Lane button, for instrument track, 72
  - Delete Track and Device function, 379
  - Delete Tracks function, 379
  - deleting
    - devices, 35
    - note lanes, 73
    - previous version before install, 14
  - demo songs, 27
  - Depeche Mode, 150
  - Destination parameter
    - for LFOs, 161
    - in Thor, 194, 194
  - Device field, in Combinator Programmer, 335
  - Device list, in Combinator Programmer, 334

- devices, 13, **33–51**
  - creating, **33–35**
    - with context menus, 33–34
    - with menu bar, 33
    - with Tool window, 33
  - deleting, 35
  - Hardware Device, 35, **35–36**
    - back panel, 36
  - minimizing all, 35
  - Mixer 14:2, 36, **36–40**
    - channel strips, **37–38**
  - naming, **34–35**
  - shared functionality, **45–47**
- Devo, 150
- dialogue, 222
- digital audio workstation (DAW), Reason vs. other, 3
- Digital Performer, 85, 394
- digital sampler. *See* samplers
- Digital setting, in Scream 4 Sound
  - Destruction Unit, 278
- DirectX, 19
- distortion, **267**
- Distortion setting, in Scream 4 Sound
  - Destruction Unit, 278
- documentation, 23
- Dr. Rex Loop Player, 2, 42, 42, 83
  - Amplitude Envelope, **93–94**
    - automation, **104–105**
    - back panel, 87, 88
    - basics, **84–89**
    - browsing and loading files, 46
    - Combinator patch, **352–353, 353**
    - device context menu, 35
    - editing and arranging clips, **98–100**
    - editing features, **90–93**
      - for slices, **91–92**
      - transposing loops, **90–91**
    - and effects, **106**
    - Filter Envelopes, **94–95**
    - filters, **94**
    - interface, 86, **86–88**
    - LFO section, 161
    - LFOs (Low Frequency Oscillators), **95–96**
      - for filter effects, **107**
      - for panning effects, **108**
    - loading loop, 45
    - matching loop with Redrum, **127**
    - and MIDI devices, **103–104**
    - Mod Wheel, 96, 96
    - for multiple send effects, 51
    - Note Edit lane for, 366
    - Oscillator and Oscillator Pitch sections, 152
    - Override Edit mode for, 104
    - Pitch Bend wheel, 96, 96
    - previewing and playing loops, **88–89**
    - and Reason sequencer, **96–102**
      - copy to track, **96–98**
    - and ReGroove mixer, 102
    - sequencer track, Automation lane, 105
    - switching loops, 89
    - and Tool window, **100–102**
    - using multiple, **109**
    - Velocity control, 96, 96
  - Drive slider, for Thor filters, 190
  - drivers, for audio and MIDI devices, 11
  - .drp file format, 43, 113
  - drum kits, 112, 245
    - MIDI note/drum assignments, 246
    - as multisample instrument, 209
    - RV7 Digital Reverb for, 264
    - SubTractor Analog Synthesizer and Combinator for, **353–355, 354**
    - switching, 247
  - drum patches
    - creating in NN-19 Digital Sampler, **227–229**
      - from REX file, 228–229
    - organizing, **228**
  - drum rolls, creating with Flam button, 119

drums. *See also* Redrum Drum Computer  
 creating  
   with MIDI keyboard, 245  
   Pencil tool, 245  
 creating performance in sequencer, 75  
 damaging loop, 280  
 NN-XT Advanced Sampler and, 235,  
   **244–247**  
 pitch of loop, 90  
 reverb for, 263  
 SubTractor for creating, **171–172**  
 Dry/Web parameter  
   for BV512 Digital Vocoder, 319  
   for DDL-1 Digital Delay Line, 265  
   for RV7 Digital Reverb, 262  
   for RV7000 Advanced Reverb, 282  
 DSP (Digital Signal Processing) LED, on  
   Transport panel, 62  
 Dual Mono signal routing option, for  
   effects, 259  
 Duplicate Tracks and Devices function, 379  
 dynamics, programming in Redrum Drum  
   Computer, **118**

---

**E**

E-MU Emulator, 206  
 E-MU XMIDI 2x2, 10  
 ECF-42 Envelope Controlled Filter, 267,  
   **267–269**  
   Matrix Pattern Sequencer to control,  
   **305–306**  
 Echo algorithm, in RV7000 Advanced  
   Reverb, 283  
 echo effects, 106  
 Edit button, for ReGroove channel, 324  
 Edit control, in Thor Step Sequencer, 197  
 edit focus, 237  
 Edit menu, 47  
   >> Alter Pattern, 126  
   >> Clear Pattern, 117

>> Combine, 143  
 >> Copy Pattern To Track, 123  
 >> Copy Rex Loop To Track, 97  
 >> Create Track For, 76  
 >> Init Patch, 125  
 >> Preferences, >> Reason >>  
   Preferences, 30  
 >> Randomize Patch, 125  
   for Dr. Rex Loop Player, 47  
 Edit view, drawing notes in, 75  
 effects, 13, **48–49, 258–261**. *See also* half-  
   rack effects  
   advanced, **48**  
   automation, 76  
   Combinator patch, **339–341**  
   creating with browser, 57  
   and Dr. Rex Loop Player, **106**  
   external MIDI control, **295**  
   inserts and sends, **49–51**  
   Matrix Pattern Sequencer to control,  
   **305–307**  
 MClass effects, 49, **286–293**  
   Mastering Combi, 292, **292–293**  
   MClass Compressor, 289, **289–290**  
   MClass Equalizer, **286–287, 287**  
   MClass Maximizer, 290, **290–292**  
   MClass Stereo Imager, 288, **288–289**  
 in Redrum Drum Computer, **135–138**  
   adding compression, **137–138**  
   adding reverb, **136–137**  
   delay, 138  
   flange, 138  
   phase, 138  
   Scream 4 Distortion, 138  
   Send and Insert effects, **136, 136**  
   saving, **260–261**  
   and signal processing, **391**  
   uses, 257  
 effects chains, 50, **293–294**  
 Effects Combinators, 330, **356–358**

## effects devices

- Input meter for, 258
- Power/Bypass switch for, 258
- RV7000 Advanced Reverb, 281, **281–286**
- Scream 4 Sound Destruction Unit, **276–281**
  - damaging drum loop, 280
  - loading patches, **277–279**
  - tape compression, 280–281
- shared functionality, **258–261**
  - CV routing, 260
  - parameter values, 259
  - saving effects, 260–261
  - stereo and mono, 259–260
- Effects Send routing, for Redrum, 114
- Electronic Musician, 8–9
- Electronic Research [Run] Combinator patch, 341
- Emerson, Lake, and Palmer, 150
- Envelope Amount knob
  - for DDL-1 Digital Delay Line, 268
  - in NN-19 Oscillator, 215
  - for Thor filters, 190
- envelope generators, in synthesizers, **153–156**
- envelopes
  - for DDL-1 Digital Delay Line, 268
  - splitting, **310**
  - in SubTractor, 166, **166**
- EQ (equalization) control
  - for channel strip, 38, 38
  - of mixer, 40, 40
- EQ device, BV512 Digital Vocoder as, **322**
- EQ mode, in RV7000 Advanced Reverb, 284, 284
- equalization, 391
  - PEQ-2 Two Band Parametric EQ for, **275–276**
- Equalizer/Vocoder knob, in BV512 Digital Vocoder, 319

## Erase tool in sequencer, 70

- Arrange view, **362**
  - Edit view, 369
  - for editing automation, 383
- Essential Pianos, 24
- events, 68
- Evolution UC-33e, 12
- exporting songs, **25, 397–399**
- extracting grooves, from REX loops, **327–328**

**F**

- fading audio, 254
- Fairlight CMI, 206
- Fast Forward button, on Transport panel, 63
- Feedback setting
  - for CF-101 Chorus/Flanger, 269
  - for DDL-1 Digital Delay Line, 265
  - for PH-90 Phaser, 271
  - for Scream 4 Sound Destruction Unit, 278
- file formats, **24–25**
- File menu (Windows)
  - >> Create
    - >> Create Effect, 57
    - >> Create Instrument, 57
    - >> NN-19 Digital Sampler, 213
  - >> Export Loop As Audio File, 25
  - >> Export Song As Audio File, 25
  - >> Import MIDI File, 54
  - >> iTunes, >> Preferences, 253
  - >> New, 31, 44
  - >> Preferences, 15, 16
  - >> Publish Song, 81, 401
  - >> Save, 80
  - >> Save As, 80
  - >> Song Information, 400
  - >> Song Self-Contain Settings, 400
- Filter Decay Velocity control, in NN-19 Digital Sampler, 218

Filter Enable buttons, in Thor Voice Programmer, 191, 191

Filter Envelope Velocity Amount control, in NN-19 Digital Sampler, 218, 224

Filter Envelopes, 153, **158**

- in Dr. Rex Loop Player, **94–95**
- in Malström, 177, 177, **182–183**
- in NN-19 Digital Sampler, 215, 215–216
- in SubTractor, 167
- in Thor Voice Programmer, 192, 192

Filter section, in NN-XT, 232, 249

Filter slots, in Thor Voice Programmer, 191, 191

filter sweep effect, 161–162

- creating with automation, **106–107**

filters

- in Dr. Rex Loop Player, **94**
- LFOs for creating effects, **107**
- in Malström, **176–177, 177, 182–183**
- Mod Wheel to control, **108**
- in NN-19 Digital Sampler, 215, 215–216
- in SubTractor, **166, 166**
- in synthesizers, **156–160**
- in Thor, **190**

FL Studio, 394

flam, programming in Redrum Drum Computer, **119**

flange effect, in Redrum Drum Computer, 138

flanger effect, **269–270**

Flatpack series, 330

FM Pair oscillator, in Thor, 189, 189

FM parameter, for SubTractor Oscillator, 165, **169**

folders, for storing samples, 132

Formant filter, in Thor, 190, 190

frequency modulation (FM) synthesis, **150**

Frequency Modulation knob, for PH-90 Phaser, 271

Frequency parameter

- for DDL-1 Digital Delay Line, 268

- for filter, 157
- for PH-90 Phaser, 271
- for Thor filters, 190

Frontier Tranzport, 12

Fuzz setting, in Scream 4 Sound Destruction Unit, 278

FW-BW Play mode, in NN-XT Remote Editor, 237

FW-Loop Play mode, in NN-XT Remote Editor, 238

FW Play mode, in NN-XT Remote Editor, 237

FW-SUS Play mode, in NN-XT Remote Editor, 238

FXpansion, BFD, 246

---

**G**

Gain knob, for PEQ-2 Two Band Parametric EQ, 275

Gain Meter, for Comp-01 Compressor, 274

Gate CV, 77, **299, 299, 305**

Gate Inputs, in Redrum back panel, 113

Gate Length knob, in RPG-8 interface, 314, 315

Gate mode

- in Redrum Drum Computer, 128, 129
- in RV7000 Advanced Reverb, 284–285

Gate Outputs, in Redrum back panel, 113

- to trigger another Redrum, 145

Gated reverb algorithm, in RV7 Digital Reverb, 263

General Preferences window, Empty Rack, 30

Genesis, 151

Get Groove From Clips function, for clips, 375

Global controls

- in Malström, 178
- in Thor, 186, **193, 193**

Global Envelope section, in Thor, 193

Global Groove settings, in ReGroove mixer, **323–324**  
 Redrum response to, 119  
 Global Shuffle knob, in ReGroove mixer, 324  
 Go To Left/Right Locator buttons, on Transport panel, 64  
 Go To submenu, in context menus, 47  
 grains, 151  
 graitable synthesis, 41  
 graitables, 173, 175  
   beginning of playback, 175  
   menu list, 175  
 granular synthesis, **151**  
 green outline, for automated parameters, 76  
 Grid Display, in RPG-8 interface, 315  
 Grid Selector, in sequencer, 70  
 Groove Amount Slider, for ReGroove channel, 324  
 Groove Monkee, 246  
 Groovemasters Rock Kit 1.drp file, 114, 115–116

---

## H

half-rack effects, **261–276**  
 CF-101 Chorus/Flanger, 269, **269–270**  
 Comp-01 Compressor, 273, **273–274**  
 D-11 Foldback Distortion, 267, **267**  
 DDL-1 Digital Delay, 265, **265–267**  
 ECF-42 Envelope Controlled Filter, 267, **267–269**  
 PEQ-2 Two Band Parametric EQ, 275, **275–276**  
 PH-90 Phaser, **270–271**, 271  
 RV7 Digital Reverb, 262, **262–264**  
 UN-16 Unison, **272**, 272  
 Hall algorithms  
   in RV7 Digital Reverb, 263  
   in RV7000 Advanced Reverb, 283  
 hall effects, 106  
 Hammer, Jan, 151

Hand tool in sequencer, 70  
   Arrange view, **363**  
   Edit view, 369  
 hard disk space, Reason requirements, 7  
 hardware, 26  
   vs. software, for sampling, **206–207**  
 Hardware Device, 35, **35–36**  
   back panel, 36  
 Harmony Central, 8  
 HF Damp, for RV7000 Advanced Reverb, 282  
 HF Emphasis, in BV512 Digital Vocoder, 319  
 high frequencies, eliminating in REX loop, 87  
 high key, 220  
 High Pass filters, 156  
 High Quality Interpolation  
   in Dr. Rex Loop Player, 87  
   in NN-19 Oscillator, 215  
   in NN-XT Advanced Sampler, 233  
 hihat pattern, 116  
 Hold parameter  
   in BV512 Digital Vocoder, 319  
   for envelope generators, 154  
   in RPG-8 interface, 313  
 host program, for ReWire, 395

---

importing MIDI files, **246–247**  
 Index parameter, for Malström oscillator, 175, 178–179  
 Input meter, for effects devices, 258  
 Insert Bars Between Locators function  
   for clips, 374  
   for tracks, 379  
 insert effects, 258  
   creating, **49–50**, 50  
   D-11 Foldback Distortion as, 267  
   in Redrum Drum Computer, **136**, 136  
 Insert function, in RPG-8 interface, 314

Inspector bar, in sequencer, 387, **387–388**  
 installing Reason, **14–15**  
 instrument Combinators, 330  
 instrument patch, creating multilayered,  
**242–243**  
 instrument track, 71–72  
   RV7 Digital Reverb for, 264  
 instruments, 13, **41–49**  
   adding to Reason song, **44–45**  
   creating with browser, 57  
   playing, 44–45  
   playing Reason's, **57–60**  
   recording options with tracks, **388–390**  
 Internet. *See* Web resources  
 Intimate Steel String Guitar Combinator,  
 included devices, 338  
 Invert button, for Thor filters, 190  
 inverted CV, 311  
 iTunes, for ripping, 252–253

---

joining clips, 375, **387**

---

**K**  
 Katz, Bob, *Mastering Audio: The Art and the Science*, 393

Key Edit mode, in Matrix interface, 78  
 Key Map display  
   for ambient patch, 241  
   automapped zones in, 243  
   in Combinator Programmer, 334  
   editing NN-XT patches in, 240  
   in NN-XT Remote Editor, 235, 235–238  
 Key Mapping section, in Combinator  
 Programmer, 333, **333–335, 346–347**  
 Key Range, in Combinator Programmer, 334  
 key zones in NN-19 Digital Sampler, 220  
   adding samples, **226**  
   manually creating, **225**  
   setting root key for, **221**

Keyboard and Control Surfaces preferences  
 window, 21, **21–22**  
 Keyboard Control Edit Mode, channel strip  
 in, 60, 60  
 Keyboard Display, in NN-19 Digital  
 Sampler, 220  
 keyboard instruments, 9. *See also* MIDI  
 keyboard  
   NN-XT for, 234  
 Keyboard modes, in Thor, 187, 188  
 keyboard shortcuts on computer  
   for cutting, copying and pasting clips, 385  
   for pattern adjustment in Matrix, 302  
   for rack and sequencer, 32  
   to switch between sequencer Edit and  
   Arrange modes, 67  
   for tools, **364**  
   undo and redo when programming  
   pattern, 117  
 Keyboard Tracking  
   in NN-19 Oscillator, 215  
   for SubTractor Oscillator, 165  
   for Thor filters, 190  
   for Thor oscillator, 189, 189  
 Keyboards and Control Surfaces  
 Preferences, 30  
 kick drum pattern, 116  
 Kirn, Peter, *Real World Digital Audio*, 61  
 kits, in Redrum Drum Computer, **127–133**  
   creating from scratch, **131–133**  
   editing existing kits, **130–131**  
   editing samples, **127–130**  
   loading, **114–115, 115**  
 Korg, 12  
 Korg WaveStation, 151  
 Kraftwerk, 150, 318

---

lanes, 68, 68–69  
   creating, 377  
   moving clips between tracks and, **387**

- in sequencer Arrange view, **360–361**
- in sequencer Edit view, **365–368**
- latency, 19
- Latency Compensation setting, 19
- Legato mode
  - for Malström, 177
  - in NN-19 Digital Sampler, 217–218
  - in SubTractor, 168
- Length control, in Redrum Drum Computer, 128, 128
- Level control, in Redrum Drum Computer, 128, 128
- Level Fader, for channel, 37
- Level meters, in BV512 Digital Vocoder, 319
- LFOs (Low Frequency Oscillators)
  - in Dr. Rex Loop Player, **95–96**
  - for filter effects, **107**
  - in NN-19 Digital Sampler, 216, 216
  - in NN-XT, 248
  - for panning effects, **108**
  - splitting, **310**
  - in SubTractor, 166, **166–167**
  - in synthesizers, **160–163**
    - to control panning, **162–163**
  - in Thor Global section, 193
  - in Thor Voice Programmer, 192, 192, 200–201
  - waveforms associated with, 153
- licenses, transferring, 6
- Line Mixer 6:2, **343, 343**
- Line tool, for velocity changes, 372
- Logic, 85
- Logic Studio, 394
- Loop Left and Right Location LEDs, on Transport panel, 64
- Loop On/Off button, on Transport panel, 64
- Loop Playback function, 99
- Loop Start setting, in NN-XT Remote Editor, 237
- Loopmasters, 85

- loops. *See also* Dr. Rex Loop Player
  - creating from existing, 98
  - damaging drum loop, 280
  - exporting, **399**
  - in NN-19 Digital Sampler, 222
    - creating multisample sequence, **229–231**
  - in Redrum, **145–146**
    - creating and exporting, **141**
- Low Bandwidth On/Off button, in Dr. Rex Loop Player, 87
- Low BW (bandwidth) button, in SubTractor, 168
- Low Density algorithm, in RV7 Digital Reverb, 263
- low key, 220
- Low Pass filters, 156
  - in SubTractor, 158
- Low Pass Ladder filter, in Thor, 190, 190

---

## M

- M-Audio, 12
- M-Audio Radium 61, 22
- M-Audio Trigger Finger, 12, 12
- “M” icon, in NN-XT, 244
- Mac OS X
  - audio output, 19
  - Ctrl-click for context menus, 34
  - Reason requirements, 6
- Magnify tool in sequencer, 70
  - Arrange view, **363**
  - Edit view, 369
- Main output, for Malström, 184
- Main panel, in NN-XT Advanced Sampler, 232, **232–233**
- Main programmer, in Thor, 185, 186, **188–190**
- Malström Graintable Synthesizer, 2, **41, 42, 173–184**
  - combining elements, **184**
  - creating patches, **178–184**

- adding Shaper, **181–182**
    - with Filters and Filter Envelopes, **182–183**
    - with Modulator sections, **180–181**
    - with oscillators, **178–180**
  - creating simulated arpeggio, **183–184**
  - Frequency and Resonance controls, *157*
  - interface, *174, 174–178*
    - Filters and Filter Envelope, **176–177, 177**
    - Global controls, *178*
    - Mods, **175–176**
    - oscillators, *174, 174–175*
    - Play Parameters, *177, 177–178*
    - Shaper section, *177, 177*
  - loading, playing and saving patches, **174**
  - oscillator sounds, *153*
  - routing options, **184**
  - synthesis used by, *150*
  - wavetable synthesis, *151*
- mapping, *220*
- zones in NN-XT, *240*
- Master Keyboard, *15, 30*
- switching input, *45*
- Master Level fader, in mixer, *37*
- Master Level for Redrum, *112, 113*
- Master Tuning slider, *19*
- Master Volume control
- for Dr. Rex Loop Player, *86*
  - for Thor, *187, 188*
- Mastering Audio: The Art and the Science* (Katz), *393*
- Mastering Combi, *26, 292, 292–293, 392*
- for drums, *138*
- Match Values symbol, *387, 387–388*
- Matrix Pattern Sequencer, **77–79, 298–307**
- for controlling effects, **305–307**
  - creating synth sequence, *79*
  - CV types, **298–302**
    - Curve CV, *300, 300*
    - Gate CV, **299, 299**
    - Note CV, *299, 299*
  - interface, *78, 78*
  - Note Edit lane for, *366*
  - pattern creation and editing, **300–302**
  - for Redrum control, *144*
  - sequencing patterns, **302–304**
    - with automation, *303*
- Max field, in Combinator Programmer, *336*
- MClass effects, *49, 286–293*
- Mastering Combi, *26, 292, 292–293*
    - for drums, *138*
    - template containing, *81*
  - MClass Compressor, *289, 289–290*
    - for drums, *137*
  - MClass Equalizer, **286–287, 287**
  - MClass Maximizer, *290, 290–292*
    - for Dr. Rex loops, *106*
    - for drums, *138*
  - MClass Stereo Imager, *49, 288, 288–289*
- Mellotron, *206*
- Melodian, *206*
- memory, Reason requirements, *7*
- Merge Note Lanes on Tracks function, *380*
- merging
- audio, **309**
  - CV inputs, **311–312**
  - note lanes, *73, 73*
- Microsoft Windows
- audio output, *19*
  - Reason requirements, *6*
- Middle C, *58*
- MIDI (Musical Instrument Digital Interface), **9–10, 57–60**
- control by external devices, *295*
  - note numbers and Reason note names, *59*
  - notes correspondence to musical notes, **58–60**
  - values for half-rack effects devices, *259*
- MIDI Clock Slave, Reason as, *23*
- MIDI controllers, **11–12**
- for recording drum pattern in sequencer, *124*

- MIDI devices
  - adding multiple, **22**
  - and Dr. Rex Loop Player, **103–104**
  - Reason requirements, **9–13**
  - for recording pattern in sequencer, **124**
- MIDI File Browser, **54**
- MIDI files, importing, **246–247**
- MIDI interfaces, **10**
- MIDI keyboard, **9**
  - automatic connection to new instrument, **45**
  - to create drum track, **245**
  - routing to Combinator knobs, **350**
  - setup, **21–22**
- MIDI keyboard controller, **44**
- MIDI messages, **58, 60**
- MIDI notes
  - #60 (C3), **58**
  - Pencil tool to draw, **44**
- Min field, in Combinator Programmer, **336**
- Mix knob, for SubTractor Oscillator, **165**
- Mixer 14:2, **26**
  - automation, **391–392**
  - for drum tracks control, **142–143, 143**
  - for effects, **258**
  - routing features, **38, 38–39**
  - template containing, **81**
  - working with, **40**
- Mixer and Mastering.rns template file, **81–82**
- Mixer controls, in Thor Voice Programmer, **191, 191**
- mixing, **391–393**
- The Mixing Engineer's Handbook* (Owsinski), **393**
- MME drivers, **19**
- Mod Amount knob, for CF-101 Chorus/Flanger, **269**
- Mod Envelope section, in NN-XT, **248**
- Mod Wheel, **46, 46**
  - in Combinator, **332**
  - in Dr. Rex Loop Player, **96, 96**
  - for Malström, **178**
  - in NN-19 Digital Sampler, **218**
  - in NN-XT Advanced Sampler, **232–233**
  - for SubTractor, **168**
  - in Thor, **187, 187**
  - as wah-wah, **108**
- Mode knob, in RPG-8 interface, **314**
- Mods (Modulation) sections, in Malström, **175–176, 180–181**
- Modulate distortion, in Scream 4 Sound Destruction Unit, **278**
- Modulation Bus Routing section, in Thor, **185, 186–187, 193, 193–196, 200–202**
- Modulation Envelopes, **153, 159–160**
  - in NN-XT Advanced Sampler, **232**
  - in Thor Voice Programmer, **192, 192**
- Modulation, in NN-XT, **248**
- Modulation Levels, in BV512 Digital Vocoder, **319**
- Modulation Routing section, in Combinator Programmer, **335, 335–336**
- modulators, in BV512 Digital Vocoder, **319**
- mono routing
  - for effects, **259**
  - in Spider Audio Merger and Splitter, **308**
- Moog synthesizers, **150**
- Motion knob, for Malström oscillator, **175, 179**
- Mouse Knob Range setting, **17, 155**
- MP3 format, converting CD to, **252**
- multi-instrument Combinator device, **345**
- Multi oscillator, in Thor, **189, 189**
- Multi Tap algorithm, in RV7000 Advanced Reverb, **284**
- multilayered ambient texture, creating, **241**
- multilayered instrument patch, **209**
  - creating, **242–243**
- multiple parameters, **244**
- multisample patch creation
  - in NN-19 Digital Sampler, **223–225**
  - in NN-XT Advanced Sampler, **240**
- multisamples, **208–209**

multisample loop sequence, NN-19 Digital Sampler for creating, **229–231**  
 Music Tech, 9  
 Musical Instrument Digital Interface (MIDI). *See* MIDI (Musical Instrument Digital Interface)  
 musical notes, MIDI notes correspondence to, **58–60**  
 Mute button  
   for channel strip, 38  
   for instrument track, 71  
   in Redrum Drum Computer, 128, 128  
   with randomized drum pattern, 125–126  
 Mute Clips function, 375  
 Mute Note Lane button, for instrument track, 71

---

## N

names, for devices, **34–35**  
 Native Instruments, Kontakt, 246  
 negative values, for parameters, 167  
 New Alternative Take, on Transport panel, 64  
 New Note Lane function, 380  
 New Overdub button, on Transport panel, 64  
 Nine Inch Nails, 150  
 Nine Volt Audio, 85  
 NN-19 Digital Sampler, 25, 43, 43, **211–231**  
   adding samples to key zones, **226**  
   advanced routing options, **230–231**  
   automation of parameters, **219**  
   back panel, 230  
   creating drum patches, **227–229**  
     from REX file, 228–229  
   creating multisample patches, **223–225**  
   creating multisample loop sequence, **229–231**  
   creating single-sample patch, **220–222**

  editing features, **214–219**  
     amplitude envelope, 215, 215  
     filter and filter envelope, 215, 215–216  
     LFOs, 216, 216  
     oscillator parameters, 214, 215  
     panning effect creation, 216  
     play parameters, **216–219**  
   editing sample patch, **226**  
   interface, **211–214**, 212  
     loading, playing and saving patches, **213–214**  
   manually creating key zones, **225**  
   vs. NN-XT Advanced Sampler, 231  
 Oscillator and Oscillator Pitch sections, 152  
 sequencing vocal tracks, **226–227**  
 terminology, **220**  
 NN-XT Advanced Sampler, 2, 25, 44, 44, **231–251**  
   advanced routing options, **249–251**  
   automation of, 249  
   back panel, 249  
   content for, **231**  
   creating multilayered ambient texture, **241**  
   creating multilayered instrument patch, **242–243**  
   creating sample patches, **235–244**  
     single-sample patch, **238–240**  
   creating samples, **251–254**  
     recording, **251–252**  
     ripping, **252–253**  
   DDL-1 Digital Delay with, 266  
   drums and, **244–247**  
   editing patch, **240**  
   editing samples, **253–254**  
   interface, **231–233**  
     Main panel, 232, **232–233**  
     Remote Editor, **233**, 233, **247–249**  
   loading, playing and saving patches, **234–235**

- modulation envelopes, 159
- vs. NN-19 Digital Sampler, 208, 211
- vs. Redrum Drum Computer, 207
- velocity crossfading, **243–244**
- NN-XT patch, **235–238**
- Noise Generator, for SubTractor Oscillator, 165, 165
- Noise oscillator, in Thor, 189, 189
- Notch filter, 156
- note clips, creating and editing, **375–376**
- Note CV, 77, **299**, 299, 305
- Note Edit lane, in sequencer Edit view, 365–366, 366, **371–372**
- Note Lane Activity meter, for instrument track, 72
- Note Lane Performance Parameter
  - Automation window, 385, 385
- note lanes, 360, 360, 376
  - creating, **73**, 377
- Note On light, for SubTractor, 168
- Note Trigger section, in Thor, 187, 188
- Note Velocity section, in Tool window, 102, 102
- Novation, 12
  - Remote Zero SL, 12
- numeric keypad, for Transport panel
  - shortcuts, 65

---

Octave selector

- in Matrix interface, 78
- in NN-19 Oscillator, 215
- in RPG-8 interface, 314

Octave Shift buttons, in RPG-8 interface, 313

On button, for ReGroove channel, 324

On/Off/Bypass function, in BV512 Digital Vocoder, 319

OnyX, 7

operators, 150

Options menu

- >> Keyboard Control Edit Mode, 60
- >> Remote Override Edit Mode, 60
- >> Toggle Front/Rear, 79

organ patches, 234

organizing, source files, 132

Orkester ReFill, 14, 15

Oscillator Fine Tune setting, in NN-19 Oscillator, 215

Oscillator Semitone setting, in NN-19 Oscillator, 215

Oscillator slots, in Thor Voice Programmer, 191, 191

oscillators

- in Malström, 174, **174–175**, **178–180**
- in NN-19 Digital Sampler, 214, 215
- in SubTractor, 164, **164–165**
- in synthesizers, **152–153**
- in Thor, 186, **188–189**

Output Latency setting, 19

Overdrive, in Scream 4 Sound Destruction Unit, 278

overdub lane, 73

overdub recording, **389**

Override Edit mode, for Dr. Rex Loop Player, 104

Overview lane, in sequencer Edit view, 365, 365

Owsinski, Bobby, *The Mixing Engineer's Handbook*, 393

---

Pan control, for DDL-1 Digital Delay Line, 265

Pan Room algorithm, in RV7 Digital Reverb, 263

panning

- creating in NN-19 Digital Sampler, 216
- in DDL-1 Digital Delay Line, 266

- LFOs (Low Frequency Oscillators) for, **108, 162–163**
- parameter
  - for channel strip, 38
  - in Redrum Drum Computer, 128, 128
- Parameter Automation function, 380
- parameters
  - adjusting values, **155**
  - Automation for recording movements, **75–77**
  - multiple, 244
  - positive and negative values for, 167
- Parliament-Funkadelic, 150
- Paste function. *See also* copy and paste
  - for clips, 374
  - for Track list, 379
- Patch Browser, 53
  - opening, 46
- patch editing knobs, in NN-19 Digital Sampler, 223, 223
- patch files, 14
  - pointers in, 113
- Patch Select area in Redrum interface, 112
- patches
  - in Combinator
    - changing look of, 346
    - creating, **343–358**
  - loading, playing and saving Combinator, **330–332**
  - loading with Scream 4 Sound Destruction Unit, **277–279**
  - Malström for creating, **178–184**
    - adding Shaper, **181–182**
    - with Filters and Filter Envelopes, **182–183**
    - with Modulator sections, **180–181**
    - with oscillators, **178–180**
  - in NN-19 Digital Sampler
    - creating multisample, **223–225**
    - creating single-sample, **220–222**
    - editing, **226**
    - single loop, 222
  - in NN-XT Advanced Sampler
    - creating, **235–244**
    - editing, **240**
    - loading, playing and saving, **234–235**
  - pattern device Combinator, 331
  - previewing in real time, 57
  - in RV7000 Advanced Reverb, **285–286**
  - saving, 46
  - SubTractor for creating, **168–172**
    - with FM parameter, 169
    - with phase offset modulation, 170
    - with Ring Modulator, 170
    - with Velocity section, 171
  - in SubTractor, loading, playing and saving, **163–164**
  - Thor for creating, **197–200**
    - adding third filter, 199
    - basic patches, **198–199**
    - with Modulation Bus Routing, **200–202**
    - with Step Sequencer, **202–204**
    - two-oscillator patch, **199**
  - in Thor, loading, playing and saving, **185**
- Pattern Device Combinator, **355**
- pattern device tracks, converting to notes, **390–391**
- Pattern Editor, in RPG-8 interface, 315
- Pattern Enable option, in Matrix interface, 78
- pattern length, programming in Redrum Drum Computer, **117–118**
- Pattern Select buttons, in Redrum Drum Computer, 120
- Pattern Select Lanes, in sequencer Edit view, 367, 367
- Pattern Sequencer in Redrum, 113
- patterns
  - Combinator patch, **341–342**
  - Matrix Pattern Sequencer for creating and editing, **300–302**

- in Redrum Drum Computer, **114–119**
  - creating, **115–117**
  - loading kit, **114–115**, *115*
- in RPG-8, 316
- Pencil tool, 75
  - for arpeggio creation, 317, *317*
  - to draw automation, 382
  - to draw MIDI notes, 44
  - in sequencer, 69–70
    - Arrange view, **362**
    - Edit view, 368–369
    - for editing automation, 383
    - for velocity changes, 100
- PEQ-2 Two Band Parametric EQ, *275*, **275–276**
- percussive Vocoding, **320–321**
- Performance Controller Automation Lanes, **384**
  - in sequencer Edit view, 367, *367*
- Performance Controllers, in Combinator Programmer, 334–335, *335*
- performances, sequencer for creating and recording, *72–77*
- PH-90 Phaser, 48, **270–271**, *271*
- phase effect, in Redrum Drum Computer, 138
- Phase Modulation oscillator, in Thor, 189, *189*
- phase offset modulation, **151**
  - in SubTractor Oscillator, 165, *170*
- phasing, 270, *271*
- pianos, NN-XT for, 234
- pitch
  - of drum loop, 90
  - of loop, Filter Envelope affect on, 95
- Pitch Bend Range display, in NN-19 Digital Sampler, 218
- Pitch Bend wheel, 47
  - in Combinator, 332
  - in Dr. Rex Loop Player, 96, *96*
  - for Malström, 178
    - in NN-19 Digital Sampler, 218
    - in NN-XT Advanced Sampler, 232–233
    - in SubTractor, 168
    - in Thor, 187, *187*
- Pitch controls
  - for Malström oscillator, 175
  - for Redrum Drum Computer, 128, *129*
  - for SubTractor Oscillator, 165
  - for Thor oscillator, 189, *189*
- Pitch CV Inputs, in Redrum back panel, *113*
- pitch-gliding between notes, 168
- Pitch section, in NN-XT, 248
- pitch-shifting, 84
- Pitch (Transpose) function, in Tool window, 101, *101*
- Plate algorithm, in RV7000 Advanced Reverb, 283
- Play button, on Transport panel, 64
- Play mode, in NN-XT Remote Editor, 237
- play parameters
  - in Malström, **177–178**
  - in NN-19 Digital Sampler, **217–219**
  - in SubTractor, **167–168**, *168*
- Play Parameters, in Malström, *177*
- playback
  - of loops in Dr. Rex Loop Player, **88–89**
  - selecting preferred device, 19
  - of song, buttons for controlling, 63–64
  - spacebar for, 65
- Polyphony setting
  - in Dr. Rex Loop Player, 87
  - in Malström, 177
  - in NN-19 Digital Sampler, 217
  - in SubTractor, 168
  - in Thor, 187, *187*
- Portamento setting
  - in Malström, 177
  - in NN-19 Digital Sampler, 217
  - in SubTractor, 168
  - in Thor, 187, *188*
- positive values, for parameters, 167

Power/Bypass switch, for effects devices, 258  
 PowerFX, 85  
 Pre-Align function, for ReGroove channel, 324  
 pre-digital sampling, 206  
 Precount function, 62  
 preferences, **16–23**  
   advanced control, 23, **23**  
   audio, 18, **18–20**  
   general, **16–18**, 17  
     Mouse Knob Range, 155  
   keyboard and control surfaces, 21, **21–22**  
   setting, **30**, **81–82**  
 preferred playback device, selecting, 19  
 previewing loops, in Dr. Rex Loop Player, **88–89**  
 Pro Tools, 85, 394  
 processor resources, indicator for, 62  
 Programmer, in Combinator, **333–336**  
 programming, real-time, in Redrum, 116  
 Propellerhead Software, 2  
 propellerheads.se  
   account creation, 15  
   for Songs examples, 122  
 PROSONIC Studios, 85  
 Published Song file format (.rps), 25, 27, 54, 80  
   creating, 81  
   song information in, 401

---

## Q

Q knob, for PEQ-2 Two Band Parametric EQ, 275  
 quality of digital sound, 20  
 quantization, 74  
 Quantize function, in Tool window, 100–101, **389–390**  
 Quantize Notes During Recording setting, 73–74  
   on Transport panel, 64  
 Quantize Notes function, 375, 380

---

## R

rack, 13, 31, **31–32**  
   context menu for empty, 34, **34**  
   maximizing or minimizing instrument in, 35  
 RAM, Reason requirements, 7  
 randomization  
   in Matrix Pattern Sequencer, 302  
   in Redrum Drum Computer, 125–126  
 Rate control  
   for CF-101 Chorus/Flanger, 269  
   for PH-90 Phaser, 271  
   for Redrum channel strips, 129–130  
   in RPG-8 interface, 314  
 Ratio control, for Comp-01 Compressor, 273  
 Razor tool in sequencer, 70, 99  
   Arrange view, **362–363**  
   Edit view, 369  
   for editing automation, 383  
 .rcy file format, 54, 84  
 real-time programming, in Redrum, 116  
*Real World Digital Audio* (Kim), 61  
 realism, adding to multisample, 224–225  
 Reason  
   academic versions, 5  
   buying, **4–6**  
   capabilities, **3**  
   demo version, 6  
   equipment for creating music, **6–13**  
     computer, **6–7**  
     MIDI hardware, **9–13**  
     sound cards and audio interfaces, **7–9**  
   installing, **14–15**  
   interface, **30–32**  
     sequencer, 32  
   limitations, **4**  
   support resources, **23**  
   upgrading previous version, 5  
   versions, 2  
 Reason Adapted, 5, 85

- Reason browser, 53, **53–57**
  - creating instruments and effects, 57
  - interface, **54–57**
    - Audition section, 56, 56
    - Details section, 55, 55–56
    - Favorites section, 55, 55
    - File and Folder list, 54, 54
    - Info section, 55, 55
    - Locations list, 55, 55
    - Select Previous/Next buttons, 56
  - searching in, **56–57**
- Reason device, 13. *See also* devices
- Reason Drum Kits 2.0, 24
- Reason Factory Sound Bank, 14, 15, 54
  - drum kits, 112, 245
  - effects chain patches, 294
  - folders, 85
  - NN-XT sampler patches, 234
  - patches for NN-19, 212
  - RV7000 patches, 281
  - samples for creating ambient textures, 241
- Reason menu (Mac), >> Preferences, 15, 16
- Reason Published Song format (.rps), 27
- Reason rack. *See* rack
- Reason Sequencer, 13–14, 27. *See also* sequencer
- Reason Setup Wizard, 15
- Reason Song File (.rps) format, 25, 27, 54, 80
  - creating, 81
  - song information in, 401
- Reason template, accessing, 81
- ReasonBanks, 330
- ReBirth RB-338 virtual instrument, 2, 3
- Receive Notes check box, in Combinator Programmer, 334
- Record Automation As Performance
  - Controllers setting, on Transport panel, 64
- Record Enable button, for instrument track, 71
- Record Enable Parameter Automation
  - button, for instrument track, 71
- recording
  - options with instrument tracks, **388–390**
  - parameter movements with automation, **75–77**
  - performance, **72–74**
  - samples in NN-XT Advanced Sampler, **251–252**
- ReCycle, 2, 3, 84
  - creating REX loops with, 84–85
- redoing pattern programming, 117
- Redrum Drum Computer, 2, 25, 43, 43, 45, 111
  - adding to Reason song, 112
  - advanced pattern programming, **122–127**
    - creating pattern from scratch, **124–127**
    - editing drum patterns in sequencer, **122–123**
  - arrangement creation, **120–122**
    - multiple patterns, **120**
    - sequencing pattern, **121–122**
  - automation of, **134–135**
  - basics, **112**
  - in Combinator, 342
  - creating and saving kits, **127–133**
    - creating from scratch, **131–133**
    - editing existing kits, **130–131**
    - editing samples, **127–130**
  - effects, **135–138**
    - adding compression, **137–138**
    - adding reverb, **136–137**
    - delay, 138
    - flange, 138
    - phase, 138
    - Scream 4 Distortion, 138
    - Send and Insert effects, **136, 136**

- interface, **112–113**, *113*
- loops, creating and exporting, **141**
- vs. NN-19 Digital Sampler, **227**
- Note Edit lane for, **366**
- patterns, **114–119**
  - creating, **115–117**
  - loading kit, **114–115**, *115*
- programming, **117–119**
  - dynamics, **118**
  - flam, **119**
  - pattern length, **117–118**
  - resolution, **118**
  - shuffle, **119**
- and ReGroove mixer, **139–140**
- routing, *113*, **113–114**, **142–145**
  - individual outputs, **142–143**
  - Matrix Pattern Sequencer for controlling, **144**
  - to trigger another, **145**
- samples and loops, **145–146**
- ReFills, **14**, **24**, **85**, **210**
  - Combinators in, **330**
- registered users, access to ReFills, **24**
- registering Reason copy, **15**
- ReGroove mixer, **2**, **322–328**, **323**
  - button on Transport panel, **64**
  - and Dr. Rex Loop Player, **102**
  - extracting grooves from REX loops, **327–328**
- interface, **323–328**
  - channel strip parameters, **324**
  - global controls, **323–324**
- NN-XT Advanced Sampler with, **247**
- and Redrum Drum Computer, **139–140**
- Redrum response to Global Groove Amount, **119**
- Release parameter, **156**
  - for Comp-01 Compressor, **274**
  - for envelope generators, **154**
  - in SubTractor, **159**
- Release Polyphony setting, in Thor, **187**, **188**
- ReLoad, **210**
- Remote Editor, in NN-XT Advanced Sampler, **233**, **233**, **247–249**
  - Key Map display, **235**, **235–238**
- Remote Override Edit mode, for device interface, **104**
- Remove Bars Between Locators function
  - for clips, **375**
  - for tracks, **379**
- Reset Automation Override button, on Transport panel, **64**
- Reset button, in Thor Step Sequencer, **197**
- resizing Reason rack, **32**
- Resolution control, in Matrix Pattern Sequencer, **78**, **301**
- resolution, programming in Redrum Drum Computer, **118**
- Resonance parameter
  - for DDL-1 Digital Delay Line, **268**
  - for filter, **157**
  - in Scream 4 Sound Destruction Unit, **279**
  - for Thor filters, **190**
- Retrig mode
  - in NN-19 Digital Sampler, **217–218**
  - in SubTractor, **168**
- Returns, in mixer, **38**, **51**
- reverb, **391**
  - for Dr. Rex loops, **106**
  - impact of, **263**
  - in Redrum Drum Computer, **136–137**
- reverb algorithms, in RV7 Digital Reverb, **263**
- Reverse algorithm, in RV7000 Advanced Reverb, **284**
- Rewind button, on Transport panel, **63**
- ReWire protocol, **3**, **4**, **393–397**
  - hosts and clients, **395**
  - stereo output, **395–397**
  - uses, **394–395**

- REX File Browser, 54
  - REX files, 14, 42, 54, 84
    - browsing and loading, 46
    - commercial collections with, 85
    - to create Redrum kit, 133
    - creating drum patches from, 228–229
  - REX lane, 99
  - REX loops
    - creating with ReCycle, 84–85
    - extracting grooves from, **327–328**
    - sending to sequencer track, 97, 97
  - .rfl file format, 24
  - right-clicking. *See* context menus
  - Ring Modulator, for SubTractor Oscillator, 165, **170**
  - ripping samples in NN-XT Advanced Sampler, **252–253**
  - .rns file format, 25, 54, 80
  - “robot voice”, 321–322
  - Rock Kits folder, 114
  - Roland, Ediol product line, 12
  - Roland V-Synth, 151
  - Room algorithms
    - in RV7 Digital Reverb, 263
    - in RV7000 Advanced Reverb, 283
  - root key, 220
    - assigning for sample, 224
    - setting for key zone, 221
  - Root Key setting, in NN-XT Remote Editor, 237
  - Rotary controls
    - in Combinator, 333
    - in Thor, 187, 188
      - assigning parameter, **201–202**
  - routing, **79–80**
    - in Combinator device, **336–337**
    - in Dr. Rex Loop Player, 87, 88
    - in Malström, **184**
    - in Redrum Drum Computer, 113, **113–114, 142–145**
    - individual outputs, **142–143**
    - Matrix Pattern Sequencer for controlling, **144**
      - to trigger another, **145**
    - in SubTractor, **172–173**
  - RPG-8 Monophonic Arpeggiator, 2, **312–318**
    - creating and playing, 315
    - creating patterns, 316
    - default CV routing, 313
    - default settings, 315–316
    - interface, 313, **313–315**
    - Note Edit lane for, 366
    - recording arpeggios, 316–317
  - .rps file format, 25, 27, 54, 80
    - creating, 81
    - song information in, 401
  - .rsb file format, 54
  - .rsn file format, 401
  - Run button
    - in Matrix interface, 78
    - in Thor Step Sequencer, 196
  - Run Mode Selector, in Thor Step Sequencer, 196
  - Run Pattern Devices button, in Combinator, 332
  - RV7 Digital Reverb, 137, 262, **262–264**
  - RV7000 Advanced Reverb, 2, 48, 137, 281, **281–286**
    - advanced parameters, **282–285**
      - Reverb mode, **283–284**
    - creating patches, **285–286**
    - main panel, 282
    - Matrix Pattern Sequencer with, **306–307**
  - .rx2 file format, 14, 54, 84
    - playing in Redrum, 133
- 
- S**
- Sample Browser, 54
  - Sample Display, in Redrum Drum Computer, 128, 128

- Sample End setting, in NN-XT Remote Editor, 237
- sample rate, 19, **20**
  - for audio export, 397
  - in NN-19 Digital Sampler, 213
  - in NN-XT Advanced Sampler, 234
- Sample Start, in NN-19 Oscillator, 215
- Sample Start setting, in NN-XT Remote Editor, 237
- Sample Start Velocity Amount control, in NN-19 Digital Sampler, 219
- Sample Tune setting, in NN-XT Remote Editor, 237
- samplers, 205. *See also* NN-19 Digital Sampler; NN-XT Advanced Sampler
  - basics, **206–211**
    - content, **209–211**
    - hardware vs. software, **206–207**
    - using, **207–209**
  - Note Edit lane for, 366
- samples
  - creating, **251–254**
  - in NN-19 Digital Sampler
    - adding multiple, 223–224
    - adding to key zones, **226**
    - loading, 220–221
  - in NN-XT Advanced Sampler
    - single-sample patch, 238–240
    - switching out, 239
  - in Redrum Drum Computer, **145–146**
- Save dialog box, 397
- saving
  - edits, 93
  - effects, **260–261**
  - patches, 46
  - songs, **25, 80–81, 397–401**
- Saw waveform, 152
- Scale parameter
  - in Scream 4 Sound Destruction Unit, 279
  - in Thor, 194, 195, 201
- Scale Tempo setting, in Tool window, 102, *102*
- Scream 4 Distortion, 2, 48, 48, 106
  - in Redrum Drum Computer, 138
- Scream 4 Sound Destruction Unit, **276–281**
  - damaging drum loop, 280
  - loading patches, **277–279**
  - tape compression, 280–281
- Scream setting, in Scream 4 Sound Destruction Unit, 278
- scroll bars, 26
- searching, in Reason browser, **56–57**
- Select All function
  - for clips, 374
  - for tracks, 379
- Select Groove menu, for instrument track, 71
- Select Next Sample button, in Redrum Drum Computer, 128, 128
- Select Pattern lanes, 376
  - in sequencer Arrange view, 361, 361
- Select Previous Sample button, in Redrum Drum Computer, 128, 128
- selecting slices, 91
- selection rectangles in sequencer Arrange view, **363**
- Selection tool in sequencer, 69, 76
  - Arrange view, **361–362**
  - Edit view, 368
  - for editing automation, 383
- self-containing Reason songs, **399–400**
- Self-Oscillation button, for Thor filters, 190
- send effects, **50–51**, 258
  - creating, **51**
    - DDL-1 Digital Delay as, 267
    - in Redrum Drum Computer, **136**
- Send Mode, for CF-101 Chorus/Flanger, 269
- Send Outputs
  - in mixer, 51
  - in Redrum back panel, *113*

- Sends parameter
  - in mixer, 38
  - in Redrum Drum Computer, 128, 128
- sequencer, 32, **66–72**, **360–380**
  - arpeggio creation in, **317–318**
- Arrange view, 66, **66–67**, 360
  - creating and editing note clips, **375–376**
  - drawing automation in, **381–382**
  - Erase tool, **362**
  - Hand tool, **363**
  - key commands for tools, **364**
  - lanes and clips in, **360–361**
  - Magnify tool, **363**
  - Pencil tool, **362**
  - Razor tool, **362–363**
  - selection rectangles, **363**
  - Selection tool, **361–362**
- arranging in, **385–393**
  - cutting, copying and pasting clips, **385–386**
  - joining clips, **387**
  - pattern device tracks conversion to notes, **390–391**
  - recording options with instrument tracks, **388–390**
- automation, 105
- creating drum track from scratch, **124–127**
- detaching from rack, **32**
- and Dr. Rex Loop Player, **96–102**
  - copy to track, **96–98**
- Edit view, 67, **67**, 360
  - creating and editing note clips, **375–376**
  - creating performance, **370**
  - drawing automation in, **383**
  - editing Note clips, **371–372**
  - lanes and clips in, **365–368**
  - resizing, 368
  - tools, **368–369**
  - velocity editing, **372–373**
- editing drum patterns in, **122–123**
- Inspector bar, 387, **387–388**
- interface, **69–72**
  - Toolbar, 69, 69–70
  - Track list, **71–72**, **376–378**
- performance creation, 75
- performance recording, **72–74**
- recording drum pattern, **121–122**
- Switch to Edit mode, 99
- terminology, **68–69**
  - and Tool window, 73–74
- Sequencer Direction Selector, in Thor Step Sequencer, 197
- Sequential Circuits Prophet 5, 150
- Set Slice Level setting, in Dr. Rex Loop Player, 92
- Set Slice Pan setting, in Dr. Rex Loop Player, 92
- Set Slice Pitch setting, in Dr. Rex Loop Player, 91
- .sf2 file format, 112
- Shaper section
  - in Malström, **177**, **177**, **181–182**
  - in Thor Voice Programmer, **191**, 191
- Shift knob
  - in BV512 Digital Vocoder, 319
  - for Malström oscillator, 175, 179
- shortcut keystrokes. *See* keyboard shortcuts
  - on computer
- Show Automation Indication setting, 18
- Show Devices button, in Combinator, 333
- Show Parameter Value Tool Tip setting, 17
- Show Programmer button
  - in Combinator, 333
  - in Thor, **187**, 188
- Shuffle control
  - in Matrix interface, 78
  - in Matrix Pattern Sequencer, 301

- for ReGroove channel, 324
  - in RPG-8 interface, 315
- shuffle, programming in Redrum Drum Computer, **119**
- signal processing, and effects, **391**
- signals, creating multiple versions, 272
- simulated arpeggio, Malström for creating, **183–184**
- Sine waveform, 153
- Single Note Repeat control, in RPG-8 interface, 314
- single-sample patch
  - NN-19 Digital Sampler for creating, **220–222**
  - in NN-XT Advanced Sampler, **238–240**
- Size control, for RV7 Digital Reverb, 262
- slices, 84
  - creating drum kits from, 132
  - editing, in Dr. Rex Loop Player, **91–92**
  - playing in Redrum, **133**
  - rearranging to create new loops, 99
  - velocity for, 100
- Slide knob, for ReGroove channel, 324
- Small Space algorithm, in RV7000 Advanced Reverb, 283
- Smart Loops, 246
- .smp file format, 212, 214, 231
- Snap To Grid button, 99, **370–371**
  - in sequencer, 70
- snare drum pattern, 116
- soft clip, 291
- software, vs. hardware, for sampling, **206–207**
- Solo button
  - for channel strip, 38
  - for instrument track, 71
  - with randomized drum pattern, 125–126
  - in Redrum Drum Computer, 128, *128*
- SONAR, 394
- Song Browser, 54
- Song Information dialog, 400–401, *401*
- Song Position setting, on Transport panel, 63
- Song Self-Contain Settings dialog, 400, 400
- songs
  - creating, 31
  - default demo, 26, 26
  - demo, **27**
  - mixing, **392–393**
  - saving and exporting, **25, 80–81, 397–401**
- Sony Acid, drum loops for, 141
- sound cards, Reason requirements, **7–9**
- Sound Forge, 254
- Sound on Sound, 8–9
- Sound Studio, 254
- SoundFont file format, 25, 210
  - creating custom kits from, 127
  - for Redrum, 112
- Source list, in Combinator Programmer, 335, 335
- Source parameters, in Thor, 194, *194*
- spacebar, for playback, 65
- Spider Audio Merger and Splitter, 307, **307–309**
- Spider CV Merger and Splitter, **309–312**
- splash window, including information for, 400, *401*
- split instrument combinator patches, **346–347**
- Split knob, for PH-90 Phaser, 271
- splitting
  - audio, **307–309, 308**
  - CV (control voltage) inputs, **310**
- spoken word, 222
- Spread knob
  - in Malström, 178
  - in NN-19 Digital Sampler, 217
- Spring algorithm, in RV7000 Advanced Reverb, 283
- Square waveform, 152
- staccato notes, 155

- Start control, for Redrum channel strips, 129
- State Variable filter, in Thor, 190, 190
- Steinberg music software company, 4
  - HALion, 246
- Step Programmer in Redrum, 113, 116
- Step Sequencer, in Thor, 185, 187, **196–197**, **202–204**
- Steps knob, in Thor Step Sequencer, 197
- Steps setting, in Matrix Pattern Sequencer, 301
- Stereo Echoes algorithm, in RV7 Digital Reverb, 263
- Stereo Indicator, in Redrum Drum Computer, 128, 128
- stereo output
  - in Redrum back panel, 113
  - with ReWire, **395–397**
- stereo routing
  - for effects, 259–260
  - in Spider Audio Merger and Splitter, 308
- stereo subtractor sound, 272
- Stop button, on Transport panel, 63
- submix, creating, 142
  - with NN-XT, **250–251**
- subtractive synthesis, **150**
- SubTractor Analog Synthesizer, 2, 4, *41*, **41**, *163*, **163–173**
  - adding to song, 45
  - Amplitude Envelope, 154–156
  - Audio Output, 172
  - combining elements, 173
  - creating drum sounds with, 171–172
  - creating patches, **168–172**
    - with FM parameter, 169
    - with phase offset modulation, 170
    - with Ring Modulator, 170
    - with Velocity section, 171
  - for drum kit, **353–355**, 354
  - Filter Envelope section, 158
  - Frequency and Resonance controls, 157
  - interface, **164–168**
    - envelopes, 166, **166**
    - filters, **166**, 166
    - LFOs, 166, **166–167**
    - oscillators, 164, **164–165**
    - play parameters, **167–168**, 168
  - inverting filter, 159
  - LFO to create filter sweep effect, 161–162
  - loading, playing and saving patches, **163–164**
  - modulation envelopes, 159
  - oscillator waveforms, 153
  - routing options (CV), 39, **172–173**
  - synthesis used by, 150
  - UN-16 Unison with, 272
- support resources for Reason, **23**
- Sustain parameter
  - for envelope generators, 154, 155
  - in SubTractor, 158
- “swing” feel to Redrum beats, 119
- .sxt file format, 212, 231
- Sync parameter
  - for CF-101 Chorus/Flanger, 269
  - for LFOs, 161
  - for PH-90 Phaser, 271
  - for Thor Step Sequencer, 197
  - for Thor Voice Programmer, 192, 192
- Synth parameters, in NN-19 Digital Sampler, 214
- synth sequence, creating, **79**
- synthesis, types used in Reason, **150–151**
- synthesizers, 149. *See also* Malström Graitable Synthesizer; SubTractor Analog Synthesizer
  - basics, **150–151**
  - components, **151–163**
    - envelope generators, **153–156**
    - filters, **156–160**
    - LFOs, **160–163**
    - oscillators, **152–153**
  - NN-XT for, 234
  - Note Edit lane for, 366

- 
- T**
- tape compression, 280
  - Tape distortion, in Scream 4 Sound Destruction Unit, 278
  - Tape Op, 9
  - Target parameter, in Combinator Programmer, 335, 335
  - Tech Support, 23
  - Template Documents folder, 81
  - tempo
    - for previewing loops, 88
    - setting on Transport panel, 62
    - in Thor Polysonic Synthesizer, 197
  - Thor Polysonic Synthesizer, 2, 42, 42, **185–204**
    - adding to song, 45
    - creating patches, **197–200**
      - adding third filter, 199
      - basic patches, **198–199**
      - with Modulation Bus Routing, **200–202**
      - with Step Sequencer, **202–204**
      - two-oscillator patch, **199**
    - interface, 185, **185–188**
      - Controller panel, 186, 187, **187–188**
      - Global section, 193, **193**
      - Main programmer, 186, **188–190**
      - Modulation Bus Routing section, 186–187, 193, **193–196**
      - Step Sequencer, **187, 196–197**
      - Voice Programmer parameters, **191–192**
    - loading, playing and saving patches, **185**
    - modulation envelopes, 159
    - oscillator types, 153
    - synthesis used by, 150
    - wavetable synthesis, 151
  - Threshold setting, for Comp-01 Compressor, 274
  - Time Position setting, on Transport panel, 63
  - time signature, 63
    - in Redrum Drum Computer, 117–118
  - time-stretching programs, 84
  - timing in performance, quantization to fix, 74
  - TinkerTool, 7
  - Tone control, for Redrum channel strips, 129
  - Tool window, 31, 31, **52**
    - Alter Notes function, 101, 101
    - Automation Cleanup, 383, 383–384
    - Devices tab, 31, 33, 52, 52
    - and Dr. Rex Loop Player, **100–102**
    - Groove tab, 52, 52, 325, 325
    - Note Velocity section, 102, 102
    - Pitch (Transpose) function, 101, 101
    - Quantize function, 100–101, **389–390**
    - Scale Tempo setting, 102, 102
    - and sequencer, 73–74
    - Tools view, 52, 52
    - velocity editing with, 373
  - Toolbar in sequencer, 69, 69–70
    - Edit view, **368–369**
  - Toontrack, EZPlayer, 246
  - Track Color function, 380
  - Track list
    - Edit and context menus, **378–380**
    - in sequencer, 71–72, **376–378**
  - Track Parameter Automation, in sequencer, 70, 367, 367–368, 381, 381
  - tracks, 68–69
    - converting pattern device, to notes, **390–391**
    - creating, 376
    - moving clips between lanes and, **387**
    - sending arpeggio notes to, 318
  - Transport panel, 27, 32, 61, **61–66**
    - Automation As Performance Controller button, 385
    - keyboard shortcuts, 65
    - using, **65–66**

Transport panel track, 377  
 Transpose field, in Combinator Programmer, 334  
 tremolo effect, 216  
 Triangle waveform, 107, 153  
 Trigger button, in Redrum Drum Computer, 128, 128  
 Troutman, Roger, 318  
 Tube setting, in Scream 4 Sound Destruction Unit, 278  
 Tweakheadz Lab, 8  
 TwistedWave, 254  
 Type selector, in Scream 4 Sound Destruction Unit, 279

---

UN-16 Unison, 272, 272  
 undoing pattern programming, 117  
 Unipolar Curve mode, 300, 300  
 USB ports, 10

---

velocity  
   editing, 372–373  
   and MIDI, 58  
   and multilayered instrument patch, 209  
   for slices, 100  
 Velocity controls  
   for DDL-1 Digital Delay Line, 268  
   for Dr. Rex Loop Player, 96, 96  
   for Malström, 177–178  
   for NN-19 Digital Sampler, 218  
   for NN-XT, 248  
   for Redrum channel strips, 129  
   for Redrum Drum Computer, 128, 128  
   in RPG-8 interface, 313  
   for SubTractor, 167–168, 171  
   for Thor filters, 190  
 velocity crossfading, in NN-XT Advanced Sampler, 243–244

Velocity lane, in sequencer Edit view, 367, 367  
 velocity layered combinator patches, 347  
 Velocity Range, in Combinator Programmer, 334  
 View Mode selector, in sequencer, 69  
 Virtual Instruments, 9  
 vocal tracks  
   delay for, 265  
   sequencing in NN-19 Digital Sampler, 226–227  
 Vocoder, 318  
 Vocoding, percussive, 320–321  
 Voice Programmer, in Thor, 186, 191–192  
 Voice: Throat gaintable, 179  
 Volume control, in Malström, 175, 178  
 volume, for slices, 92

---

wah-wah, Mod Wheel as, 108  
 Waldorf PPG Wave 2, 151  
 “waltz” time, 63  
 Warp setting, in Scream 4 Sound Destruction Unit, 278  
 Wave Editor, 254  
 Wave file format, 25  
   converting CD to, 252  
   converting into REX format, 84–85  
   creating custom kits from, 127  
   exporting drum loop as, 141  
   for Redrum, 112  
   for saved songs, 397  
 Waveform Display  
   for Dr. Rex Loop Player, 86, 90  
   for SubTractor Oscillator, 164, 165  
 waveforms, 152–153  
   changing shape, 177  
   in Dr. Rex Loop Player, 95  
   for LFOs, 161  
 WaveIdea Bitstream, 12  
 WaveLab, 254

Wavetable oscillator, in Thor, 189, 189  
 wavetable synthesis, 151  
 Web resources  
   on audio hardware interfaces, 8  
   audio magazines, 8  
   for free samples, 210  
   for ReFills, 24  
 website, for Propellerhead, 23  
 White, Paul, *Basic Mixing Techniques*, 393  
 Width knob, for PH-90 Phaser, 271  
 Window menu  
   >> Attach Sequencer, 32  
   >> Detach Sequencer Window, 32  
   >> Show Tool Window, 31

Windows (Microsoft)  
   audio output, 19  
   Reason requirements, 6

---

**Y**

Yamaha CS-80, 150  
 Yamaha's DX7 synthesizer, 150

---

**Z**

Zero-G, 85, 209  
 zoom, with sequencer Magnify tool, 70, 363