

Subject Index

Index by Page

a

- activity 311–313, 315
 - gradient 326
- adatoms, mobile 349
- adpopulation 206–207
- adsorption
 - energy 204
 - *Langmuir* adsorption 203–204
 - physical chemical 192
- AFM (atomic force microscopy) 38
- alloys 311–321
 - aluminium-silicon alloy 365
 - Cd-Te (cadmium-tin) alloys 127, 362
 - crystallization 311–312
 - non-equilibrium crystallization of alloys (*see there*) 331–339
 - DLP (delta lattice parameter) model 320
 - ideal alloy 311
 - near-equilibrium conditions 316–317
 - nickel-based superalloy 219
 - ordering alloy 284
 - pearlite in iron-carbon alloys 371
 - phase
 - diagrams 317–319
 - equilibria 313–314
 - regular solution model 314, 318, 324
 - silicon-germanium alloys 224
 - steel alloy 365
- α -factor 362
- alumina 162
- aluminium / copper metallization 248
- aluminium-silicon alloy 365
- AMLCDs (active matrix liquid crystal displays) 258
- ammonium chloride – water casting 383
- amorphous
 - layer 66, 70
 - materials 19–21
 - network structure 20
 - phase 215

- analogues, transparent 293
- angle
 - contact 191
 - wetting 191
- anisotropy / anisotropic 152–153
 - of the growth rate 153, 261, 292, 358
 - interface kinetics 152–153
 - kinetic coefficient 353
 - stability with anisotropy 153
 - surface tension 353
- argon 14
- Arrhenius* plot 1
- arsenic diffusion in silicon 50
- arsine 205
- atom / atomic
 - AFM (atomic force microscopy) 37
 - cluster of 176, 190
 - dopant atoms 45
 - flux of 8
 - to a surface 266
 - interstitial 20
 - layer epitaxy (ALE) / atomic deposition (ALD) 238–239
 - mobile adatoms 349
 - substitutional 20, 30
- autoclave 125
- Avogadro's* number 4
- Avrami* exponent 200
- axi-symmetric growth 122
- azobenzene-benzil 367

b

- backscattering / backscattered
 - *Rutherford* backscattering 67–68
 - yield, backscattered 71
- Baluffi and Simmions* experiment 34–35
- bamboo structure 43
- Barrel* reactor 247
- Becker-Dring* analysis, nucleation 183–187, 206

- limitations of 188
 - bio-polymers 308
 - black body 254
 - Boltzmann*
 - distribution 4–6
 - factor 1, 158, 177, 267
 - statistics 1
 - Boltzmann-Matano* analysis 93–96
 - concentration-dependent 93
 - bond
 - dangling 20
 - energies 314
 - wafer 72
 - boron diffusion in silicon 50–51
 - Boron* oxide 121
 - boundary
 - condition
 - – for heat flow 112
 - – initial surface concentration 91–92
 - – zero flux boundary condition 93
 - equilibration of the boundary angles 347, 369
 - grain (*see* there) 38–39, 41, 139, 167, 347–348
 - high-angle 38
 - inter-phase 368
 - layer 133, 137–139, 145, 343
 - – diffusion boundary layer 373
 - – limited growth 232
 - – steady-state 138
 - moving boundary problems 97
 - tilt 38
 - Bragg-Williams* model 297
 - Bremsstrahlung 251
 - Bridgman* growth methods 112, 123
 - bubbles, coarsening 346–347
 - Burton, Primm and Schlichter* (BPS) analysis 139–142
- c**
- cadmium-tellurium phase diagram 127
 - cadmium-tin alloy 362
 - Cahn and Hilliard* gradient energy 327
 - calculation of eutectic interface shape 372–373
 - calorimeter 197
 - camphor-succinonitrile eutectic 378
 - capping layer 41
 - capture length 207
 - carbon
 - in iron 30
 - low carbon steel 363
 - pearlite in iron-carbon alloys 371
 - tetrabromide-hexachloroethane 373
 - carrier
 - concentration 46
 - molecule 236
 - casting of metals 113–114, 196, 352
 - columnar region 381
 - continuous 113
 - dendrite remelting 382–385
 - dendrite-arm spacing in a casting 345
 - grain structure of castings 381–382
 - preferred orientation 381
 - side branches 382
 - zones
 - – chill zone 381
 - – equiaxed zone 382
 - catalyst / catalysis / catalytic
 - converter, catalytic 162
 - platinum catalyst 162
 - reaction rate theory 162–163
 - – heterogeneous 162
 - – homogeneous 162
 - cavitation, nucleation 193–194
 - cavitation test 194
 - re-entrant cavities 194–195
 - CBE (chemical beam epitaxy) 238
 - Cd-Te (cadmium-tin) alloys 127, 362
 - cellular
 - growth 147
 - substructure 147
 - ceria 162
 - chain-folding 308
 - Chalmers* growth method 123–124
 - channeling
 - direction 69
 - ion implantation 69–70
 - charge neutrality 35
 - chemical
 - beam epitaxy (CBE) 238
 - potential 311, 335
 - – difference 262–263
 - reaction rate theory (*see* reaction rate) 155–173
 - chill zone, castings 381
 - chloro-silane 211, 230
 - Clausius-Clapeyron* equation 264
 - cloud seeding to induce rainfall, nucleation 195
 - cluster / clustering 314
 - of an atom 176, 190
 - – on a surface, cluster formation 207–209
 - critical cluster size 186
 - distribution 183, 188, 209, 342
 - equilibrium distribution of clusters 208
 - free energy from a cluster 177, 188
 - supercritical 177

- CMOS transistors 58
- coarsening / ripening 341–349
 - bubbles 346–347
 - of dendrites 344–345
 - free energy of a small particle 341–344
 - grain boundaries (*see there*) 347–348
 - scratch smoothing 348–349
 - sintering 345–346
- collapse pressure 194
- collisions 11
 - focusing 65
- columnar
 - deposit 218
 - region, castings 381
- composition
 - distribution 136
 - field 152
- computer simulations / modeling
 - Monte Carlo 189, 210, 263, 278, 287–288, 296, 301, 333, 336
 - non-equilibrium crystallization of alloys 333–334
 - surface-roughening transition 298–304
 - – determination of kinetic coefficient 301–302
 - – simulations of silicon growth 302–304
 - concentration
 - Boltzmann-Matano analysis, concentration dependent 93
 - carrier 46
 - diffusion, concentration dependent coefficient 93
 - equilibrium 28–30, 32–34
 - field 99
 - Gaussian, concentration distribution 79–82
 - profile 104, 143
 - vacancy 29
- conduction band 45
- conductor stripe 42, 235
- congruent melting composition 126
- constitutional supercooling 143–148
- contact angle 191
- convection / convective
 - flow 139
 - in the melt 137, 141
- cooling
 - Newton's law of cooling 158
 - supercooling 167
 - – constitutional 143–148
 - – of water 190
- copper 38
 - aluminium / copper metallization 248
 - in silicon 30
- coverage
 - over steps 235
 - surface coverage 209–211
- critical
 - cluster size 186
 - exponent 285
 - opalescence 324
 - point 169, 172–173, 175, 284, 324–325
 - – between liquid and vapor 172–173
 - – theoretical 297
 - radius 177, 341
 - temperature 169
- Crook's dark space 243
- crystal(s)
 - AMLCDs (active matrix liquid crystal displays) 258
 - diffusion in 27–43
 - equilibrium shape of a crystal 261
 - Frank's defects in crystal structure 275
 - growth methods 117–128, 293
 - – melt growth (*see there*) 117–124
 - – solution growth (*see there*) 124–126
 - – stoichiometry 126–127
 - – vapor phase growth 126
 - growth rate of 262–263
 - ice crystals, dendrites 294
 - iron carbide crystals 306
 - liquid crystals 293
 - – displays 217
 - macroscopic shape of 261
 - quartz crystals 125
 - rough crystal surface 273
 - rotation 119
 - salol crystals 196
 - seed crystal 119
 - spiky crystals 305
- crystalline
 - polycrystalline deposit 218, 236
 - superheated crystalline phase 167
- crystallization
 - of alloys 311–312
 - – non-equilibrium crystallization of alloys (*see there*) 331–339
 - amorphous silicon 216
 - behavior 272
 - entropy change on 292
 - explosive 216
 - glass 109, 269
 - industrial 195–196
 - molecular dynamics (MD) of melt crystallization kinetics 269–272
 - polymer crystallization 308–309
 - silica, crystallization rate 110
 - Temkin crystallization 333

- Curie*
 - point 284
 - temperature 169
- curvature of an interface, eutectics 368–370
 - undercooling due to curvature 368
- CVD (chemical vapor deposition) process
 - 204–205, 211, 229–233
 - growth by a surface-decomposition reaction 204–205
 - metal-organic CVD (*see* MOCVD) 233
 - reactors 230
 - – barrel reactor 230
 - – horizontal reactor 230
 - – pancake reactor 230, 235
 - – vertical reactor 230
- cyclohexanecamphene, faceted interface 366
- cylindrical coordinates 81, 105
- Czochralski*
 - growth 112, 117–121, 304
 - LEC (liquid-encapsulated *Czochralski*) 121
 - silicon 56–57, 210
- d**
- dangling bonds 20
- dark space
 - *Crook's* 243
 - *Faraday's* 243
- Dash* dislocations in silicon 119
- DC (direct current) plasma 235, 241–243
- DDT 306
- deal-grove
 - analysis 100–102
 - coefficients 101
- Debye* frequency 158
- defect
 - *Frank's* defects in crystal structure 275
 - interaction 66
 - in layer 223
 - topological defect 347
- delta doping 37
- dendrites / dendritic 351–359
 - coarsening 344–345, 383
 - conditions 351–353
 - distribution coefficient 358–359
 - eutectic, primary dendrites 375
 - growth rate, dendritic 113, 130, 147, 294, 351, 358–359
 - – faceted growth 358
 - – lead in tin alloy 359
 - – in nickel 356
 - – in succinonitrile 356
 - ice crystals, dendrites 294
 - model 353–357
 - orientation 353
 - phase-field modeling 358
 - remelting, casting 382–385
 - structure 345
- dendrite-arm spacing 344–345
- density
 - difference 172
 - of growth sites 262, 274, 288
 - of states 45
- denuded zone 58
- deposition / deposited
 - ion-beam deposition 61
 - metals, deposited 236
 - MOCVD deposition 205
 - nucleation on a surface during vapor deposition 206–207
 - rates, thin-films 126
 - surface layers, deposited 210–213
 - time-dependent 209
- diameter control, automatic 118
- diamond cubic structure 20
- difference
 - equation 91
 - finite difference method for diffusion 91
- differential thermal analysis (DTA) 197
- diffracted intensity 281
- diffusion
 - in amorphous materials 19–26
 - – in polymers 24–25
 - – in silica 20–21
 - – in silicon and germanium 20–22
 - approximate diffusion solution 106
 - boundary layer 373
 - coefficient 8, 12, 25, 28, 93, 268
 - – concentration dependent 93
 - – measurement of 36–37
 - – in silicon coefficients 48
 - couple 36, 38, 83, 94, 361
 - in a cylinder / in cylindrical coordinates 81, 89
 - in crystals 27–43
 - – in ionic crystals 35
 - – mechanism in 28
 - distances 13, 84, 103, 137, 150
 - of a dopant 85
 - equation 77–90
 - – error function concentration distribution 82–84
 - – *Gaussian* concentration distribution 79–82
 - – separation of variables 85–90
 - – time-dependent 78
 - – – one-dimensional time-dependent diffusion equation 135
 - in eutectics 370–372

- in fluids 11–17
- - in a gas 11–12
- - in liquids 12–16
- in grain boundaries (*see there*) 38–39, 41
- interstitial 30–31
- mathematics of (*see there*) 75–96
- mobility 349
- at a moving interface 134–138
- recombination-enhanced diffusion 52–53
- in semiconductors (*see there*) 45–59
- in a sphere / spherical coordinates 82, 89
- spreadsheet solution 92
- steady-state diffusion 102, 105, 135, 139, 151, 344
- - spherical coordinates 102
- surface diffusion 37–38, 208, 346, 349
- up-hill diffusion 325
- vacancy (*see there*) 28–30, 47–49
- diffusion-controlled growth 102–105
- diffusion-limited growth 105–107, 111
- in cylindrical coordinates 105–107
- dislocation
 - core 221
 - *Dash* dislocations in silicon 119
 - misfit dislocations, surface layers 219–223
- dissociation 241
- distribution
 - Boltzmann 4–6
 - cluster 183, 188, 209, 342
 - coefficient 314, 332, 335
 - - nn-equilibrium 335
 - composition 136
 - dopant(s) 67
 - Gaussian concentration distribution 79–82
 - probability 75, 77
 - radial distribution function 260
 - site distribution function 273
 - - particle-size distribution 342
- DLP (delta lattice parameter) model, alloys 320
- DNA forms 308
- dopant(s)
 - atoms 45
 - distributions 67
 - in silicon 30
- doping
 - delta 37
 - n-type 53
 - p-type 53
 - of semiconductors 53
 - solid-state doping 58–59
- Dring-Becker* analysis, nucleation 183–187
- drift component 35
- drive-in 53, 81, 84
- driving force 109
- droplet nucleation experiment, *Turnbull's* 179–181, 190
- DTA (differential thermal analysis) 197
- e**
- ECR (electron cyclotron resonance) 251
- EDAX 36
- effusion cells 238
- Einstein* relation 35
- electrically active
 - dopants 253
 - phosphorus 50
- electromigration 40–43
- electron / electronic
 - ECR (electron cyclotron resonance) 251
 - resonant frequency 251
 - stopping 62
- emissivity 254, 256
- emitter push 50
- end of range 63, 70, 93
- energy
 - adsorption energy 204
 - free energy from a cluster 177, 188
 - Gibbs-free 165
 - kinetic 3
 - potential 5
 - recombinant 52
 - surface-free 181–183
 - vacancy
 - - energy level of 47
 - - formation energy 29
 - - motion energy 29
- energy-loss spectrum 62, 68
- entropy
 - difference 161, 172, 267, 298
 - of fusion 298
 - of mixing 32, 311, 317
- epitaxy / epitaxial
 - chemical beam epitaxy (CBE) 238
 - regrowth, epitaxial, solid-phase 66
 - thin-films in surface layers 210–212
 - - heteroepitaxy 211–212
 - - homoepitaxy 210–211
 - - molecular beam epitaxy (*see* MBE) 211, 238
- equilibrium
 - concentration
 - - segregation 129
 - - vacancy 28–30, 32–34
 - distribution of clusters 208
 - shape of a crystal 261

- equilibrium surface structure, surface-roughening transition 287–298
- application of surface roughening to materials 291–294
- computer simulations 298–304
- growth morphologies 304
- kinetic roughening 305–307
- polymer crystallization 307–309
- rate-theory analysis of surface roughness 295–296
- snow flakes 294–295
- surface roughness in the *Ising* model 297–298
- thermodynamic model for surface roughness 288–291
- error function 53, 82–84
- etcher, plasma etching 245–248
 - anisotropic etching 245–246
 - parameters 247
 - RIE (reactive ion etching) 241, 245, 248
 - selective etching 245
- eutectic(s) 361–379
 - calculation of eutectic interface shape 372–373
 - camphor-succinonitrile eutectic 378
 - classes I-III of eutectic microstructures 362–367
 - colonies, eutectic 378
 - coupled growth 374–378
 - curvature of an interface 368–370
 - dendrites, primary 375
 - diffusion 370–372
 - distance 379
 - lamellar eutectics, analysis of (*see there*) 362, 367–368
 - microcellular structure 378
 - off-composition 373–374
 - phase diagram 319, 361–362, 374
 - photograph 374
 - third-component elements 378
- excitation 241
- expitaxial growth 236

- f**
- facet
 - effect 332
 - growth, faceted 283, 304
 - side branche 304
- failure, mean time to 43
- Faraday* dark space 243
- feed rod 122
- Fermi* function 45
- ferromagnet 169
- Fick's* first law 12, 27, 77, 99

- field
 - composition 152
 - concentration 99
 - gravitational 5
 - oxide 20, 58, 98
 - thermal 111, 152
- films
 - soap films 346
 - thin (*see thin-films*) 126, 210–213, 227–239
- finite
 - difference 90
 - method for diffusion 91
 - element 90
- floating zone 121–122
- flow
 - convective 139
 - gas-phase flow 231
 - heat 78, 112, 118
 - torroidal 122
- fluctuation
 - dissipation theorem 277–281, 301
 - at equilibrium 277
 - in the growth rate 137, 277–281
 - sinusoidal 281
 - surface fluctuation 281
 - temperature 382
- fluids, diffusion in 11–17
 - in a gas 11–12
 - in liquids 12–16
- fluorescence, X-ray 37
- fluorine ions 248
- flux
 - of atoms (*see there*) 8, 266
 - growth 125
 - specified at surface 89
 - zero flux boundary condition 93
- focusing collision 65
- formation of the new phase 197
- Fourier* series 86
- fractal deposits, surface layers 217–219
- Frank's* defects in crystal structure 275
- Frankel*, vapor melt growth 263
- Frank-Van der Merve* growth 213
- free-energy
 - from a cluster 177, 188
 - curves 264
 - of a step 269
- free-volume model 23
- freeze / freezing
 - melt growth, horizontal gradient freeze 124
 - normal freezing 131
- freezing-point depression 317

Frenkel's growth 268
 furnace annealing 253, 258
 fusion, entropy of 293

g

GaAlAs 211
 GaAs 51–52, 205, 224, 233, 239, 257
 – MOCVD of 205
 – zinc diffusion in 51–52
 GaAsSb 233
 GaInAsP 211
 gallium
 – arsenide 211
 – nitride 211
 – tri-methyl 205
 gap
 – direct 52
 – indirect 52
 garnets 212
 gas
 – constant 4
 – diffusion in 11–12
 – ideal gas 2
 – kinetic theory 6–7
 gas-phase
 – diffusion 53
 – flow 231
 – pressure diagram 234
 Gaussian 53, 93
 – concentration distribution 79–82
 – – concentration profile 81
 germanium 19–22, 68
 – deposited 214
 – diffusion in 20–22
 – network glass formers 19–22
 – silicon-germanium alloys 224
 gettering 57–58
 – extrinsic 58
 – intrinsic 57
 Gibbs 261
 Gibbs-free energy 165
 Gibbs-Thompson effect 150, 181
 glass 19–24, 179
 – crystallization 109, 269, 338
 – formers 19
 – metallic glass 19, 214, 331
 – molecular glass 19
 – network glass formers 19, 20–22
 – – germanium 19–22
 – – silica 20
 – – silicon 20–22
 – spin glass 286
 – transition 19, 22–23
 glycerin 193

glycerol 19
 gold on rock salt 212
 gradient
 – activity 326
 – energy (Cahn and Hilliard) 327
 – freeze, horizontal 124
 grain
 – boundaries 38–40, 41
 – – coarsening 347–348
 – – coincidence site boundaries 348
 – – diffusion in 38
 – – high-angle 348
 – – segregation in 38, 139, 167
 – – small-angle 348
 – – twin boundary 348
 – coalescence 236
 – growth 236, 346, 348
 – refiners, nucleation 196
 – size 42, 236
 gravitational field 5
 gray body, ideal 254–255
 growth
 – active growth site 262, 267, 273, 276, 312, 333
 – anisotropy of the growth rate 153, 261, 292, 358
 – axi-symmetric 122
 – boundary layer limited growth 232
 – Bridgman growth 112
 – cellular growth 147
 – configurations for LPE 228–229
 – critical growth rate 359
 – crystal growth
 – – habit 293
 – – methods (*see there*) 117–128
 – – rates 262–263
 – CVD growth by a surface-decomposition reaction 204–205
 – Czochralski growth 112, 117–121, 304
 – dendritic (*see also dendrites*) 113, 130, 147, 294, 351, 359
 – – faceted growth 358
 – – lead in tin alloy 359
 – density of growth sites 262, 274, 288
 – diffusion-controlled 102–105
 – diffusion-limited 105–107, 111
 – – in cylindrical coordinates 105–107
 – efficiency 233
 – equation of growth rate 316
 – eutectic growth (*see there*) 374–378
 – expitaxial growth 236
 – faceted growth 283, 304
 – fluctuation in the growth rate 137, 277–281

- flux growth 125
- Frank-van der Merve growth 213
- Frenkel's growth 268
- grain growth 236, 346, 348
- hydrothermal growth 125–126
- linear growth rate 301, 316
- melt growth methods of crystals (*see there*) 117–124, 267–269, 298
- morphologies 304
- near-equilibrium growth 335
- nucleation-limited growth 303
- oxide layer growth 67, 97, 100
- planar interface growth in a thin cell 146
- polybutene-1, spherulitic growth 306
- reaction rate limited growth 232
- (100) silicon, growth rates for 270–271
- silicon growth, computer simulations of 302–304
- screw dislocations, growth on 275–277
- solid-phase epitaxial regrowth 66
- solution growth (*see there*) 124–126, 259
- spiral growth 275
- Stranski-Krastanoff growth 213
- strained-layer growth, surface layers (*see there*) 223–224
- thermally-activated 272
- thermally-limited 111–113
- transformation-rate-limited 109–111
- vapor-phase growth 126, 259, 264–267, 292, 298
- Volmer-Weber growth 212
- Whisker growth 39–40

h

- heat / heating
 - flow 78, 118
 - – boundary condition for 112
 - flux 78
 - of fusion 29, 113
 - laser heating 258
 - latent heat 30, 112, 150, 166, 260, 264, 288, 351, 354, 362
 - radiative heating 254–255
 - superheat 167
 - – superheated steam 125
- helix formation 308
- hematite 306
- hexagonal disc morphology 294
- high-frequency devices 224
- hydrogen in platinum 30
- hydrothermal growth 125–126

i

- ice crystals, dendrites 294
- ideal gas 2
- implantation
 - concentration profile, implanted 92–93
 - of ion (*see also* ion) 61–72
 - – implantation damage 64–67
- InP substrates 211
- interface
 - diffusion at a moving interface 134–138
 - eutectic interface-shape, calculation of 372–373
 - instabilities 143–153
 - – anisotropic interface kinetics 152–153
 - – constitutional supercooling 143–148
 - – Mullins and Sekerka linear instability analysis 149–152
 - perturbation of 149
 - planar interface growth in a thin-cell 146
 - shape 368
- interference effects 256
- interstitial
 - atoms 20
 - diffusion 30–31, 53
 - precipitates 54
- intertwined phases 330
- ion
 - fluorine ions 249
 - implantation 61–72, 215
 - – channeling 69–70
 - – implantation damage 64–67
 - – Rutherford backscattering 67–68
 - – silicon-on-insulator 71–72
 - interactions 62–64
 - Kaufman ion source 252
 - milling 252
 - reactive ion etching (*see* RIE) 241, 245, 248–250
- ion-beam
 - cleaning 211
 - deposition 61
- ionization 241–242
- iron
 - carbide crystals 306
 - carbon in 30
 - pearlite in iron-carbon alloys 371
- Ising model 284–285
- surface roughness in 297–298
- isolators, optical 212
- isotope, radioactive 37
- Ivantsov 355

j

- Jackson a-factor* 289
- jet engines 219
- Johnson-Mehl-Avrami* equation 197–201
- jump distance, diffusion 268

k

- Kaufman* ion source 252
- kinetic(s)
 - coefficient 269, 277, 280, 301, 317, 355
 - driving force 115
 - energy 3
 - of first-order phase transformations 259–281
 - fluctuation dissipation theorem 277–281
 - growth rate of crystals 262–263
 - kinetic driving force 263–264
 - *Kossel-Stranski* model 272–273
 - macroscopic shape of crystals 261
 - melt growth (*see there*) 267–269
 - molecular dynamics (MD) of melt crystallization kinetics 269–272
 - nucleation of layers 273–275
 - screw dislocations, growth on 275–277
 - vapor-phase growth 259, 264–267
 - of nucleation 188
 - roughening 306–307
- kink site 273
- Kirkendall*
 - effect 38
 - voids 39
- Knudsen*
 - cell 234, 265
 - expression 206
 - vapor growth 263
- Kossel-Stranski* model 272–273, 284
- k-value 130, 141, 332, 337
 - orientation-dependence 337
 - effective 133, 139

l

- lamellar eutectics, analysis of 362, 367–368
 - lamellar spacing 372
 - lamellar structure 370
 - faults 372
- Langmuir*
 - adsorption 203–204
 - model 206, 295
- Langmuir-Hinshelwood* reaction 205
- laser 211
 - heating 258
 - melting 332, 336
 - pulse 236

- thin-film deposition, laser ablation 236
- lattice
 - expansion 34
 - mismatch 211
- layer(s)
 - amorphous layer 66, 70
 - atomic layer epitaxy (ALE) / deposition (ALD), thin-film deposition 238–239
 - boundary layer (*see there*) 133, 137–139, 145, 232
 - capping layer 42
 - defects in layer 223
 - multiple layers 229
 - nucleation of layers 273–275, 301
 - oxide layer (*see there*) 20, 57–58, 67, 97–100
 - silicon epi layers 230
 - surface layers (*see there*) 203–225
- lead-tin solder 362
- LEC (liquid-encapsulated *Czochralski*) 121
- LEDs 211
- LEED 213
- Lennard-Jones* (LJ) potential 14, 269, 271
 - growth rates for (100) silicon 271
- Lever* rule 130–131
- Lindeman* theory 167
- linear
 - growth rate 301, 316
 - instability analysis, *Mullins and Sekerka* 149–152
- liquid
 - AMLCDs (active matrix liquid crystal displays) 258
 - composition 115
 - critical point between liquid and vapor 172–173
 - crystals 293
 - crystal displays 217
 - diffusion in 12–16, 333
 - droplets 56
 - slope of the liquidus 144, 150, 317
 - supercooled 192
- liquid-encapsulated *Czochralski* (LEC) 121
- liquid-phase epitaxy (*see* LPE) 227–229
- lithium
 - disilicate 276
 - niobate 34
- load lock 237
- long-range order 284
- lore, nucleation 192–193
- LPE (liquid phase epitaxy) 227–228
 - growth configurations for 228–229
 - thin-film deposition 227–228
- Lucolux 346

m

macroscopic
 – facets 283, 297
 – shape of crystals 261
 magnetically enhanced RIE (MERIE) 250
 magnetron sputtering 235, 249–250
 malachite 306
 mathematics of diffusion 75–96
 – Boltzmann-Matano analysis 93–96
 – diffusion equation (*see there*) 77–90
 – numerical methods 90–93
 – random walk 75–77
 MBE (molecular beam epitaxy) 211, 238
 – thin-film deposition 236–238
 – silicon by 211
 mean-free
 – path 7, 11–13, 27, 230, 242, 268
 – time 11–13
 mean-square average velocity 3, 7
 mean-time to failure 43
 melt / melting
 – congruent melting composition 126
 – convection in the melt 137, 141
 – entropy change on melting 291
 – laser melting 332, 336
 – melt growth methods of crystals 117–124, 267–269, 298
 – – Bridgman method 123
 – – Chalmers method 123–124
 – – Czochralski growth 117–121
 – – early models for melt growth 268
 – – floating zone 121–122
 – – horizontal gradient freeze 124
 – – melt growth rates 269
 – melting point 19, 29, 313
 – – high melting point oxide 122
 – premelting phenomena 167
 MERIE (magnetically enhanced RIE) 250
 metal / metallic
 – casting of metals 113–114
 – deposited 236
 – glass 19, 214, 331
 metallization
 – aluminium / copper metallization 248
 – thin-film deposition 235–236
 microprobe 36
 microscopy
 – AFM (atomic force microscopy) 38
 – reversibility, microscopic 259
 – STM (scanning tunneling microscopy) 38, 210, 213–214, 349
 microvoids 56–57
 migration
 – surface 38

– in a temperature gradient 56
 misfit dislocations, surface layers 219–223
 MOCVD (metal-organic CVD) 233
 – deposition 205
 molecular
 – beam epitaxy 237–238
 – dynamics (MD) 13–16, 167, 263, 357
 – – of melt crystallization kinetics 269–272
 – – simulation 259, 278
 Monte Carlo
 – computer simulations 189, 210, 263, 278, 287–288, 296, 301, 333, 336
 – modeling 303
 moving boundary problems 97
 Mullins and Sekerka linear instability analysis 149–152
 mushy zone 383

n

narrow trench 247
 near-equilibrium growth 335
 nearest-neighbor interactions 284
 net rate of reaction 160–162, 164
 network modifiers 20
 Newton's
 – equation 14
 – law of cooling 158
 nickel
 – dendritic growth 356
 – electroless 214, 217
 nickel-based superalloy 219
 non-equilibrium crystallization of alloys 331–339
 – analytical model 335–336
 – comparison with experiment 336–338
 – computer modeling 333–334
 – crystallization of glass 338
 – experiment 331–333
 nuclear
 – collision 63, 70
 – decay 158
 – stopping 62
 nucleation 175–201, 328
 – assumption in the classical nucleation theory 188–189
 – Avrami exponent 200
 – Becker-Dring analysis (*see there*) 183–188
 – cavitation 193–194
 – – re-entrant cavities 194–195
 – cloud seeding to induced rainfall 195
 – crystallization, industrial 195–196
 – grain refiners 196
 – growth, nucleation-limited 303
 – heterogenous 175, 190–197

- homogenous 175–190
- of ice in water 192
- *Johnson-Mehl-Avrami* equation 197–201
- kinetics of 188
- lore, nucleation 192–193
- of layers 273–275
 - - rate of new layers 274, 301
- of a precipitate particle 189–190
- rate of 183–185, 187, 190, 198, 209
- residues 196–197
- by scratching 193
- supercooling to homogenous nucleation temperature 168
- surface nucleation 206–210
 - - cluster formation 207–209
 - - nucleation on a surface during vapor deposition 206–207
 - - rate equations 209–210
- surface-free energy 181–183
- theory 286
- *Turnbull's* droplet experiment 179–181, 190
- in vibration 192
- *Volmer* analysis 176–179
- *Volmer-Weber* model 189
- numerical methods, mathematics of diffusion 90–93
- nylons 308

O

- Onsager* fluctuation dissipation theorem 277
- operating point 114–116
- optical isolators 212
- order-disorder transition 170, 283
- ordering 314
 - alloy 284
 - ordering vs. phase separation 323
- orientation texture, preferred 236
- Ostwald* ripening 341
- outgassing 85, 158
- oxide
 - *Boron* oxide 121
 - field oxide 20, 58, 98
 - high melting point oxide 122
 - layer 20, 57–58, 98
 - - oxide layer growth 67, 97, 100
 - patterned 97
 - zinc oxide 238
- oxygen
 - precipitation of 57, 179
 - sensors 36
 - in silicon 57
 - SIMOX (silicon implanted with oxygen) 71

P

- p/n junction 38, 84
- Papapetrou* 354
- parabolic dendrite tip 356
- particle-size distribution 342
- peanut butter 247
- pearlite 363
 - in iron-carbon alloys 371
- Peclet* number 354
- PECVD (plasma-enhanced chemical vapor deposition) 241
- perturbation 353
 - of the interface 149
- PET (polyethylene terephthalate) 309
- phase
 - changes 165–171
 - - first-order 165–169
 - - second-order 169–171
 - diagram 129
 - - alloys 313, 317–319
 - - cadmium-tellurium 127
 - - disordered phase 171
 - - equilibria 165–173
 - - alloys 313–314
 - - critical point between liquid and vapor 172–173
 - - eutectic phase diagram 319
 - - formation of the new phase 197
 - - gas-phase diffusion 53
 - - intertwined phases 330
 - - ordered phase 171
 - - segregation during a phase change 129–130
 - - separation 315, 323–330
 - - analytical model for spinodal decomposition 326–328
 - - microstructure 328–330
 - - ordering vs. phase separation 323
 - - phase separation 324–326
 - - solid-phase
 - - epitaxial regrowth 66
 - - transformations 109–116
 - - casting of metals 113–114
 - - diffusion-limited growth 111
 - - kinetics of first-order phase transformations (*see there*) 259–281
 - - operating point 114–116
 - - thermally-limited growth 111–113
 - - third-order phase transformation 170
 - - transformation-rate-limited growth 109–111
 - - vapor-phase growth 126, 292, 298
 - - volume fraction of phase 329
 - phase-field modeling, dendrites 358

- phosphorus
 - diffusion in silicon 49–50
 - electrically active phosphorus 50
 - phosphorus-vacancy complex 49
 - photoresist stripping 251
 - planar interface growth in a thin-cell 146
 - planetary reactor 231
 - plasma 235, 241–252
 - DC (direct current) plasma 235, 241–243
 - deposition 218
 - ECR (electron cyclotron resonance) 251
 - etcher / etching 245–248
 - – anisotropic etching 245–246
 - – parameters 247
 - – reactive ion etching (*see* RIE) 241, 245, 248–250
 - – selective etching 245
 - ion milling 252
 - magnetron sputtering 249–250
 - reactors 247–249
 - – *Barrel* reactor 247
 - rf (radio-frequency) plasma 235, 243–244
 - spraying 217
 - plasma-enhanced chemical vapor deposition (PECVD) 241
 - platinum
 - catalyst 162
 - hydrogen in 30
 - point-defect generation in silicon 53–56
 - polybutene-1, spherulitic growth 306
 - polycrystalline deposit 218
 - polyethylene terephthalate (PET) 309
 - polymers
 - crosslinked polymer 24
 - diffusion in 24–25
 - thermoplastic 24
 - thermoset 24
 - polypropylene 309
 - polysilicon 58, 72, 119, 134, 217, 248, 258
 - power-transmission devices 122
 - precipitate particle, nucleation of 189–190
 - probability distribution 75, 77
 - pyrometer 256
- q**
- quartz 20
 - crystals 125
 - quasi-equilibrium model 163–164
- r**
- radial
 - distribution function 260
 - temperature gradients 257
 - radiative heating 254–255
 - radioactive isotope 36
 - radio-frequency (rf) plasma 235, 243–244
 - radius, critical 275
 - rainfall, induced, cloud seeding 195
 - random walk 75–77
 - rapid thermal processing (*see* RTP) 253–258
 - rate limiting process 231
 - reaction
 - path 155–157
 - – surface layers 208
 - rate / chemical reaction rate theory 100, 155–173, 343
 - – catalysis 162–163
 - – constant 157
 - – equilibrium constant 155
 - – experimental determination of the order of a reaction 158–160
 - – growth, reaction time-limited 232
 - – net rate of reaction 160–162, 164
 - – order of a reaction 157, 159–160
 - – quasi-equilibrium model 163–164
 - – theory 259, 312
 - transition state theory 157–158
 - recombinant energy 52
 - recombination-enhanced diffusion 52–53
 - re-entrant cavities 194
 - reflection high energy electron diffraction (RHEED) 213, 238
 - regular solution 317
 - renormalization group theory 287
 - reptation 25
 - residues, nucleation from 196–197
 - rf (radio-frequency) plasma 235, 243–244
 - RHEED (reflection high energy electron diffraction) 213, 238
 - RIE (reactive ion etching) 241, 245, 248–250
 - chemical species used for RIE 249
 - magnetically enhanced RIE (MERIE) 250
 - ripening (*see also* coarsening / ripening) 341–349
 - *Ostwald* ripening 341
 - rock salt, gold on 212
 - rod microstructure 362
 - root mean square
 - displacement 76
 - velocity 3, 7
 - rotational order 293
 - RTP (rapid thermal processing) 253–258
 - equipment 254
 - laser heating 258
 - radiative heating 254–255
 - temperature measurement 256–257
 - thermal stress 257–258
 - Rutherford* backscattering 62, 67–68

s

- salol 19
- crystals 196, 274, 283
- sapphire, silicon on (SOS) 211
- scanning tunneling microscopy (STM) 37, 210, 213–214, 349
- Scheil* equation 131–133, 138, 141
- Schwoebel* effect 38
- scratch smoothing, coarsening 348–349
- screw dislocations, growth on 275–277
- secondary ion mass spectroscopy (SIMS) 36
- second-order reaction 159
- secret writing 197
- seed crystal 119
- segregation / segregate 129–142
 - *Burton, Primm* and *Schlichter* (BPS) analysis 139–142
 - diffusion at a moving interface 134–138
 - during a phase change 129–130
 - to grain boundaries 139
 - *Lever* rule 130–131
 - *Scheil* equation 131–133, 138, 141
 - segregate in grain boundaries 38
 - in three dimensions 139
 - zone refining 133–135
- Sekerka* and *Mullins* linear instability analysis 149–152
- self-aligned process 59
- self-diffusion coefficients 29
- semiconductor(s)
 - compound 51, 134, 232, 337
 - diffusion in 45–59
 - – arsenic diffusion in silicon 50
 - – boron diffusion in silicon 50–51
 - – phosphorus diffusion in silicon 49–50
 - – recombination-enhanced diffusion 52–53
 - – vacancy diffusion in silicon 47–49
 - – zinc diffusion in GaAs 51–52
 - doping of (*see there*) 53, 58–59
 - gettering 57–58
 - grade 120
 - intrinsic 46
 - migration in a temperature gradient 56
 - oxygen in silicon 57
 - point-defect generation in silicon 53–56
- separation of variables 85–90
- shallow
 - acceptors 46
 - donors 46
- shouldering 119
- Siemens process 134
- silane 134, 204, 211, 230
 - chloro-silane 211
- silica 20, 68
 - crystallization rate 110
 - deposited 214
- silicates 20
- silicides 248
 - conductors stripes 253
 - titanium silicide 253
- silicon 20–22, 37, 119, 257, 336
 - aluminium-silicon alloy 365
 - amorphous, crystallization rate of 216
 - arsenic diffusion in 50
 - boron diffusion in 50–51
 - copper in 30
 - *Czochralski* silicon 56–57, 210
 - *Dash* dislocations in silicon 119
 - deposited 214
 - dioxide 97
 - dopants in 31
 - epi layers 230
 - growth rates
 - – computer simulations 302–304
 - – for (100) silicon 270
 - liquid silicon 270
 - MBE (molecular beam epitaxy), silicon by 211
 - nitride 241
 - nucleus 68
 - oxygen in silicon 57
 - phosphorus diffusion in 49–50
 - point-defect generation in silicon 53–56
 - polysilicon 58, 72, 119, 134, 217, 248, 258
 - precipitation of oxygen in silicon 179
 - reconstruction 213
 - on sapphire (SOS) 211
 - silicon (111) facets 119
 - SIMOX (silicon implanted with oxygen) 72
 - *Stillinger-Weber* potential 15
 - surface of 213
 - vacancy diffusion in 47–49
- silicon-germanium alloys 224
- silicon-on-insulator 71–72
- silver 38
 - iodide 195
- Simmons and Baluffi* experiment 34–35
- SIMOX (silicon implanted with oxygen) 71
- SIMS (secondary ion mass spectroscopy) 37
- sintering, coarsening 345–346
- sinusoidal fluctuation 281
- SiO₂ precipitate 57
- site distribution function 273
- slider assembly 229
- slope of the liquidus 144, 150, 317
- smart cut 72

- snow flakes 294–295
- soap films 346
- solid-phase epitaxial regrowth 66
- solubility parameter 24
- solute-trapping 335–336
- solution
 - alloy model, regular 314, 318, 324
 - growth methods of crystals 124–126, 259
 - – from aqueous solutions 125
 - – flux growth 125
 - – hydrothermal growth 125–126
 - model, regular 314
- solubility condition 356
- sono-luminescence 194
- SOS (silicon on sapphire) 211
- spalling 219
- spherical
 - coordinates 82
 - precipitate 102
- spiky crystals 306
- spin glass 286
- spinodal decomposition 323–324, 326–328
 - analytical model for 326–328
- spiral growth 275
- splat quenching 331
- spreadsheet solution 92
- sputter / sputtering 61
 - deposition 235
 - magnetron sputtering 235, 249–250
- stability condition 356
- stacking faults 54, 57
 - extrinsic 57
- steady-state
 - boundary layer 138
 - diffusion 102, 105, 135, 139, 151, 344
 - – cylindrical coordinates 105
 - – spherical coordinates 102, 105
 - solutions 97–100, 135, 143, 353
 - – one-dimensional 97
- steel alloy 365
- Stefan's*
 - constant 254
 - problems 97–107, 353
 - – deal-grove analysis 100–102
 - – diffusion-controlled growth 102–105
 - – steady-state solutions 97–100, 353
- step site, repeatable 288, 296
- Stillinger-Weber* potential for silicon 15, 269
- Stirling*
 - approximation 77
 - expansion 289
- STM (scanning tunneling microscopy) 38, 210, 213–214, 349
- stoichiometry / stoichiometric 35–36
 - composition 127
 - crystal growth 126–127
- Stokes-Einstein* relationship 25
- straggle 63, 93
- strained-layer growth, surface layers 223–224
 - coherent strained-layer 219
 - graded-strain layers 224
 - strained-layer superlattice 223–224
 - surface modulation 223
- strain-field, elastic 221
- Stranski-Krastanoff* growth 213
- stress(es)
 - concentrators 223
 - surface stresses 181
 - thermal stresses 119, 257–258
- succinonitrile 352
 - borneol 366
 - dendritic growth 356
- sulfur 293
- supercooling (*see also* cooling) 167
 - constitutional 143–148
 - homogenous nucleation 168
 - of liquids 192
 - of water 190
- superheat 167
 - crystalline phase, superheated 167
 - steam, superheated 125
- SUPREM (Stanford University Process Engineering Module) 67, 81
- surface
 - boundary condition, initial surface concentration 91–92
 - cleanliness 214
 - coverage 209–211
 - diffusion 37–38, 207, 346, 349
 - fluctuation 281
 - flux, specified at surface 89
 - layers 203–225
 - – amorphous deposits 214–216
 - – CVD growth by a surface-decomposition reaction 204–205
 - – fractal deposits 217–219
 - – *Langmuir* adsorption 203–204
 - – *Langmuir-Hinshelwood* reaction 205
 - – misfit dislocations 219–223
 - – strain energy 219–223
 - – strained-layer growth (*see there*) 223–224
 - – thin-films 210–213
 - – – deposited surface layers 212–213
 - – – epitaxy (*see there*) 210–212
 - migration 37
 - modification 217
 - surface modulation 223

- nucleation (*see there*) 206–210
 - reconstruction 181, 213–214
 - relaxation 181
 - stresses 181
 - tension 150, 152, 182, 281, 299, 343, 346, 355, 368
 - surface-free energy 181–183
 - surface-roughening transition 260, 283–309
 - cooperative processes 285–287
 - equilibrium surface structure 287–298
 - *Ising* model 284–285
 - Monte Carlo computer simulations 287–288
 - surface roughness 283, 287
 - temperature 286
 - transition 260, 283–309
- t**
- TBC (thermal barrier coating) 219
 - Temkin* crystallization 333
 - temperature (*see also* thermal; *see also* heat / heating) 2
 - critical temperature gradient 145, 169, 285
 - *Curie* temperature 169
 - fictive 23–24
 - fluctuation 382
 - gradient
 - - radial 257
 - - typical 148
 - measurement 256–257
 - migration in a temperature gradient 56
 - supercooling to homogenous nucleation temperature 168
 - surface-roughening temperature 286
 - tertiary butyl alcohol 304
 - tft (thin-film transistors) 217
 - thermal (*see also* temperature; *see also* heat / heating)
 - analysis 355
 - conductivity 8, 12, 78
 - differential thermal analysis (DTA) 197
 - field 111, 152
 - growth, thermally-activated 272
 - rapid thermal processing (*see* RTP) 253–258
 - spike 65
 - stresses 119, 257–258
 - TBC (thermal barrier coating) 219
 - thermally-activated transformation 364
 - thermally-limited growth 111–113
 - thickness, critical 222
 - thin-film 126, 210–213, 227–239
 - deposition 227–239, 308
 - - atomic layer epitaxy (ALE) / deposition (ALD) 238–239
 - - growth configurations for LPE 228–229
 - - laser ablation 236
 - - liquid phase epitaxy (LPE) 227–228
 - - metallization 235–236
 - - molecular beam epitaxy 236–238
 - - rates 126
 - - sputter deposition 235
 - surface layers 210–213
 - - deposited surface layers 212–213
 - - epitaxy (*see there*) 210–212
 - transistors (tft) 217
 - Turnbull's*
 - droplet experiment, nucleation 179–181, 190
 - rule 180
 - time
 - constant 278
 - correlation function 278, 302
 - trajectory 259
 - titanium silicide 253
 - topological defect 347
 - torroidal flow 122
 - transformation
 - diffusionless 333
 - kinetics of first-order phase transformations (*see there*) 259–281
 - rate of 197
 - thermally-activated transformation 364
 - volume fraction, transformed 198
 - transformation-rate-limited growth 109–111
 - transient, initial and final 137–138
 - transistors
 - CMOS 58
 - thin-films 217
 - transition
 - order-disorder transition 283
 - state theory 157–158
 - surface-roughening transition (*see there*) 260, 283–309
 - TRIM program 65
 - tri-methyl gallium 205
 - TTT plot 364
 - Tungsten* halogen lamps 254
 - turbine blades 385
 - Tyndall* figures 168–169
- u**
- UHV (ultra-high vacuum) 37, 237
 - ultra-high vacuum (UHV) 37, 237
 - ultrasonic bath 194
 - universality class 285
 - up-hill diffusion 326

v

- vacancy 28–34, 49, 53
 - charge states of 48
 - concentration 29
 - diffusion 28–30
 - – in silicon 47–49
 - energy level of 47
 - equilibrium concentration 28–30, 32–34
 - formation energy 28
 - motion energy 29
 - phosphorus-vacancy complex 49
 - source / sink of 32
- vacuum, ultra-high (UHV) 37, 237
- valence
 - band 45
 - states 45
- vapor
 - chemical vapor deposition process (*see* CVD) 204–205, 211, 229–233
 - cloud 236
 - critical point between liquid and vapor 172–173
 - equilibrium vapor pressure 266
 - nucleation on a surface during vapor deposition 206–207
 - physical vapor deposition 234–235
 - plasma-enhanced chemical vapor deposition (PECVD) 241
 - pressure 203, 235
- vapor-phase growth 126, 259, 264–267, 292, 298
 - kinetics of 265
- velocity, average of 3, 7, 11
- view factor 255
- viscosity 8, 19, 23, 25, 268, 274
- voids 41–42
 - *Kirkendall* 39
- Volmer* analysis, nucleation 176–179

Volmer-Weber

- growth 212
 - model, nucleation 189
- volume fraction
- of phase 329
 - transformed 198
- VYCOR 324

w

- water
- bonding 72
 - nucleation of ice in water 192
 - ordinary tap water 192
 - supercooled 190
- wetting angle 191
- Whisker* growth 39–40
- Wilson*
- growth rate of a crystal 268
 - vapor melt growth 263

x

- X-ray fluorescence 36
- x-y model 286

z

- Zener* 371
- zero flux boundary condition 93
- zinc
- diffusion in GaAs 51–52
 - oxide 238
- zirconia / zirconium 36
- calcium-stabilized 36
 - oxide 219
 - yttrium-stabilized 36
- Zn-MgZn₂ 366
- Zn-Mg₂Zn₁₁ 366
- zone refining, segregation 133–135

Subject Index

Index by Chapter Sections

a

active growth sites, 20.4, 20.5, 20.18, 20.19, 22.2
 activity, 22.1, 22.6
 adsorbed layer, 4.13
 adsorption
 – energy, 16.2
 – chemical, 15.20
 alloys, 22, 24
 amorphous materials, 3.16
 – deposits, 16.14
 – layer, 6.6, 6.11
 anisotropic crystal growth, 12.13, 20.3, 20.17, 21.19, 21.23, 26.3, 26.9
 argon, 2.5, 2.6
 Arrhenius, 1.1
 arsenic in Silicon, 5.8
 atomic collisions, 1.7
 atomic force microscopy (AFM), 4.13
 atomic layer epitaxy, 17.13
 autoclave, 10.10
 automatic diameter control, 10.3
 Avogadro's number, 1.4
 average velocity, 2.1, 2.2
 Avrami exponents, 15.30
 axi-symmetric growth, 10.7

b

backscattered yield, 6.10, 6.12
 bamboo structure, 4.19
 barrel reactor, 17.4, 18.8
 Becker-Döring analysis, 15.10, 15.16
 benzil, 21.27, 27.8
 β parameter, 24.3
 Boltzmann, 1.1
 – distribution, 1.4
 – factor, 1.1, 13.5, 20.10
 – constant, 1.4
 Boltzmann-Matano analysis, 7.23
 bond energies, 22.5, 23.1

boron in Silicon, 5.8
 boron oxide, 10.6
 boundary layer, 11.10, 11.13, 12.3, 17.6, 25.3, 27.15
 Bragg-Williams, 21.18
 Bridgman growth, 9.4, 10.7
 bubbles, 25.8
 Burton, Primm and Schlichter, 11.13

c

Cahn and Hilliard, 23.5
 capture length, 16.6
 carrier concentrations, 5.2
 castings, 9.5, 15.25, 25.6, 28
 – chill zone, 28.1
 – columnar region, 28.1, 28.5
 – equiaxed zone, 28.1
 catalysis, 13.9
 cavitation, 15.22
 Cd-Te alloys, 10.12
 cellular growth, 12.5, 27.22
 chain-folding, 21.30
 channeling, 6.9, 6.14
 charge neutrality, 4.11
 chemical etching, 18.7
 chemical potential, 15.17, 17.5, 20.4, 22.1, 22.6, 24.5
 chemical vapor deposition, 16.9, 17.3, 17.14
 chlorosilanes, 17.4
 Clausius-Clapeyron equation, 20.7
 cloud seeding, 15.24
 cluster
 – distribution, 15.10, 16.8, 25.3
 – of atoms, 15.2, 16.7, 20.18, 25.1
 – of adatoms, 16.8
 – formation, 16.6
 CMOS transistors, 5.16
 coarsening, 25
 – in a solution, 25.3
 – of dendritic structures, 25.4

- coincidence site boundary, 25.10
- collisions, 2.1, 2.3, 2.4
- compound semiconductors, 5.3, 5.9, 11.7, 17.6, 24.8, 25.10
- concentration distribution, 4.21, 5.6, 5.11, 5.18, 7, 8, 9.3, 11, 12, 27.12
- conduction band, 5.1, 5.10
- conductor stripe, 4.19
- congruent melting composition, 10.11
- constitutional supercooling, 12.1, 12.8
- continuous casting, 9.5
- convective flow in a melt, 11.10
- cooperative processes, 21.3
- covalent crystals, 4.11
- critical cluster size, 15.14
- critical exponent, 21.3
- critical opalescence, 23.2
- critical point, 10.10, 14.6, 15.1, 15.17, 21.2, 21.17, 23.2, 28.5
- critical radius, 15.3, 20.21, 25.1, 25.11
- critical temperature, 12.3, 14.6, 21.2
- critical thickness, 16.23
- crystal growth
 - efficiency, 17.7
 - fluctuation in growth rate, 11.10
 - on screw dislocations, 20.20
 - rate of growth, 20.3
 - vapor phase, 10.11, 20.2, 20.7, 21.18
- crystal growth habit, 21.13
- crystal growth methods, 10.1
 - aqueous solutions, 10.9
 - Chalmers method, 10.8
 - horizontal gradient freeze, 10.9
 - hydrothermal growth, 10.10
 - solution growth, 9.2, 10.1, 10.9, 11.17, 12.13, 17.1, 20.1
 - vapor phase, 10.11, 16.28, 20.1, 20.9, 21.12
 - vertical gradient freeze, 10.9
- crystallization
 - of glasses, 9.1, 24.9
 - of amorphous silicon, 16.16
 - of silica, 9.2
- Curie temperature, 14.6, 21.2
- curvature of the interface, 27.8
- CVD
 - growth, 16.2
 - reactors, 17.4
- Czochralski growth, 5.14, 9.4, 10.1, 10.13, 11.7, 16.9, 21.26
 - diameter control, 10.3
 - of silicon, 5.13
 - liquid encapsulated, 10.5
 - crystal rotation, 10.3, 10.10
 - shouldering, 10.3
- d**
 - dangling bonds, 3.2
 - DDT, 21.28
 - Deal-Grove analysis, 8.4
 - coefficients, 8.6
 - Debye frequency, 13.4, 13.11
 - delta doping, 4.12
 - delta lattice parameter model, 22.12
 - dendrite growth, 9.6, 11.12, 12.6, 21.14, 21.27, 26
 - re-melting, 28.2
 - solvability condition, 26.8
 - density of growth sites, 20.4, 20.19, 21.6, 21.11
 - density of states, 5.1
 - denuded zone, 5.16
 - deposition rates, 10.11
 - diamond cubic, 3.4
 - difference equation, 7.20
 - diffusion, 2, 3, 4, 5, 7, 8, 9.3, 11.7, 26.4, 27.11
 - coefficients, 1.9, 2.2, 3.2, 3.8, 4.2, 4.11, 4.21
 - – concentration dependent, 7.23
 - in liquids, 2, 11.16, 12.14, 20.15, 24.3
 - – in silicon, 4.6
 - couple, 4.12, 4.21, 7.11, 7.25, 27.1
 - distance, 2.3, 7.12, 7.21, 8.7, 11.10, 11.17, 12.10, 27.23
 - equation, 7.3, 7.20
 - in a gas, 2.1
 - amorphous materials, 3.1
 - in crystals, 4
 - in eutectics, 27.11
 - from a surface, 7.8
 - in grain boundaries, 4.14
 - in polymers, 3.7
 - in semiconductors, 5
 - jump distance, 2.3, 20.11, 20.15
 - diffusion limited growth, 8.7, 9.3
 - – precipitation, 8.7
 - measurement 4.12
 - mechanisms, 4.2
 - self diffusion, 4.4, 4.12
 - – coefficients, 4.4
 - solutions to the diffusion equation, 7, 8, 11, 12.1, 26.4
 - – cylindrical coordinates, 7.8, 7.18, 8.11
 - – flux specified, 7.17
 - – one dimensional, time dependent, 7.20, 11.7
 - – separation of variables, 7.13
 - – spherical coordinates, 7.9, 7.18
 - – steady state diffusion, 8.7, 11.12, 12.2, 12.11, 25.4

- - - initial and final transients, 11.11
- - moving interface, 11.7
- surface diffusion, 4.13, 16.6, 25.7, 25.10
- up-hill, 23.4
- diffusionless transformation, 24.3
- dislocation core, 16.21
 - loop, 16.23, 16.24
 - in silicon, 10.3
- disordered phase, 14.9
- dissociation, 18.1
- distribution coefficient, 12.14, 22.4, 24.15, 26.10
- dopant atoms, 5.1, 5.2
- doping of semiconductors, 5.10
- drift component, 4.11
- drive-in, 5.10, 7.8
- driving force for a phase transformation, 9.1
- Duwez, 24.1, 24.10

e

- EDAX, 4.12
- effusion cells, 17.12
- Einstein relation, 4.11
- elastic strain field, 16.21
- electrically active dopants, 19.1
- electroless nickel, 16.14
- electromigration, 4.16
- electron cyclotron resonance, 18.11
- emissivity, 19.2
- emitter push, 5.7
- end of range, 6.3, 6.10, 7.22, 7.26
- energy loss, 6.2, 6.9, 6.11
 - spectrum, 6.8, 6.12
- entropy
 - of fusion, 21.10, 21.18, 27.19
 - difference, 13.9, 14.10, 16.14, 20.10, 21.18
 - of mixing, 4.7, 22.1, 22.9, 22.13
- epitaxy, 16.9, 17.11, 22.13
 - coherent strained layer, 16.19
 - Frank-Van der Merv growth, 16.12
 - graded strain layers, 16.25
 - heteroepitaxy, 16.10
 - homoepitaxy, 16.9
 - semi-coherent, 16.19
 - strain energy, 16.19
 - strained layer growth, 16.24
 - strained layer superlattice, 16.24
 - Stranski-Krastanoff growth, 16.12
 - Volmer-Weber growth, 16.11
- equilibrium boundary angles, 27.10
- equilibrium concentration of vacancies, 4.3, 4.9
- equilibrium constant, 13.1, 13.9, 13.12
- error function, 5.11, 7.10

etching

- anisotropic, 18.6
- reactive ion etching, 18.1, 18.5, 18.9, 18.11
- selective, 18.5, 18.6, 18.7
- eutectic, 11.12, 22.11, 27, 28.5
 - classes of, 27.2
 - colonies, 27.22
 - coupled growth, 27.16
 - interface shape, 27.14
 - lamellar microstructure, 27.3, 27.14, 27.18, 27.21
 - off-composition, 27.15
 - phase diagram, 22.11, 27.16
 - rod microstructure, 27.2
- excitation, 18.1
- explosive crystallization, 16.16
- extrinsic gettering, 5.16

f

- facet effect, 24.2
- faceted growth, 21.1, 21.27, 26.9
- Faraday dark space, 18.3
- Fermi energy, 5.1
- ferromagnet, 14.6, 21.1, 21.5
- Fick's law, 2.2, 4.1, 7.3, 8.3, 23.4
- fictive temperature, 3.6
- field oxide, 3.4, 5.16
- floating zone, 10.6
- fluctuation dissipation theorem, 20.22, 21.5, 21.22
- flux growth, 10.10
- focusing collision, 6.5
- Fourier series, 7.15, 7.18
- fractal deposits, 16.17
 - columnar region, 16.18
- Frank, Charles, 16.12, 20.20, 21.5, 21.31
- free energy of a step, 21.19, 21.22
- free energy to form a cluster, 15.3
- free volume model, 3.6
- freezing point depression, 22.8
- Frenkel, 20.11, 20.28

g

- gallium arsenide, 5.9, 16.3, 16.10, 16.25, 17.1, 17.6, 17.13, 18.10, 19.5, 22.12
 - zinc in GaAs, 5.9
- gallium nitride, 16.10
- garnets, 10.10, 16.11, 17.2
- gas constant, 1.4
- Gaussian, 5.11, 7.5, 7.23
- germanium, 3.4, 6.8, 8.1, 10.3, 16.14, 16.25, 24.7
- gettering, 5.15
- Gibbs free energy, 14.1

Gibbs-Thompson effect, 12.9, 15.7
 glass, 3.1, 3.5, 4.13, 5.10, 5.15, 9.1, 14.6,
 16.14, 19.6, 20.11, 23.2, 23.9, 24.9, 25.7
 – molecular glass formers, 3.1
 – network glass-formers, 3.1
 – network modifiers, 3.4
 – transition, 3.5
 glycerin, 15.22
 gradient energy, 23.5
 grain boundaries, 4.13, 25.9
 – coarsening, 17.11
 – growth, 17.10, 25.7
 – high angle, 4.14
 – preferred orientations, 17.11, 28.1
 – refiners, 15.25
 – size, 4.16, 15.25, 16.17, 17.10, 28.5
 gravitational field, 1.5
 heat flow, 7.5, 10.2
 – thermally limited growth, 9.3

h

helix, 21.30
 ice, 15.21, 21.13
 ideal alloys, 22.1, 22.5
 ideal gas, 1.2
 industrial crystallization, 15.24
 interface instability, 11.16, 12
 – analysis, 12.8
 – perturbation of an interface, 12.8
 interstitial atoms, 3.4, 5.11
 – diffusion, 4.5
 – migration, 5.14
 – precipitation, 5.13

i

intrinsic gettering, 5.15
 intrinsic semiconductor, 5.2
 ion beam deposition, 6.1
 ion implantation, 5.16, 6
 – damage, 6.4, 6.7
 – concentration profile, 7.22
 ion interactions, 6.2
 ion milling, 18.12
 ionic crystals, 4.11
 ionization, 18.1
 Ising model, 21.1, 21.17
 Ivantsov, 26.6

j

Jackson alpha factor, 21.8
 Johnson-Mehl, 15.26
 Johnson-Mehl-Avrami, 15.28

k

Kaufman ion source, 18.13
 kinetic coefficient, 20.16, 20.23, 20.26,
 21.22, 22.9, 26.3
 kinetic driving force, 20.5
 kinetic energy, 1.3
 kinetic phase diagram, 24.9
 kinetic roughening, 21.27
 kink site, 20.17
 Kirkendall effect, 4.14
 – voids, 4.15
 Knudsen, 16.4, 17.9, 20.5, 20.28, 21.32
 – cell, 17.8, 20.8
 Kossel-Stranki model, 20.16, 21.1
 k-value, 11.1, 11.15, 12.7, 12.14, 24
 – effective k-value, 11.5, 11.13

l

Langmuir adsorption, 16.1, 21.15
 Langmuir-Hinshelwood Reaction, 16.3
 laser ablation, 17.11
 – heating, 19.6
 – melting, 24.2
 latent heat, 4.4, 9.4, 10.2, 12.9, 14.1, 15.2,
 15.26, 15.31, 20.2, 20.6, 20.10, 20.16, 20.25,
 21.6, 21.13, 26.2
 lattice mismatch, 16.10
 LEED, 16.13
 Legendre polynomials, 7.18
 Lennard-Jones potential, 2.4, 20.12
 lever rule, 11.2
 Lindeman theory, 14.3
 liquid crystals, 16.17, 19.6, 21.13
 liquid phase epitaxy, 17.1
 – dipping, 17.2
 – slider, 17.2, 17.3
 – tipping, 17.2
 lithium disilicate, 20.21
 lithium niobate, 4.11
 low pressure CVD, 17.4
 Lucolux, 25.7

m

macroscopic shape of crystals, 20.2
 – macroscopic facets, 21.1, 21.17
 magnetically enhanced RIE, 18.11
 magnetron sputtering, 18.10
 mean free path, 1.9, 2.1, 4.1, 17.4, 18.2,
 18.12, 20.11, 20.14
 mean free time, 2.1
 mean time to failure, 4.20
 melt growth, 10.1, 12.7, 12.14, 20.1, 20.5,
 20.10, 20.15, 21.13, 21.17, 21.24
 – kinetics, 20.12

melting point, 1.2, 2.5, 3.1, 4.4, 4.10, 5.14, 9.6, 10.5, 12.2, 12.14, 13.10, 14.1, 15.2, 15.15, 15.23, 16.14, 16.16, 17.1, 17.11, 20.10, 20.20, 20.25, 21.13, 21.18, 21.23, 21.26, 21.30, 22.3, 25.7, 26.2, 27.17
 metallic glasses, 3.1, 16.14, 24.1
 metallization, 17.10
 metal-organic chemical vapor deposition, 17.7
 microprobe, 4.12
 microscopic reversibility, 20.1
 microvoids, 5.13
 misfit dislocations, 16.19
 molecular beam epitaxy, 16.10, 17.11
 molecular dynamics, 2.4, 6.5, 14.3, 20.1, 20.5, 20.12, 20.24
 Monte Carlo computer simulations, 15.17, 16.9, 20.5, 21.5, 21.22, 24.4, 24.7
 moving boundary problems, 8.1
 Mullins and Sekerka, 12.8

n

nearest neighbor interactions, 21.24
 net rate of reaction, 13.8
 Newton's equations, 2.5
 Newton's law of cooling, 13.5
 noise, $1/f$, 4.17
nominal operating point, 9.7
 non-equilibrium crystallization, 24.1
 – distribution coefficient, 24.6
 normal freezing, 11.3
 nuclear collision, 6.2, 6.10
 nucleation, 15, 16.5, 16.27, 21.4, 23.7
 – heterogeneous, 15.1, 15.7, 15.19, 15.20, 28.1
 – homogeneous, 14.4, 14.5, 15.4, 15.21, 28.1
 – kinetics, 15.16
 – lore, 15.21
 – – scratching, 15.22
 – nucleation limited growth, 21.24
 – of a precipitate particle, 15.17
 – of layers, 20.18
 – rate of nucleation, 15.10, 15.15, 20.19, 21.21
 – residuals, 15.25
 numerical methods, 7.19, 7.25
 – finite difference, 7.19, 7.26
 – finite element, 7.19
 – spread sheet solution, 7.22
 – zero flux boundary condition, 7.22

o

Onsager, 20.23, 21.5
 operating point, 9.6

order of the reaction, 13.3, 13.7
 order-disorder transition, 14.8, 21.1
 ordering, 1.6, 2.7, 4.3, 4.9, 4.21, 5.2, 5.10, 6.1, 6.9, 7.15, 8.1, 8.4, 9.1, 9.7, 10.8, 11.10, 12.8, 13.3, 13.12, 14.1, 14.6, 15.5, 15.22, 15.28, 16.6, 16.10, 16.25, 17.1, 17.11, 18.2, 18.4, 18.12, 19.1, 20.4, 20.10, 20.19, 21.1, 21.12, 21.18, 22.5, 23.1, 24.8, 25.1, 25.2, 25.8, 25.11, 27.13
 ordering alloy, 14.9, 21.2
 outgassing, 7.13, 7.21
 oxide layer, 3.4, 5.15, 6.7, 6.12, 8.1, 8.13
 – growth, 8.1, 9.3
 – patterned, 8.1
 oxygen precipitation, 5.15, 15.5
 – sensors, 4.12

p

p/n junction, 4.14, 7.12
 Papapetrou, 26.1
 peanut butter, 18.6
 Peclet number, 26.5
 phase transformations, 9.1, 14.11, 20.1, 22.13
 – diagrams, 8.9, 11.1, 11.10, 12.2, 14.10, 22.9, 22.13
 – equilibria, 14.1, 22.3, 22.13
 – first order, 14.1
 – second order, 14.6
 – third order, 14.8
 phase field modeling, 26.9
 phase separation, 22.6, 23
 physical vapor deposition, 17.8
 planar interface, 12.5
 planetary, 17.4
 plasma, 17.10, 18.1
 – etching, 17.10, 18.5
 – direct current, 18.1
 – radio frequency plasmas, 18.3
 – reactors, 18.8
 – spraying, 16.17
 – plasma-enhanced chemical vapor deposition, 18.1
 point defect generation, 5.11
 polymer crystallization, 21.30
 – diffusion, 3.7
 polysilicon, 5.16, 6.13, 10.4, 11.7, 16.17, 18.9, 19.4
 power transmission devices, 10.7
 pre-dep, 5.10
 pre-melting phenomena, 14.4
 probability distribution, 7.1, 7.10

q

quartz crystals, 10.10
quasi-equilibrium model, 13.11

r

radial distribution function, 20.1
radial temperature gradients, 19.5
radiative heating, 19.2
random walk, 7.1
rapid thermal processing, 19.1
rate-limiting process, 17.5
reaction path, 13., 13.9, 15.16, 16.7, 17.5
reaction rate, 8.4, 13, 17.6, 20.1, 22.2, 25.4
– constant, 13.3
– theory, 13.1
recombination enhanced diffusion, 5.10
re-entrant cavities, 15.23
regular solution, 22.5
renormalization group theory, 21.5
repeatable step site, 20.17, 21.6, 21.15
RHEED, 16.13, 17.13
RIE reactors, 18.9
ripening, 25.1
root mean square displacement, 7.2
root mean square velocity, 1.4, 1.8
rough crystal surface, 20.18
roughening transition, 20.2, 21
Rutherford backscattering, 6.1, 6.7

s

Salol, 3.1, 15.22, 15.25, 20.19
scanning tunneling microscopy, 4.13, 16.9, 16.13, 25.11
Scheil equation, 11.3, 11.125
Schwoebel effect, 4.13
scratch smoothing, 25.10
secondary ion mass spectroscopy, 4.12
segregation, 9.3, 11.1
– coefficient, 11.2, 24.9, 26.10
– grain boundary, 4.14, 5.16, 11.12, 12.5, 14.4, 15.30, 17.10, 25.7, 28.5
– in three dimensions, 11.12
self-aligned process, 5.17
shallow acceptors, 5.2
shallow donors, 5.2
Siemens process, 11.7
silane, 11.7, 16.3, 16.9, 17.4
silica, 3.1
– precipitate, 5.15
– semiconductor grade, 10.5
silicide, 19.1
silicon, 2.5, 3.4, 4.12, 5.11, 5.17, 6.8, 6.12, 8.1, 8.13, 15.5, 16.9, 16.14, 16.25, 17.4, 18.9, 18.13, 19.5

– epi, 17.4
– facets, 10.4
– growth, 21.23
– implanted with oxygen (SIMOX), 6.12
– nitride, 18.1
– ~ on sapphire, 16.10
– oxygen, 5.14
– ~-on-insulator, 6.12
– phosphorous in ~, 5.6
Simmons and Balluffi, 4.10
sintering, 25.7
site distribution function, 20.18
slope of the liquidus, 12.2, 12.9, 22.8, 27.13
Smart Cut, 6.13
snow flakes, 21.13
solid phase epitaxial regrowth, 6.7
solid state doping, 5.16
solute trapping, 24.5
sono-luminescence, 15.22
source/sink of vacancies, 4.8
spherulitic growth, 21.29
spinodal, 23
– up-hill diffusion, 23.4
spiral step, 20.21
splat quenching, 24.1
sputtering, 6.1
– deposition, 17.9
– etching, 18.6
stacking faults, 5.13
Stefan Problems, 8.1
Stillinger-Weber potential, 2.5, 20.12
Stirling expansion, 7.3, 21.8
stoichiometry, 4.11, 10.11, 17.1
Stokes-Einstein relationship, 3.8
straggle, 6.4, 7.22, 7.26
substitutional atoms, 3.4
succinonitrile, 26.2, 26.7, 27.6, 27.22
sulfur, 21.13
supercool, 14.4, 15.22
superheat, 10.10, 14.3, 15.23, 17.3
SUPREM, 6.7, 7.8
surface coverage, 16.1, 16.8, 16.27, 21.15
– decomposition reaction, 16.2
– facets, 10.3
– free energy, 15.8
– hardening, 16.17
– layers, 16.1, 16.11
– migration, 4.13
– modification, 6.14
– modulation, 16.24
– nucleation, 16.4
– reconstruction, 15.8, 16.13
– surface relaxation, 15.8
surface stresses, 15.8

surface tension, 8.13, 10.6, 12.9, 12.12, 14.4,
15.2, 15.5, 15.15, 15.19, 15.23, 20.3, 20.23,
20.27, 21.19, 21.23, 25.3, 25.7, 25.11, 26.3,
26.6, 26.9, 27.9, 27.11

t

Temkin, 17.14, 24.4, 24.10, 26.11
temperature, 1.2
– measurement, 19.4
tertiary butyl alcohol., 21.27
thermal barrier coating, 16.19
thermal conductivity, 1.9, 2.2, 7.5
thermal spike, 6.5
thermal stress, 10.3, 16.17, 19.5
thermally activation, 20.14, 27.4
thin films, 10.11, 16.9, 16.27, 17.14, 21.30
– deposition, 17.1
thin film transistor, 19.6
tilt boundaries, 4.14
time correlation function, 20.23, 20.27,
21.23
time trajectory, 20.1
toroidal flow, 10.7
transformation rate limited growth, 9.1
transition State Theory, 13.3
transparent analogues, 21.12
TTT diagrams, 27.5
tungsten halogen lamps, 19.2
turbine blades, 28.5
Turnbull's Droplet Experiment, 15.6
Turnbull's Rule, 15.7, 15.20
twin boundary, 25.9
Tyndall figures, 14.5

u

ultra high vacuum, 4.13, 17.12
Universality class, 21.3
vacancy, 5.3, 5.11
– charge states, 5.5
– concentration, 4.4, 4.8
– diffusion, 4.2
– – in Silicon, 5.3
– motion energy, 4.3, 4.10
– formation energy, 4.3, 4.8

v

valence band, 5.1
vapor pressure, 5.11, 10.11, 16.1, 17.9, 20.7
viscosity, 1.9, 3.1, 3.6, 20.11, 20.15, 20.20,
21.3, 21.13
Volmer, 15.1
VYCOR, 23.2

w

wafer bonding, 6.13
wetting angle, 15.19
whisker growth, 4.15
Wilson, 20.5, 20.11, 20.28, 21.5, 24.10

z

zirconia, 4.12
zone refining, 11.5