

Subject Index

A

- acoustic emission 607
- active environment impact 709
- additives
 - calcium 535
 - carbon 8
 - corrosion resistance 856
- AE44 55
- AE44 680
- aerospace
 - alloy 20
 - applications 473
 - investment-casting process 228
- age-hardenable 137, 480
- ageing 575
- aircraft industry
 - gravity casting 14
 - wrought alloys 305
- AJ62A 680
- alkaline media, corrosion behavior 775
- alloys
 - aircraft industry 14
 - anodizing 849
 - arc brazing 901
 - AZ *see* Az alloys
 - binary 789
 - biomaterials 822
 - blending 1015
 - casting-rolling technology 364
 - coating 834
 - coating 842
 - comparative corrosion 816
 - composition 789
 - containing Al 26, 43, 74, 87, 93, 100, 119, 125, 498, 541, 588, 666, 749, 763, 894, 1055, 1092
 - containing Ca 49, 119, 125, 432, 535, 789, 1042
 - containing Cu 523, 816
 - containing Gd 441, 523
 - containing Li 419, 594, 935, 953
 - containing Mn 693, 769
 - containing Nd 441, 517, 693
 - containing Ni 131, 816
 - containing rare earth 67
 - containing Sc 693
 - containing Si 529
 - containing Sm 137
 - containing Sn 43, 49, 119, 480
 - containing Sr 74, 87, 453, 498
 - containing Tb 517
 - containing Ti 699
 - containing Y 318, 453, 523, 693
 - containing Zn 26, 93, 125, 441, 453, 486, 541, 588, 666, 749, 769, 1055
 - containing Zr 453
 - corrosion 743, 757, 775, 782, 796, 1062, 1076
 - crack propagation 666
 - creep properties 687
 - cyclic deformation 673
 - deformation behavior 1055
 - development 1–142
 - die casting 81
 - dilatation characteristics 953
 - electroplating 862
 - elektron 21 459
 - elevated temperature 55
 - fillers 871
 - finely dispersed particles 704
 - formation process 393
 - fracture toughness behavior 639
 - grain refinement 8, 1033
 - heat-treatment 49
 - hot rolling 274
 - joining 1085
 - melt filtration 221
 - microstructural formation 1021
 - microstructure 37
 - modification 32
 - molten 281
 - new material 3
 - plasma-anodized 856

- reinforcement 941
 - relaxation oscillations 601
 - SiC particles 1027
 - strip 268
 - structure 3, 506
 - texture development 1048
 - ultra fine grained (ufg) 517
 - warm hydroforming system 985
 - wrought 295–438
 - alumina fibres, creep behaviour 947
 - aluminum bolts 976
 - AM50 262, 620, 680, 757
 - AM60, fatigue behavior 651
 - am-lite ® 967
 - amorphous precipitates 523
 - angular pressing, Mg-8%Li Alloy 419
 - anisotropy 953
 - AZ31 158, 607
 - anodized layers 651
 - AM60 651
 - anodization 849
 - AZ91D 856
 - aqueous chloride media 809
 - arc brazing 901
 - as-cast alloys 37
 - automobile wheels 352
 - AZ alloys 687
 - extrusion 406
 - AZ31 113, 158, 535, 553, 727, 763, 877, 1027
 - acoustic emission 607
 - arc brazing 901
 - deformation 581
 - dent resistance 627
 - ductile failure 571
 - formability 330
 - formation process 399
 - grain refinement 1033
 - hydroforming system 985
 - microstructural evolution 560
 - plastic deformation 425
 - roll-compaction 113
 - salt spray corrosion 743
 - strain rate 871
 - AZ61
 - deformation 581
 - formability 330
 - AZ80 613
 - microstructural evolution 560
 - forming properties 336
 - AZ91 106, 757
 - creep resistance 1042
 - AZ91D 856
 - compocasting 935
 - corrosion behavior 775
 - viscosity 240
- B**
- billet temperature 413
 - binary alloys, corrosion behaviour 789
 - biomaterials
 - degradable 958
 - magnesium alloys 822
 - biomedical science, stent 432
 - blending, thixomolding 1015
 - bolts 976
 - brazing 901
 - bulk metallic glass 633
- C**
- calcium 1055
 - additive 240, 535
 - alloy modification 32
 - texture evolution 158
 - wrought alloys 769
 - cantilever beam 601
 - carbon additives 8
 - carbon fibre preforms 929
 - carbon steel, corrosion resistance 809
 - cast alloy, rolling 620
 - casting 173–294
 - casting
 - corrosion 757
 - gravity 14
 - high pressure 175
 - thin-walled 165
 - casting-rolling technology 364
 - catalyst 131
 - cathodic polarization 816
 - ceramic foam filtration 221
 - cerium 1055
 - alloy modification 32
 - China, wrought alloys 297

- chloride
 - aqueous media 809
 - concentrations 789
 - corrosion 775, 789, 796
 - civil aircraft application, wrought alloys 305
 - clinching 1069
 - coating 828, 842
 - composite 834
 - commercial alloys
 - die forging 344
 - solid fraction 1009
 - commercially pure Mg 318
 - comparative corrosion 816
 - compcasting, AZ91D/CNF 935
 - composite coatings 834
 - composites 953
 - coating 842
 - magnesium matrix 927–964
 - composition 393
 - binary alloys 789
 - rare earth-Mn alloys 67
 - composition control, Mg-Al-Zn 93
 - compression
 - electromagnetic 909
 - uniaxial 581
 - wrought alloys 324
 - constitutive analysis 324
 - contacting condition 281
 - continuous carbon fibre preforms 929
 - continuous casting, horizontal 288
 - continuously wrought-alloys, micro-structural evolution 560
 - coring structure, WE54 492
 - corrosion 707–868
 - chloridic 796
 - comparative 816
 - heat-treatment 49
 - microstructure 757
 - salt spray 743
 - welded magnesium joints 734
 - corrosion behavior 775, 782, 1076
 - AZ31-xCa 763
 - binary alloys 789
 - fatigue 1062
 - wrought alloys 727
 - corrosion interfaces, extruded alloys 749
 - corrosion protection 828
 - corrosion resistance 856
 - magnesium layer 809
 - corrosion testing, material specific 721
 - cover gases, ecologically harmful 215
 - crack propagation 666
 - creep, Mg-10 vol.% Ti PM-Composite 699
 - creep asymmetry 680
 - creep behavior 947
 - Mg₄Y₂Nd₁Sc₁Mn 693
 - Rare Earth-Mn alloys 67
 - creep properties 687
 - creep resistance 1042
 - friction welding 883
 - creep strength, AZ91 106
 - crystallization, AZ91D 240
 - current-potential-curves, passivation behavior 802
 - cutting processes, corrosion 1076
 - cyclic current-potential-curves, passivation behavior 802
 - cyclic deformation 1092
 - characterization 673
- D**
- damping capacity 601
 - deep-drawing applications, magnesium sheets 547
 - deformation 137, 594
 - behavior 1055
 - high strain-rate 541
 - high temperature 581
 - temperature 512
 - degradable biomaterials 958
 - dent resistance 627
 - Deutsche Forschungsgemeinschaft 1007–1098
 - diamond synthesis 131
 - die cast alloys 256
 - die cast components, durability 658
 - die casting 81, 100, 175, 639, 673, 680
 - high pressure 929
 - MgAl₆Mn 645
 - Mg-Al-Sr (AJ) 498
 - die forging 344
 - disks 352
 - dieless clinching 1069

dilatation characteristics, Mg4Li 953
 disks, die forging 352
 dislocation structure, evolution 512
 dispersed particles 704
 drag process, contacting condition 281
 draught rolling 370
 ductile failure, AZ31 571
 durability 658
 DX 53Z 901
 dynamic dent resistance 627
 dynamic recrystallization 318
 dynamic strain ageing 575

E

ECAP 529
 ecological machining 916
 ecologically harmful cover gases,
 reduction 215
 elaboration, bulk metallic glass 633
 electrochemical properties 789
 – corrosion 816
 electrodeposited magnesium layer 809
 electromagnetic compression 909
 electroplating 862
 Elektron 21 alloy 20, 459
 elevated temperature
 – alloys 55
 – formability 330
 engine components 976
 environment 822
 – impact 709
 equal-channel angular pressing 419
 european community research 999
 EV31 466
 experimental basis data, heat-transfer
 modeling 1009
 extrusion 406
 – AZ31 113, 413
 – conditions 419
 – corrosion 749
 – Mg-Al-Ca-Sn alloy 119
 – wrought-alloys 560

F

face milling 894
 failure, ductile 571

fatigue
 – AZ31 727
 – behavior 651
 – crack propagation 666
 feedstock, semi-continuously
 casted 377
 fibre composites 953
 filler alloy 871
 filtration 221
 fine grains 1027
 fine magnesium crystals, creation 200
 finely dispersed particles 704
 flow instabilities 541
 fluorine solubility 207
 foam filtration 221
 forging, MagForge 999
 formability 386
 – change 330
 formation process
 – AZ31 399
 – superplastic 393
 – magnesium sheet-metal 377
 forming properties, wrought alloys 336
 fracture toughness 639
 friction welding 883
 – AZ31 877
 – joints 1092

G

gadolinium 441
 German Research Council 1007–1098
 glass, elaboration 633
 grain refinement
 – analytical methodology 189
 – AZ31 1033
 – magnesium alloys 8
 grains, thermal stability 517
 gravity casting 14
 grignard reagents, corrosion resistance 809
 growth instabilities, control 200

H

harmful cover gases, reduction 215
 heat treatment 49, 453
 – AZ alloys 687
 – carbon fibre preforms 929
 – Elektron 21 alloy 459

- Mg₄Y₂Nd₁Sc₁Mn 693
- Mg-Al 506
- WE54 492
- heat-transfer modeling, commercial alloys 1009
- high creep resistance, friction welding 883
- high pressure
 - diamond synthesis 131
 - die casting 26, 175, 929
 - torsion 517
- high speed rolling 370
- high strain-rate deformation 541
- high temperature 43, 131
 - deformation 581
- highly calcium alloys 1042
- horizontal continuous casting 288
- hot chamber, die casting 81
- hot rolling 274, 877
 - texture development 1048
- hot tearing susceptibility 234
- hot working 560
- hybrid materials 894
- hybrid parts, ecological machining 916
- hydroforming system, AZ31 985
- hydroxyapatite 958

I

- impact loading 639
- improved creep strength, AZ91 106
- injection molding 248
- INNOMagTec 1007–1098
- inorganic coatings 828
- interfaces, corrosion 749
- investment casting 228
 - elektron 21 20

J

- joining, different alloys 1085
- joints 1092
 - corrosion 734

L

- large draught rolling 370
- laser welding, AZ31 871
- layer, electrodeposited 809
- LIST, evaluation of Mg SCC 715
- local mechanical properties 645

- long period stacking structures 523
- low melting point alloy 985

M

- machining 922
 - ecological 916
- MagForge 999
- magnesium
 - aircraft industry 20
 - crystals 200
 - hot chamber die-casting 81
 - injection molding 248
 - molten 207, 215
 - recycling alloy 262
 - slab 288
- magnesium based alloys 782
- magnesium matrix composites 927–964
 - creep behaviour 947
- magnesium sheets
 - metal 377
 - tribology 386
- magnesium-hydroxyapatite composites 958
- mechanical anisotropy, AZ31 607
- mechanical behaviour, bulk metallic glass 633
- mechanical properties 569–708
 - binary alloys 789
 - local 645
- melt drag process 268
- melting 173–294
- melt-quenched Mg₉₈Cu₁R₁ 523
- metallic glass 633
- Mg-Al alloy structure 506
- Mg-Al-Ca-Sn alloy 119
- Mg-4Al-4Re, die casting 100
- Mg-Al-Sn alloys 43
- Mg-Al-Sr alloys 74, 87, 498
- Mg-Al-Zn family 93, 541
- Mg-3Al-1Zn
 - deformation behavior 1055
 - sheet 588
- MgCa_{0,8}, stent 432
- Mg₉₈Cu₁R₁, stacking structures 523
- Mg-4Li
 - deformation behavior 594
 - fibre composites 953

- Mg-8Li 935
 - Mg-8%Li, equal-channel angular pressing 419
 - Mg-Nd-Gd alloys 441
 - Mg-Ni alloys 131
 - Mg-Si alloys 529
 - Mg-Sm alloys 137
 - Mg-Sn-phase formation 32
 - Mg-Sn-Ca alloys 37
 - Mg-3Sn-2Ca alloy 49
 - Mg-Sn-Mn alloys 37
 - Mg SCC 715
 - Mg-10 vol.% Ti Pm-composite 699
 - Mg-4Tb-2Nd alloy 517
 - Mg-Y alloys 318
 - Mg₄Y₂Nd₁Sc₁Mn, creep behavior 693
 - Mg-Y-Nd-Zn-Zr alloy 453
 - Mg-Zn based alloys 486
 - Mg-Zn-Al, microstructure 26
 - Mg-Zn-Mn based alloys 769
 - microalloying 480, 909
 - microhardness, heat-treatment 49
 - microstructural characterization, Mg-Al-Sr (AJ) 498
 - microstructural evolution 439–568
 - AZ31 535
 - Mg-Al-Ca-Sn alloy 119
 - Mg-Zn alloys 486
 - microstructural formation 1021
 - microstructural stability 473
 - microstructure 37, 43, 165, 256, 459, 594, 645, 673
 - AZ31 113, 877
 - corrosion 757
 - effects 393
 - formation 151
 - heat-treatment 49
 - magnesium sheets 547
 - Mg-4Tb-2Nd 517
 - Mg-Al-Sr alloy 87
 - Mg-Zn-Al alloys 26, 125
 - strip cast magnesium 357
 - milling, hybrid materials 894
 - mischmetal, deformation behavior 1055
 - modelling 143–172
 - modified magnesium alloys, die forging 344
 - molten magnesium 281
 - cover gases 215
 - protection 207
 - monotonic properties 1092
 - mould heating 929
 - MRI 153M 658, 673
 - corrosion behavior 775
 - MRI 301F, forming properties 336
 - MRI 230D 673
- N**
- nanostructure 3
 - nanoparticle, corrosion protection 828
 - neutron diffraction 529
 - non-cutting processes, corrosion 1076
 - nucleation, control 200
- O**
- orientation, Mg-10 vol.% Ti PM-composite 699
- P**
- particles, finely dispersed 704
 - passivation behavior 802
 - performance gains 55
 - permanent molds, tearing susceptibility 234
 - phase composition, rare earth-Mn alloys 67
 - phase equilibria, Mg-Al-Sr alloys 74
 - phase formation
 - Mg-Sn alloys 32
 - Mg-Zn alloys 486
 - phase-field simulation 151
 - plasma, anodizing 856
 - plastic anisotropy, AZ31 158
 - plastic deformation 137, 425
 - polarization, cathodic 816
 - post processing 869–926
 - precipitate distributions, refinement 480
 - precipitation 453
 - secondary 447
 - sequence 441
 - preforms, carbon fibre 929
 - pressure die cast 639
 - priority programme 1168–1007

process chain approach, civil aircraft
 application 305
 production technology 453

Q

quench sensitivity, Mg-Nd-Gd alloys 441

R

ram speed 413
 rare earth-Mn alloys 67
 rational friction welding 883
 recrystallization, commercially
 pure Mg 318
 recycling alloy 262
 recycling melting 173–294
 refinement
 – grain 189
 – AZ31 1033
 reinforcement
 – magnesium parts 929
 – SiC particles 935
 relaxation oscillations 601
 research programs 997–1098
 rheo-diecast Mg-Alloys 256
 rivet clinching 1069
 roll-compaction, AZ31 alloy 113
 rolling
 – AM50 620
 – AZ80 613
 – contacting condition 281
 – hot 877
 – magnesium sheets 547
 – single pass 370
 – texture development 1048

S

salt spray corrosion 743
 sand casting
 – Elektron 21 alloy 20
 – Mg-Zn-Al 26
 – amorphous precipitates 523
 second phase 763
 secondary precipitation, WE54 447
 semi-continuously casted feedstock 377
 sensory use 991
 severe plastic deformation, Mg-Sm
 alloys 137

sheet-metal, tribological properties 377
 sheets, casting-rolling technology 364
 short alumina fibres, creep behaviour 947
 silicium, wrought alloys 769
 SiC particles
 – alloy reinforcement 935
 – AZ31 1027
 (SiC)P, grain refinement 1033
 simulations 143–172
 – blending 1015
 – microstructure 165, 645
 – phase-field 151
 – texture development 274, 1048
 single crystal, magnesium 145
 single pass large draught rolling 370
 sintered steel, hybrid materials 894
 slab, magnesium alloys 288
 slip, tension testing 588
 solidification technique 1021
 solubility, fluorine 207
 specific damping capacity 601
 specimen orientation 699
 spherical magnesium crystals, creation 200
 squeeze cast 693
 SSRT, evaluation of Mg SCC 715
 stacking structures 523
 static dent resistance 627
 static loading 639
 steel, arc brazing 901
 stent 432
 stir welding 877
 strain 575
 – path 553
 – rate, AZ31 871
 strip cast alloys 125
 strip cast magnesium,
 microstructure 357
 strips, casting-rolling technology 364
 structural behaviour, magnesium 145
 structural durability, die cast
 components 658
 structural evolution, EV31 466
 structure
 – Mg-Sm alloys 137
 – nano/sub-micron 3
 structure formation, AZ91D 240
 sub-micron structure 3

superplastic forming 393, 399
superplastic properties 419
surface rolling, AZ80 613
surface treatment 707–868
– composite coatings 834
tearing susceptibility 234

T

technologies, innovative 1085
temperatures
– AZ91D 240
– billet 413
– elevated 55, 330
– high 43, 131, 581
– viscosity 240, 709
tensile behavior 743
tensile-compressive creep
 asymmetry 680
tension testing, Mg-3Al-1Zn 588
texture development 529, 581, 1048
– AZ31 553
– calcium 158
– numerical investigation 274
thermal stability, Mg-4Tb-2Nd 517
thermal treatment
– AZ91D 240
– EV31 466
thermodynamic simulation, blending 1015
thermomechanical processing,
 AZ31 535
thin-walled magnesium castings 165
Thixomolding 106, 248, 1015
torsion, Mg-4Tb-2Nd 517
toughness 639
tribology 386
– magnesium sheet-metal 377
tubes 432
– electromagnetic compression 909
twin roll caster 125
twinning, ductile failure 571

U

ultra fine grained (UFG) 512
– Mg-4Tb-2Nd 517
ultrasonic agitation, AZ91D/CNF 935
uniaxial compression 581

V

viscosity
– environment impact 709
– temperature dependence 240

W

warm forming 386
warm hydroforming, AZ31 985
WE43 796
WE54 447, 92, 796
welded magnesium joints, corrosion 734
welding 883
– friction 877, 883, 1092
– laser 871
– stir 877
weldments, AZ31 727
wrought alloys 295–438, 560, 743, 769
– AZ31 727
– compression tests 324
– corrosion fatigue behaviour 1062
– development 297
– improvement 909
– surface rolling 613

X

x-ray diffraction, UFG Magnesium 512

Y

yielding, magnesium 145

Z

zinc 441
– additives 67
zirconium, WE54 492