

Contents

Preface	xi
Acknowledgements	xiii
Abbreviations	xv
1 Introduction	1
<i>Harri Holma and Antti Toskala</i>	
1.1 WCDMA technology and deployment status	1
1.2 HSPA standardization and deployment schedule	4
1.3 Radio capability evolution with HSPA	6
2 HSPA standardization and background	9
<i>Antti Toskala and Karri Ranta-Aho</i>	
2.1 3GPP	9
2.1.1 HSDPA standardization in 3GPP	11
2.1.2 HSUPA standardization in 3GPP	12
2.1.3 Further development of HSUPA and HSDPA	14
2.1.4 Beyond HSDPA and HSUPA	16
2.2 References	18
3 HSPA architecture and protocols	21
<i>Antti Toskala and Juho Pirskanen</i>	
3.1 Radio resource management architecture	21
3.1.1 HSDPA and HSUPA user plane protocol architecture	22
3.1.2 Impact of HSDPA and HSUPA on UTRAN interfaces	25
3.1.3 Protocol states with HSDPA and HSUPA	29
3.2 References	30
4 HSDPA principles	31
<i>Juho Pirskanen and Antti Toskala</i>	
4.1 HSDPA vs Release 99 DCH	31
4.2 Key technologies with HSDPA	33

4.2.1	High-speed downlink shared channel	35
4.2.2	High-speed shared control channel	40
4.3	High-speed dedicated physical control channel	42
4.3.1	Fractional DPCH	45
4.3.2	HS-DSCH link adaptation	47
4.3.3	Mobility	50
4.4	BTS measurements for HSDPA operation	53
4.5	Terminal capabilities	54
4.5.1	L1 and RLC throughputs	55
4.5.2	Iub parameters	56
4.6	HSDPA MAC layer operation	57
4.7	References	60
5	HSUPA principles	61
	<i>Karri Ranta-Aho and Antti Toskala</i>	
5.1	HSUPA vs Release 99 DCH	61
5.2	Key technologies with HSUPA	62
5.2.1	Introduction	62
5.2.2	Fast L1 HARQ for HSUPA	64
5.2.3	Scheduling for HSUPA	64
5.3	E-DCH transport channel and physical channels	66
5.3.1	Introduction	66
5.3.2	E-DCH transport channel processing	66
5.3.3	E-DCH dedicated physical data channel	68
5.3.4	E-DCH dedicated physical control channel	70
5.3.5	E-DCH HARQ indicator channel	72
5.3.6	E-DCH relative grant channel	73
5.3.7	E-DCH absolute grant channel	75
5.3.8	Motivation and impact of two TTI lengths	76
5.4	Physical layer procedures	77
5.4.1	HARQ	77
5.4.2	HARQ and soft handover	79
5.4.3	Measurements with HSUPA	79
5.5	MAC layer	80
5.5.1	User plane	80
5.5.2	MAC-e control message – scheduling information	81
5.5.3	Selection of a transport format for E-DCH	82
5.5.4	E-DCH coexistence with DCH	84
5.5.5	MAC-d flow-specific HARQ parameters	85
5.5.6	HSUPA scheduling	85
5.5.7	HSUPA scheduling in soft handover	86
5.5.8	Advanced HSUPA scheduling	88
5.5.9	Non-scheduled transmissions	88
5.6	Iub parameters	89
5.7	Mobility	90

5.7.1	Soft handover	90
5.7.2	Compressed mode	91
5.8	UE capabilities and data rates	92
5.9	References and list of related 3GPP specifications	93
6	Radio resource management	95
	<i>Harri Holma, Troels Kolding, Klaus Pedersen, and Jeroen Wigard</i>	
6.1	HSDPA radio resource management	95
6.1.1	RNC algorithms	96
6.1.2	Node B algorithms	106
6.2	HSUPA radio resource management	115
6.2.1	RNC algorithms	116
6.2.2	Node B algorithms	119
6.3	References	120
7	HSDPA bit rates, capacity and coverage	123
	<i>Frank Frederiksen, Harri Holma, Troels Kolding, and Klaus Pedersen</i>	
7.1	General performance factors	123
7.1.1	Essential performance metrics	124
7.2	Single-user performance	125
7.2.1	Basic modulation and coding performance	126
7.2.2	HS-DSCH performance	128
7.2.3	Impact of QPSK-only UEs in early roll-out	133
7.2.4	HS-SCCH performance	133
7.2.5	Uplink HS-DPCCH performance	135
7.2.6	3GPP test methodology	136
7.3	Multuser system performance	137
7.3.1	Simulation methodology	138
7.3.2	Multuser diversity gain	138
7.3.3	HSDPA-only carrier capacity	140
7.3.4	HSDPA capacity with Release 99	141
7.3.5	User data rates	142
7.3.6	Impact of deployment environment	142
7.3.7	HSDPA capacity for real time streaming	148
7.4	Iub transmission efficiency	149
7.5	Capacity and cost of data delivery	151
7.6	Round trip time	153
7.7	HSDPA measurements	155
7.8	HSDPA performance evolution	159
7.8.1	Advanced UE receivers	159
7.8.2	Node B antenna transmit diversity	161
7.8.3	Node B beamforming	161
7.8.4	Multiple input multiple output	162
7.9	Conclusions	162
7.10	Bibliography	163

8	HSUPA bit rates, capacity and coverage	167
	<i>Jussi Jaatinen, Harri Holma, Claudio Rosa, and Jeroen Wigard</i>	
8.1	General performance factors	167
8.2	Single-user performance	168
8.3	Cell capacity	173
	8.3.1 HARQ	173
	8.3.2 Node B scheduling	176
8.4	HSUPA performance enhancements	181
8.5	Conclusions	184
8.6	Bibliography	185
9	Application and end-to-end performance	187
	<i>Chris Johnson, Sandro Grech, Harri Holma, and Martin Kristensson</i>	
9.1	Packet application introduction	187
9.2	Always-on connectivity	190
	9.2.1 Packet core and radio connectivity	190
	9.2.2 Packet session setup	193
	9.2.3 RRC state change	200
	9.2.4 Inter-system cell change from HSPA to GPRS/EGPRS	202
9.3	Application performance over HSPA	205
	9.3.1 Web browsing	206
	9.3.2 TCP performance	207
	9.3.3 Full duplex VoIP and Push-to-Talk	209
	9.3.4 Real time gaming	210
	9.3.5 Mobile-TV streaming	211
	9.3.6 Push e-mail	212
9.4	Application performance vs network load	213
9.5	References	216
10	Voice-over-IP	217
	<i>Harri Holma, Esa Malkamäki, and Klaus Pedersen</i>	
10.1	VoIP motivation	217
10.2	IP header compression	219
10.3	VoIP over HSPA	219
	10.3.1 HSDPA VoIP	220
	10.3.2 HSUPA VoIP	223
	10.3.3 Capacity summary	226
10.4	References	227
11	RF requirements of an HSPA terminal	229
	<i>Harri Holma, Jussi Numminen, Markus Pettersson, and Antti Toskala</i>	
11.1	Transmitter requirements	229
	11.1.1 Output power	229
	11.1.2 Adjacent channel leakage ratio	231
	11.1.3 Transmit modulation	231

11.2	Receiver requirements	232
11.2.1	Sensitivity	232
11.2.2	Adjacent channel selectivity	233
11.2.3	Blocking	234
11.2.4	Inter-modulation	236
11.2.5	Receiver diversity and receiver type	236
11.2.6	Maximum input level	237
11.3	Frequency bands and multiband terminals	239
11.4	References	240
Index		241

