

Index

Symbols

#header CSS rule, 271
/_vti_bin/_vti_aut/author.d11 file, 72
/_vti_bin/shtml.d11/_vti_rpc directory, 71
/_vti_inf.html file, 71
\\webservername\foldername format, 68
_catalogs folder, 237, 328
_fpclass folder, 314
_fpdatasources document library, 526
_layouts virtual directory, 289
_private folder, 185, 197
_self attribute, 146
_vti folder, 13
_vti_bin directory, 46, 49, 193
_vti_bin/shtml.d11 file, 193
_vti_cnf folder, 12
_vti_pvt folder, 12, 296, 298, 540
<DeleteParameters> tag, 376
<InsertParameters> tag, 376
<UpdateParameters> tag, 376
_WHERE clause, 355–356
_ZipCode parameter, 118

A

<a> tag, 143, 146
Absolute option, Position dialog box, 110
Accept-Language: en header, 66
Access Board Section 508 standard, 542
Access Control List (ACL), 49
AccessDataSource control, 346
Accessibility Checker dialog box, 542–544
Accessibility Properties dialog box, 153
Accessibility Report option, Accessibility task pane, 544
accessibility reports, 24, 542–544
accessibility standards, 542
Accessibility task pane, 542–544
ACL (Access Control List), 49
actions, workflow
 advanced workflows, 479
 defined, 431
 working with, 465–468

Actions List, 396–397
Actions menu, 58
ActiveX controls, 165–166
Activity Duration Report, 474
<Ad> element, 212
Add after end tag option, Replace action dropdown menu,
 HTML Tags tab, Find and Replace dialog box, 145
Add after start tag option, Replace action dropdown menu,
 HTML Tags tab, Find and Replace dialog box, 145
Add before end tag option, Replace action dropdown menu,
 HTML Tags tab, Find and Replace dialog box, 145
Add before start tag option, Replace action dropdown menu,
 HTML Tags tab, Find and Replace dialog box, 145
Add Else If Conditional Branch link, Workflow Designer, 494
Add Existing Page option, Navigation pane, 297
Add Fields dialog box, 460
Add Files to Import List dialog box, 512
Add Lookup to Body button, Define E-mail Message dialog
 box, 486
Add Network Place Wizard, 69
Add New Application Pool dialog box, 39
Add or Remove Programs dialog box, 10, 35, 44
Add Parameter dialog box, 118
Add Time to Date action, Workflow Designer, 466
Add to Current Web site check box, New dialog box, 85
Add Web Parts dialog box, 55, 239, 241, 416, 426
Add Web Parts interface, Web page edit mode, 59
Add Web Parts task pane, 55, 239–240
Add WHERE Clause dialog box, 352–354, 369
Add workflow step link, Workflow Designer, 448
Additional Fields tab, Options for Saving Results to Database
 dialog box, 200
Add/Remove Windows Components section, Add or Remove
 Programs dialog box, 35, 44
Add/Remove WizardSteps link, Common Wizard Tasks
 menu, 216
administration, site. *See* site management
Administration Home option, Administration menu, 523
Administration menu, 523, 529
Administrative Tools option, Start menu, 41, 323
AdRotator control, 212–213
Advanced Condition dialog box, 402–403, 408–409

- Advanced Controls component type, 198
- Advanced Properties dialog box, 322
- Advanced setting, Search options section, Find and Replace dialog box, 146
- Advanced SQL Generation Options dialog box, 357, 370
- Advanced tab
 - Page Properties dialog box, 17
 - Site Settings dialog box, 21
- Advanced Web Part gallery, 55, 239
- Advanced XSLT expressions, 402
- AdvertisementFile property, 212
- alerts.asmx file, 327
- All Files link, Site Summary report, 537
- All Pages radio button, CSS Reports dialog box, 272
- All Site Content page, 336
- All Unknown CGI Extensions option, IIS Manager, 37
- All Unknown ISAPI Extensions option, IIS Manager, 37
- Allow anonymous uploads to this directory option, Properties dialog box, 521
- Allow files to be browsed option, Properties dialog box, 521
- Allow scripts to be run option, Properties dialog box, 520
- Allow uploaded files to overwrite existing filenames option, Properties dialog box, 521
- AlternateRowStyle property, 371
- AlternateText property, 214–215
- Announcements list, 336, 392, 443
- anonymous authentication, 30
- Appearance tab, Picture Properties dialog box, 154, 157
- Applet Parameters section, Insert Web Component dialog box, 165
- <applet> tag, 166
- Application Management tab, SharePoint Central Administration Web site, 52–53
- Application Options dialog box, 64, 93, 135, 536–538
- application pool, 32–33, 39–40, 53
- Application pool dropdown menu, Home Directory tab, Properties dialog box, 39
- Application Pool ID text field, Add New Application Pool dialog box, 39
- Application Pool section, Create New Web Application Web page, 53
- Application Pools folder, 39
- application.master master page, 289
- applications, Web, 32–34
- Apply Formatting option, Conditional Formatting task pane, 413
- Apply Style option, Select CSS style to apply list, Apply Styles task pane, 266
- Apply Styles task pane
 - changing formatting in, 106
 - CSS classes, 254
 - CSS rules, 250
 - deleting styles, 263
 - versus Manage Styles task pane, 268–269
 - modifying styles, 262, 271
 - use of, 263–267
 - working with styles, 258
- Approved Documents document library, 494–495
- AppSettings property, 221
- <appSettings/> section, web.config file, 220
- <area> tag, 158
- .asmx file extension, 74
- <asp:Menu> navigation control, 307
- <asp:SiteMapDataSource> control, 306–307
- <asp:TreeView> navigation control, 307
- .asp extension, 200
- asp:DropDownList control, 360
- AspMenu control, 245
- ASP.NET 2.0
 - binding to data and navigation controls, 307–308
 - connections
 - overview, 320–326
 - use of, 347–350
 - data controls
 - data display controls, 359–371
 - data source, 346–359
 - overview, 345–346
 - using with SharePoint data sources, 371–372
 - enhancing forms with controls, 230–231
 - login controls, 229–230
 - navigation, implementing
 - sitemaps, 227–228
 - using, 228–229
 - overview, 205–208
 - SharePoint Designer versus FrontPage 2003, 6–7
 - standard controls
 - AdRotator control, 212–213
 - editing control templates, 222–224
 - Expressions, 218–222
 - ImageMap control, 213–215
 - overview, 208–210
 - Tag Properties task pane, 210–211
 - Wizard control, 215–218
 - validation, implementing
 - overview, 225
 - using, 226–227
 - Web part controls, 231

ASP.NET Control Errors option, Visual Aids menu, 134
 ASP.NET Development Server dialog box, 206–207
 ASP.NET Non-visual Controls option, Visual Aids menu, 134
 ASP.NET option, Page tab, New dialog box, 84
 ASP.NET setting, Web Site Properties dialog box, 41
`asp:rowtopparameterstransformer` control, 422
 ASPX forms, 460–463
 Assign a Form to a Group action, Workflow Designer, 466
 Assign a To-do Item action, Workflow Designer, 466
 Assign Macro option, Customize dialog box, 93
 association, workflow, 439–440
 Attach Dynamic Web Template dialog box, 279, 282
 Attach Master Page dialog box, 287
 Attach Style Sheet dialog box, 14, 267
 Attach Stylesheet option, Select CSS style to apply list, Apply Styles task pane, 266
 authentication, 30–32
 Authentication section, Create New Web Application Web page, 53
 author time Web components, 182
`author.dll` file, 65, 72
 authoring SharePoint sites, 24–25
 Authoring tab, Page Editor Options dialog box, 95, 256
 authorization, 30–32
 auto code completion, 143
 Auto Format control, 210
 Auto indent check box, Code View Option section, General tab, Code view, 140
 Auto Insert check box, IntelliSense tab, Code view, 141
 Auto Popup check box, IntelliSense tab, Code view, 141
 Auto Thumbnail option, Pictures toolbar, 159
 Auto Thumbnail tab, Page Editor Options dialog box, 94
 AutoFormat dialog box

- ASP.NET navigation controls, 228
- binding to ASP.NET controls, 307
- DataList control, 362–363
- DetailsView control, 367, 370
- formatting data display, 371
- GridView control, 365
- Wizard control, 218

 AutoPostBack property, 210
 AutoThumbnail tab, Page Editor Options dialog box, 155–156

B

`` tag, 101
 Back radio button, Link Bar Properties dialog box, 302
 Background section, Insert Table dialog box, 121

backup and restore features, 25, 475, 529–530
 Backup Web Site dialog box, 529
 Backup Web Site option, Administration menu, 523
 Bar based on navigation structure Web component, 301–302
`<base>` tag, 120
 basic authentication, 31
 BDC (Business Data Catalog), 337–338
 behaviors

- Behaviors task pane, 175
- defined, 171
- implementing dynamic effects using, 177–179
- inserting on HTML elements, 176–177
- overview, 174–175

 Behaviors task pane, 172–173, 175, 178, 388
 Bevel option, Pictures toolbar, 159
`Bindable` properties list, 221
 binding to ASP.NET data, 307–308
 Block Selection option, Visual Aids menu, 134
 Blue Dot icon, Apply Styles task pane, 264
`<body>` tag, 150, 256, 267
 Bookmark button, Insert Hyperlink dialog box, 116
 Bookmark dialog box, 117
 bookmarks, 115–118
 Borders and Shading dialog box, 105–106, 129
 Borders and Shading option, Layer task pane, 129
 Borders section, Insert Table dialog box, 121
 Bring Forward option, Pictures toolbar, 159
 Build Dynamic String workflow action, 466, 484, 489, 492, 494–495
 bullets, 107–109
 Bullets and Numbering dialog box, 107–108
 Business Data Catalog (BDC), 337–338
 Buttons list, Interactive Buttons dialog box, 172

C

Calendar control, 230
 Call script behavior, 174
 CAMLVariable value, Location attribute, 376
 Cancel action, Actions List, 397
 Cancellation and Error Report, 474
 Capture Traffic option, File menu, 62
 Cascading Style Sheets (CSS)

- basic Web page creation, 14
- classes, 254–255
- CSS layouts, 269–271
- implementation hierarchy, 255–256
- overview, 249–250
- positioning options, 110

- Cascading Style Sheets (CSS) (*continued*)
 - reporting features, 24, 271–273
 - rules, 250–253
 - SharePoint Designer versus FrontPage 2003, 6
 - shorthand properties, 253
 - styles
 - Apply Styles task pane, 263–267
 - creating, 258–261
 - CSS Properties task pane, 267–268
 - deleting, 263
 - Manage Styles task pane, 268–269
 - modifying, 262
 - overview, 256–257
- CatalogZone control, 231
- Categories Properties dialog box, 192
- Category option, New Style dialog box, 259
- CauseValidation property, 225–226
- Cell Properties dialog box, 122–123
- Center from the Alignment dropdown menu, Paragraph dialog box, 104
- center section, SharePoint Designer, 82
- Central Administration Web site, SharePoint, 50–52, 326, 470–471, 540
- CGI (Common Graphical Interface), 34
- Change Column Width option, Layout Tables task pane, 125
- Change Configuration Settings Web page, 48
- Change Password option, Administration menu, 523
- Change property behavior, 174
- Change Property dialog box, 176, 178, 388
- Change property restore behavior, 174
- Change tag option, Replace action dropdown menu, 145
- Change Web Application option, Create Site Collection Web page, 53
- ChangePassword control, 229
- Changes section, Publishing tab, Remote Web Site Properties dialog box, 518
- Character Spacing tab, Font dialog box, 101–102
- Check browser behavior, 174
- Check In Item action, Workflow Designer, 466
- Check Out Item action, Workflow Designer, 466
- Check plug-in behavior, 174
- Check Server Health Web page, 49
- CheckDate workflow, 455
- Child level radio button, Link Bar Properties dialog box, 302
- Child pages under home radio button, Link Bar Properties dialog box, 302
- Choose Data Source, Common Tasks menu, 209
- Choose Data Source dialog box, 321, 322–324, 369
- Choose Data Source dropdown menu
 - Common DataList Tasks menu, 361
 - Common GridView Tasks menu, 367, 372
 - Common Menu Tasks menu, 307
 - Common TreeView Tasks menu, 228
- Choose List Item dialog box, 494
- CircleHotSpot option, HotSpot Collection Editor dialog box, 214
- Circular Hotspot option, Pictures toolbar, 159
- class attribute, 255
- classes, CSS, 254–255
- classid attribute, 167
- Clear Bookmarks button, Code View toolbar, 139
- Clear Results option, Accessibility task pane, 544
- Clear Styles option, Select CSS style to apply list, Apply Styles task pane, 266
- client side, remote-authoring features
 - client-server communication protocols, 65–66
 - components of, 67–69
 - Internet Explorer, 64
 - overview, 64
 - Web Client service, 65
 - Web Folders, 65, 69–70
- Clip Art task pane, 152
- Clipboard task pane, 132
- Close option, Web parts, 241
- .cmp extension, 530
- .cnt extension, 185
- code features, 7
- Code Formatting tab
 - Code view, 140
 - Page Editor Options dialog box, 95
- code hyperlinks, 142
- Code Hyperlinks check box, IntelliSense tab, Code view, 141
- Code Snippets button, Code View toolbar, 138
- Code Snippets tab
 - Code view, 140–141
 - Page Editor Options dialog box, 96
- Code view
 - ASP.NET connections, 350
 - bookmarks, 117
 - Code Formatting tab, 140
 - code hyperlinks, 142
 - Code Snippets tab, 140–141
 - CSS rules, 252
 - data source control properties, 354
 - dynamic Web templates, 280

- Find and Replace dialog box
 - Find tab, 145
 - HTML Rules button, 146
 - HTML Tags tab, 145–146
 - incremental searches, 148
 - overview, 143–144
 - regular expressions, 147–148
 - Replace tab, 145
- frameset pages, 112
- General tab, 140
- IntelliSense feature for auto code completion, 143
- IntelliSense tab, 141–142
- overview, 87–89, 131–133, 138–139
- Page Web component, 188
- photo gallery component, 162
- Quick Tag Selector feature, 149–150
- setting fonts for text, 100–101
- styles, 256
- validating forms, 202
- Web page structure, 10
- Web part connections, 419
- XSLT filters, 402
- Code View Option section, General tab, Code view, 140
- Code View toolbar, 138–139
- Collaboration template, 55, 303, 305, 526
- Collect Data for a User action, Workflow Designer, 483
- Collect Data from a User action, Workflow Designer, 466
- Collection Properties dialog box, 340
- Color Coding tab, Page Editor Options dialog box, 95, 133, 138
- Color dropdown menu, Font dialog box, 99
- Color option, Pictures toolbar, 159
- color property, 252
- Command and Parameter Editor dialog box, 355, 358
- CommandName property, 224
- Commands tab, Customize dialog box, 93
- Commands well, Customize dialog box, 91–93
- Comment component, 185
- Comments option, Formatting Marks menu, 135
- Commit action, Actions List, 397
- Common and Formatting toolbar, 108
- Common Content Tasks menu, 305, 374
- Common Control Tasks menu, 89, 224
- Common Data View Tasks menu
 - grouping, 402–403
 - initiation Web page, 461
 - managing Web part connections, 422
 - overview, 382, 390, 398–400
 - parameters, 404–407
 - sorting, 402–403
 - XSLT expressions
 - data fields, formatting, 410–412
 - filtering, 400–402, 408–409
 - formulae, inserting, 409–410
 - overview, 407
 - sorting, 408–409
- Common DataList Tasks menu, 361–362, 364
- Common DetailsView Tasks menu, 369–370
- Common DropDownList Tasks menu, 360, 404
- Common DVDropDownList Tasks menu, 395–396
- Common Graphical Interface (CGI), 34
- Common GridView Tasks menu, 365, 367, 372
- Common Menu Tasks menu, 307
- Common SqlDataSource Tasks menu, 348, 352
- Common Targets list, Target Frame dialog box, 120
- Common Tasks menu, 89, 209
- Common toolbar, 101, 104
- Common TreeView Tasks menu, 228
- Common Wizard Control Tasks menu, 223
- Common Wizard Tasks menu, 216, 218
- Common XMLDataSource Tasks menu, 358
- Common xsl:value-of Tasks menu, 410–411
- Compare any data source condition, Workflow Designer, 464
- Compare List/Library field, Workflow Designer, 463–464
- CompareValidator control, 225–227
- Compatibility Checker, 544–545
- compatibility reports
 - Compatibility Checker, 544–545
 - Compatibility task pane, 545
 - overview, 24
- Compatibility task pane, 545
- Complete Task, Workflow Designer, 506
- Complete Word button, Code View toolbar, 138
- components. *See* Web components
- Components Errors report, 539
- Conditional Formatting task pane, 412–413
- ConditionName control, 460
- conditions
 - advanced workflows, 479
 - defined, 431
 - using in workflows, 463–465
- Conditions Criteria dialog box, 413
- Configure Connection Web page dialog box, 416
- Configure Data Source dialog box
 - ASP.NET connections, 348–349
 - data source control properties, 352, 355
 - DetailsView control, 367, 369
 - editing commands and parameters, 356, 358

- Configure Database Connection dialog box, 332–333, 336
- Configure Editors tab, Application Options dialog box, 93
- Configure Linked Source option, Source tab, Data Source Properties dialog box, 338
- Configure option, Ruler and Grid menu, 136
- Configure Server Extensions 2002 option, All Tasks menu, 46
- Configure the Select Statement screen, Configure Data Source dialog box, 349, 356
- Confirmation Fields Web component, 183
- Confirmation Page tab, Saving Results dialog box, 198
- ConflictDetection property, 358
- connection files
 - Business Data Catalogs, 337–338
 - databases, 332–336
 - linked data sources, 338–339
 - other data source libraries, 340
 - overview, 327
 - server-side scripts, 336–337
 - XML Web services, 327–332
- Connection Properties dialog box, 322–325
- connection strings, 314, 320, 346, 349
- Connection value, Location attribute, 376
- connections. *See* Web part connections
- Connections option, Web parts, 242
- Connections tab, Internet Properties dialog box, 64
- ConnectionString attribute, 324, 336, 350
- <connectionStrings/> section, web.config file, 220
- ConnectionZone Web part, 231
- ConsumerID control, 422
- CONTAINS operator, 352
- content, SharePoint, 6, 25
- Content Deployment action, 475
- Content Editor, 241
- Content field, Toolbar task pane, 246
- content fields, 245–246
- content placeholder control, 285
- content regions, 284–287
- Content Type Group dropdown menu, New dialog box, 293
- Content Type Name dropdown menu, New dialog box, 293
- Content Type settings page, 472
- content types, 439, 472–474
- contentplaceholderid attribute, 286–287, 289
- Contents frame, frameset pages, 16
- ContentSalesA option, Set this field dropdown, Value Assignment dialog box, 504
- Contributor Group Properties dialog box, 532–533
- contributor groups, 531–534
- Contributor Mode, 530–531
- Contributor Settings
 - configuring contributor group properties, 532–534
 - managing editable regions, 282
 - overview, 25, 530–532
- Contributor task pane, 532
- Control ID dropdown menu, Add WHERE Clause dialog box, 369
- Control Panel, 10
- Control source, 404
- controls. *See* Web controls
- Controls section, Toolbox task pane, 395
- ControlToCompare property, 226
- ControlToValidate property, 225–226
- Cookie source, 404
- Copy and Modify option, Data Source Library, 331
- Copy List Item workflow action, 466, 494, 497
- Copy Results option, Accessibility task pane, 544
- core.css core style sheet, 263–264
- Create a New Link Bar dialog box, 299
- Create a new variable option, Edit Variable dialog box, 482
- Create Column page, 499
- Create Custom Content link, Common Content Tasks menu, 286, 374
- Create List Item workflow action, 466, 487
- Create New Data Source dialog box, 324
- Create New Document pane, Insert Hyperlink dialog box, 116
- Create New List Item dialog box, 487–488
- Create new parameter option, Value column, Filter Criteria dialog box, 401
- Create New Web Application Web page, 52
- Create or Extend Web Application dialog box, 52
- Create Page Web page, 291
- Create Site Collection Web page, 53
- Create Web page, 56–57
- Created by specific person condition, Workflow Designer, 465
- Created in specific date span condition, Workflow Designer, 464–465
- CreateUserWizard control, 229
- Crop option, Pictures toolbar, 159
- cross-page connections, 424
- CSS (Cascading Style Sheets)
 - basic Web page creation, 14
 - classes, 254–255
 - CSS layouts, 269–271
 - implementation hierarchy, 255–256
 - overview, 249–250

- positioning options, 110
- reporting features, 24, 271–273
- rules, 250–253
- SharePoint Designer versus FrontPage 2003, 6
- shorthand properties, 253
- styles
 - Apply Styles task pane, 263–267
 - creating, 258–261
 - CSS Properties task pane, 267–268
 - deleting, 263
 - Manage Styles task pane, 268–269
 - modifying, 262
 - overview, 256–257
- CSS Display:none Elements option, Visual Aids menu, 134
- CSS Display:none option, Formatting Marks tool, 135
- CSS Errors report, 271
- CSS layouts option, Page tab, New dialog box, 84
- CSS Properties task pane, 257, 262, 267–268
- CSS Reports dialog box, 272
- CSS tab, Page Editor Options dialog box, 95
- CSS Usage report, 271, 273
- CSS Visibility:hidden Elements option, Visual Aids menu, 134
- .css extension, 256
- CSSLink server control, 244
- Current Data Source section, Data Source Details task pane, 340
- Current Date radio button, Date Value dialog box, 448
- Current Element radio button, Change Property dialog box, 176
- Current Page radio button, Save As dialog box, 14
- Current Sessions button, FTP Site tab, site properties, 43
- Current Site pane, Open Site dialog box, 19
- Current Web option, Insert Web Component dialog box, 193
- currentNodeStyle property, 308
- Custom Action action, Actions List, 397
- Custom AutoFilter dialog box, 537
- Custom Errors setting, Web Site Properties dialog box, 41
- custom list forms, 391–395
- Custom Lists section, Create page, 499
- Custom tab, Page Properties dialog box, 17–18
- Custom Task Wizard, 483–484, 502–503
- CustomEditForm.aspx Web page, 392–394
- CustomEditItem.aspx Web page, 395
- Customize button, Setup Wizard, 9
- Customize dialog box, 91–93
- CustomValidator control, 225
- Cut, Copy and Paste option
 - Folder List task pane, 17
 - Layer task pane, 129

D

- data consumers, 421–422
- Data Controls, 205
- data controls, ASP.NET
 - data display
 - binding with data source controls, 360
 - DataList control, 361–365
 - DetailsView control, 367–371
 - formatting display, 371
 - GridView control, 365–367
 - overview, 359
 - data source
 - ASP.NET connections, 347–350
 - editing commands and parameters, 355–359
 - overview, 346
 - setting properties, 350–355
 - overview, 345–346
 - using with SharePoint data sources, 371–372
- data display controls
 - ASP.NET
 - binding with data source controls, 360
 - DataList control, 361–365
 - DetailsView control, 367–371
 - formatting display, 371
 - GridView control, 365–367
 - overview, 359
 - overview, 314–316
- data fields, formatting, 410–412
- Data Fields link, Common DVDropDownList Tasks menu, 395
- Data Form Web Part
 - <datafields> tag, 376–377
 - <DataSources> tag, 375–376
 - <ParameterBindings> tag, 376
 - <XSL> property, 377–379
 - ASPX forms, 461–463
 - Common Data View Tasks menu
 - grouping, 402–403
 - overview, 398–400
 - parameters, 404–407
 - sorting, 402–403
 - XSLT expressions, 400–402, 407–412
 - Conditional Formatting task pane, 412–413
 - custom list forms, 391–395
 - data forms, 390–391
 - data view controls, 395–397

- Data Form Web Part (*continued*)
 - data views
 - creating dynamic, 387–389
 - creating subviews, 382–386
 - inserting, 380–382
 - overview, 379
 - exporting Web parts, 528
 - overview, 373–374
 - using ASP.NET data controls with SharePoint data sources, 372
- data forms, 7, 25, 390–391
- data providers, 322, 421–422
- data retrieval services, 326–327
- Data Retrieval Settings page, SharePoint Central Administration, 327
- Data Source Configuration Wizard, 360–361, 367–369, 405
- data source controls
 - ASP.NET
 - ASP.NET connections, 347–350
 - binding data display controls with, 360
 - editing commands and parameters, 355–359
 - overview, 346
 - setting properties, 350–355
 - overview, 314–316
- Data Source Details task pane
 - connecting
 - to databases, 335
 - to linked data sources, 339
 - to XML Web services, 328
 - creating dynamic data views, 387
 - creating subviews, 383–384
 - data view controls, 395
 - inserting data views, 380–381, 418
 - local XML files, 320
 - overview, 317, 340–342
 - parameters, 405
 - working with data forms, 390
- Data Source Library task pane
 - applying XSLT filters, 400
 - ASP.NET connections, 322–323, 347, 349
 - connecting
 - to Business Data Catalogs, 337–338
 - to databases, 332, 335
 - to other data source libraries, 340
 - to server-side scripts, 337
 - to XML Web services, 327–328, 331–332
 - creating subviews, 382–383
 - Data Form Web Part, 374
 - data forms, 390
 - data view controls, 395
 - exploring Web part connections, 418
 - filtering and sorting expressions, 408
 - inserting data views, 380
 - inserting formulae, 409
 - local XML files, 319–320
 - parameters, 404–405
 - using ASP.NET controls with SharePoint data sources, 371–372
 - working with, 316–318
- Data Source Names (DSN), 323–324
- Data Source Properties dialog box, 319, 328–329, 331, 334–338
- data sources
 - available, 315–316
 - connection files
 - Business Data Catalogs, 337–338
 - databases, 332–336
 - linked data sources, 338–339
 - other data source libraries, 340
 - server-side scripts, 336–337
 - XML Web services, 327–332
 - data display controls, 316
 - data retrieval services, 326–327
 - data source controls, 316
 - Data Source Details task pane, 340–342
 - Data Source Library task pane, 316–318
 - finding, 342–343
 - non-SharePoint
 - ASP.NET connections section, 320–326
 - local XML files, 319–320
 - overview, 318
 - overview, 313–315, 326
 - SharePoint versus FrontPage 2003, 7
 - using ASP.NET data controls with, 371–372
- Data Type dropdown menu, properties dialog box, 202
- data variables, workflow, 444
- data view controls, 395–397
- Data View DropDownList control, 395
- Data View Form Actions, 396
- Data View Parameters dialog box, 405–406, 424
- Data View Preview option, Common Data View Tasks menu, 398
- Data View Properties dialog box, 398
- Data View Properties link, Common Data View Tasks menu, 390
- Data View top menu, 379

- Data View Web Parts, 404
- data views
 - creating dynamic, 387–389
 - creating subviews, 382–386
 - inserting, 380–382
 - overview, 379
 - SharePoint Designer versus FrontPage 2003, 6
- Database Name section, Create New Web Application Web page, 53
- Database Results Wizard, 7, 21
- Database tab, Site Settings dialog box, 21
- database wizards, 6
- databases
 - connecting to, 332–336
 - sending forms to, 199–200
- Databases backup and restore action, 475
- DataFields component, Data Form Web Part, 374
- DataFields tag, 376–377
- DataFormWebPart control. *See* Data Form Web Part
- DataList control, 361–365
- DataSourceID control, 245, 306, 360
- DataSources tag, 375–376
- <DataSources> tag, 375–376, 461
- DataTextField control, 360
- DataValueField control, 360
- Date and Time component, 185–187
- Date Value dialog box, 448
- Days dropdown menu, Reports pane, 538
- debugging tool, 61
- declarations, 252
- Decrease Indent Position button, Common and Formatting toolbar, 104
- Default Fonts tab, Page Editor Options dialog box, 94
- Default Master Page, 288
- Default Master Page radio button, Select a Master Page dialog box, 374
- Default Web Site (Stopped) Properties dialog box, 33–34
- DefaultAppPool application pool, 39
- default.aspx Web page, 63, 76, 82, 234, 305–306
- DefaultValue parameter, 337
- Define E-mail Message dialog box, 486, 492–493
- Define in option, New Style dialog box, 259, 261
- Define Workflow Lookup dialog box
 - complex lookup queries, 504–505
 - initiation, 461
 - lookup, 464
 - overview, 449–451, 479
 - specifying lookup query, 490–491
 - use of, 482–486
- Delete Item action, Workflow Designer, 466
- Delete option
 - Cell Properties dialog box, 123
 - Folder List task pane, 17
 - Select CSS style to apply list, Apply Styles task pane, 266
 - Web parts, 242
- DELETE statement, 356–357, 367
- deleting styles, 263
- Dependency Checking dropdown menu, Export Web Package dialog box, 514
- Description option, New Style dialog box, 260
- Description text field, Web Site Description window, 37
- design features, 7
- Design view
 - applying XSLT filters, 400
 - ASP.NET connections, 348
 - basic Web page creation, 14
 - creating styles, 260
 - Find and Replace dialog box
 - Find tab, 145
 - HTML Rules button, 146
 - HTML Tags tab, 145–146
 - incremental searches, 148
 - overview, 143–144
 - regular expressions, 147–148
 - Replace tab, 145
 - formatting marks, 134–135
 - frames, 112
 - grids, 135–136
 - overview, 10, 131–134
 - paragraphs and indentation, 104
 - pictures, 153
 - Quick Tag Selector feature, 149–150
 - rulers, 135–136
 - setting fonts for text, 99–100
 - tables, 121
 - tracing images, 136–138
 - visual aids, 134–135
 - working with, 87–89
- Detach from Dynamic Web Template dialog box, 282
- Detach from Master Page dialog box, 287
- DetailsView control, 367–371
- DetailsViewDataSource control, 370
- DHTML (Dynamic HyperText Markup Language)
 - behaviors
 - Behaviors task pane, 175
 - implementing dynamic effects using, 177–179
 - inserting on HTML elements, 176–177
 - overview, 174–175

- DHTML (Dynamic HyperText Markup Language) *(continued)*
 - interactive buttons, 172–173
 - overview, 171–172
 - page transitions, 179
- dialog boxes
 - Accessibility Checker, 542–544
 - Accessibility Properties, 153
 - Add Fields, 460
 - Add Files to Import List, 512
 - Add New Application Pool, 39
 - Add or Remove Programs, 10, 35, 44
 - Add Parameter, 118
 - Add Web Parts, 55, 239, 241, 416, 426
 - Add WHERE Clause, 352–354, 369
 - Advanced Condition, 402–403, 408–409
 - Advanced Properties, 322
 - Advanced SQL Generation Options, 357, 370
 - Application Options, 64, 93, 135, 536–538
 - Attach Dynamic Web Template, 279, 282
 - Attach Master Page, 287
 - Attach Style Sheet, 14, 267
 - AutoFormat, 218, 228, 307, 362–363, 365, 367, 370, 371
 - Backup Web Site, 529
 - Bookmark, 117
 - Borders and Shading, 105–106, 129
 - Bullets and Numbering, 107–108
 - Categories Properties, 192
 - Cell Properties, 122–123
 - Change Property, 176, 178, 388
 - Choose Data Source, 321, 322–324, 369
 - Choose List Item, 494
 - Collection Properties, 340
 - Command and Parameter Editor, 355, 358
 - Conditions Criteria, 413
 - Configure Connection Web page, 416
 - Configure Data Source, 348–349, 352, 355, 356, 358, 367, 369
 - Configure Database Connection, 332–333, 336
 - Connection Properties, 322–325
 - Contributor Group Properties, 532–533
 - Create a New Link Bar, 299
 - Create New Data Source, 324
 - Create New List Item, 487–488
 - Create or Extend Web Application, 52
 - CSS Reports, 272
 - Custom AutoFilter, 537
 - Customize, 91–93
 - Data Source Properties, 319, 328–329, 331, 334–338
 - Data View Parameters, 405–406, 424
 - Data View Properties, 398
 - Date Value, 448
 - Default Web Site (Stopped) Properties, 33–34
 - Define E-mail Message, 486, 492–493
 - Define Workflow Lookup, 449–451, 461, 464, 479, 482–486, 490–491, 504–505
 - Detach from Master Page, 287
 - Displayed Fields, 335
 - Document Library Properties, 331
 - Edit Custom SQL Commands, 334
 - Edit Variable, 444, 482
 - Editable Regions, 278–279, 282
 - Export Web Package, 514–515
 - Expressions, 221–222
 - File Save, 515
 - Filter Criteria, 335, 400–402, 407–408, 412
 - Find and Replace, 143–148
 - Font, 98–99, 101–102, 176
 - Form Actions, 397, 463
 - Form Properties, 197–200
 - Format Number, 411
 - Frame Properties, 112–113
 - Hit Counter Properties, 183–184
 - HotSpot Collection Editor, 214–215
 - HTML Rules, 147
 - Hyperlink Parameters, 118–119
 - Import, 512
 - Import Web Package, 516
 - Include Page Properties, 202
 - Inline Frame Properties, 114–115
 - Insert a map Properties, 168
 - Insert Hyperlink, 114–116, 118–119, 143, 157
 - Insert Table, 121–123
 - Insert Web Component, 13, 161, 165–167, 183, 185, 188, 192, 193, 195, 198, 202, 299, 301
 - Internet Information Services (IIS), 36
 - Internet Properties, 64
 - Java Applet Properties, 166
 - Layout Cell, 126
 - Link Bar Properties, 299–302
 - List or Document Library Form, 393–394
 - List Properties, 394
 - Manage Content Regions, 287
 - Manage Editable Regions, 282
 - Manage Library, 340
 - Map Network Drive, 68
 - Master Category List, 191
 - Match Content Regions, 289

- Modify Field, 200
- Modify Style, 262, 413
- More Actions, 489
- More Colors, 99–100
- MSSharePointAppPool Properties, 33, 45
- MyWebSite Properties, 32
- New, 11, 14–15, 18, 83–87, 277
- New Style, 251, 253–254, 259–260
- New Toolbar, 92
- Open Attached Dynamic Web Template, 282
- Open Attached Master Page, 287
- Open Site, 13, 19–20, 68, 374
- Options for Discussion Form Handler, 201
- Options for Saving Results to Database, 199
- Page Editor Options, 94–96, 103, 132, 133–134, 136, 139, 155, 256–257
- Page Properties, 17–18, 113, 257
- Page Transitions, 179
- Paragraph, 104–105
- Parameter Values Editor, 352
- Paste Text, 132
- Photo Gallery Properties, 161–162, 165
- Picture File Type, 155–156
- Picture Properties, 154
- Position, 109–110
- Preview/Properties, 152
- Properties, 39–40, 520–521
- Property Builder, 364–365
- Remote Web Site Properties, 22–23, 517, 518–519
- Restore Web Site, 530
- Save Embedded Files, 154
- Save Web Part to Site Gallery, 528
- Saving Results, 198
- Saving Results to Database, 199–200
- Search Form Properties, 193
- Select a Master Page, 88, 287, 374
- Select Data Source, 324
- Select Image, 213
- Select Place in Document, 118
- Select Style Sheet, 14
- Select Users, 464–465, 484–486
- Site Settings, 13, 20–21, 55–56, 183, 187, 207, 236, 277, 309, 471–472, 522
- Sort, 335
- Sort and Group, 403
- Split Cells, 384–385
- String Builder, 484–486, 490, 492
- Substitution Properties, 188
- Symbol, 160
- Table AutoFormat, 123–124
- Table of Contents Properties, 192–193
- Table Properties, 125
- Tag Properties, 212, 355–356
- Target Frame, 120
- Text Box Validation, 203
- Text Entry Web page, 426
- Tracing Image, 137
- Update All Pages, 282
- Update Attached Pages, 282
- Update List Item, 487–488, 503, 505–506
- Update Selected Page, 282
- Web Package Properties, 515
- Web Part Connections, 423
- Web Service Extensions Properties, 35
- Web Site Properties, 40–41
- WebClient Properties, 67
- WebFldrs Reinstall Mode, 70
- WebFldrs Welcome, 70
- WizardStep Collection Editor, 216
- Workflow Actions, 447
- Workflow Initiation Parameters, 460, 480–482
- Workflow Local Variables, 443, 446, 481–482, 490, 500
- XPath Expression Builder, 410
- digest authentication, 31
- Direction setting, Search options section, Find and Replace dialog box, 146
- Directory Browsing check box, Home Directory tab, 43
- Directory Security setting, Web Site Properties dialog box, 40
- Discard Check Out Item action, Workflow Designer, 466
- Discussion Form Handler, 201
- Discussion tab, Options for Discussion Form Handler dialog box, 201
- disk-based Web sites, 11
- Display Grid attribute, Design view, 136
- Display results in setting, Search options section, Find and Replace dialog box, 146
- Displayed Fields dialog box, 335
- <div> tag, 128, 270
- Do Calculation action, Workflow Designer, 466
- document approval
 - implementing, 489–498
 - overview, 488–489
- document check-in, 24
- document check-out, 24
- document libraries, 57–58, 455, 489
- Document Libraries option, SharePoint Content tab, 86
- Document Library Properties dialog box, 331
- DocumentApprovalStatus column, 493

- documentName parameter, 76
 - Documents for Review document library, 493
 - Documents setting, Web Site Properties dialog box, 40
 - Don't Publish option, Folder List task pane, 17
 - double-hop, 31
 - Downtown style sheet template, 14
 - Drive dropdown menu, Map Network Drive dialog box, 68
 - Dropdown control, 231
 - DropDownList control, 209–211, 360, 395
 - DSN (Data Source Names), 323–324
 - .dwp extension, 528
 - .dwt extension, 276, 279
 - DWTs (dynamic Web templates)
 - attaching, 276–282
 - creating, 15, 276–282
 - editable regions, 282–283
 - overview, 275–276
 - SharePoint Designer versus FrontPage 2003, 7
 - Visual Aids menu, 134
 - dynamic data views, 387–389
 - dynamic effects, 177–179
 - Dynamic HyperText Markup Language (DHTML)
 - behaviors
 - Behaviors task pane, 175
 - implementing dynamic effects using, 177–179
 - inserting on HTML elements, 176–177
 - overview, 174–175
 - interactive buttons, 172–173
 - overview, 171–172
 - page transitions, 179
 - dynamic link libraries, 456
 - dynamic string, 490, 492
 - Dynamic Web Template toolbar, 277, 282
 - dynamic Web templates (DWTs)
 - attaching, 276–282
 - creating, 15, 276–282
 - editable regions, 282–283
 - overview, 275–276
 - SharePoint Designer versus FrontPage 2003, 7
 - Visual Aids menu, 134
- E**
- Edit Columns option, Common Data View Tasks menu, 398
 - Edit Command button, Edit Custom SQL Commands dialog box, 334
 - Edit Custom SQL Commands dialog box, 334
 - Edit mode, 239
 - Edit Tag option, Quick Tag Selector, 149
 - Edit Templates option
 - Common Tasks menu, 210
 - Common Wizard Control Tasks menu, 223
 - Edit Variable dialog box, 444, 482
 - Editable Regions dialog box, 278–279, 282
 - editable regions, managing, 282–283
 - EditForm.aspx file, 392
 - EditorZone control, 231
 - Effects section, Font dialog box, 99
 - Element ID dropdown menu, Change Property dialog box, 388
 - Element Type option, Change Property dialog box, 178
 - ellipsis (...) button, Workflow Actions dialog box, 448
 - tag, 101
 - E-mail Address pane, Insert Hyperlink dialog box, 116
 - e-mail addresses, sending forms to, 197–198
 - E-mail Results tab, Saving Results dialog box, 198
 - <embed> tag, 167
 - Empty Containers option, Visual Aids menu, 134
 - Enable AutoPostBack option
 - Common DropDownList Tasks menu, 405
 - Common Tasks menu, 209
 - Enable Deleting check box, Common GridView Tasks menu, 367
 - Enable Editing check box
 - Common DetailsView Tasks menu, 370
 - Common GridView Tasks menu, 367
 - Enable Inserting check box, Common DetailsView Tasks menu, 370
 - Enable layout tools check box, Layout Tools section, Insert Table dialog box, 125
 - Enable Paging check box, Common GridView Tasks menu, 365, 367
 - Enable Selection check box, Common GridView Tasks menu, 367
 - Enable Sorting check box, Common GridView Tasks menu, 365, 367
 - Enable update query support check box, Data Retrieval Settings page, 326
 - Encircled Blue Dot icon, Apply Styles task pane, 264
 - Encircled Green Dot icon, Apply Styles task pane, 264
 - Encircled Red Dot icon, Apply Styles task pane, 264
 - End Template Editing link, Tag Properties task pane, 224
 - Equals hyperlink, List/Library field, Workflow Designer, 463
 - ErrorMessage property, 226
 - events, 171, 431
 - execute permissions, 45
 - Existing File or Web Page pane, Insert Hyperlink dialog box, 115, 118
 - Exit Edit Mode button, 55, 416

- Export Web Package dialog box, 514–515
 - exporting
 - content, 23
 - non-SharePoint sites
 - Import Web Site Wizard, 513–514
 - overview, 512–513
 - Personal Web Packages, 514–516
 - SharePoint sites
 - site templates, 527
 - Web packages, 526
 - Web parts, 528
 - Expression Blend, 4
 - Expression properties list, Expressions dialog box, 222
 - Expression Web, 4, 8
 - Expressions dialog box, 221–222
 - Expressions property, 218–222
 - Extend link, Microsoft SharePoint Administration Web site, 46
 - Extensible Application Markup Language (XAML), 436
 - Extensible Markup Language (XML)
 - local files, 319–320
 - Web services, 327–332
 - Extensible Object Markup Language (XOML), 456–457
 - Extensible Stylesheet Language Transformations (XSLT)
 - expressions
 - data fields, formatting, 410–412
 - filtering, 400–402, 408–409
 - formulae, inserting, 409–410
 - overview, 407
 - sorting, 408–409
 - Extensible Stylesheet Language (XSL), 377
 - external styles, 256
- F**
- Fiddler 2 tool, 61–63, 71
 - Field dropdown menu
 - Define Workflow Lookup dialog box, 450
 - Value Assignment dialog box, 504
 - Field hyperlink, List/Library field, Workflow Designer, 463
 - File Name Conflicts section, Value Assignment dialog box, 487
 - File Name text field, Tracing Image dialog box, 138
 - File Results tab, Saving Results dialog box, 198
 - File Save dialog box, 515
 - File Transfer Protocol (FTP), 36, 41
 - File Upload Components Web component, 183
 - files
 - photo gallery Web component, 164–165
 - sending forms to, 197–198
 - steps to import, 512
 - workflow
 - ASPX forms, 460–463
 - markup, 456–459
 - overview, 455–456
 - rules, 460
 - files reports, 538
 - Filter Criteria dialog box, 335, 400–402, 407–408, 412
 - Filter menu option, Common Data View Tasks menu, 400
 - filter parameter, 369
 - filtering XSLT expressions, 408–409
 - Find and Replace dialog box
 - Find tab, 145
 - HTML Rules button, 146
 - HTML Tags tab, 145–146
 - incremental searches, 148
 - overview, 143–144
 - regular expressions, 147–148
 - Replace tab, 145
 - Find Data Source task pane, 342–343
 - Find Matching Brace button, Code View toolbar, 139
 - Find Matching Tag button, Code View toolbar, 139
 - Find tab, Find and Replace dialog box, 145
 - Find Tag dropdown menu, Find and Replace dialog box, 146
 - Find task pane, 144
 - Find where setting, Search options section, Find and Replace dialog box, 146
 - Fixed option, Position dialog box, 110
 - Flash controls, 167
 - Flip Horizontal option, Pictures toolbar, 159
 - Flip Vertical option, Pictures toolbar, 159
 - Folder List task pane
 - basic Web page creation, 14–18
 - custom list forms, 394
 - galleries, 237
 - link bars, 300
 - master pages, 288
 - modified Web pages, 234
 - navigation controls, 308
 - Navigation pane use, 297
 - overview, 11
 - photo gallery Web component, 162
 - placement of, 81–82
 - Properties menu, 520
 - Send to other radio button, 191
 - server-side scripts, 337
 - workflows, 455, 457
 - folders, photo gallery Web component, 164–165
 - Folders pane, 68, 90

- Follow Code Hyperlink button, Code View toolbar, 139
- Font dialog box, 98–99, 101–102, 176
- Font dropdown menu, Symbol dialog box, 160
- Font Families tab, Page Editor Options dialog box, 96, 102–103
- Font style list, Font dialog box, 99
- Font tab, Font dialog box, 98–99
- Font tab, Interactive Buttons dialog box, 172
- fonts, 98–103
- For This Web Site list option, Table of Contents component, 192
- ForeColor property, 211
- Form Action Button, 396
- Form Actions dialog box, 397, 463
- Form Confirmation page, 202
- Form Controls section, Toolbox task pane, 196, 208
- Form Field Properties menu, 202
- Form Properties dialog box, 197–200
- Form source, parameters, 404
- Form Web Part, 426–427
- <form> tag, 168, 196, 267
- Format Number dialog box, 411
- Format Painter button, Standard toolbar, 132–133
- Formatting Marks tool, 128, 134–135
- Formatting tab, Page Properties dialog box, 17, 18
- Formatting toolbar, 101, 104
- forms
 - enhancing with ASP.NET controls, 230–231
 - HTML form controls, 196–197
 - overview, 195–196
 - setting properties
 - overview, 197
 - sending to databases, 199–200
 - sending to e-mail addresses, 197–198
 - sending to files, 197–198
 - sending to other, 200–202
 - validating, 202–203
- formulae, inserting, 409–410
- FPDataSources library, 327–328, 331, 335, 337
- fpdb folder, 199
- FPSE (FrontPage Server Extensions)
 - configuration settings, changing, 47–48
 - configuring Web sites, 45–47
 - extending Web sites, 45–47
 - overview, 5, 13, 44–45
 - roles, adding, 48–49
 - server health, checking, 49
 - users, adding, 48–49
- Frame Properties dialog box, 112–113
- Frame Spacing box, Frames tab, Page Properties dialog box, 112
- frames
 - creating pages using, 113–114
 - inline, 114–115
 - overview, 111–113
 - targeting with hyperlinks, 120
- Frames Pages option, Page tab, New dialog box, 15, 85, 111
- Frames tab, Page Properties dialog box, 112
- frameset pages, 16
- FrontPage 2003
 - forms
 - HTML form controls, 196–197
 - overview, 195–196
 - setting properties, 197–202
 - validating, 202–203
 - inserting Web components
 - Comment component, 185
 - Date and Time component, 185–187
 - Hit Counter component, 183–185
 - Page Banner component, 190
 - Page Based On Schedule component, 188–189
 - Page Category component, 191–193
 - Page component, 188
 - Picture Based On Schedule component, 189–190
 - Substitution component, 187–188
 - Table of Contents component, 191–193
 - Top 10 List component, 195
 - Web Search component, 193–194
 - overview, 3–4, 13, 181–182
 - RPC methods, 73, 75
 - versus SharePoint Designer, 6–7
 - technologies, 4–5
 - types of Web components
 - author time, 182
 - runtime, 182–183
- FrontPage Form Handlers Web component, 183
- FrontPage Remote Procedure Call (RPC)
 - client-server communication protocols, 65–66
 - exploring, 72
 - HTTP communication, 70–72
 - methods, 72–73
- FrontPage Server Extensions (FPSE)
 - configuration settings, changing, 47–48
 - configuring Web sites, 45–47
 - extending Web sites, 45–47
 - overview, 5, 13, 44–45
 - roles, adding, 48–49
 - server health, checking, 49
 - users, adding, 48–49

FrontPage Themes Web component, 182
 FTP (File Transfer Protocol), 36, 41
 FTP Access Permissions screen, FTP User Isolation window, 42
 FTP Site Creation Wizard, 41–42
 FTP Site tab, site properties, 43
 FTP Sites folder, 41
 FTP tab, Application Options dialog box, 93
 FTP User Isolation window, 42
 Full Control permission level, 530
 Full Text Search option, Insert Web Component dialog box, 193
 Function Lookup button, Code View toolbar, 139
 .fwp file extension, 515
 fx button, 483, 486

G

Galleries section, Site Settings page, 237, 472
 General option, Web Site tab, New dialog box, 85
 General setting, Reports View tab, Application Options dialog box, 536
 General tab
 Application Options menu, 64, 93
 Code view, 140
 Data Source Library task pane, 332, 337
 Data Source Properties dialog box, 328
 Data View Properties dialog box, 399
 Link Bar Properties dialog box, 299
 Page Editor Options dialog box, 94, 121
 Page Properties dialog box, 17, 18
 Picture Properties dialog box, 157
 Site Settings dialog box, 20, 24
 WebClient Properties dialog box, 67
 Generate HTML Reports button, Accessibility task pane, 544
 Get document FrontPage RPC method, 73
 Get documents FrontPage RPC method, 73
 GET request, Session Inspector, 62
 GetWebPartPage Web method, 75
 GIF (Graphics Interchange Format) file type, 155
 Global level radio button, Link Bar Properties dialog box, 302
 global settings, 470–471
 global.asa file, 199
 Globally Unique Identifier (GUID), 337, 475
 Go to Code option, Select CSS style to apply list, Apply Styles task pane, 266
 Go to Page option, Accessibility task pane, 544
 Go to URL behavior, 174
 Graphical User Interface (GUI), 313
 graphics
 advanced controls
 ActiveX controls, 165–166
 Flash controls, 167

 Java applets, 165–166
 MSN Web components, 167–168
 photo gallery Web component
 associated folders and files, 164–165
 modifying properties, 165
 overview, 161–164
 pictures
 creating hyperlinks on, 157–158
 overview, 151–154
 Pictures toolbar, 158–159
 setting properties, 155–157
 symbols, inserting, 160
 Graphics Interchange Format (GIF) file type, 155
 Green Dot icon, Apply Styles task pane, 264
 grids, Design view, 135–136
 GridView control, 365–367, 371–372
 GridViewDataSource control, 367, 369
 grouping, enabling, 402–403
 GUI (Graphical User Interface), 313
 GUID (Globally Unique Identifier), 337, 475

H

HEAD tag, 252
 <head> section, 120, 179, 255
 Header, Footer and Contents template, 15
 Header and Footer option, General tab, Data View Properties dialog box, 400
 Header cell, Cell Properties dialog box, 122
 Header frame, Page Properties dialog box, 113
 headers, 66
 Health feature, Properties dialog box, 40
 hexagonal palette, 99
 Hidden Form Fields option, Formatting Marks, 135
 hidden metadata, 12–13
 Hide Content option, Conditional Formatting task pane, 413
 Highlight Hotspots option, Pictures toolbar, 159
 Highlight incompatible HTML check box, Code View Option section, General tab, Code view, 140
 Highlight invalid HTML check box, Code View Option section, General tab, Code view, 140
 Hit Counter Properties dialog box, 183–184
 Hit Counter Web component, 183–185
 Home Directory setting, Web Site Properties dialog box, 40
 Home Directory tab
 Default Web Site (Stopped) Properties dialog box, 33
 IIS Manager, 44
 Properties dialog box, 39
 Home Page check box, Link Bar Properties dialog box, 299
 host headers names, multiple, 29
 HotSpot Collection Editor dialog box, 214–215

- HotSpotMode property, 214
 - hotspots, 158
 - href attribute, 143
 - HTML (HyperText Markup Language)
 - form controls, 196–197
 - inserting behaviors on elements, 176–177
 - HTML Rules button, Find and Replace dialog box, 146
 - HTML Rules dialog box, 147
 - HTML Tags tab, Find and Replace dialog box, 145–146
 - HTTP (Hypertext Transfer Protocol)
 - basic communication, 70–72
 - client-server communication, 65–66
 - HTTP Headers setting, Web Site Properties dialog box, 40
 - HTTP method dropdown menu, Data Source Library task pane, 337
 - human workflow, 435
 - Hyperlink button, Common toolbar, 118
 - Hyperlink option, General tab, Picture Properties dialog box, 157
 - Hyperlink Parameters dialog box, 118–119
 - hyperlinks
 - code, 142
 - creating on pictures, 157–158
 - creating parameters in, 118–119
 - frames, 111
 - overview, 115–118
 - recalculating, 522
 - targeting frames, 120
 - Hyperlinks pane, Web Site tab, 90
 - Hyperlinks report, 539
 - HyperText Markup Language (HTML)
 - form controls, 196–197
 - inserting behaviors on elements, 176–177
 - Hypertext Transfer Protocol (HTTP)
 - basic communication, 70–72
 - client-server communication, 65–66
- I**
- id attribute, 252, 270, 286, 422
 - ID parameter, 118
 - identification, Web site, 29–30
 - Identity option, Properties dialog box, 40
 - IE (Internet Explorer), 64
 - IfElseActivity control, 460, 463
 - <IfElseActivity> tag, 460
 - <iframe> tag, 114
 - IIS (Internet Information Services)
 - authentication, 30–32
 - authorization, 30–32
 - configuration file, 29
 - configuring, 35–37
 - installing, 35–37
 - overview, 27, 28
 - setting up Web sites, 37–41
 - Web application isolation and protection, 32–34
 - Web Service Extensions, 34–35
 - Web site identification, 29–30
 - WF framework, 433
 - IIS (Internet Information Services) Manager, 36–37, 46
 - Image tab, Interactive Buttons dialog box, 172
 - ImageButton control, 224
 - ImageMap control, 213–215
 - ImageUrl property, 212–213, 223
 - tag, 158, 172
 - implementation hierarchy, CSS, 255–256
 - Import dialog box, 512
 - Import Site Wizard, 23
 - Import Web Package dialog box, 516
 - Import Web Site Wizard, 511, 513–514, 526
 - importing
 - content, 23
 - non-SharePoint sites
 - Import Web Site Wizard, 513–514
 - overview, 512–513
 - Personal Web Packages, 514–516
 - SharePoint sites
 - site templates, 527
 - Web packages, 526
 - Web parts, 528
 - Impressions element, 212
 - Include Page Properties dialog box, 202
 - Included Content component, 182, 185
 - Increase Indent Position button, Common and Formatting toolbar, 104, 108
 - incremental searches, 148
 - indentation, 104–107
 - Indentation section, Paragraph dialog box, 104
 - initiation, workflow, 439–440
 - initiation form, workflow, 457
 - initiation variable, workflow, 480
 - <Initiation> section, 460
 - Inline Frame Properties dialog box, 114–115
 - in-line styles, 255
 - in-page styles, 255
 - Insert a map Properties dialog box, 168
 - INSERT command, 356–357, 367
 - Insert Data Source Control option, Data Source Library, 331, 372, 395, 404
 - Insert End Tag button, Code View toolbar, 139

- Insert HTML Comments button, Code View toolbar, 139
- Insert HTML option, Quick Tag Selector, 149
- Insert Hyperlink dialog box, 114–116, 118–119, 143, 157
- Insert Layer button, Layers task pane, 128
- Insert Layout Cell button, Layout Tables task pane, 126–127
- Insert Layout Table button, Layout Tables task pane, 125
- Insert option, Cell Properties dialog box, 123
- Insert Picture from File option, Pictures toolbar, 159
- Insert Selected Fields As menu, 342, 381
- Insert Selected Fields, Data Source Details task pane, 381
- Insert Start Tag button, Code View toolbar, 139
- Insert Table dialog box, 121–123
- Insert Web Component dialog box
 - advanced controls, 165–167
 - Bar based on navigation structure, 301
 - Confirmation Fields control, 198
 - creating discussion page within Web site, 202
 - creating hit counters, 183
 - hidden metadata, 13
 - Included Content component type, 185
 - link bars, 299
 - page categories, 192
 - photo gallery Web component, 161
 - Substitution Web component, 188
 - usage lists, 195
 - Web Search component, 193
- installing Internet Information Services, 35–37
- Integrated Security string, 333
- IntelliSense feature, 143
- IntelliSense tab, Page Editor Options dialog box, 96, 141–142
- interactive buttons, 172–173
- interface component, 121
- Internet Explorer (IE), 64
- Internet Information Services (IIS)
 - authentication, 30–32
 - authorization, 30–32
 - configuration file, 29
 - configuring, 35–37
 - installing, 35–37
 - overview, 27, 28
 - setting up Web sites, 37–41
 - Web application isolation and protection, 32–34
 - Web Service Extensions, 34–35
 - Web site identification, 29–30
 - WF framework, 433
- Internet Information Services (IIS) dialog box, 36
- Internet Information Services (IIS) Manager, 36–37, 46
- Internet Properties dialog box, 64
- Internet Server Application Programming Interface (ISAPI), 34

- IP (Internet Protocol) addresses, multiple, 29
- IP Address and Port Settings window, 38
- ISAPI (Internet Server Application Programming Interface), 34
- ISAPI Filters setting, Web Site Properties dialog box, 40
- Isolate Users option, FTP User Isolation window, 42
- isolation mode, 32
- Items property, 211
- ItemTemplate template, 224
- IUSER_Machinename account, 30

J

- Java Applet Properties dialog box, 166
- Java applets, 165–166
- JavaScript
 - behaviors
 - Behaviors task pane, 175
 - implementing dynamic effects using, 177–179
 - inserting on HTML elements, 176–177
 - overview, 174–175
 - interactive buttons, 172–173
 - overview, 171–172
 - page transitions, 179
- job-workflow property, 474
- job-workflow-autoclean property, 474
- job-workflow-failover property, 474
- JPEG (Joint Photographic Experts Group) file type, 155
- Jump menu behavior, 174
- Jump menu go behavior, 174

K

- Keep HTML Only button, Paste Options menu, 132
- Keep Source Formatting button, Paste Options menu, 132
- Keep Text Only button, Paste Options menu, 132
- Kerberos authentication, 31

L

- Language tab
 - Page Properties dialog box, 17
 - Site Settings dialog box, 21
- layers, 128–129
- Layers task pane, 128–129, 387
- Layout Cell dialog box, 126
- Layout section, Insert Table dialog box, 121
- Layout tab
 - Data View Properties dialog box, 400
 - Photo Gallery Properties dialog box, 162
- Layout Tables task pane, 121, 125–126

- layouts
 - CSS, 269–271
 - page
 - creating, 293–294
 - editing, 293–294
 - overview, 275–276, 290
 - publishing pages, 291–292
 - table, 121–127
 - layouts/reqhost.aspx Web page, 236
 - Learn More option, Accessibility task pane, 544
 - left section, SharePoint Designer, 81
 - Less Brightness option, Pictures toolbar, 159
 - Less Contrast option, Pictures toolbar, 159
 - Less Than property, 226
 - letter-spacing property, 101
 - tag, 108
 - libraries, 57–58, 439. *See also specific libraries by type or name*
 - Line Breaks option, Formatting Marks, 135
 - Line numbers check box, Code View Option section, General tab, Code view, 140
 - Line of Business (LOB), 337
 - Line Spacing dropdown menu, Paragraph dialog box, 104
 - Link Bar Properties dialog box, 299–302
 - link bars, 299–300
 - Link Bars Web component, 182
 - Link Data Sources Wizard, 338–339
 - Link to another Data Source option, Data Source Library, 331
 - Linked Data Source, Data Source Library task pane, 383
 - linked data sources, 338–339
 - List documents FrontPage RPC method, 73
 - List Documents Web method, 72
 - List Form Web Part, 391
 - list forms, custom, 391–395
 - list items, 57
 - List Members button, Code View toolbar, 138
 - List or Document Library Form dialog box, 393–394
 - List Properties dialog box, 394
 - List templates gallery, 237
 - List View page, 85
 - Listbox control, 231
 - ListFormWebPart control, 392
 - lists, 57–58, 86, 107–109, 439
 - Lists folder, 392
 - Lists.asmx Web Service, 74, 76
 - liststyle-type property, 108
 - ListViewWebPart control, 418–419
 - live editing, 12
 - Load Balanced URL section, Create New Web Application Web page, 52
 - LOB (Line of Business), 337
 - Local Web Site section, Remote Publishing pane, 22
 - Location attribute, 376
 - Location/ folder, 319
 - locked-down configuration, 34
 - Log to History List workflow action, 443, 452, 467
 - Logging section, Publishing tab, Remote Web Site Properties dialog box, 519
 - login ASP.NET controls, 229–230
 - Login control, 206, 229
 - Login tab, Data Source Properties dialog box, 328
 - LoginName control, 229
 - LoginStatus control, 230
 - LoginView control, 230
 - Lookup Details section, Define Workflow Lookup dialog box, 483
- ## M
- Machine Data Source tab, Select Data Source dialog box, 324
 - Mail Recipient option, Data Source Library, 331
 - Make Column Autostretch option, Layout Tables task pane, 125
 - Manage Content Region menu option, Contributor Settings dialog box, 533
 - Manage Content Regions dialog box, 287
 - Manage Contributor Groups section, Contributor Settings dialog box, 532
 - Manage Editable Regions dialog box, 282
 - Manage Editable Regions option, Editable Regions dialog box, 279
 - Manage Library dialog box, 340
 - Manage Region Types section, Contributor Settings dialog box, 533
 - Manage Roles link, Users and Roles section, administration Web pages, 49
 - Manage Roles Web page, 48–49
 - Manage Styles task pane, 258, 262–263, 268–269
 - Manage Stylesheet Links option, Select CSS style to apply list, Apply Styles task pane, 266
 - management, site. *See site management*
 - Map Network Drive dialog box, 68
 - <map> tag, 158
 - Margins and Padding option, Visual Aids menu, 134
 - Master Category List dialog box, 191
 - Master Page Gallery, 287
 - master pages
 - attaching to Web pages, 287–289
 - content regions, 284–287

- nested, 289
- overview, 275–276, 283
- placeholders, 284–287
- SharePoint Designer versus FrontPage 2003, 6
- Master pages gallery, 237
- master properties, 37
- .master extension, 284
- Match Content Regions dialog box, 289
- message body, HTTP response, 66
- metabase file, 29
- Microsoft Access Database file option, Data Source list,
 - Choose Data Source dialog box, 322
- Microsoft Management Console (MMC), 36
- Microsoft Office SharePoint Server (MOSS), 5, 50
- Microsoft Scripting Editor button, Code View toolbar, 139
- Microsoft SharePoint Administration, 44–45
- migrating workflows, 475
- Minimize option, Web parts, 241
- MMC (Microsoft Management Console), 36
- Modified by specific person condition, Workflow Designer, 464
- Modified in specific date span condition, Workflow Designer, 464
- Modify Field dialog box, 200
- Modify ID option, Layer task pane, 129
- Modify option, Cell Properties dialog box, 123
- Modify Selection button, Customize dialog box, 93
- Modify Shared Web Part option, Web parts, 242
- Modify Style dialog box, 262, 413
- Modify Style option, Select CSS style to apply list, Apply Styles task pane, 266
- Modify Z-Index option, Layer task pane, 129
- More Actions dialog box, 489
- More Actions option, Actions menu, 447
- More Brightness option, Pictures toolbar, 159
- More Colors dialog box, 99–100
- More Contrast option, Pictures toolbar, 159
- MOSS (Microsoft Office SharePoint Server), 5, 50
- Move to option, Data Source Library, 331
- moveNext property, 224
- MSN Mapping Components, 167
- MSN Web components, 167–168
- MSSharePointAppPool application pool, 33
- MSSharePointAppPool Properties dialog box, 33, 45
- My Computer folder, 68
- My Network Places folder, 69
- My Pictures library, 58
- My SharePoint Sites pane, 19
- MyWebSite Properties dialog box, 32

N

- Name attribute, 118, 376
- Navigate mode, HotSpot Collection Editor dialog box, 214
- Navigate to page action, Actions List, 397
- Navigate to source action, Actions List, 397
- NavigateUrl property, 212, 214
- navigation. *See also* navigation controls
 - designing for non-SharePoint sites
 - Bar based on navigation structure component, 301–302
 - link bars, 299–300
 - Navigation pane, 296–298
 - elements
 - overview, 302–303
 - Quick Launch bar, 303–304
 - site navigation settings, 304–305
 - overview, 295–296
- navigation controls
 - ASP.NET
 - sitemaps, 227–228
 - using, 228–229
 - binding to ASP.NET data, 307–308
 - defined, 206
 - exploiting, 308–309
 - navigation sources, 305–307
- Navigation Inheritance section, New SharePoint Site Web page, 57
- Navigation pane, 12–13, 19, 57, 90, 296–298
- navigation sources, 305–307
- Navigation tab, Site Settings dialog box, 21
- nested master pages, 289
- .NET Framework Data Provider
 - for ODBC, 322
 - for OLEDB, 322
 - for Oracle, 322
 - for SQL Server, 322
- New action button, Web Part Gallery, 237
- New Data Source, 367
- New dialog box
 - creating basic Web pages, 14–15
 - dynamic Web templates, 277
 - exploring content, 86–87
 - overview, 11, 83
 - Page Properties dialog box, 18
 - templates, 85–86
 - Web pages and files, creating, 84–85
- New From Existing Page option, Folder List task pane, 17
- New Item Form menu option, Data Source details task pane, 395

- New Page button, Folder List task pane, 15
 - New Page icon, Web Site tab, 87
 - New Parameter menu, 405
 - New Rule dropdown menu, HTML Rules dialog box, 146
 - New SharePoint Site Web page, 56
 - New Style button, Style toolbar, 258
 - New Style Copy option, Select CSS style to apply list, Apply Styles task pane, 266
 - New Style dialog box, 251, 253–254, 259–260
 - New Style option, Apply Styles task pane, 254, 266
 - New Technology File System (NTFS), 48
 - New Toolbar dialog box, 92
 - New Web Part Page Web page, 308
 - New Web Parts page, 237–238
 - New Windows option, Common Targets list, 120
 - NewForm.aspx file, 391
 - newsletters
 - implementing, 499–507
 - overview, 498
 - Next Bookmark button, Code View toolbar, 139
 - Next Code Hyperlink button, Code View toolbar, 139
 - Next radio button, Link Bar Properties dialog box, 302
 - No Matching Item text option, General tab, Data View Properties dialog box, 400
 - No wrap setting, Cell Properties dialog box, 122
 - None option, HTML Tags tab, Find and Replace dialog box, 145
 - non-SharePoint sites
 - administration features
 - Administration menu option, 523
 - managing site settings, 521–522
 - overview, 520–521
 - recalculating hyperlinks, 522
 - importing and exporting
 - Import Web Site Wizard, 513–514
 - overview, 512–513
 - Personal Web Packages, 514–516
 - overview, 511–512
 - publishing
 - Publishing pane, 516–518
 - setting remote Web site properties, 518–520
 - NotSet mode, HotSpot Collection Editor dialog box, 214
 - NTFS (New Technology File System), 48
 - numbered lists, 107–109
 - Numbers tab, Bullets and Numbering dialog box, 109
- O**
- <object> tag, 166–167
 - ObjectDataSource control, 346
 - Office Server Extensions (OSE), 5
 - tag, 104, 107
 - Old Files menu option, Reports pane, 538
 - One Page Web Site template, 11
 - Only Modify Size Attributes option, smart tag, 154
 - Opacity slider, Tracing Image dialog box, 138
 - Open as Web Folder check box, Open dialog box, 69
 - Open Attached Dynamic Web Template dialog box, 282
 - Open Attached Master Page dialog box, 287
 - Open browser window behavior, 174
 - Open in New Window option, Folder List task pane, 16
 - Open option, Folder List task pane, 16
 - open_service FrontPage RPC method, 73
 - open_service Web method, 70, 72
 - Open Site dialog box, 13, 19–20, 68, 374
 - Open With option, Folder List task pane, 16
 - operating system (OS), 28
 - operator property, 226
 - Optimize HTML tab, Remote Web Site Properties dialog box, 520
 - Options button, Code View toolbar, 139–140
 - Options dropdown menu, Apply Styles task pane, 264
 - Options for Discussion Form Handler dialog box, 201
 - Options for Saving Results to Database dialog box, 199
 - OS (operating system), 28
 - OSE (Office Server Extensions), 5
 - owsadm command-line tool, 47, 540
- P**
- <p> tag, 104, 176
 - Padding section, Borders and Shading dialog box, 106
 - Page Banner component, 190
 - Page Based On Schedule component, 188–189
 - Page Category component, 191–193
 - Page component, 188
 - Page Default option, Common Targets list, 120
 - Page directive, 286
 - Page Editor Options dialog box
 - AutoThumbnail, 155
 - Code view, 139
 - Color Coding tab, 133–134
 - font families, 103
 - modifying page-editing options, 94–96
 - Paste Options menu, 132
 - rulers and grids, 136
 - styles, 256–257
 - Page Editor Options link, New dialog box, 94
 - Page Enter event, 179

- Page Exit event, 179
- Page field, Toolbar task pane, 246
- page fields, 245
- page layout content types, 290–291, 293
- page layouts
 - creating, 293–294
 - editing, 293–294
 - overview, 275–276, 290
 - publishing pages, 291–292
- Page Properties dialog box, 17–18, 113, 257
- Page tab, New dialog box, 14–15, 84, 88, 113, 277, 284
- page transitions, 179
- Page Transitions dialog box, 179
- Page Viewer, 241
- page views, 87–89
- pages. *See* Web pages
- Paragraph dialog box, 104–105
- Paragraph Marks option, Formatting Marks, 135
- paragraphs, 104–107
- Parameter Info button, Code View toolbar, 138
- Parameter Properties section, Add WHERE Clause dialog box, 369
- Parameter Source dropdown menu, New Parameter menu, 405
- Parameter Values Editor dialog box, 352
- ParameterBindings component, Data Form Web Part, 374
- ParameterBindings tag, 376
- parameters
 - creating in hyperlinks, 118–119
 - data source ASP.NET controls, 355–359
 - overview, 404–407
- Parameters button, Insert Hyperlink dialog box, 117
- Parameters tab, Site Settings dialog box, 21, 187
- Parent Frame option, Common Targets list, 120
- Parent level radio button, Link Bar Properties dialog box, 302
- Parent Page check box, Link Bar Properties dialog box, 299
- ParentLevelsDisplayed property, 308
- passport authentication, 31
- PasswordRecovery control, 230
- Paste Options menu, 132
- Paste Text dialog box, 132
- Pattern section, Borders and Shading dialog box, 107
- Pause For Duration action, Workflow Designer, 467
- Pause Until Date action, Workflow Designer, 467
- Performance setting, Web Site Properties dialog box, 40
- permission levels, 530–531
- Permissions option, Administration menu, 523
- Personal Web Packages, 23, 514–516, 526
- Photo Gallery Properties dialog box, 161–162, 165
- photo gallery Web component
 - associated folders and files, 164–165
 - defined, 182
 - modifying properties, 165
 - overview, 161–164
- photogallery folder, 164
- Picture Based On Schedule component, 189–190
- Picture Bullets tab, Bullets and Numbering dialog box, 108–109
- Picture File Type dialog box, 155–156
- Picture File Type option, Save Embedded Files dialog box, 154
- Picture Properties dialog box, 154
- Picture tab, Page Editor Options dialog box, 96
- pictures
 - creating hyperlinks on, 157–158
 - overview, 151–154
 - Pictures toolbar, 158–159
 - setting properties
 - AutoThumbnail option, 155
 - Picture File Type dialog box, 155–156
 - Picture Properties dialog box, 157
 - Resample option, 155
 - Reset Size option, 155
- Pictures toolbar, 158–159
- Place in This Document pane, Insert Hyperlink dialog box, 116
- PlaceholderHorizontalNav content region, 305–306
- PlaceholderMain content placeholder control, 285
- PlaceholderMain content region, 308, 374–375
- placeholders, 284–287
- Plain Bullets tab, Bullets and Numbering dialog box, 107
- Play sound behavior, 174
- <p>(MainContent)</p> dummy content, 285
- Polygonal Hotspot option, Pictures toolbar, 159
- PolygonHotSpot, 214
- Popup message behavior, 174
- PortalSiteMapDataSource property, 245
- ports, multiple, 29
- Position dialog box, 109–110
- Position dropdown menu, Font dialog box, 101
- Position property, 366
- Positioned Absolute option, Formatting Marks, 135
- positioning content, 109–110
- Positioning option
 - Layer task pane, 129
 - Quick Tag Selector, 150
- POST verb, 75
- PostBack mode, HotSpot Collection Editor dialog box, 214
- PostBack value, Location attribute, 376

- Preload images behavior, 174
 - Preview attribute, 185
 - Preview in Browser option, Folder List task pane, 17
 - Preview option, New Style dialog box, 260
 - Preview section, Borders and Shading dialog box, 106
 - Preview tab, Site Settings dialog box, 20, 207
 - Preview/Properties dialog box, 152
 - Previous Bookmark button, Code View toolbar, 139
 - Previous Code Hyperlink button, Code View toolbar, 139
 - Primary Site Collection Administrator text field, Create Site Collection Web page, 54
 - Problem Details option, Accessibility task pane, 544
 - Problem Summary column, Accessibility task pane, 542
 - problems reports, 539
 - Programs and Features option, Control Panel, 10
 - properties, setting picture
 - AutoThumbnail option, 155
 - Picture File Type dialog box, 155–156
 - Picture Properties dialog box, 157
 - Resample option, 155
 - Reset Size option, 155
 - Properties dialog box, 39–40, 520–521
 - Properties option
 - Data Source Library, 331
 - Folder List task pane, 17
 - Properties pane, 242
 - Property Builder dialog box, 364–365
 - property grid, 11
 - property:value pair, 253
 - ProviderID control, 422
 - ProviderName attribute, 324, 336, 350
 - ProxyAssemblyCache folder, 476
 - Publish section, Publishing tab, Remote Web Site Properties dialog box, 518
 - Publish Selected Files option, Folder List task pane, 17
 - publishing
 - content, 22–23
 - non-SharePoint sites
 - Publishing pane, 516–518
 - remote Web site properties, 518–520
 - pages, 291–292
 - Publishing Content Types group, 293
 - Publishing pane, 516–518
 - Publishing site template, 290, 293
 - Publishing tab, Remote Web Site Properties dialog box, 518–519
 - Publishing template, 55
-
- Q**
 - Query section, Data Source Properties dialog box, 334–336
 - query string, 351
 - Query String parameter source, 404
 - Query String section, Hyperlink Parameters dialog box, 118
 - Query String value, Location attribute, 376
 - QueryString parameter, 352–353
 - Quick Launch bar
 - connecting to server-side scripts, 336
 - overview, 55
 - search box control, 89
 - working with, 303–304
 - Quick Launch Web page, 304
 - Quick Tag Selector, 131, 149–150, 176, 384
 - Quota Template section, Create Site Collection Web page, 54
-
- R**
 - RangeValidator control, 225
 - Raw button, Session Inspector window, 62
 - raw Webs, 12–13
 - Real_p.htm file, 164
 - Real_x.htm file, 164
 - Real.htm file, 164
 - Really Simple Syndication (RSS), 56, 336
 - Recalculate Hyperlinks operation, 522
 - Recently Added Files menu option, Reports pane, 538
 - Recently Changed Files, Reports pane, 538
 - RectangleHotSpot control, 214
 - Rectangular Hotspot option, Pictures toolbar, 158–159
 - Recycling feature, Properties dialog box, 40
 - Recycling settings option, MSSharePointAppPool Properties dialog box, 33
 - Red Dot icon, Apply Styles task pane, 264
 - Refresh action, Actions List, 397
 - Refresh Changed Results option, Accessibility task pane, 544
 - Refresh Data View option, Common Data View Tasks menu, 398
 - Refresh Library link, Data Source Library task pane, 320
 - Refresh meta tag, 19
 - re-ghosting SharePoint pages, 7
 - regular expressions, 147–148
 - Regular Expressions menu, Find and Replace dialog box, 148
 - RegularExpressionValidator control, 225, 230
 - Related Data Sources menu, 341
 - Relative option, Position dialog box, 110

- remote authoring
 - client
 - Internet Explorer, 64
 - Web Client service, 65
 - Web Folders, 65
 - client-server communication protocols, 65–66
 - FrontPage Remote Procedure Call
 - exploring, 72
 - HTTP communication, 70–72
 - methods, 72–73
 - overview, 12, 61–63
 - Simple Object Access Protocol, 73–74
 - Web Client service, 66–69
 - Web Folders
 - overview, 66–67
 - in Windows XP and Windows Vista clients, 69–70
 - Web Methods, 75–76
 - Web servers, 65
 - Web Services, 75–76
- Remote Procedure Call (RPC), FrontPage
 - client-server communication protocols, 65–66
 - exploring, 72
 - HTTP communication, 70–72
 - methods, 72–73
- Remote Publishing pane, 22–23
- Remote Web Site pane, 90, 516
- Remote Web Site Properties dialog box, 22–23, 517, 518–519
- Remote Web Site Publishing pane, 513
- Remove attribute option, HTML Tags tab, Find and Replace dialog box, 145
- Remove Class option, Select CSS style to apply list, Apply Styles task pane, 266
- Remove Formatting button, Paste Options menu, 132
- Remove ID option, Select CSS style to apply list, Apply Styles task pane, 266
- Remove Inline Style option, Select CSS style to apply list, Apply Styles task pane, 266
- Remove Link button, Insert Hyperlink dialog box, 117
- Remove Link option, Select CSS style to apply list, Apply Styles task pane, 266
- Remove option, Data Source Library, 331
- Remove tag and contents option, Replace action dropdown menu, HTML Tags tab, Find and Replace dialog box, 145
- Remove Tag option, Quick Tag Selector, 149
- Remove tag option, Replace action dropdown menu, HTML Tags tab, Find and Replace dialog box, 145
- Rename Class option, Select CSS style to apply list, Apply Styles task pane, 266
- Rename option, Folder List task pane, 17
- Replace action dropdown menu, HTML Tags tab, Find and Replace dialog box, 145
- Replace contents only option, Replace action dropdown menu, HTML Tags tab, Find and Replace dialog box, 145
- Replace tab, Find and Replace dialog box, 145
- Replace tag and contents option, Replace action dropdown menu, HTML Tags tab, Find and Replace dialog box, 145
- reporting
 - basic site management, 24
 - compatibility reports
 - Compatibility Checker, 544–545
 - Compatibility task pane, 545
 - CSS, 271–273
 - overview, 535–536
 - Reports pane, 536–537
 - SharePoint Designer versus FrontPage 2003, 7
 - site-reporting features
 - files reports, 538
 - problems reports, 539
 - shared content reports, 538–539
 - usage
 - enabling, 540
 - working with data from, 540–541
 - Web standards
 - Accessibility Checker, 542–543
 - accessibility standards, 542
 - Accessibility task pane, 543–544
 - overview, 541
 - workflow, 474
- Reports pane, 24, 90, 535–538
- Reports tab, Application Options dialog box, 537
- Reports View tab, Application Options dialog box, 93, 536, 538
- request line, 65
- RequiredFieldValidator control, 225–227
- Resample option, Pictures toolbar, 159
- Resample Picture to Match Size option, smart tag, 154
- Reset Origin option, Ruler and Grid menu, 136
- Reset to site definition link, Site Settings Web page, 236
- Reset to Site Definition process, 234–235
- response line, HTTP response, 66
- Restore option, Pictures toolbar, 159
- Restore Web Site dialog box, 530
- Restore Web Site option, Administration menu, 523
- restoring Web sites, 25
- right section, SharePoint Designer, 82

- roles, 48–49
 - roles.ini file, 49
 - root folder
 - creating, 11
 - metadata, 12
 - web.config file, 321
 - root site collection, 53
 - Rotate Left 90° option, Pictures toolbar, 159
 - Rotate Right 90° option, Pictures toolbar, 159
 - RPC (FrontPage Remote Procedure Call)
 - client-server communication protocols, 65–66
 - exploring, 72
 - HTTP communication, 70–72
 - methods, 72–73
 - RSS (Really Simple Syndication), 56, 336
 - RSS Viewer, 241
 - <RuleExpressionCondition> element, 460
 - Ruler and Grid menu, Design view, 135
 - Ruler and Grid tab, Page Editor Options dialog box, 96, 137
 - Ruler and grid units attribute, Design view, 136
 - rulers, 135–136
 - rules
 - CSS, 250–253
 - HTML, 146–147
 - Run All Actions in Parallel menu option, Workflow Designer, 500
 - Run dialog box, Start menu, 36
 - runat="server" attribute, 209
 - runtime services, workflow, 434–435
 - runtime Web components, 182–183
- ## S
- Same Frame option, Common Targets list, 120
 - Same level radio button, Link Bar Properties dialog box, 302
 - Save As option, Data Source Library, 331
 - Save Embedded Files dialog box, 154
 - Save Site as a Template action, 475
 - Save Site as Template Web page, 527
 - Save Web Part to Site Gallery dialog box, 528
 - Saved Fields tab
 - Saving Results dialog box, 198
 - Saving Results to Database dialog box, 200
 - Saving Results dialog box, 198
 - Saving Results to Database dialog box, 199–200
 - Screen Tip button, Insert Hyperlink dialog box, 116
 - Script Blocks option, Formatting Marks, 135
 - Search Component Web component, 183
 - Search Form Properties dialog box, 193
 - Search Options section, Find and Replace dialog box, 144, 146
 - Security Configuration section, Create New Web Application Web page, 52
 - Security tab
 - Folder Properties dialog box, 43
 - MyWebSite Properties dialog box, 32
 - Select a Category dropdown menu, Workflow Actions dialog box, 447, 452
 - Select a Master Page dialog box, 88, 287, 374
 - Select All Instances option, Select CSS style to apply list, Apply Styles task pane, 266
 - Select Block button, Code View toolbar, 139
 - Select CSS style to apply list, Apply Styles task pane, 265–266
 - Select Data Source dialog box, 324
 - Select Element radio button, Change Property dialog box, 388
 - Select Image dialog box, 213
 - Select option
 - Cell Properties dialog box, 123
 - Pictures toolbar, 159
 - Select Place in Document dialog box, 118
 - Select Resulting Files in Folder List option, Accessibility task pane, 544
 - SELECT statement, 349–352, 355–356, 360–361, 482–483
 - Select Style Sheet dialog box, 14
 - Select Tag button, Code View toolbar, 139
 - Select Tag Contents option, Quick Tag Selector, 149
 - Select Tag option, Quick Tag Selector, 149
 - Select Users dialog box, 464–465, 484–486
 - <SelectParameters> tag, 376
 - SelectCommand attribute, 336, 350
 - selectcommand parameter, 337
 - Selection margin check box, Code View Option section, General tab, Code view, 140
 - Selector option, New Style dialog box, 259–260
 - selectors, 252
 - SelectParameters tag, 355
 - Send an E-mail workflow action, 467, 486, 495
 - Send Backward option, Pictures toolbar, 159
 - Send to other radio button, Form Properties dialog box, 200–202
 - sending forms
 - to databases, 199–200
 - to e-mail addresses, 197–198
 - to files, 197–198
 - Send to other radio button, 200–202

- sequential workflow, 435–436
- server controls, 244–245
- Server Extensions 2002 setting, Web Site Properties dialog box, 41
- Server Name text field, Data Source Library, 332
- Server Variable source, 404
- Server version FrontPage RPC method, 73
- Server Version Web method, 71
- server-based Web sites, 12
- server-related technologies
 - File Transfer Protocol, 41–44
 - FPSE-based Web sites
 - configuration settings, changing, 47–48
 - configuring, 45–47
 - extending, 45–47
 - overview, 44–45
 - roles, adding, 48–49
 - server health, checking, 49
 - users, adding, 48–49
 - Internet Information Services
 - concepts, 29–35
 - configuring, 35–37
 - installing, 35–37
 - overview, 28
 - setting up Web sites, 37–41
 - overview, 27–28
 - WebDAV sites, 41–44
 - WSS and MOSS technologies
 - comparing, 50
 - interface, 50–55
 - layout, 50–55
 - libraries, 57–58
 - lists, 57–58
 - settings, 50–55
 - site collections, 55–57
 - sites, 55–57
 - Web parts, 59
- server-side scripts, 336–337
- Services management console, 67
- Session Inspector window, 62
- Set Action option, Save Embedded Files dialog box, 154
- Set as Default Master Page option, Folder List task pane, 16
- Set as Home Page option, Folder List task pane, 17
- Set attribute value option, HTML Tags tab, Find and Replace dialog box, 145
- Set Content Approval Status action, Workflow Designer, 467
- Set Field in Current Item action, Workflow Designer, 467
- Set Import Limits page, 514
- Set Initial Page button, Inline Frame Properties dialog box, 114
- Set Origin from Selection option, Ruler and Grid menu, 136
- Set text behavior, 174
- Set Time Portion of Date/Time Field action, Workflow Designer, 467
- Set Transparent Color option, Pictures toolbar, 159
- Set Visibility:Hidden option, Layers task pane, 387
- Set Workflow Variable action, Workflow Designer, 447, 449, 467, 482
- Setting section, Borders tab, Borders and Shading dialog box, 105
- Settings menu, 58, 489
- Setup Wizard, 9
- Shading tab, Borders and Shading dialog box, 106, 177
- shared content reports, 538–539
- Shared Services Provider (SSP), 337
- SharePoint backup and restore, 475
- SharePoint Central Administration Web site, 50–52, 326, 470–471, 540
- SharePoint Configuration Wizard, 50
- SharePoint content, 6, 25
- SharePoint Content tab, New dialog box, 15, 87
- SharePoint controls, 25
- SharePoint Designer
 - environment
 - Application Options dialog box, 93
 - New dialog box, 83–87
 - overview, 81–83
 - Page Editor Options dialog box, 94–96
 - page views, 87–89
 - task panes, 90–93
 - toolbars, 90–93
 - Web site panes, 89–90
 - versus Expression Web, 8
 - versus FrontPage 2003, 6–7
 - FrontPage technologies, 4–5
 - hidden metadata, 12–13
 - libraries, 57–58
 - lists, 57–58
 - overview, 3–4
 - raw Webs, 12–13
 - system requirements, 8–10
 - Web applications
 - creating, 52–53
 - creating site collections in, 53–55
 - Web pages
 - creating basic, 14–19
 - structure of, 10–12

- SharePoint Designer (*continued*)
 - Web parts, 59
 - Web sites
 - authoring, 24–25
 - importing and exporting content, 23
 - publishing content, 22–23
 - reporting, 24
 - simple, 19–21
 - structure of, 10–12
 - versioning, 24
- SharePoint Publishing, SharePoint Content tab, New dialog box, 86
- SharePoint Team Services (STS), 5, 44, 50
- SharePoint Templates option, Web Site tab, New dialog box, 85
- <SharePoint:AspNetMenu> navigation control, 306–307
- <SharePoint:SPHierarchyDataSourceControl>
 - data source control, 308
- <Sharepoint:SPTreeView> data source control, 308
- SharePoint:SPDataSource control, 375
- shorthand properties, CSS, 253
- Show alphabetized list button, Tag Properties task pane, 210
- Show Borders check box, Frame Properties dialog box, 112–113
- Show categorized list button, Tag Properties task pane, 210
- Show Content option, Conditional Formatting task pane, 413
- Show Data option
 - Data Source Library, 331, 380, 405
 - Data Source Properties dialog box, 338
- Show Grid option, Ruler and Grid menu, 136
- Show option
 - Formatting Marks, 135
 - Visual Aids, 134
- Show Paste Options Buttons check box, Paste Options menu, 132
- Show Ruler option, Ruler and Grid menu, 136
- Show set properties on top button, Tag Properties task pane, 210
- Show with sample data option, Common Data View Tasks menu, 398
- SideBarTemplate, 224
- signatures, 29
- Simple Object Access Protocol (SOAP), 66, 73–74, 326
- Single Sign-On (SSO), 336
- Site Actions menu, 55
- Site Collection Administration section, Site Settings Web page, 471
- Site Collection Features Web page, 471
- site collections
 - configuring settings, 471–472
 - creating, 53–55
 - working with, 55–57
- Site columns gallery, 237
- Site Content Type Gallery, 237, 290–291, 472
- Site Enter event, 179
- Site Exit event, 179
- Site Gallery, 528
- site management
 - backup and restore features, 529–530
 - Contributor Settings
 - configuring contributor group properties, 532–534
 - overview, 530–532
 - importing and exporting
 - site templates, 527
 - Web packages, 526
 - Web parts, 528
 - overview, 525–526
- Site Master Page, 288
- Site Navigation Settings page, Collaboration template, 304–305
- Site Settings dialog box
 - dynamic Web templates, 277
 - FPSE-enabled Web sites, 522
 - hidden metadata, 13
 - inserting Web components, 183
 - navigation controls, 309
 - overview, 20–21
 - Preview tab, 207
 - resetting customized pages, 236
 - site collections, 55–56, 471–472
 - Substitution Web component, 187
- Site Summary report, 537
- site templates, 85
- Site templates gallery, 237, 527
- <siteMap> element, 228
- SiteMapDataSource control, 228–229, 307, 346
- <siteMapNode> element, 228
- SiteMapPath navigation control, 308
- SiteMapProvider attribute, 307–308
- sitemaps, 227–228
- site-reporting features
 - files reports, 538
 - problems reports, 539
 - shared content reports, 538–539
- sites. *See* Web sites
- Sites.asmx Web service, 76, 85
- Size section, Insert Table dialog box, 121
- Slideshow.js file, 164
- Slow Pages report, 539
- smart tag, 153
- Snap to Grid option, Ruler and Grid menu, 136
- Snapping Grid attribute, Design view, 136

- .snt extension, 529
- SOAP (Simple Object Access Protocol), 66, 73–74, 326
- SOAP action header, 75
- Sort and Group dialog box, 403
- Sort dialog box, 335
- sorting
 - enabling, 402–403
 - XSLT expressions, 408–409
- Sorting menu option, Common Data View Tasks menu, 402
- Source dropdown menu
 - Add WHERE Clause dialog box, 369
 - Define Workflow Lookup dialog box, 449–450
- Source tab
 - Data Source Library task pane, 332, 337
 - Data Source Properties dialog box, 328
- SourceWebPart control, 418
- Spaces option, Formatting Marks, 135
- Spacing dropdown menu, Character Spacing tab, Font dialog box, 101
- Spacing section, Paragraph dialog box, 104
- span selector, 252
- tag, 250, 252, 255
- SPContentMapProvider property, 307
- SPDataSource control, 372
- Specific Master Page radio button, Select a Master Page dialog box, 285
- Specify Picture radio button, Picture Bullets tab, Bullets and Numbering dialog box, 108
- Split Cells dialog box, 384–385
- Split view, 87–89, 112, 271
- SPNavigationProvider attribute, 307–308
- SPSiteMapProvider attribute, 307
- SPTreeView control, 309
- SPWorkflowDataSource control, 461
- SPXmlContentMapProvider property, 307
- SQLDataSource control
 - binding, 360–361
 - DetailsView control, 367–368, 370
 - editing commands and parameters, 355
 - GridView control, 365
 - overview, 346–348
 - setting properties, 350–351
- SSO (Single Sign-On), 336
- SSOTicket value, Location attribute, 376
- SSP (Shared Services Provider), 337
- stages, 431
- standard ASP.NET controls
 - AdRotator, 212–213
 - defined, 205
 - editing control templates, 222–224
 - Expressions, 218–222
 - ImageMap, 213–215
 - overview, 208–210
 - Tag Properties task pane, 210–211
 - Wizard, 215–218
- standards, Web
 - Accessibility Checker, 542–543
 - accessibility standards, 542
 - Accessibility task pane, 543–544
 - overview, 541
- StartNavigationTemplate, 223
- StartUp Type dropdown menu, WebClient Properties dialog box, 67
- state machine workflow, 435, 437
- Static option, Position dialog box, 110
- StaticDisplayLevels attribute, 306
- status link, Workflows page, 454
- steps, workflow, 442
- StepType property, 216, 223
- Stop Workflow action, Workflow Designer, 467
- Store dynamic string, 490
- .stp extension, 527
- String Builder dialog box, 484–486, 490, 492
- Strong check box, Effects section, Font dialog box, 99
- tag, 101
- structure.cnf file, 296, 298, 301
- STS (SharePoint Team Services), 5, 44, 50
- stsadm.exe command-line tool, 469, 473–474, 525
- Style application toolbar, 91
- style attribute, 255
- Style list, Borders and Shading dialog box, 105
- style sheets, 19, 84, 249. *See also* Cascading Style Sheets
- Style toolbar, 91, 258
- <style> tag, 255
- styles
 - Apply Styles task pane, 263–267
 - creating, 258–261
 - CSS layouts, 269–271
 - CSS Properties task pane, 267–268
 - deleting, 263
 - Manage Styles task pane, 268–269
 - modifying, 262
 - overview, 256–257
- sublists, 108
- subsites, 19
- Substitution Properties dialog box, 188
- Substitution Web component, 187–188
- subviews, 382–386
- Supporting Files tab, List Properties dialog box, 394
- surveys, SharePoint Content tab, New dialog box, 86

Swap images behavior, 174
 Swap images restore behavior, 174
 Symbol dialog box, 160
 symbols, inserting, 160
 System Master Page, 288
 system requirements, 8–10
 <system.diagnostics> section, 477

T

tab-based link bar, 54
 Table AutoFormat dialog box, 123–124
 table layouts, 121–127
 Table menu, 121
 Table of Contents component, 182, 191–193
 Table of Contents Properties dialog box, 192–193
 Table Properties dialog box, 125
 Table Properties menu, 122
 Table toolbar, 121
 <table> tag, 383
 tables, 121–127
 Tag Marks option, Formatting Marks, 135
 Tag Properties dialog box, 212, 355–356
 Tag Properties option, Quick Tag Selector, 150
 Tag Properties task pane

- AdRotator control, 212–213
- ASP.NET control templates, 222
- binding to ASP.NET data and navigation controls, 307
- changing control properties, 351
- data source control properties, 350
- DataList control, 364
- Expressions property, 218
- formatting data display, 371
- GridView control, 366
- ImageMap control, 213–214
- server controls, 245
- working with, 210–211

 target attribute, 146
 Target Frame button, Insert Hyperlink dialog box, 116
 Target Frame dialog box, 120
 target=_blank attribute, 120
 target=_parent attribute, 120
 target=_self attribute, 120
 target=_top attribute, 120
 task panes

- Accessibility, 542–544
- Add Web Parts, 55, 239–240
- Apply Styles
 - changing formatting in, 106
 - CSS classes, 254
 - CSS rules, 250
 - deleting styles, 263
 - versus Manage Styles task pane, 268–269
 - modifying styles, 262, 271
 - use of, 263–267
 - working with styles, 258

 Behaviors, 172–173, 175, 178, 388
 Clip Art, 152
 Clipboard, 132
 Compatibility, 545
 Conditional Formatting, 412–413
 Contributor, 532
 CSS Properties, 257, 262, 267–268
 Data Source Details

- connecting to databases, 335
- connecting to linked data sources, 339
- connecting to XML Web services, 328
- creating dynamic data views, 387
- creating subviews, 383–384
- data view controls, 395
- inserting data views, 380–381, 418
- local XML files, 320
- overview, 317, 340–342
- parameters, 405
- working with data forms, 390

 Data Source Library

- applying XSLT filters, 400
- ASP.NET connections, 322–323, 347, 349
- connecting to Business Data Catalogs, 337–338
- connecting to databases, 332, 335
- connecting to other data source libraries, 340
- connecting to server-side scripts, 337
- connecting to XML Web services, 327–328, 331–332
- creating subviews, 382–383

 Data Form Web Part, 374
 data forms, 390
 data view controls, 395
 exploring Web part connections, 418
 filtering and sorting expressions, 408
 inserting data views, 380
 inserting formulae, 409
 local XML files, 319–320
 parameters, 404–405
 using ASP.NET controls with SharePoint data sources, 371–372
 working with, 316–318
 Find, 144
 Find Data Source, 342–343
 Folder List

- basic Web page creation, 14–18
- custom list forms, 394
- galleries, 237

- link bars, 300
- master pages, 288
- modified Web pages, 234
- navigation controls, 308
- Navigation pane use, 297
- overview, 11
- photo gallery Web component, 162
- placement of, 81–82
- Properties menu, 520
- Send to other radio button, 191
- server-side scripts, 337
- workflows, 455, 457
- Layers, 128–129, 387
- Layout Tables, 121, 125–126
- Manage Styles, 258, 262–263, 268–269
- overview, 11
- Tag Properties
 - AdRotator control, 212–213
 - ASP.NET control templates, 222
 - binding to ASP.NET data and navigation controls, 307
 - changing control properties, 351
 - data source control properties, 350
 - DataList control, 364
 - Expressions property, 218
 - formatting data display, 371
 - GridView control, 366
 - ImageMap control, 213–214
 - server controls, 245
 - working with, 210–211
- Toolbar, 245, 372
- Toolbox
 - ASP.NET connections, 347
 - ASP.NET control templates, 223
 - ASP.NET data and navigation controls, 308
 - data source controls, 346, 352, 360
 - data view controls, 395
 - DataList control, 361
 - DetailsView control, 367
 - editing commands and parameters, 356, 358
 - GridView control, 365
 - HTML form controls, 196
 - ImageMap control, 213
 - overview, 83
 - server controls, 244–245
 - standard controls, 208
 - validation controls, 226
 - use of, 90–93
 - Web Parts, 239–241, 418–419, 528
- Task Panes menu, 6, 125, 144
- Tasks section, Workflow Status Web page, 454
- <td> tag, 413
- Team Site template, 54, 304–305, 526
- Template Editing Mode, 223–224
- TEMPLATE folder, 234
- Template Region Labels button, Dynamic Web Template toolbar, 282
- Template Region Labels option, Visual Aids, 134
- Template Selection section, New SharePoint Site Web page, 56
- templates
 - ASP.NET control, 222–224
 - site, 527
 - Web site, 85–86
- Templates option, Web Site tab, New dialog box, 85
- Test Query screen, Configure Data Source dialog box, 349
- Text Box Validation dialog box, 203
- Text Entry Web page dialog box, 426
- Text Format group, 202
- Text property, 226
- Three-States workflow, 438
- Title field contains keywords condition, Workflow Designer, 464
- tocproto.htm file, 201–202
- Toggle Bookmark button, Code View toolbar, 139
- Toolbar option, General tab, Data View Properties dialog box, 399
- Toolbar task pane, 245, 372
- toolbars
 - Code View, 138–139
 - Common, 101, 104
 - Common and Formatting, 108
 - Customize dialog box, 91–93
 - Dynamic Web Template, 277, 282
 - Formatting, 101, 104
 - laying out interface, 90–91
 - Pictures, 158–159
 - Style, 91, 258
 - Style application, 91
 - Table, 121
- Toolbars tab, Customize dialog box, 92
- Toolbox task pane
 - ASP.NET connections, 347
 - ASP.NET control templates, 223
 - ASP.NET data and navigation controls, 308
 - data source controls, 346, 352, 360
 - data view controls, 395
 - DataList control, 361
 - DetailsView control, 367
 - editing commands and parameters, 356, 358
 - GridView control, 365
 - HTML form controls, 196

Toolbox task pane (*continued*)

- ImageMap control, 213
- overview, 83
- server controls, 244–245
- standard controls, 208
- validation controls, 226

Top 10 List component, 195

Top Link bar, Quick Launch bar, 54, 57, 303

top section, SharePoint Designer, 81

<tr> tag, 384, 387, 413

Tracing Image dialog box, 136–137

tracing images, 136–138

tracking service, 434

TreeView control, 228

troubleshooting workflows, 476–477

Trusted Connection string, 333

Type property, 226

U

 tag, 104, 107

Uniform Naming Convention (UNC), 65

Universal Data Connection (UDC), 328, 330

Unlinked Pages report, 539

Update All Pages dialog box, 282

Update Attached Pages dialog box, 282

UPDATE command, 356–357, 367

Update List Item dialog box, 487–488, 503, 505–506

Update List Item workflow action, 467, 503

Update Selected Page dialog box, 282

Upload menu, 58

-url switch, 474

URL to Web URL FrontPage RPC method, 73

Usage setting, Reports View tab, Application Options dialog box, 536

usage-reporting features

- enabling, 540

- working with data from, 540–541

Use Column Spacer Image option, Layout Tables task pane, 125

Use Encrypted Connection (SSL) check box

- Import Web Site Wizard dialog box, 514

- New dialog box, 85

Use Single Sign-On authentication option, Configure

- Database Connection dialog box, 336

User Filter, 241

user interface, 417, 479

User Name text field, Primary Site Collection Administrator

- text field, Create Site Collection Web page, 54

user-defined workflow variables, 459

User-Defined Workflows setting, Workflow Settings Web page, 471

UserGroup.aspx Web Service, 76

users, FPSE-based Web sites, 48–49

V

Validate button, Form Field Properties menu, 202

validation controls, ASP.NET

- defined, 205–206

- overview, 225

- using, 226–227

ValidationSummary control, 225–226

Value hyperlink, List/Library field, Workflow Designer, 464

Value text field, Font dialog box, 99

variables, workflow, 459, 463

verbs, HTTP, 66

Vermeer Technologies Incorporated (VTI), 4

versioning, 24

vertical-align property, 101

View dropdown menu, Publishing pane, 517–518

View menu, 134

views, data

- creating dynamic, 387–389

- creating subviews, 382–386

- inserting, 380–382

- overview, 379

virtual directory, 46

Virtual Server Administration page, 47

Visibility option, Layer task pane, 129

visibility:hidden style, 178

Visible Borders option, Visual Aids, 134

Visible radio button, Change Property dialog box, 178

visual aids, Design view, 134–135

VTI (Vermeer Technologies Incorporated), 4

W

W3C (World Wide Web Consortium), 249

Wait for Field Change in Current Item action, Workflow Designer, 467

WCAG (Web Content Accessibility Guidelines), 542

WCAG Priority 1, 542

WCAG Priority 2, 542

Web Application dropdown menu

- Create Site Collection Web page, 53

- Workflow Settings Web page, 471

Web application level workflow, 470

Web applications, 32–34

Web Client service (WebDAV Client Redirector), 65–69

- Web components
 - forms
 - HTML controls, 196–197
 - overview, 195–196
 - setting properties, 197–202
 - validating, 202–203
 - inserting
 - Comment, 185
 - Date and Time, 185–187
 - Hit Counter, 183–185
 - Page, 188
 - Page Banner, 190
 - Page Based On Schedule, 188–189
 - Page Category, 191–193
 - Picture Based On Schedule, 189–190
 - Substitution, 187–188
 - Table of Contents, 191–193
 - Top 10 List, 195
 - Web Search, 193–194
 - overview, 181–182
 - SharePoint Designer versus FrontPage 2003, 7
 - types of
 - author time, 182
 - runtime, 182–183
- Web Content Accessibility Guidelines (WCAG), 542
- Web controls
 - content fields, 245–246
 - overview, 233–236, 243
 - page fields, 245
 - server controls, 244–245
- Web Folders
 - defined, 65
 - overview, 66–67
 - in Windows XP and Windows Vista clients, 69–70
- Web Front End Web servers (WFEs), 50
- Web methods, 66, 70, 75–76
- Web Package Properties dialog box, 515
- Web packages, exporting, 526
- Web pages. *See also specific pages by name*
 - applying font to text, 99
 - attaching master pages to, 287–289
 - components of
 - bookmarks, 115–118
 - formatting, 98–109
 - frames, 111–115
 - hyperlinks, 115–120
 - layers, 128–129
 - overview, 97
 - positioning content, 109–110
 - table layouts, 121–127
 - tables, 121–127
 - creating, 14–19, 87–88
 - structure of, 10–12
- Web part connections
 - creating, 422–423
 - cross-page, 424
 - data consumers, 421–422
 - data providers, 421–422
 - Form Web Part, 426–427
 - modifying, 422–423
 - overview, 415–420
 - parameters, 424–426
 - string, 422
- Web Part Connections dialog box, 423
- Web Part Connections menu option, Common Data View
 - Tasks menu, 422
- Web Part Connections Wizard, 418, 420–426
- Web part controls, ASP.NET, 231
- Web Part Gallery, 237
- Web Part Page Maintenance page, 243
- Web Part Properties, 242, 392
- Web Part Zones, 241
- Web parts
 - Data Form
 - Common Data View Tasks menu, 398–412
 - Conditional Formatting task pane, 412–413
 - custom list forms, 391–395
 - data forms, 390–391
 - data view controls, 395–397
 - data views, 379–389
 - DataFields tag, 376–377
 - DataSources tag, 375–376
 - overview, 373–374
 - ParameterBindings tag, 376
 - XSL tag, 377–379
 - exporting, 528
 - Form, 426–427
 - inserting
 - commonly used, 241
 - modifying properties, 241–243
 - Web Parts task pane, 239–241
 - overview, 25, 59, 233–238
- Web Parts gallery, 237
- Web Parts task pane, 239–241, 418–419, 528
- Web Search component, 193–194
- Web servers. *See also server-related technologies*
 - defined, 65
 - setting up WSS on, 51
- Web Service Extensions, 34–35
- Web Service Extensions folder, 37, 43
- Web Service Extensions pane, IIS Manager, 45
- Web Service Extensions Properties dialog box, 35

- Web Services, 75–76
- Web Services Description Language (WSDL) file, 74
- Web Sessions pane, 62
- Web Site Access Permissions window, 38
- Web Site Address section, Create Site Collection Web page, 54
- Web Site Creation Wizard, 37–38
- Web Site Description window, 37
- Web Site Home Directory window, 38
- Web Site pane, 89–90, 296
- Web Site Properties dialog box, 40–41
- Web Site setting, Web Site Properties dialog box, 40
- Web Site tab, New dialog box, 11, 82, 85, 87
- Web sites. *See also* non-SharePoint sites; site management
 - authoring, 24–25
 - clip art, 152
 - exporting content, 23
 - FPSE-based
 - configuration settings, changing, 47–48
 - configuring, 45–47
 - extending, 45–47
 - overview, 44–45
 - roles, adding, 48–49
 - server health, checking, 49
 - users, adding, 48–49
 - identification of, 29–30
 - importing content, 23
 - publishing content, 22–23
 - reporting
 - compatibility reports, 544–545
 - overview, 24, 535–536
 - Reports pane, 536–537
 - site-reporting features, 538–539
 - usage-reporting features, 540–541
 - Web standards, 541–544
 - setting up, 37–41
 - simple, 19–21
 - structure of, 10–12
 - versioning, 24
 - working with, 55–57
- web sites folder, 37
- Web Sites pane, 13, 19
- Web standards
 - Accessibility Checker, 542–543
 - accessibility standards, 542
 - Accessibility task pane, 543–544
 - overview, 541
- weebot comment, 188
- WebClient Properties dialog box, 67
- web.config file, 218–219, 221, 321, 323–324, 327, 477
- WebDAV Client Redirector (Web Client service), 65–69
- WebDAV sites, 41–44
- WebFldrs Reinstall Mode dialog box, 70
- WebFldrs Welcome dialog box, 70
- webfldrs.msi setup file, 70
- WebPartPages.asmx Web Service, 75–76
- WebPartPages:spWebpartconnection control, 421–422
- WebPartZone control, 231
- web.sitemap file, 227, 229
- WF (Workflow Foundation), 432–434
- wfCurrentDate workflow variable, 460
- WFEs (Web Front End Web servers), 50
- What You See Is What You Get (WYSIWYG) features, 3
- WHERE button, Add WHERE Clause dialog box, 369
- WHERE clause, 369, 482
- Whole Page option, Common Targets list, 120
- Windows Components Wizard, 35–36
- Windows Explorer, 32
- Windows integrated authentication, 31
- Windows operating system, 28, 69–70
- Windows SharePoint Services (WSS), 50–51, 82–83, 437–439
- With Attribute option, New Rule dropdown menu, HTML Rules dialog box, 146
- Wizard control, 215–218, 230
- WizardStep Collection Editor dialog box, 216
- WizardSteps, 215, 223
- Word wrap check box, Code View Option section, General tab, Code view, 140
- Workflow Actions dialog box, 447
- Workflow Data option, Source dropdown, Define Workflow Lookup dialog box, 449
- Workflow Designer
 - dialog boxes
 - Create New List Item, 487–488
 - Custom Task Wizard, 483–484
 - Define E-mail Message, 486
 - Define Workflow Lookup, 482–483
 - Select Users, 484
 - String Builder, 484–486
 - Workflow Initiation Parameters, 480–481
 - Workflow Local Variables, 481–482
 - opening, 397
 - overview, 443–455, 479–480
 - Workflow Actions, 465–467
- Workflow Foundation (WF), 432–435
- Workflow History List, 443
- Workflow History section, Workflow Status Web page, 454

- Workflow Information section, Workflow Status Web page, 454
- Workflow Initiation Parameters dialog box, 460, 480–482
- Workflow Local Variables dialog box, 443, 446, 481–482, 490, 500
- workflow lookup query, 506
- workflow reports, 474
- workflow rules file, 457, 460
- Workflow runtime engine, 433–434
- Workflow Status Web page, 454–455
- Workflow Tasks Notifications, 471
- `workflow-eventdelivery-batchsize` property, 473
- `workflow-eventdelivery-throttle` property, 473
- `workflow-eventdelivery-timeout` property, 473
- workflows
 - architecture
 - association, 439–440
 - implementation in WSS, 437–439
 - initiation, 439–440
 - overview, 431–435
 - runtime services, 434–435
 - technologies, 437–439
 - types of, 435–437
 - Workflow runtime engine, 433–434
 - creating
 - actions, 465–468
 - conditions, 463–465
 - files, 455–463
 - overview, 441–443
 - Workflow Designer interface, 443–455
 - document approval
 - implementing, 489–498
 - overview, 488–489
 - migrating, 475
 - newsletters
 - implementing, 499–507
 - overview, 498
 - overview, 25, 469–470, 479–480
 - reports, viewing, 474
 - settings
 - content type, 472–474
 - global, 470–471
 - site collection, 471–472
 - SharePoint Content tab, 86
 - SharePoint Designer versus FrontPage 2003, 6
 - troubleshooting, 476–477
 - Workflow Designer dialog boxes
 - Create New List Item, 487–488
 - Custom Task Wizard, 483–484
 - Define E-mail Message, 486

- Define Workflow Lookup, 482–483
- Select Users, 484
- String Builder, 484–486
- Workflow Initiation Parameters, 480–481
- Workflow Local Variables, 481–482
- `workflows` folder, 455
- Workflows gallery, 237
- Workflows link, Galleries section, Site Settings page, 472
- `WorkflowTrace.log` file, 477
- Workgroup tab, Page Properties dialog box, 17, 191
- `workitem-eventdelivery-batchsize` property, 473
- `workitem-eventdelivery-throttle` property, 473
- World Wide Web Consortium (W3C), 249
- Wrap Tag option, Quick Tag Selector, 150
- Write check box, Home Directory tab, IIS Manager, 43
- WSDL (Web Services Description Language) file, 74
- WSS (Windows SharePoint Services), 50–51, 82–83, 437–439
- WYSIWYG (What You See Is What You Get) features, 3

X

- XAML (Extensible Application Markup Language), 436
- XML (Extensible Markup Language)
 - local files, 319–320
 - Web services, 327–332
- XML Web part, 241
- `XMLDataSource` control, 346, 358–359
- `XmlUrlDataSource` control, 336
- `xmlUrlDataSource` data source, 337
- XOML (Extensible Object Markup Language), 456–457
- `.xoml.wfconfig.xml` extension, 457
- `xoml.wfconfig.xml` file, 460
- `.xoml` extension, 456
- XPath Expression Builder dialog box, 410
- XSL (Extensible Stylesheet Language), 377
- XSL builder interface, 408
- XSL component, Data Form Web Part, 374
- `<XSL>` property, 377–379, 400
- XSLT (Extensible Stylesheet Language Transformations)
 - expressions
 - data fields, formatting, 410–412
 - filtering, 400–402, 408–409
 - formulae, inserting, 409–410
 - overview, 407
 - sorting, 408–409

Z

- `z-index` attribute, 129

