

Index

Note to the Reader: Throughout this index boldfaced page numbers indicate primary discussions of a topic. Italicized page numbers indicate illustrations.

A

- A (Address) records, 413, 416–417, 417
- Access property page
 - for NNTP, 513, 514
 - for POP3, 475
 - for SMTPVS, 424–432, 425
 - for virtual directories, 494–495, 494
- Account property page, 326, 327
- accounts, LDAP, 506–508, 506–508
- Acme Setup program, 242
- actions for recovery, 363
- Actions menu, 291, 291
- Actions property page, 757
- activating clients, 265
- Active Directory, 49–50
 - database location of, 589
 - forests, trees, and domains in, 50, 52–55, 53–54
 - hiding attributes of, 505
 - imports and exports for, 631–632, 631–632
 - installing, 165, 165
 - for LDAP, 504–505, 504
 - namespaces in, 50–52, 51
 - objects in, 50, 53, 55
 - populating, 137–143, 138–140, 142–143
 - for recipients, 623–624
 - services in, 56
 - in upgrading, 114, 131–132
 - in Windows 2003 Server, 28–30, 29–31, 171–175, 171–174
- Active Directory Account Cleanup Wizard (ADCUW), 139–141
- Active Directory Connector (ADC), 75, 131–132, 136, 140–142
- Active Directory Domain Name page, 161, 161
- Active Directory Domains and Trusts tool, 29, 29
 - for cross-domain management, 596
 - for domain verification, 592
- Active Directory Installation Wizard, 165, 165, 587–591, 588–591
- Active Directory Migration Tool (ADMT), 130, 138, 141
- Active Directory Service Interfaces (ADSI) Edit program, 304–306, 304–305
- Active Directory Sites and Services tool, 29, 30
- Active Directory Users and Computers container, 553
- Active Directory Users and Computers tool, 18, 18, 29, 29, 65, 66
 - adding, 224
 - for administrative groups, 565
 - advanced features in, 300–303, 301–302
 - for cross-domains, 596, 596
 - for domain containers, 171, 171
 - elements in, 298–300, 299
 - for enabling users, 141
 - for mailbox names, 92
 - for mailboxes, 231, 296, 297
 - MMC for, 296–298, 296–297
 - in program group, 223
- Active Server Pages (ASP), 69
- adapters
 - MAC addresses for, 182
 - for SMTPVS, 422
 - testing, 153
- ADC (Active Directory Connector), 75, 131–132, 136, 140–142
- ADCUW (Active Directory Account Cleanup Wizard), 139–141
- Add a New E-Mail Account option, 640
- Add Database to Recover option, 664
- Add ETRN Domain dialog box, 456, 457
- Add Exchange Public Folders option, 339
- Add Exclusion dialog box, 177, 177
- Add Locale dialog box, 357
- Add MIME Content Type dialog box, 440
- Add Newsgroup dialog box, 530, 530
- Add/Remove Snap-in, 168, 169, 226
- Add Resource dialog box, 358–360, 359
- Add Server option, 366, 547
- Add Standalone Snap-in dialog box, 168, 169, 226
- Add Users dialog box, 374, 374
- Additionally Request Mail at Specified Times option, 456
- Address Book application, 511
- Address Book command, 289
- address books
 - display names in, 93–94, 94
 - DXA for, 73
 - for LDAP accounts, 508, 509
 - in Outlook 2003 client, 269, 269
 - for recipients, 313, 314
- Address field for SMTPVS, 423
- address leases, expiration of, 180
- Address Leases container, 178
- Address List Name field, 372
- Address List Preview dialog box, 625, 626
- Address Lists, 625–627, 625–626
- Address Pool container, 177
- Address property page, 324
- address ranges, DHCP, 175–177, 177
- Address (A) records, 413, 416–417, 417
- Address Space property page, 450–451, 450
- Address Templates container, 627
- addresses
 - for domain postmasters, 438

- IP. See IP addresses
- for mailboxes, 314–315
- proxy, 614, 614, 674
 - creating, 614–616, 615–616
 - DNS for, 616
- for recipients, 617–623, 618–623
- reserving, 180–183, 181–183
- administration, third-party applications for, 763–765
- Administrative Group Management role, 84
- Administrative Group page, 562, 562, 594, 594
- administrative groups, 352
 - adding Exchange servers to, 539–540, 541, 559–564, 561–564
 - adding to organizations, 560–562, 561
 - boundaries, 96
 - centralized, 353
 - creating, 593–594, 594–595
 - decentralized, 352–353
 - mixed, 353
 - naming conventions for, 91
 - system policies for, 354
- Administrative Groups container, 559
- administrative installation points
 - creating, 243–244, 244
 - installing client on, 245, 246
- administrative mode, 245
- administrative rights
 - in Exchange 2003 Server installation, 217
 - for public folders, 376, 376
- Administrative Rights property page, 376, 376
- Administrative Tools menu, 166, 167
- Administrator account
 - for installation, 212
 - passwords for, 156
- administrators, ethics for, 694–695
- ADMT (Active Directory Migration Tool), 130, 138, 141
- ADPREP program, 114–115
- ADSI (Active Directory Service Interfaces) Edit program, 304–306, 304–305
- Advanced dialog box
 - for POP3, 474
 - for SMTPVVS, 422–423, 423
- Advanced Connection Options dialog box, 726, 727
- Advanced Delivery dialog box, 435–437, 436
- Advanced Features, 300–303, 301–302
- Advanced Mode dialog box, 206
- Advanced Properties dialog box, 742, 752
- Advanced property page
 - for LDAP accounts, 507–508, 508
 - for mail-enabled users, 331
 - for POP3, 483
 - for recipients, 346, 622–623
 - for SMTPC, 455–457, 455
 - for SMTPVVS, 443–444, 443
- Advanced Schedule Options dialog box, 200, 201
- Advanced tab for Outlook 2003 client, 275
- Age Limits for All Folders in This Store field, 398
- Age Limits setting, 370
- aliases
 - for domains, 418–419
 - for mailboxes, 92, 93, 94–95, 95, 315, 481
- All Address Lists container, 625
- All connectors monitor option, 362
- All Fields page, 748
- All Global Address Lists container, 625
- All Mail Folders folder, 265
- All Managers dialog box, 38
- All Public Folders folder, 277–278, 279
- All servers monitor option, 362
- All Unassigned option, 422
- Allow All Computers Which Successfully Authenticate to Relay option, 430
- Allow Automatic Forward option, 444
- Allow Automatic Replies option, 444
- Allow Control Messages field, 515–516
- Allow Delivery Reports option, 444
- Allow Inheritable Permissions from Parent to Propagate to This Object option, 518
- Allow Log On Locally option, 216
- Allow Messages to Be Relayed to These Domains option, 451
- Allow Nondelivery Reports option, 444
- Allow Out of Office Responses option, 444
- Allow Servers to Pull News Articles from This Server option, 515
- Allow Zone Transfers option, 591
- Allowed Sizes field, 453
- Allowed Types field, 453
- Always Dynamically Update DNS A and PTR Records option, 179
- Always Run option
 - for dial-up links, 454
 - for public folder replication, 582
- Always Use option, 444
- American Power Conversion (APC) interfaces, 191
- anonymous access and authentication
 - for LDAP, 506
 - for newsgroups, 513
 - for public folders, 375
 - for ROH, 638
 - in SMTPVVS, 425, 434
 - for virtual directories, 495
- Anonymous Account dialog box, 513
- Anonymous user, 375
- Another Computer option, 598
- anti-spam applications, 706–709, 708–709, 768–770
- Antigen for Exchange Server application, 768
- Any connector in the routing group option, 362
- Any Local Server Can Send Mail over This Connector option, 572
- Any server in the routing group option, 362
- Any Writable Domain Controller option, 226
- AppAnalyzer for Exchange application, 763

- AppleTalk Networks, 23
 - Application Development Management role, 84
 - application logs, 225, 364, 599, 599
 - Application Programming Interfaces (APIs), 13–14, 737
 - applications
 - Exchange
 - APIs for, 13–14
 - attachments, 9
 - e-mail, 5–9, 6–8
 - electronic forms, 13, 13
 - messaging-enabled, 9–10, 10
 - objects, 10–12, 11
 - third-party, 24
 - administration and management, 763–765
 - backup, 765–766
 - fax servers, 766–767
 - monitors, scanners, and intrusion detectors, 767–768
 - security, virus protection, and anti-spam, 768–770
 - unified messaging, 768
 - workflow, 770
 - Apply Content Settings to Non-MAPI Clients option, 443, 475
 - Apply This Policy Now option, 621
 - appointments
 - Calendar property page for, 475–476, 476
 - in OWA, 499, 500
 - Archive All Messages Sent or Received by Mailboxes on This Store
 - Field option, 382
 - Archive command, 282
 - Archive Filtered Messages option, 708
 - archiving
 - in Outlook 2003 client, 282
 - privacy issues in, 382
 - Arcnet networks, 103
 - ARCServe backup software, 765
 - ArcServeIT program, 102, 237
 - Argent Exchange Monitor application, 764
 - Arrange By command, 284
 - article expiration in newsgroups, 526
 - ASP (Active Server Pages), 69
 - ASR (automated system recovery) disks, 194, 657, 670–671
 - Assign Drive Letter or Path page, 188, 188
 - Associated external account permission, 321
 - Associated Public Folder Tree field, 398
 - attachments, 9, 270
 - attributes
 - Active Directory, hiding, 505
 - e-mail-specific, 312–313
 - mailbox, 319–320, 320
 - object, 299
 - user, 310
 - audio as MIME content type, 439
 - auditing, 22
 - authentication
 - in front-end/back-end server configurations, 472
 - in HTTP, 491
 - for LDAP accounts, 507
 - in NNTP, 513, 514, 533
 - in POP3, 475, 482
 - for ROH, 638
 - in SMTPC, 451, 456
 - in SMTPVS, 425–426, 434
 - for virtual directories, 495
 - Authentication dialog box
 - for POP3, 475
 - for SMTPVS, 425, 425
 - Authentication Methods dialog box, 495, 513, 514, 638
 - Author roles, 374
 - autoloaders, 193
 - automated system recovery (ASR) disks, 194, 657, 670–671
 - Automatic Startup Type for services, 471
 - Automatically Send Fatal Service Error Information to Microsoft
 - option, 357
 - automating
 - backups, 194
 - client installation, 243
 - replies, 444
 - SMTPVS message content, 444–445
 - AutoPreview command, 285
 - available folders for IMAP4, 486
 - Available Tasks page, 232, 233, 330, 331, 553, 554
 - Available Virtual Memory resource monitor, 359
- ## B
- background for forms, 743
 - backup devices, locking up, 681
 - backup domain controllers (BDCs), 32, 124
 - Backup Exec program, 102, 237, 765
 - Backup Options page, 198, 199
 - Backup or Restore Wizard, 194–203, 194–197, 199–200, 202–203, 235–237, 235–237
 - Backup Type, Destination, and Name Page, 196, 196, 236, 236
 - backups, 102–103, 656. See also recovery strategies
 - Exchange, 235–237, 235–237, 658–661, 659
 - hardware for, 193
 - for multiple servers, 554–555, 555
 - protecting and retaining, 661
 - schedules for, 199–205, 200–205
 - setting up, 193–206, 194–197, 199–206
 - storage groups for, 43
 - testing, 671–672
 - third-party, 765–766
 - Windows Server 2003, 657–658
 - Badmail directory, 420, 432
 - bandwidth
 - mailbox restrictions for, 316
 - managing, 74
 - in network assessments, 89–90

- for routing groups, 97
- for user networks, 103
- Basic Authentication
 - in ROH, 638
 - in SMTPC, 456
 - in SMTPVS, 425, 434
- battery power, 190
- BDCs (backup domain controllers), 32, 124
- BES (Blackberry Enterprise Server), 723–725, 724–725
- binding controls, 747–748, 748
- BinHex format, 443
- bit lengths of encryption keys, 427
- black lists for spam, 706–707
- Blackberry Enterprise Server (BES), 723–725, 724–725
- Blackberry User Statistics dialog box, 725, 725
- bridgehead servers, 572, 573
- Browse for Domain dialog box, 596, 597
- building layouts, 87
- Builtin container, 171, 299
- Business page, 510

C

- cables
 - for tape backup systems, 193
 - for UPSs, 190
- Calendar client, 6, 7
- calendar in OWA, 499, 500
- Calendar property page, 475–476, 476
- Cancel control messages, 515
- captions for labels, 744
- CAs (certificate authorities), 427–428, 700–702, 701
- catalogs for full-text indexes, 549
- Categories command, 284
- categories in Outlook 2003 client, 284
- cc:Mail, 23
- CD-ROM drives, 152–154
- centralization of network servers, 90
- centralized administrative groups, 353
- certificate authorities (CAs), 427–428, 700–702, 701
- certificates
 - in client installation, 253–254
 - for Exchange messages, 700–702, 701
 - for mailbox-enabled users, 327
 - in SMTPVS, 426–428
- Change Domain Controller dialog box, 226
- Change permissions, 321
- character sets for SMTPVS, 443
- Check for New Messages for All Folders option, 488
- Check Names button, 511
- CheckBox controls, 741, 741, 746–747, 746
- CheckIt program, 152
- child domains, 53
 - setting up, 586
 - trust relationships with, 55
- Choose Form dialog box, 758
- Choose Profile dialog box, 643, 643
- circular logging, 379
- Client Permissions dialog box, 373–376, 373
- client/server systems, 14–18, 17
- clients, 77
 - Actions menu for, 291, 291
 - custom, 78
 - Edit menu for, 283–284, 283
 - File menu for, 280–283, 281
 - Go menu for, 286
 - IMAP4 protocol, 78, 487–489, 488–489
 - for information handling, 19
 - installing, 241–243
 - on administrative installation points, 243–245, 244, 246
 - customizing for. See Custom Installation Wizard
 - on workstations, 261–262
 - Internet browser, 77
 - LDAP, 506–508, 506–508
 - for newsgroups, 533–536, 534–536
 - Outlook. See Outlook 2003 client
 - Outlook Forms Designer, 78
 - POP3, 78, 477–484, 479–483
 - profiles for, 272–276, 272–276
 - public folders for, 276–280, 277–279
 - for reading messages, 271, 271
 - remote and roving, 635
 - RPC over HTTP for, 635–644, 637–645
 - RPC over TCP/IP for, 645
 - support for, 646
 - Schedule+, 78
 - for sending messages, 268–270, 268–270
 - starting up, 264–267, 265, 267
 - Tools menu for, 286–290, 286
 - View menu for, 284–286, 284
 - wireless access, 725
 - OMA and OWA, 729–730, 729–732
 - Pocket Outlook with EAS, 726, 726–728
 - POP3 and IMAP4, 728, 728
- Clients Support S/MIME Signatures option, 702
- Close All Items command, 282
- clusters, server, 36, 654–655
- CMC (Common Mail Call) API, 13–14
- CMDA (Code Division Multiple Access), 716
- CMM (Connector for MS Mail), 75–76, 104
- Co-Standby Server AAdvanced for Microsoft Exchange application, 764
- Code Division Multiple Access (CMDA), 716
- coexistence in upgrading, 144
- collaboration, 270
- Color dialog box, 743
- color for forms and controls, 743
- COM+ page, 329
- ComboBox controls, 741–742, 741
- command line arguments for SETUP.EXE, 258–259

- Commerce Server, 506
- Common Mail Call (CMC) API, 13–14
- CommView sniffer, 644, 645
- Company attribute, 324
- compatibility, hardware and software, 112–113, 112, 129, 151
- complete trust domain model
 - documenting, 122, 123
 - upgrading, 127
- Completing the Backup or Restore Wizard page, 236, 237
- component management security, 213–216, 214–215
- Component Progress page, 222, 222
- component selection, 219, 219
- Component Selection page, 219, 219
- Compose Message button, 510
- compose pages, 737–739, 738
- compression for backups, 198
- Computer dialog box, 429–430, 430
- Computer Management snap-in, 184, 598–599
- computers
 - organizational units for, 353
 - SMTPVS connections to, 429
- Computers container, 299
- configuration
 - DHCP, 175–178, 176–177, 180–183, 181–183
 - disk space, 184–190, 184–189
 - network. See network configuration
- Configuration container, 304
- Configuration Wizard, 458
- Configure Your Server Wizard, 159–165, 160–162, 164–166, 175–177
- Connect to Computer dialog box, 496
- Connect to Domain dialog box, 596, 597
- Connect to My Exchange Mailbox Using HTTP option, 640
- Connect Using a Broadband Connection That Is Always On option, 478
- Connect Using HTTP First option, 642
- Connect Using Modem, ISDN Adapter, or Other Physical Device option, 459
- connection agreements, 132
- Connection dialog box, 429, 429
- Connection Filter, 707–709, 709
- Connection page, 640, 642, 726, 727
- Connection Setting dialog box, 306
- Connection tab, 276
- Connection Time field, 456
- Connection Timeout field, 424
- Connection Type page, 459, 460
- connections
 - vs. migration, 104–105
 - in network assessments, 89
 - for newsgroups, 526
 - notifications for, 629, 630
 - options for, 103–104
 - in POP3, 475, 477–481, 479–482
 - routing group, 98
 - in SMTPC. See SMTP Connector (SMTPC)
 - in SMTPVS, 424, 428–430, 429–430
 - demand-dial interfaces, 457–464, 459–463
 - limits on, 435, 435
- Connector for cc:Mail, 76
- Connector for MS Mail (CMM), 75–76, 104
- connectors, 22, 74–75
 - Active Directory Connector, 75, 131–132, 140–142
 - Connector for cc:Mail, 76
 - Connector for Microsoft Mail, 75–76, 104
 - monitoring, 628–629, 629–630
 - Remote Access Server, 415
 - Routing Group Connector, 75
 - with routing groups. See routing groups
 - Schedule+ and Free/Busy, 76
 - SMTP Connector. See SMTP Connector (SMTPC)
 - X.400 Connector, 75, 104
 - with bridgehead routers, 572
 - for routing groups, 98–99, 570
- Connectors container, 448, 570, 571
- Consultant role, 83
- contacts, 37, 63, 66
 - creating, 343–344, 344
 - deleting, 344
 - in LDAP, 505, 505
 - managing, 345
 - organizational units for, 353
 - in OWA, 499, 501
 - Schedule+ for, 78
- containers, 21
 - attributes in, 299
 - for multiple administrative groups, 567
 - for public stores, 399–400
- content-based anti-spam programs, 706–707
- content identifiers, 439
- Content Restrictions property page
 - for routing group connectors, 574, 574
 - for SMTPC, 451–453, 452
- contiguous namespaces, 53, 53, 586
- continuous connections
 - in SMTP, 421
 - in TCP/IP, 415
- Contributor roles, 374
- control message newsgroups, 517
- Control Panel, 33
- Control Suite for Exchange application, 764
- Control Toolbox, 741–742, 741
- controllers
 - domain. See domain controllers
 - SCSI, 152
- controls
 - adding, 743–747, 743–746, 749–753, 750–753
 - binding, 747–748, 748
 - vs. fields, 742

- initial values for, 748–749
 - properties for, 742–743
 - conversation threading, 535–536, 536
 - cooling, redundancy in , 653
 - cooperative tasking, 4
 - copy backups, 198
 - Copy to Folder command, 283
 - core components, 67
 - Information Store. See Information Store (IS)
 - Routing Engine, 56, 69–71, 70, 404
 - System Attendant, 71, 404
 - Cost field
 - for routing group connectors, 572
 - for SMTPC, 450–451
 - counters, performance, 363
 - CPU Utilization resource monitor, 359
 - CPUs, redundancy in, 653–654
 - Create a Custom Task to Delegate option, 598
 - Create an Exchange Mailbox option, 312
 - Create Full-Text Index option, 386
 - Create Mailbox page, 232, 233
 - Create New Domain page, 587, 588
 - Create New Folder dialog box, 278, 278
 - Creation of New Objects in This Folder option, 598
 - critical alarms with UPSs, 192
 - critical criteria for monitors, 358
 - Critical State column, 358
 - cross-domain management, 595–599, 596–599
 - cross-domain trusts
 - in mixed mode, 125
 - in NT Server 4 domains, 118–119, 119
 - currency settings, 155, 357
 - Current Connections container, 445, 447
 - Current Sessions container, 512
 - Current Users container, 526
 - Custom Attributes option, 343, 373
 - Custom Attributes property page, 319–320, 320
 - custom client-based applications, 78
 - Custom Configuration page, 458
 - custom installation option, 219
 - Custom Installation Wizard
 - finishing, 258–259
 - for OPS files, 249–252, 250
 - options in, 252–258, 253–258
 - starting, 245–249, 246–250
 - Custom list of connectors monitor option, 362
 - Custom List of Servers dialog box, 362, 545, 546
 - Custom roles, 374
- D**
- daily backups, 198
 - data collection forms, 735–736
 - data encryption. See encryption
 - Data File Management command, 282
 - data1.msi file, 245
 - Database property page
 - for mailbox stores, 383–384, 383
 - for public stores, 398
 - for RSGs, 664
 - databases
 - for mailbox stores, 383–384, 383
 - moving, 384
 - for multiple servers, 554–555, 555
 - for public stores, 398
 - storage groups for, 378–379
 - date settings, 156, 357
 - dates
 - for backups, 200, 201
 - for message tracking, 609
 - day-to-day management, 84–85
 - DCDIAG.EXE program, 114–115
 - decentralized administrative groups, 352–353
 - Default Microsoft Exchange Services, 358, 359
 - Default NNTP Virtual Server container, 512
 - Default NNTP Virtual Server Properties dialog box, 513–516, 514–515
 - Default Policy object, 307
 - Default Policy Properties dialog box, 307–308, 308, 394, 394
 - Default POP3 Virtual Server dialog box, 474–476, 476
 - Default Public Store field, 381
 - default recipient policy, 307
 - Default SMTP Virtual Server container, 421
 - Default Web Site option, 701, 703
 - defaults
 - administrative groups
 - adding Exchange servers to, 539–540, 541
 - multiple servers in. See multiple servers
 - domains in SMTPVS authentication, 426
 - e-mail address formats
 - for display names, 303–306, 304–305
 - for organizations, 306–308, 307–308
 - e-mail addresses for recipients, 617–623, 618–623
 - mailbox messages, 627–628, 628
 - message format properties, 440–441
 - public folder trees, 580–581, 580–581
 - Defaults property page, 627, 628
 - Delay Notification field, 433
 - Delegate Control dialog box, 229, 229, 566, 566
 - Delegate Control option, 351, 353, 566
 - delegating control, 351, 353, 565–567, 565–566, 598, 598
 - Delegation of Control Wizard, 598, 598
 - Delete E-mail Addresses option, 333, 338
 - Delete Mailbox option, 312
 - Delete mailbox storage permission, 321
 - Delete Meeting Request from Inbox When Responding option, 252–253
 - deleted items, retention parameters for, 318
 - Deleted Items field, 398

- Deleted Items folder, 394
 - emptying, 289–290
 - in POP3, 484
 - recovering files in, 290
- deleting
 - contacts, 344
 - distribution group members, 340
 - distribution groups, 338
 - fields, 748
 - forms, 757
 - locales, 357
 - log files, 356
 - mailboxes, 312
 - newsgroups, 520
 - storage groups, 231
 - user accounts, 333
- Deletion Setting for public folders, 370
- Delivery property page, 432–437, 433
- Delivery Options property page
 - for mailbox-enabled users, 316–317, 317
 - for routing group connectors, 574–577, 575
 - for SMTPC, 454–455, 454
- delivery reports, 343
- Delivery Restrictions property pages
 - for mailbox-enabled users, 316, 316
 - for routing group connectors, 573, 573
 - for SMTPC, 451, 452
- Demand-Dial Interface wizard, 457–464, 459–463
- demand-dial interfaces, 457–464, 459–463
- demilitarized zones (DMZs), 684–685
- DEMO PUBLIC FOLDER TREE folder, 401
- Department attribute, 324
- descriptions
 - for reservations, 182
 - for users, 323
- design, 81–82
 - needs assessments for, 85–90
 - network configuration planning. *See* network configuration
 - optimizing, 106
 - responsibilities for, 83–85
 - rollout in, 107–108
 - validating, 105–106
- Design a Form dialog box, 757
- Design Form dialog box, 737, 738, 746
- Details tab, 351
- Details Templates container, 627
- device detection, 155
- DH SChannel Cryptographic Provider, 427
- DHCP (Dynamic Host Configuration Protocol), 32
 - configuring, 175–178, 176–177, 180–183, 181–183
 - in network architecture, 57–58
 - reservations in, 180–181, 181–183
- DHCP container, 175, 176
- Diagnostics Logging property page, 364–365, 364
 - diagrams for geographic profiles, 87
- Dial-in property page, 329
- Dial Out Credentials page, 462, 463
- differential backups, 198
- digital certificates, 253–254
- Digital IDs page, 510
- digital signatures, 22, 700–702, 701
- Digital Subscriber Line (DSL), 97
- direct routing group connections, 97–98
- directories, 22
 - virtual, 496–498
 - authentication for, 495
 - for newsgroups, 518–519, 521–526, 522–525
 - in OWA, 493–494
 - for ROH, 638–639, 638
- Directory Access page, 358
- directory browsing right, 494
- Directory Rights property page, 376
- Directory Security page, 638, 638, 701–702
- Directory Service page, 506
- directory services, 37–39, 37–39
- Directory Synchronization Agent (DXA), 73, 104
- Directory Synchronization Protocol, 73
- Disable Outbound Mail option, 447
- disabling
 - EAS settings, 722
 - Internet services, 470–472, 471
- disaster recovery
 - reliability and availability, 649–656
 - strategies, 672–675
 - Tao of, 675–677
- disk drives
 - for backups, 102
 - configuration of, 184–190, 184–189
 - for Exchange 2003 Server, 100, 210
 - locking up, 681
 - partition preparation for, 154–155
 - redundancy in, 650–653
 - replication of, 674–675
 - requirements for, 151
 - testing, 152
 - for upgrading, 113
 - for volumes, 188, 188
- Disk Management folder, 184
- Disk Space Thresholds dialog box, 360, 360
- Dismount Store option, 386, 668
- dismounting stores, 384, 386
- Display Administrative Groups option, 350
- display names
 - e-mail address formats for, 303–306, 304–305
 - for recipient mailboxes, 92–94, 94
 - in SMTPVS, 444
- Display Plain Text Messages in a Fixed-Sized Font option, 382–383
- distinguished names, 52

- distribution groups, 38–39, 38–39, 63, 66
 - creating, 336–338, 337–339
 - deleting, 338
 - Exchange Advanced property page for, 341, 342–343
 - Exchange General property page for, 340–342, 341
 - expanded, 342
 - General property page for, 338–339, 339
 - hiding members of, 343
 - in LDAP, 505, 505
 - mail-enabled and mail-disabled, 338
 - Member Of property page for, 340, 341
 - Members property page for, 339, 340
 - query-based, 343
- DLT tape backup systems, 102, 193
- DM Fax Server application, 766
- DMZs (demilitarized zones), 684–685
- DNS. See Domain Name System (DNS)
- DNS messages pending submission queue, 445
- DNS Registration Diagnostics page, 589, 589
- Do Not Mount This Store at Start-up option, 384
- Do Not Open an Existing MST File option, 247
- Do Not Permanently Delete Mailboxes and Items Until the Store Has Been Backed Up option, 384
- Do not send delivery reports option, 343
- Do Not Send ETRN/TURN option, 455
- Do You Want to Check Addresses Using This Directory option, 507
- documenting domains
 - components, 123–125
 - structure
 - complete trust domain model, 122, 123
 - multiple-master domain model, 121, 122
 - single-domain model, 119–120, 120
 - single-master domain model, 120, 121
- Domain Admins security group, 596, 598
- domain containers, 171, 171
- Domain Controller for a New Domain option, 587
- Domain Controller Security Policy tool, 216
- Domain Controller Type page, 587, 587
- domain controllers, 118, 210
 - documenting, 124
 - installing, 585–593, 588–591
 - setting up, 157
 - updating, 623
 - in Windows 2003 Server, 58
- Domain Controllers container, 171, 299
- domain local groups, 335–336
- domain message policies, 441
- Domain Message Policy dialog box, 441, 443, 443
- domain models, selecting, 95–96
- Domain Name System (DNS)
 - Address records in, 416–417, 417
 - Dynamic, 178–179, 179–180
 - in Internet messaging, 411–413, 414
 - Mail Exchanger records in, 418–419, 418
 - as namespace, 51–52
 - in network architecture, 57–58
 - for proxy addresses, 616
 - query forwarding for, 162–163, 162
 - servers in, 411–413
 - in setup, 157
 - for SMTPC, 448–449
 - in Windows 2003 Server, 31–32
- domain names, SMTP hosts for, 411
- domain postmasters, addresses for, 438
- Domain Tree in an Existing Forest option, 587
- DomainPrep switch, 136, 213, 222
- domains, 20
 - in Active Directory, 50, 52–55, 53–54
 - aliases for, 418–419
 - components of, 123–125
 - controllers. See domain controllers
 - group management, 142–143
 - installing Exchange 2003 Server in, 593–594, 594–595
 - masquerade, 436
 - multidomain environments. See multidomain environments
 - names for, 161, 161
 - security for, 212
 - SMTPVS connections to, 429
 - in software installation, 157–158
 - structural, 128
 - structure of, documenting
 - complete trust domain model, 122, 123
 - multiple-master domain model, 121, 122
 - single-domain model, 119–120, 120
 - single-master domain model, 120, 121
 - trust relationships with, 55, 592–593, 593
 - in upgrading to Exchange 2003 Server, 116–117, 135–136
 - in upgrading to Windows 2003 Server
 - choosing structure of, 126–127
 - documentation in, 120–125, 120–123
 - NT Server 4, 118–128, 119
 - organizational units in, 128
 - synchronization of, 126
 - from Windows 2000 Server, 114–115
- Domains Trusted by This Domain option, 592
- Downgrade High-Priority Mail Bound for X.400 option, 319
- Drafts folder, 487–488
- drive letters, 188, 188
- drivers
 - in software installation, 155
 - for tape drives, 193
- DSL (Digital Subscriber Line), 97
- DVD ROM support, 33
- DXA (Directory Synchronization Agent), 73, 104
- Dynamic DNS, 178–179, 179–180
- Dynamic Host Configuration Protocol (DHCP), 32
 - configuring, 175–178, 176–177, 180–183, 181–183
 - in network architecture, 57–58
 - reservations in, 180–181, 181–183
- Dynamic HTML, 491

E

- e-mail. See also messages
 - ethics for, 694–695
 - spam, 706–709, 708–709
 - viruses in, 705–706, 705
- E-Mail Accounts command, 290
- E-Mail Accounts Wizard, 265–266, 265, 272–276, 273–275, 640–641, 640–641
- e-mail addresses
 - formats for
 - for display names, 303–306, 304–305
 - for organizations, 306–308, 307–308
 - for recipients, 617–623, 618–623
- E-mail Addresses property page
 - for mailbox-enabled users, 314–315
 - for multidomain environments, 600, 600
 - for organizations, 619, 620, 623–624
 - for proxy addresses, 614–616, 614, 616
- e-mail applications, 5–9, 6–8
- E-mail attribute, 324
- e-mail notifications, 361–363, 362
 - for connections, 629, 630
 - for connector problems, 577, 577–578
 - for multiple servers, 545–547, 546
- E-mail Server field, 363
- E-mail Server Names page, 480, 480
- e-mail-specific attributes, 312–313
- e-mail spoofing, 425
- e-messaging, 4
- EAS (Exchange ActiveSync), 713, 719–720
 - implementing, 720–722, 721–722
 - Pocket Outlook with, 726, 726–728
- ECC (error-correcting memory), 101, 654
- EDB files, 378
- EDGE (Enhanced Data rates for GSM Evolution), 717
- EDI (Electronic Document Interchange) standard, 104
- Edit menu, 283–284, 283
- Editor roles, 374
- EDT (Exchange Deployment Tools), 109, 116
- 8-node server clustering, 36
- 8mm tape backup systems, 102, 193
- 80–20 Document Manager, 770
- 802.11 wireless topologies, 718–719
- EHLO command, 455
- Electronic Document Interchange (EDI) standard, 104
- electronic forms. See forms; Outlook Forms Designer (OFD)
- electronic messaging, 4
- EmailXtender backup software, 766
- Empty “Deleted Items” Folder command, 289–290
- Enable Circular Logging option, 379
- Enable Fast Message Retrieval option, 486
- Enable Logging option, 424
- Enable Message Tracking option, 356
- Enable Subject Logging and Display option, 356
- Enable Unsupported Devices option, 722
- Enable User Initiated Synchronization option, 720
- enabling users, 141
- encryption, 22
 - for Exchange messages, 700–701
 - in front-end/back-end server configurations, 472
 - for messages, 106
 - in SMTPVS, 426–428
 - for WLANs, 717
- encryption keys, bit lengths of, 427
- END.BAT batch file, 192
- End-User Licensing Agreement, 218
- end-user support, 46–47, 46
- End-User Technical Support Technician role, 84
- Ends With operator, 623
- Enhanced Data rates for GSM Evolution (EDGE), 717
- Enhanced IDE drives, 100
- Enhanced SMTP (ESMTP), 23, 453, 455
- Enter Network Password dialog box, 499, 499
- Enterprise Edition, 35
- Environment property page, 329
- error-correcting memory (ECC), 101, 654
- ESE (Extensible Storage Engine), 378
- ESEUTIL.EXE tool, 667–669, 669
- ESMTP (Extended SMTP), 23, 453, 455
- Establish E-mail Addresses page, 330–331, 332
- ethics, administrator, 694–699, 697–699
- ETRN (Extended TURN) command, 453, 456
- Event Management Service, 73
- Event Properties dialog box, 225
- Event Viewer, 169–170
 - for Application Event Log, 225
 - for diagnostic logging, 365
- events, logs for. See logs
- Everyone group, 371, 403
- Exadmin virtual directory, 493–494, 496, 498
- Excel messaging, 10–12, 11
- Exchange 2003 Installation Wizard, 218–222, 218–222
- Exchange 2003 Server
 - applications for. See applications
 - backing up. See backups
 - clients in. See clients
 - core components, 67
 - Information Store. See Information Store (IS)
 - Routing Engine, 56, 69–71, 70, 404
 - System Attendant, 71, 404
 - dependencies of, 20
 - directory services in, 37–39, 37–39
 - end-user support in, 46–47, 46
 - vs. Exchange Server 5.5, 44
 - file system support and full-text indexing in, 43
 - hierarchy of. See hierarchy
 - installation of. See installation

- in multidomain environments, 599–601, 600, 602
 - object orientation of, 21–22, 21
 - scalability in, 22
 - security for, 22
 - security best practices in, 693–699, 697–699
 - sites in, 39–40, 40
 - storage groups in, 43
 - upgrading to. See upgrading
 - user interfaces in, 41–42, 41–42
 - versions of, 45
- Exchange ActiveSync (EAS), 713, 719–720
- implementing, 720–722, 721–722
 - Pocket Outlook with, 726, 726–728
- Exchange Administration Delegation Wizard, 229, 229, 351, 566, 566
- Exchange administration group
- creating, 214
 - permissions for, 229–231, 229–230, 232
- Exchange Administrator application, 764
- Exchange Administrator for mailboxes. See mailboxes
- Exchange Administrator role, 229
- Exchange Admins Properties dialog box, 214, 215
- Exchange Advanced property page
- for distribution groups, 341, 342–343
 - for mailbox-enabled users, 318–322, 319, 334, 335
 - for public folders, 373
- Exchange and Outlook Administrator publication, 634
- Exchange Archive Solution backup software, 765
- Exchange Connection command, 283
- Exchange Custom Attributes dialog box, 343
- Exchange Deployment Tools (EDT), 109, 116
- Exchange Engineer role, 83
- Exchange Features dialog box, 477, 477
- Exchange Features property page, 315
- Exchange Full Administrator role, 229–230
- Exchange General property page
- for distribution groups, 340–342, 341
 - for mailbox-enabled users, 315, 315, 334, 334
 - for public folders, 373
- Exchange Installation Wizard, 562, 562
- Exchange Mailbox Merge Wizard, 667
- Exchange messages, security for, 700–702, 701
- Exchange Migration Wizard, 110
- Exchange Migrator application, 764
- Exchange Path field, 494
- Exchange POP application, 764
- Exchange Proxy Settings dialog box, 640, 642, 642
- Exchange-relevant property pages, 312, 312
- Exchange Routing Engine, 56, 69–71, 70, 404
- Exchange Server 5.5, 23
- vs. Exchange 2003 Server, 44
 - sites in, 559–560
- Exchange Server page, 640, 641
- Exchange Server Properties dialog box, 228, 228
- Exchange Server Settings page, 273, 274–275
- Exchange System Manager snap-in, 41, 41
- adding, 226, 227
 - containers in, 226–228, 227
 - remote running of, 228
- Exchange Task Wizard, 232–234, 233–234
- for deleting mailboxes, 312
 - for mail-enabled users, 296, 330–331, 331
 - for mailboxes, 553, 554
- Exchange virtual directory, 493–494, 496–497
- Existing Objects in This Folder option, 598
- Exit command, 283
- EXMS Exchange Mailbox Manager application, 764
- EXMS Exchange Migration Manager application, 764
- Expand/Collapse Groups command, 285
- expiration
- of leases, 180
 - of newsgroup articles, 512, 526
- Expiration Policies container, 512, 526
- Expiration Timeout field, 433
- Export command, 282
- Export List option, 351
- exporting
- Active Directory information, 631–632, 631–632
 - in Outlook 2003 client, 282
- Extended SMTP (ESMTP), 23, 453, 455
- Extended TURN (ETRN) command, 453, 456
- Extensible Markup Language (XML), 491
- Extensible Storage Engine (ESE), 378
- EXTERNAL.EXE program, 76

F

- FACSys Fax Connector 2000 application, 766
- Failed message retry queue, 445
- fans, redundant, 653
- Fast Message Retrieval option, 486
- FAT (file allocation table) partitions, 155
- fault tolerance
 - bridgehead routers for, 572
 - connectors for, 572
 - redundancy for, 650–655
 - in servers, 101
- Favorites folder, 278
- Favorites menu, 299
- Fax phone number attribute, 324
- fax servers, 766–767
- Faxcom for Exchange application, 766
- Faxination Server for Microsoft Exchange application, 766
- FAXmaker for Exchange application, 766
- Feeds container, 512, 528
- feeds for newsgroups, 526–533, 528–532
- Field Chooser, 739, 740
- fields, 739, 740
 - binding controls to, 747–748, 748

- vs. controls, 742
 - deleting, 748
 - file allocation table (FAT) partitions, 155
 - file extensions, helper applications for, 439
 - File menu, 280–283, 281
 - File System option, 523
 - file system support, 43
 - Filter Rules, 625
 - Filtering property page, 628
 - filters
 - for recipients, 623, 625
 - for SMTPVS, 424
 - for spam, 707–709, 708–709
 - Financial Controller role, 84
 - Find command, 288
 - Find dialog box, 345
 - Find Exchange Recipients dialog box, 346, 346, 617, 618, 625, 625
 - Find function for LDAP accounts, 508, 509
 - Find Newsgroups dialog box, 516–517, 517
 - Find People dialog box, 508, 509
 - Find Users, Contacts, and Groups dialog box, 345, 345
 - finder, 20
 - finding
 - LDAP accounts, 508, 509
 - messages, 20, 288. See also tracking messages
 - system, 612, 613
 - user, 608–611, 609, 612
 - recipients, 345–346, 345–347
 - firewalls, 437, 472, 682–684
 - ports for, 683–684, 683, 687–691, 688
 - protocols for, 687
 - security updates for, 693
 - testing settings for, 691
 - types of, 684–687
 - First Name field, 172
 - First Retry Interval (Minutes) field, 433
 - fixed IP addresses, 180–183, 181–183
 - Folder command, 282
 - Folder List button, 266
 - Folder Properties dialog box, 279–280, 279
 - Folder Retention Settings dialog box, 394, 395
 - folders
 - for client installation, 244, 247–248
 - designing, 736
 - IMAP4, 488–489, 489
 - public. See public folders
 - Folders container, 567
 - Followup command, 291
 - fonts
 - for labels, 745
 - for messages, 382–383
 - foreign messaging system users, migrating, 646–647
 - ForeignSecurityPrincipals container, 171, 299
 - ForestPrep switch, 136, 213, 222
 - forests
 - in Active Directory, 50, 52–55, 53–54
 - for upgrading
 - to Exchange 2003 Server, 116, 135–136
 - to Windows 2003 Server, 114
 - Form Action Properties dialog box, 757
 - Form Designer environment, 737–738, 738
 - Format Volume page, 188, 189
 - forms, 13, 13, 78, 735–736. See also Outlook Forms Designer (OFD)
 - design environment for, 736–737
 - message forms for, 756–757
 - publishing, 753–754, 754–756, 758
 - sample, 760
 - saving, 758
 - testing, 749, 750
 - using, 758–759, 758–759
 - Forms menu, 290
 - Forward All Mail Through field, 449
 - Forward All Mail with Unresolved Recipients to Host option, 432
 - Forward command, 291
 - Forward Lookup Zones tree, 591–592
 - Forwarding Address option, 317
 - Forwarding DNS Queries page, 162–163, 162
 - forwarding in SMTPVS, 444
 - 4mm tape backup systems, 102, 193
 - Frame control, 741–742, 741
 - Free/Busy Connector, 76
 - Free Disk Space resource monitor, 359
 - FreeAgent newsreader, 511, 533
 - freezing queues, 447
 - front-end/back-end server configurations, 472–473, 555–557, 556–558
 - Full mailbox access permission, 321
 - Full Name field, 172
 - full names for users, 310
 - full-text indexing, 43, 73
 - for mailbox stores, 386–389, 386–389
 - for multiple servers, 548–549, 549
 - Full-Text Indexing container, 399
 - Full-Text Indexing property page, 358, 386–389, 388
 - fully qualified domain names, 436, 528
 - functional levels in upgrading, 125–126, 126
- ## G
- GAL (Global Address List), 269, 625
 - Galaxy Backup and Recovery for Microsoft Exchange backup software, 765
 - gateways, 76
 - GCs (global catalog servers), 687–688
 - General Packet Radio Service (GPRS), 716
 - General property page
 - for connectors, 575, 577
 - for distribution groups, 338–339, 339
 - for folder replication, 550

- for IMAP4, 485–486, 486
- for Internet message formats, 439
- for LDAP accounts, 507
- for mailbox-enabled users, 313, 314, 323–324
- for mailbox stores, 380–383, 381
- for newsfeeds, 531, 531
- for NNTP, 512, 513
- for POP3, 474–475
- for public folders, 369, 369, 372, 372
- for public stores, 398, 398
- for recipients, 618, 618
- for routing group connectors, 570–572, 571
- for RSGs, 664, 665
- for server policies, 366
- for servers, 355–357, 355
- for services, 470, 471
- for SMTP message policies, 441
- for SMTPC, 448–450, 449
- for SMTPVS, 422–424, 422
- for spam filters, 709
- for system policies, 547–548, 547
- for virtual directories, 494

General tab for Outlook 2003 client, 275, 276

Genifax application, 767

geographic profiles, 87–88

Get a Digital ID option, 700

Get Values from an Existing Settings Profile option, 252

Global Address List (GAL), 269, 625

global catalog servers (GCSs), 687–688

Global Catalogs, 55

global groups, 335–336

Go menu, 286

GPRS (General Packet Radio Service), 716

grids for controls, 744

group management domains, 142–143

Group of computers option, 429

groups

- distribution. See distribution groups
- organizational units for, 353
- routing. See routing groups

guaranteed message delivery, 105

H

hard drives

- for backups, 102
- configuration of, 184–190, 184–189
- for Exchange 2003 Server, 100, 210
- locking up, 681
- partition preparation for, 154–155
- redundancy in , 650–653
- replication of, 674–675
- requirements for, 151
- testing, 152

- for upgrading, 113
- for volumes, 188, 188

hardware

- for backups, 193
- compatibility of, 112–113, 112, 129, 151
- for Exchange 2003 Server, 210
- security for, 681
- for Windows 2003 Server, 150–153

hardware compatibility list, 151

HELO command, 455

helper applications, 439

Heroix eQ application, 765

Hide from Exchange Address Lists option, 319, 373

Hide group from Exchange address lists option, 342

hiding

- Active Directory attributes, 505
- distribution group members, 343
- distribution groups, 342
- IMAP4 folders, 488, 489
- mailboxes, 319
- public folders, 373

hierarchy, 349–351, 350–351

- administrative groups, 352–354
- organization, 351–352
- public folders. See public folders
- servers. See servers

high-capacity tape backup systems, 102

Home page, 510

Home phone number attribute, 324

hops in SMTP, 435–436

horizontal scalability, 22

hosts

- DNS, 178
- SMTP, 411–413, 464

HOSTS file, 645

How to Back Up page, 198, 199

HTTP protocol, 73

- logs for, 702–703
- for messaging, 491–492. See also Outlook Web Access (OWA)

I

icons for clients, 253, 266

Identification dialog box, 423, 423

IDs

- message, 611, 612
- security, 140

IFS (Installable File System), 69, 397

iHateSpam Server Edition, 707, 769

IIS 4/Microsoft Transaction Server, 166, 167

IIS Certificate Wizard, 428

IIS level, OWA setup at, 496–498, 496–498

IIS virtual directory, 638, 638

ILS (Internet Locator Service), 320

- ILS Settings property page, 320
- Image control, 741–742, 741
- IMAP Folders button, 489
- IMAP4 protocol
 - clients, 6–7, 8, 78, 487–489, 488–489
 - firewalls for, 690–691
 - General property page for, 485–486, 486
 - for mailboxes, 486
 - Message Format property page for, 486, 487
 - with PDAs, 491
 - servers, 73–74, 485–486, 486–487
 - testing, 490, 490
 - for wireless access, 728, 728
- Implementation Manager role, 84
- Import command, 282
- importing
 - Active Directory information, 631–632, 631–632
 - in Outlook 2003 client, 282
- Inbox, 6, 6, 270–271, 271
- Include All Public Folders When a Folder List Is Requested option, 486
- incompatibility, hardware and software, 112–113, 112, 129, 151
- incremental backups, 198
- indirect routing group connections, 97–98
- Inetpub directory, 518
- information
 - gathering, 216–217
 - organization of, 19–20
 - sharing, 18–19
- Information Store (IS), 43, 68–69, 68, 377–378, 377
 - clients for, 19
 - creating storage groups, 378–379, 379
 - in front-end/back-end server configurations, 472
 - mailbox stores. See mailbox stores
 - managing storage groups, 380, 380
 - for multiple servers, 549
 - public stores. See public stores
 - recovering, 667–669, 669
 - recovering mailboxes to, 662–667, 663–667
- infrastructure masters, 114–115
- initial values for controls, 748–749
- Initialize and Convert Disk Wizard, 184–186, 184–185
- Initials field, 172
- Install and Configure the DNS Server on This Computer option, 589
- Installable File System (IFS), 69, 397
- installation, 149–150
 - of domain controllers, 585–593, 588–591
 - of Exchange 2003 Server, 209
 - additional, 539–540, 541
 - backups in, 235–237, 235–237
 - in domains, 593–594, 594–595
 - information gathering for, 216–217
 - mailbox-enabling in, 232–235, 233–234
 - postinstallation activities, 223–231, 223, 225, 227–230, 232
 - security issues in, 212–216, 214–215
 - Setup program for, 218–222, 218–222
 - standalone, 209–211
 - of Outlook 2003, 241–243
 - on administrative installation points, 243–245
 - customizing for. See Custom Installation Wizard
 - on workstations, 261–262
 - of Windows 2003 Server
 - Active Directory in, 171–175, 171–174
 - additional, 540
 - backup setup, 193–206, 194–206
 - configuration in, 158–165, 159–162, 164–166
 - DHCP configuration in, 175–178, 176–177, 180–183, 181–183
 - disk space configuration in, 184–190, 184–189
 - Dynamic DNS in, 178–179, 179–180
 - hardware setup in, 150–153
 - Microsoft Management Console in, 166–170, 167–170
 - software, 153–158
 - testing components in, 151–153
 - uninterruptible power supplies, 190–193, 191–192
- installation points
 - client installation on, 245, 246
 - creating, 243–244, 244
- Installation Summary page, 219, 221
- Installation Type page, 219, 220
- Installation Wizard
 - for administrative groups, 562, 562
 - for Exchange 2003 Server installation, 218–222, 218–222
- InstallShield Professional, 243
- Integrated Windows Authentication
 - in SMTPC, 456
 - in SMTPVS, 426, 434
- integrity, message, 105
- inter-routing group connectors, 97
- Interface Name page, 459, 459
- Internet Accounts dialog box, 481, 506, 533
- Internet Address Properties dialog box, 331, 332–333, 615, 615
- Internet Address Space Properties dialog box, 450, 450
- Internet browser clients, 77
- Internet Connection Wizard
 - for LDAP, 506–507, 506–507
 - for NNTP, 533
 - for POP3, 478–481, 479–481
- Internet Directory Server Logon page, 507, 508
- Internet Directory Server Name page, 506–507, 506
- Internet E-mail Address page, 479, 480
- Internet Explorer 6, 77
- Internet for event help, 225
- Internet Locator Service (ILS), 320
- Internet mail, network adapters for, 210
- Internet Mail Logon page, 481, 481
- Internet mailboxes and SMTP hosts, 464
- Internet Message Formats container, 441
- Internet Message Formats Properties dialog box, 439, 440

Internet messaging, 409–410

- DNS in, 411–413, 414, 416–419, 417–418
- SMTP in. See Simple Message Transport Protocol (SMTP); SMTP virtual servers (SMTPVS)
- TCP/IP in, 410–411, 414–416, 414

Internet Newsgroups folder, 278, 511, 522, 526

Internet Protocol (IP), 410

Internet protocol servers, 73–74

Internet Protocols (TCP/IP) dialog box, 157

Internet Security and Acceleration (ISA) Server, 687

Internet service providers (ISPs)

- for linking clients and servers, 645
- for remote users, 103

Internet services, disabling, 470–472, 471

InterNIC organization, 412–413

interserver redundancy, 654–655

intersite transports, 128

intraserver redundancy, 650–654

intrusion detectors, third-party applications for, 767–768

IP (Internet Protocol), 410

IP Address field, 422

IP addresses

- for demand dial, 464
- DHCP configuration for, 175–178, 176–177, 180–183, 181–183
- DNS for, 51–52
- dynamic DNS for, 178–179, 179–180
- with firewalls, 683–684, 683–684
- for LDAP accounts, 507
- name servers for, 411–412
- for newsgroup feeds, 528
- for NNTP, 533
- in setup, 157
- for SMTPC, 449
- for SMTPVS, 422
- types of, 411
- WINS for, 57

IP Phone attribute, 324

IPsec, 704

IS. See Information Store (IS)

Is Not operator, 623

ISA (Internet Security and Acceleration) Server, 687

ISPs (Internet Service Providers)

- for linking clients and servers, 645
- for remote users, 103

Items to Back Up page, 195, 196, 235, 236

iterative design, 82

J

Join Computer to Domain dialog box, 157–158

Junk E-Mail command, 291

junk mail applications, 768–770

K

Keep Deleted Items for (Days) setting, 384

Kerberos authentication

- in HTTP, 491
- in Windows 2003 Server, 28

Key Management Service (KMS), 702

keyboard layout settings, 155

keys for Exchange messages, 700

KMS (Key Management Service), 702

Knowledge Base, 633–635, 634

KnowledgeMail application, 770

L

Label control, 741–742, 741, 744–745, 744–746

LANDesk Management Suite, 243

language setting, 155

LANGuard Network Security Scanner application, 767

LANGuard Security Event Log Monitor application, 767

LANs

- with firewalls, 683–684, 683
- wireless technologies, 717–719

Last Name field, 172

Last Restore Set option, 666

Later option, 199

LDAP. See Lightweight Directory Access Protocol (LDAP)

LDAP Data Interchange Format, 631

LDAP Directory service, 257

LDIFDE.EXE tool, 631–632, 631–632

lease expiration, 180

legacy applications, 248

Legato EmailXtender backup software, 766

Legato NetWorker backup software, 237, 766

Let Me Choose What to Back Up option, 195, 235

libraries for forms, 753–754, 754–756

License Manager, 156

licenses, 5

- for clients, 245
- per-seat-only, 219, 221
- in software installation, 156

licensing agreement, 218–219, 221

Licensing Agreement page, 219, 221

Lightweight Directory Access Protocol (LDAP), 502–503

- accounts for, 506–508, 506–508
- ADSI Edit for, 306
- client-side setup for, 506–508, 506–508
- firewalls for, 690–691
- hiding Active Directory attributes in, 505
- limitations for, 503–504, 504
- for Outlook, 257
- server-side setup for, 503–506, 504–505
- testing, 508–511, 508–510
- users, distribution groups, and contacts in, 505, 505
- in Windows 2003 Server, 28, 31–32

- Limit Groups Enumeration option, 516
 - Limit Message Size To field, 431
 - Limit Number of Messages Per Connection To field, 431
 - Limit Number of Recipients Per Message To field, 432
 - Limit Session Size To field, 431
 - limits
 - for connectors, 573, 573
 - in LDAP, 503–504, 504
 - for mailbox stores, 384–386, 385, 393–394, 393
 - for mailboxes, 316–318, 317–318
 - for message size, 431, 431, 627
 - for newsgroups, 526
 - in POP3, 475
 - for public folders, 370–371, 370–371
 - for public stores, 398
 - in SMTPC, 453
 - in SMTPVS, 428–430, 429–430, 435, 435
 - Limits property page
 - for mailbox stores, 384–386, 385
 - for public folders, 370–371, 370–371
 - for public stores, 398
 - links
 - for attachments, 9
 - clients and servers, 645
 - vs. connections, 98
 - routing groups, 74–75, 570
 - ListBox control, 741–742, 741
 - load simulation tools, 22
 - LoadSim product, 99–100
 - local computers, 169–170
 - Local delivery queue, 445
 - local groups, 335–336
 - Local Policies container, 216
 - Local Security Policy Setting dialog box, 216
 - local servers, 169–170
 - Local settings for SMTPVS, 433
 - locale setting, 155
 - Locales property page, 357, 357
 - locks for security, 681
 - Log File Prefix, 379
 - Log Off option, 190
 - Log On to Windows dialog box, 212
 - logon names for NNTP, 533
 - logons, monitoring, 389–391, 390
 - Logons container, 399
 - logs
 - application, 225, 364, 599, 599
 - for backups, 237
 - circular, 379
 - deleting, 356
 - for diagnostics, 364–365, 364
 - limitations of, 699
 - for message tracking, 356, 609–611
 - for RAID failures, 651
 - for security, 702–703
 - for server events, 364
 - in SMTPVS, 424
 - transaction, 378–379, 669
 - lost messages
 - system, 612, 613
 - user, 608–611, 609, 612
 - LostAndFound container, 301
 - Lotus Notes connector, 23
 - low-battery information, 190
 - LVA (Volume License Agreement), 243
- ## M
- MAC (Media Access Control) addresses, 182
 - Macro command, 290
 - Mail Application Programming Interface (MAPI), 6, 13–14
 - Mail Box Manager Settings option, 393–395
 - mail.com queue, 445
 - Mail dialog box, 272, 272, 639, 639
 - mail-disabled distribution groups, 338
 - mail-disabled users, 333
 - mail-enabled groups. See distribution groups
 - mail-enabled public folders, 400
 - mail-enabled users, 309
 - creating, 330–333, 331–333
 - managing, 333–335, 334–335
 - Mail Essentials for Exchange/SMTP application, 769
 - Mail Exchanger (MX) records, 413, 418–419, 418
 - Mail for PC Networks, 15, 15
 - Mail Security for Exchange/SMTP application, 769
 - Mail Security for Microsoft Exchange application, 705–706, 705, 769
 - mail services for Outlook, 256
 - Mail Setup - Outlook dialog box, 272, 639
 - Mailbox Cleanup command, 289
 - mailbox-enabled distribution groups, 338
 - mailbox-enabled users, 63
 - Account property page for, 326, 327
 - Address property page for, 324
 - creating, 310–312, 311
 - Custom Attributes property page for, 319–320, 320
 - Delivery Options property page for, 316–317, 317
 - Delivery Restrictions property page for, 316, 316
 - Dial-in property page for, 329
 - E-mail Addresses property page for, 314–315
 - Environment property page for, 329
 - Exchange Advanced property page for, 318–322, 319
 - Exchange Features property page for, 315
 - Exchange General property page for, 315, 315
 - General property page for, 323–324
 - ILS Settings property page for, 320
 - Mailbox Rights property page for, 320–322, 321
 - managing, 312–314, 312, 314
 - Member Of property page for, 325, 325

- in multiple servers, 543, 543–545
- Object property page for, 329
- Organization property page for, 324–325, 325
- Profile property page for, 327
- Published Certificates property page for, 327
- Remote Control property page for, 330
- Security property page for, 327–329, 328
- Session property page for, 330
- Storage Limits property page for, 317–318, 318
- Telephones property page for, 324
- Terminal Services Profile property page for, 329
- mailbox-enabling users, 232–235, 233–234
- mailbox items, recovering, 662–667, 663–667
- Mailbox Management property page, 363–364
- Mailbox Manager, 393–396, 393–395
- Mailbox Merge Wizard, 667
- Mailbox Rights property page, 320–322, 321
- Mailbox Store field, 315
- Mailbox Store Properties dialog box, 664, 665
- mailboxes, 64
 - creating, 380
 - Database property page for, 383–384, 383
 - Full-Text Indexing property page for, 386–389, 388
 - General property page for, 380–383, 381
 - Limits property page for, 384–386, 385
 - Mailbox Manager for, 393–396, 393–395
 - monitoring logons and resource usage of, 389–391, 390
 - mounting and dismounting, 386
 - policies for, 391–393, 391–392
- mailboxes, 64
 - addresses for, 314–315
 - aliases for, 92, 93, 94–95, 95, 315, 481
 - attributes for, 319–320, 320
 - for clients, 19
 - deleting, 312
 - hiding, 319
 - IMAP4 support for, 486
 - message defaults for, 627–628, 628
 - moving between multiple servers, 553, 554
 - names for, 92–95, 92–95
 - permissions for, 320–322, 321
 - POP3 setup for, 477, 477
 - priorities with, 319
 - proxy addresses for, 614, 614
 - creating, 614–616, 615–616
 - DNS for, 616
 - for upgrading, 136
- Mailboxes container, 389
- MailEssentials program, 706
- mailroot directory, 420
- MailWise application, 769
- Maintain Per-User Read option, 369
- Manage option, 596
- Manage Your Server Wizard, 158, 158
- Managed By property page, 340, 341
- management, third-party applications for, 763–765
- Manager attribute, 324
- MAPI (Mail Application Programming Interface), 6, 13–14
- mapping public folder tree shares, 403
- maps for geographic profiles, 87
- Mark All as Read command, 284
- Mark as Read command, 284
- Mark as Unread command, 284
- Marketing and Consumer Relations Manager role, 84
- masquerade domains, 436
- master servers, 527
- maximum hop count limits, 436
- MBSA (Microsoft Baseline Security Analyzer), 692
- MBX folder, 401
- Media Access Control (MAC) addresses, 182
- meeting requests, 475–476, 476
- Member Of property page
 - for distribution groups, 38, 340, 341
 - for mailbox-enabled users, 325, 325
 - for public folders, 376
- Members property page
 - for distribution groups, 38, 339, 340
 - for Exchange Server Administrator groups, 214, 215
- memory
 - error-correcting, 101
 - for Exchange 2003 Server, 100, 151, 210
 - testing, 152
 - for Windows 2003 Server, 35–36
 - for workstations, 88
- message classes, 393
- Message Content field, 363
- Message Delivery container, 707
- Message Delivery Properties dialog box, 627–628, 628, 707
- Message field, 270
- message finder, 20
- Message Format property page
 - for IMAP4, 486, 487
 - for POP3, 475
 - for SMTPVS, 441, 442
- message forms, 756–757
- Message History dialog box, 609–612, 609, 613
- Message ID property page, 611
- message IDs for message tracking, 611
- Message Manager application, 764
- message routing groups, 40
- Message Tracking Center, 42, 42, 356, 608–611
- messages. *See also* e-mail
 - defaults for, 627–628, 628
 - finding, 20
 - integrity of, 105
 - Outlook Forms Designer for, 737–738, 738, 740
 - reading, 271, 271
 - security of, 106

- sending, 268–270, 268–270
- in SMTPVS, 440–445, 441–443
- third-party applications for, 768
- tracking
 - system, 612, 613
 - System Attendant for, 71
 - user, 608–611, 609, 612
- Messages awaiting directory lookup queue, 445
- Messages pending submission queue, 445
- Messages property page, 430–432, 431
- Messages queued for deferred delivery queue, 445
- Messages waiting to be routed queue, 445
- MessageScreen application, 769
- messaging-enabled applications, 9–10, 10
- messaging servers, 62, 62–63
- Messaging Transport Operations Engineer role, 84
- metabases
 - backing up, 658–659
 - restoring, 670
- Microsoft Baseline Security Analyzer (MBSA), 692
- Microsoft Cluster Service (MSCS), 654–655
- Microsoft Exchange 2003 Installation Wizard, 218–222, 218–222
- Microsoft Exchange Connector for POP3 Mailboxes, 464
- Microsoft Exchange Installation Wizard, 562, 562
- Microsoft Exchange Server dialog box, 275–276, 276
- Microsoft Exchange Server Migration Wizard, 646
- Microsoft Exchange System Objects container, 301
- Microsoft Mail for AppleTalk Networks, 23
- Microsoft Mail for PC Networks, 23
- Microsoft Management Console (MMC) snap-ins, 25, 34, 72
 - opening, 214
 - for recipient addresses, 38, 39
 - setting up, 224, 226–228, 227–228
 - for verifying services, 224
 - for viruses, 705
 - in Windows 2003 Server installation, 166–170, 167–170
- Microsoft Search, 73
- Microsoft-Server-ActiveSync virtual directory, 493, 496
- Migrate directory, 646
- Migrate User Settings option, 252
- migration, 23
 - vs. connections, 104–105
 - foreign messaging system users, 646–647
 - in upgrading, 110
- Migration Planner role, 84
- Migration Wizard, 223, 646
- MIME (Multipurpose Internet Mail Extension) protocol, 23
 - for databases, 378
 - for SMTPVS, 438–440, 440, 442–443
 - support for, 69
- minimum installation option, 219
- Minutes on Battery Before Critical Alarm setting, 192
- mirrored disks, 651
- MIS (Mobile Information Server), 719–722
 - MIS staff in design, 107
 - Mitel Networks 6510 Unified Messaging application, 768
 - mixed administrative groups, 353
 - MMC (Microsoft Management Console) snap-ins, 25, 34, 72
 - opening, 214
 - for recipient addresses, 38, 39
 - setting up, 224, 226–228, 227–228
 - for verifying services, 224
 - for viruses, 705
 - in Windows 2003 Server installation, 166–170, 167–170
 - Mobile Information Server (MIS), 719–722
 - Mobile phone number attribute, 324
 - Mobile Services Properties dialog box, 720, 721
 - Mobitex wireless systems, 715–716
 - moderated newsgroups, 516, 518
 - Monitor Magic application, 767
 - monitoring
 - connectors, 628–629, 629–630
 - mailbox stores, 389–391, 390
 - multiple servers, 545–547, 546
 - network connections, 71
 - performance, 89
 - POP3, 475
 - Monitoring property page, 358–363, 359
 - monitors, 358
 - creating, 358–360, 359–362
 - for notifications, 361–363, 362
 - for security, 702–703
 - for server status, 360–361, 361
 - third-party applications for, 767–768
 - Mount Database After Restore option, 666
 - mount points, 187, 188
 - Mount Store option, 386
 - mounting mailbox stores, 386
 - mouse ports, 151
 - Move Mailbox page, 553, 554
 - Move to Folder command, 283
 - moving
 - databases, 384
 - labels, 744
 - mailboxes, 553, 554
 - MS Exchange Setting Properties dialog box, 645
 - MS Mail PC post offices, 76
 - MSCDEX.EXE program, 152
 - MSCS (Microsoft Cluster Service), 654–655
 - MSExchangeIS, 364–365, 364
 - MSI files, 242, 247
 - MST files, 242–243, 247, 264
 - MsXfax XP for Exchange application, 767
 - multidomain environments, 595
 - Exchange 2003 Server management in, 599–601, 600, 602
 - organizations in, 601
 - Windows 2003 Server management in, 595–599, 596–599
 - multilingual environments, 318–319

- MultiPage control, 741–742, 741
 - multipattern testers, 152
 - multiple administrative groups, 564–565
 - delegating control in, 565–567, 565–566
 - public folders in, 579–585, 580–585
 - routing groups and connectors for. See routing groups
 - subcontainers for, 567
 - multiple-master domain model
 - documenting, 121, 122
 - upgrading, 127
 - multiple SCSI controllers, 101
 - multiple servers
 - database backups for, 554–555, 555
 - front-end/back-end topologies for, 555–557, 556–558
 - full-text indexing for, 548–549, 549
 - information store databases for, 549
 - installing, 539–540, 541
 - mailbox-enabled users in, 543, 543–545
 - managing, 542
 - monitoring, 545–547, 546
 - moving mailboxes between, 553, 554
 - public folders for, 550–552, 551–553
 - system policies for, 547–548, 547–548
 - Multipurpose Internet Mail Extension (MIME) protocol, 23
 - for databases, 378
 - for SMTPVS, 438–440, 440, 442–443
 - support for, 69
 - Mutually Authenticate the Session When Connecting With SSL option, 641
 - MX (Mail Exchanger) records, 413, 418–419, 418
 - My Computer, 34
 - My LDAP Server Requires Me to Log On option, 507
 - My News Server Requires Me to Log On option, 533
- N**
- name servers, 411–413, 591
 - Name Servers page, 591
 - names and naming conventions
 - certificates, 427
 - demand-dial interfaces, 459, 459
 - domains, 161, 161
 - e-mail address formats for, 303–306, 304–305
 - in Exchange 2003 Server installation, 219, 220
 - fields, 747
 - folders, 244, 278
 - form pages, 753
 - groups, 214
 - LDAP accounts, 507
 - mailbox stores, 381
 - MST files, 247
 - in multilingual environments, 318–319
 - newsgroup directories, 522
 - newsgroup trees, 522
 - newsgroups, 519
 - organizations, administrative groups, and servers, 91
 - Outlook 2003 client profiles, 272–273
 - OWA, 499
 - in POP3, 478–479, 479, 481, 483
 - profile files, 255–256
 - recipient mailboxes, 92–95, 92–95
 - ROH, 640, 643
 - scopes, 175
 - SMTPC, 449
 - in software installation, 156
 - storage groups, 378
 - users, 310
 - virtual servers, 421
 - namespaces
 - in Active Directory, 50–52, 51
 - contiguous and noncontiguous, 52–53, 53–54
 - documenting, 124
 - NAS (Network Attached Storage), 652
 - NAT (network address translation)
 - with firewalls, 683–684, 683–685
 - for private addresses, 411
 - Navigation Pane command, 284–285
 - NDRs (nondelivery reports), 432, 444
 - needs assessments, 85
 - geographic profile in, 87–88
 - networks, 89–90
 - user, 85–87
 - NetBackup backup software, 766
 - NetBEUI protocol, 57
 - NetBIOS names, 57
 - NetBIOS over TCP/IP, 57
 - NetBIOS protocol, 57
 - NetMeeting page, 510
 - netstat command, 688, 688
 - network adapters
 - for Internet mail, 210
 - MAC addresses for, 182
 - for SMTPVS, 422
 - testing, 153
 - network address translation (NAT)
 - with firewalls, 683–684, 683–685
 - for private addresses, 411
 - network architecture, 56
 - DNS and DHCP in, 57–58
 - NetBIOS, NetBEUI, and WINS in, 57
 - Network Attached Storage (NAS), 652
 - network configuration, 90–91
 - administrative group boundaries in, 96
 - connections in, 103–105
 - domain models for, 95–96
 - naming conventions for, 92–95, 92–95
 - routing group boundaries in, 96–97
 - routing group links in, 97–99
 - servers in, 99–103

- Network Connections, 34
- Network Credentials page, 587, 588
- network interface card (NIC) teaming, 655
- network load-balancing (NLB), 654
- Network Monitoring Suite application, 767
- Network News Transport Protocol (NNTP), 511, 512
 - Access property page for, 513, 514
 - General property page for, 512, 513
 - installing, 42
 - newsgroup management in. See newsgroups
 - for public stores, 397
 - Settings property page for, 515–516, 515
 - virtual server properties for, 513–516, 514–515
 - for Windows 2003 Server, 33
- NetWorker backup software, 766
- Networking Components page, 157
- Networking Services page, 637, 638
- networks and networking
 - assessing, 89–90
 - configuring. See network configuration
 - hardware security on, 681
 - installing, 156–157
 - redundancy in, 655
 - replication of, 674–675
 - for ROH, 637–638
 - servers for, 102–103
- Never Run option, 396
- New Connection Wizard, 478–479, 479
- New Demand-Dial Interface option, 458
- New E-mail Address dialog box, 331, 331, 615, 615
- New Field dialog box, 747
- New Host dialog box, 417, 417
- New Mail Exchanger option, 418
- New Mail Message command, 268, 291
- New Mail Message Using command, 291
- New menu, 281
- New Message window, 268–270, 268
- New Newsgroup Wizard, 519–520, 519, 524–525, 524–525
- New NNTP Feed Wizard, 528–529, 528–529
- New NNTP Virtual Directory Wizard, 522–523, 522–523
- New Object - Contact dialog box, 344, 344
- New Object - Group dialog box, 214, 214, 335–336, 336–337, 565, 565
- New Object - Query-Based Distribution Group dialog box, 343
- New Object - User dialog box, 172–174, 173–174, 310–312, 311, 543, 544
- New Policy dialog box, 365, 366, 391–392, 391
- New Profile dialog box, 272–273, 273, 639, 640
- New Reservation dialog box, 181–182, 182
- New Resource Record dialog box, 418, 418
- New Search option, 611
- New Volume Wizard, 186–189, 187–189
- New Zone Wizard, 592
- newsfeeds, 526–533, 528–532
- Newsgroup control messages, 515
- Newsgroup Subscriptions dialog box, 533, 534
- newsgroups, 12, 516
 - article expiration in, 526
 - client-side setup for, 533–536, 534–536
 - creating, 519–520, 519–521
 - deleting, 520
 - feeds for, 526–533, 528–532
 - maintaining, 516–519, 517–518
 - protocols for. See Network News Transport Protocol (NNTP)
 - replicating, 527
 - server connections for, 526
 - for troubleshooting, 634
 - virtual directories for, 521–526, 522–525
- Newsgroups container, 511
- newsreader clients, 511
- NIC (network interface card) teaming, 655
- NLB (network load-balancing), 654
- NNTP. See Network News Transport Protocol (NNTP)
- NNTP server, 74
- noncontiguous namespace, 53, 54
- noncontinuous connections
 - in SMTP, 421
 - in TCP/IP, 415
- nondelivery reports (NDRs), 432, 444
- None permission for virtual directories, 495
- Nonediting Author roles, 374
- nonsystem messages, 574
- normal backups, 198
- Normal option, 582
- Norton Ghost product, 243
- Not Available option, 249
- Not Present operator, 623
- Not Urgent option, 582
- Notes connector, 23
- notifications, 192
 - for connections, 629, 630
 - for connector problems, 577, 577–578
 - for e-mail, 361–363, 362
 - monitors for, 361–363, 362
 - for multiple servers, 545–547, 546
 - scripted, 363
- Notifications container, 361, 363, 629
- Notify When Monitored Items Are In field, 362
- Now option, 199
- NT File System 5 (NTFS 5), 50
- NT Server
 - domains in
 - cross-domain trusts in, 118–119, 119
 - in upgrading to Windows 2003 Server, 118–128, 119
 - in upgrading to Windows 2003 Server, 129, 133
 - vs. Windows 2003 Server, 34–35
- NTFS partitions, 155
- numbers settings, 155

O

- Object property page, 329
- objects, 10–12, 11
 - in Active Directory, 50, 53, 55
 - attributes of, 299
 - in Exchange 2003 Server, 21–22, 21
 - location of, 67
- ODBC (Open Database Connectivity), 27, 34
- OFD. See Outlook Forms Designer (OFD)
- Office attribute, 323
- Office Clipboard command, 283
- Office Profile Wizard, 251
- offline address lists, 627
- Offline Address Lists container, 627
- offsite replication, 674–675
- OLE-based applications, 736
- OMA (Outlook Mobile Access), 713, 722
 - implementing, 722–723
 - for wireless access, 729–730, 729–730
- OMA (Outlook Mobile Access) virtual directory, 493, 496
- Only the List Below option, 430
- onsite replication, 675
- Open an Existing MST File option, 247
- Open command, 281–282
- Open Database Connectivity (ODBC), 27, 34
- opening
 - MMCs, 214
 - MST files, 264
 - snap-ins, 298
- Operations Developer role, 83
- OPS files, 249–252, 250
- optimizing design, 106
- optional components, 71–72
 - connectors, 74–76
 - Directory Synchronization Agent, 73
 - Event Management Service, 73
 - gateways, 76
 - Internet protocol servers, 73–74
 - Microsoft Search, 73
- OptionButton control, 741–742, 741
- Options command, 290
- Options dialog box, 700
- OPW11ADM.INI file, 252
- Organization Name page, 219, 220
- Organization property page, 324–325, 325
- organization-wide form libraries, 753–754, 754–756
- organization-wide settings
 - address lists, 625–627, 625–626
 - details and address templates, 627
 - mailbox message defaults, 627–628, 628
 - recipient policies, 617
 - default e-mail addresses, 617–623, 618–623
 - update services, 623–624, 624
- organizational units (OUs), 55
 - for certificates, 427
 - creating, 299
 - for distributing responsibility, 353
 - in domains, 128
 - parallel, 578
- organizations, 22, 62, 62–63
 - adding administrative groups to, 560–562, 561
 - for certificates, 427
 - in client installation, 248
 - e-mail address formats for, 306–308, 307–308
 - in Exchange 2003 Server installation, 217, 219, 220
 - managing, 351–352
 - in multidomain environments, 601
 - naming conventions for, 91
 - in software installation, 155
 - user status in, 324–325, 325
- Organize command, 289
- organizing components, 61–67, 62–66
- OSI with X.400 connectors, 98
- Other page, 510
- OUs. See organizational units (OUs)
- Out of Office Assistant command, 289
- out-of-office messages, 342
- Outbound Connections dialog box, 435, 435
- Outbound Security dialog box
 - for SMTPC, 456
 - for SMTPVS, 434, 434
- Outbound settings, 433
- Outlook 2003 client, 6, 6, 77, 263–264
 - Actions menu in, 291, 291
 - Edit menu in, 283–284, 283
 - File menu in, 280–283, 281
 - Go menu in, 286
 - installing, 241–243
 - on administrative installation points, 243–245, 244, 246
 - customizing for, 249–258, 253–258
 - on workstations, 261–262
 - profiles in, 272–276, 272–276
 - public folders for, 276–280, 277–279
 - reading messages in, 271, 271
 - sending messages in, 268–270, 268–270
 - starting up, 264–267, 265, 267
 - Tools menu in, 286–290, 286
 - View menu in, 284–286, 284
- Outlook Address Books service, 256
- Outlook Administrator Pack, 254
- Outlook Data Files dialog box, 266
- Outlook Express, 478, 533
- Outlook Forms Designer (OFD), 13, 13, 78, 735–737
 - Control Toolbox for, 741–742, 741
 - controls in
 - adding, 743–747, 743–746, 749–753, 750–753
 - binding, 747–748, 748
 - initial values for, 748–749

- Field Chooser for, 739, 740
- for messages, 737–738, 738, 740
- properties in, 742–743
- testing forms in, 749, 750
- Outlook Mobile Access (OMA), 713, 722
 - implementing, 722–723
 - for wireless access, 729–730, 729–730
- Outlook Web Access (OWA), 491–492
 - client-side setup for, 499–502, 499–501
 - firewalls for, 690–691
 - HTTP protocol for, 74
 - server-side setup for, 492–498, 493–494, 496–498
 - troubleshooting, 502
 - URLs for, 502
 - for wireless access, 730, 731–732
- Owner roles, 374

P

- PageMaster/ex application, 768
- Pager phone number attribute, 324
- paid support, 634–635
- Panda Anti-Virus for Microsoft Exchange application, 769
- parity information, 651
- partitions, 154–155
- passwords
 - for Administrator account, 156
 - for computers, 158
 - for demand dial, 462
 - for domains, 587
 - for LDAP accounts, 507
 - for mailbox-enabled users, 326
 - for multiple servers, 543, 544
 - for NNTP, 513, 533
 - for OWA, 499, 499
 - in POP3, 481–482
 - for ROH, 643
 - security best practices in, 693–694
 - in SMTPC, 456
 - for users, 173, 175, 311
 - for WLANs, 717
- Path field, 369
- Path Header field, 513
- paths
 - installation, 217
 - for public folders, 369
- Pause option for services, 472
- PDA's
 - IMAP4 with, 491
 - for wireless access, 716
- PDCs (primary domain controllers), 124
- peer newsfeed servers, 527
- per-domain limits in SMTPV5, 435
- per-seat-only licensing, 219, 221
- percent signs (%) for environment variables, 255
- Perform Reverse DNS Lookup on Incoming Messages option, 436
- performance logs, 363
- performance monitoring tools, 89
- Performance tool for POP3, 475
- peripheral devices, 33
- permissions, 213–216
 - assigning, 65
 - for client folders, 244, 244, 246
 - for client installation, 261
 - for connectors, 575
 - for cross-domain management, 595, 598
 - with delegating control, 566
 - for Exchange 2003 Server installation, 217
 - for Exchange administration group, 229–231, 229–230, 232
 - for forms, 755
 - for mailbox-enabled users, 328
 - for mailboxes, 320–322, 321
 - for newsgroups, 518–519
 - for public folders, 373–376, 373, 401
 - for users, 174
 - for virtual directories, 494–495
- Permissions dialog box, 244
- Permissions property page
 - for cross-domain management, 598
 - for public folders, 373–376, 373
- personal folders, 19, 102, 256, 265–266
- Personal Folders service, 256
- Phone Number page, 460, 460
- physical security, 680–682
- Pickup directory, 420
- ping command, 464
- planning
 - importance of, 45
 - responsibility for, 83–84
 - Schedule+ for, 78
- Pocket Outlook, 726, 726–728
- point-to-point low-speed synchronous (continuous) links transports, 128
- policies
 - for administrative groups, 354
 - for domain messages, 441
 - for mailbox stores, 391–393, 391–392
 - for multiple servers, 547–548, 547–548
 - recipient, 617
 - default e-mail addresses, 617–623, 618–623
 - update services, 623–624, 624
 - for servers, 101–102, 365–366, 366–368
- Policies page, 358
- POP3 protocol
 - Access property page for, 475
 - authentication in, 482
 - Calendar property page for, 475–476, 476
 - clients, 6–7, 7, 78, 477–484, 479–483
 - connections in, 477–481, 479–482

- firewalls for, 690–691
- General property page for, 474–475
- for mailboxes, 477, 477
- Message Format property page for, 475
- servers, 73, 473–477, 474, 476
- testing, 484, 484
- troubleshooting, 485
- for wireless access, 728
- POPMaster/ex application, 764
- populating
 - Active Directory, 137–143, 138–140, 142–143
 - full-text indexes, 386–389, 386–389
- ports
 - for firewalls, 683–684, 683, 687–691, 688
 - for RAS, 151
 - for SMTPVS, 423, 435
- Post Office Protocol Version 3 messaging. See POP3 protocol
- postinstallation activities, 223–231, 223, 225, 227–230, 232
- Power Options Properties dialog box, 191–192, 191–192
- power supplies, redundant, 653
- Power Tools for Exchange application, 769
- Praetor for Microsoft Exchange Server application, 769
- prefixes for storage groups, 379
- Preliminary Steps page, 158–159, 159
- Present operator, 623
- Preserve Sender's Display Name on Message option, 444
- pretty names for newsgroups, 518
- previewing address lists, 625
- PRF files, 254–255
- primary domain controllers (PDCs), 124
- primary partitions, 154
- priorities
 - for mailboxes, 319
 - for policies, 621–622
 - in SMTPC, 453
- private addresses, 411
- private information containers, clients for, 19
- private keys. See encryption
- Processes page, 222
- processor requirements
 - for Exchange 2003 Server, 151, 210
 - redundancy in, 653–654
 - for Windows 2003 Server, 35–36
 - for workstations, 88
- product identification numbers, 217–218
- Product Key, 156
- Product Manager role, 83
- PROFGEN.EXE tool, 646
- Profile Maker application, 327, 646, 765
- Profile property page, 327
- Profile Wizard, 251
- profiles, 251–258, 253–258, 272–276, 272–276, 639, 640, 643, 643
- program group, 223–224, 223
- Program Manager role, 83
- Prompt for Profile to Be Used option, 643
- protecting backups, 661
- Protocols and Security page, 460, 461
- Protocols container, 473, 474
- protocols for firewalls, 687
- proxy addresses, 614, 614, 674
 - creating, 614–616, 615–616
 - DNS for, 616
- proxy servers, 437
- PS/2 mouse ports, 151
- PTR records, 417
- public folder hierarchy replication, 550
- Public Folder Instances container, 399
- Public Folder Management role, 84
- Public Folder Referrals property page, 365
- Public Folder Store, 396
- public folder trees, 372, 396–397, 397, 580–581, 580–581
- public folders, 12, 19, 63, 63, 66, 68–69
 - accessing, 400–404, 401–403, 551–552, 551–553
 - Administrative Rights property page for, 376, 376
 - creating, 369–371, 370–371
 - Directory Rights property page for, 376
 - Exchange Advanced property page for, 373
 - Exchange General property page for, 373
 - General property page for, 369, 369, 372, 372
 - hiding, 373
 - Limits property page for, 370–371, 370–371
 - mail-enabling, 400
 - Member Of property page for, 376
 - in multiple administrative groups, 579–585, 580–585
 - for multiple servers, 550–552, 551–553
 - for newsgroups, 511
 - for Outlook 2003 client, 276–280, 277–279
 - Permissions property page for, 373–376, 373
 - recovering, 671
 - replicating, 550–551, 581–584, 582–584
 - Replication property page for, 370
 - for upgrading to Exchange Server 2003, 136
- Public Folders container, 369, 371, 371, 399, 581
- Public Folders folder, 400, 488–489
- Public Folders Store, 581
- public information containers, clients for, 19
- public IP addresses, 411
- public key encryption. See encryption
- public stores, 43, 68
 - containers for, 399–400
 - creating, 396–399, 397–399
 - databases for, 398
 - limits for, 398
 - public folders in, 400–404, 401–403
- Public virtual directory, 493–494, 496–498
- Publish Form dialog box, 755
- Publish Form As dialog box, 755, 756
- Published Certificates property page, 327

- publishing
 - forms, 753–754, 754–756
 - vs. saving, 758
 - Publishing Author roles, 374
 - Publishing Editor roles, 374
- Q**
- Q/A Engineer role, 83
 - query-based distribution groups (QBDGs), 343
 - query forwarding, 162–163, 162
 - Queue directory, 420, 432
 - Queue Mail for Remote Triggered Delivery option, 454
 - Queues container, 445
 - queues for SMTP virtual servers, 445–447, 446
- R**
- radio-based wireless access, 715
 - RAID (Redundant Array of Independent Disks) technology, 101, 184, 650–652
 - RAIT (Redundant Array of Independent Tapes), 652–653
 - RAM (random access memory)
 - error-correcting, 101, 654
 - for Exchange 2003 Server, 100, 151, 210
 - testing, 152
 - for Windows 2003 Server, 35–36
 - for workstations, 88
 - RAS (Remote Access Service), 415
 - RE (Routing Engine), 56, 69–71, 70, 404
 - Read Only property, 742
 - read pages, 739, 740
 - Read permissions
 - for mailboxes, 321
 - for virtual directories, 494
 - reading messages, 271, 271
 - Reading Pane command, 285
 - Real-time Collaboration Management role, 84
 - RealSecure Network Protection Components application, 768
 - rebuids for recipients, 624
 - Receive As permissions, 328
 - Recipient Filter, 707
 - Recipient Policies container, 617, 621, 621
 - Recipient Policies option, 307
 - Recipient Update Services container, 307, 624, 624
 - recipients, 61–66, 62, 309
 - contacts. See contacts
 - distribution groups. See distribution groups
 - finding, 345–346, 345–347
 - mailbox names for, 92–95, 92–95
 - managing, 38, 39
 - in Outlook 2003 client, 269
 - policies for, 617
 - default e-mail addresses, 617–623, 618–623
 - update services, 623–624, 624
 - public folders. See public folders
 - users. See users
 - Recipients Limits option, 317
 - recipients per message limits, 627
 - Recovery property page, 471, 471
 - Recovery Storage Group Properties dialog box, 663, 663
 - recovery storage groups (RSGs), 662–667, 663–667
 - recovery strategies, 672–675
 - actions for, 363
 - for Deleted Items, 290
 - Exchange, 661–671, 663–669
 - Tao of, 675–677
 - Redundant Array of Independent Disks (RAID) technology, 101, 184, 650–652
 - Redundant Array of Independent Tapes (RAIT), 652–653
 - redundant links, 570
 - redundant systems
 - network, 655
 - server, 650–655
 - regional settings, 155
 - Registry
 - in client installation, 252–253
 - for firewalls, 689–690
 - Relay Restrictions dialog box, 430
 - relay restrictions in SMTPVS, 430
 - reliability and availability, 649
 - backups for. See backups
 - in network assessments, 90
 - recovery strategies. See recovery strategies
 - redundant systems
 - network, 655
 - server, 650–655
 - Reminders Window command, 285
 - Remote Access Service (RAS), 415
 - remote backup capability, 554
 - Remote Bridgehead property page, 572, 573, 575, 577
 - remote clients, 635
 - RPC over HTTP for, 635–644, 637–645
 - RPC over TCP/IP for, 645
 - support for, 646
 - Remote Control property page, 330
 - remote Exchange users, 103
 - Remote Installation Services (RIS), 243
 - Remote Mail tab, 276
 - Remote Procedure Call (RPC) protocol
 - for intersite transports, 128
 - support for, 74
 - remote running of Exchange System Manager, 228
 - remote triggered delivery option, 454–455
 - Remove Log Files option, 356
 - Remove the Following Versions of Microsoft Office Applications option, 248
 - Rename command, 564
 - Rename Page dialog box, 753

- renaming
 - administrative groups, 564
 - pages, 753
- replaying transaction logs, 669
- replicas, 581
- replication
 - newsgroups, 527
 - offsite, 674–675
 - onsite, 675
 - public folders, 550–551, 581–584, 582–584
- Replication Message Received field, 582
- Replication property page, 370, 370, 582, 582
- Replication Status container, 399
- Replication Status dialog box, 584, 585
- Reply command, 291
- Reply to All command, 291
- report forms, 736
- reporting options for Mailbox Manager, 396
- Request ETRN/TURN from a Different Server option, 456
- Request ETRN/TURN When Sending Messages option, 456
- request forms, 735
- Require Secure Channel option, 428
- requirements
 - for hardware, 151
 - for workstations, 88
- Requires TLS encryption authentication, 426
- reserving addresses, 180–183, 181–183
- resource usage of mailbox stores, 389–391, 390
- responsibility, organizational units for, 353
- Restart option, 190
- Restore Database Store dialog box, 666
- Restore page, 194
- Restore Wizard, 206
- restores
 - storage groups for, 43
 - testing, 206
- Restrict Newsgroup Visibility option, 519
- retaining backups, 661
- retention parameters for deleted items, 318
- RETINA Network Security Scanner application, 768
- retry intervals in SMTPVS, 433
- Reverse Lookup Zones container, 417
- Reviewer roles, 374
- rich-text format for SMTPVS, 444
- RightFax application, 767
- rights. *See* permissions
- RIS (Remote Installation Services), 243
- Rmgrou control messages, 515
- ROH (RPC over HTTP), 635–637
 - configuration for, 637–644, 637–645
 - for firewalls, 687
- roles
 - with public folders, 374
 - selecting, 229
- rollout in design, 107–108
- Rollout Planner role, 83
- root domains, trust relationships with, 55
- root folder path, 487
- root trees, 586
- ROTI, firewalls for, 687–690, 688
- Route IP Packets on This Interface option, 460
- Routing and Remote Access Server Setup Wizard, 458
- Routing and Remote Access snap-in, 458, 458
- Routing Engine (RE), 56, 69–71, 70, 404
- routing group-based routing tables, 71
- routing group boundaries, 96–97
- Routing Group Connector, 75
- routing group connectors, 98, 569, 577, 577
- Routing Group container, 594
- routing group links, 74–75, 97
 - connectors for, 98
 - SMTP, 99
 - X.400, 98–99
 - options for, 97–98
- Routing Group page, 594, 594
- routing groups, 559–560, 567–568
 - appropriate, 569
 - connecting, 569–570, 571
 - Content Restrictions property page for, 574, 574
 - Delivery Options property page for, 574–577, 575
 - Delivery Restrictions property page for, 573, 573
 - General property page for, 570–572, 571
 - with no Exchange Servers, 579
 - Remote Bridgehead property page for, 572, 573
- Routing Groups container, 96, 567
- Routing Groups Management role, 84
- routing slips, 9
- roving clients, 635
 - RPC over HTTP for, 635–644, 637–645
 - RPC over TCP/IP for, 645
 - support for, 646
- RPC (Remote Procedure Call) protocol
 - for intersite transports, 128
 - support for, 74
- RPC encryption for Exchange messages, 701
- RPC over HTTP (ROH), 635–637
 - configuration for, 637–644, 637–645
 - for firewalls, 687
- RPC over TCP/IP, 645
- RS-232 cable for UPSs, 190
- RSA encryption, 106
- RSA SChannel Cryptographic Provider, 427
- RSGs (recovery storage groups), 662–667, 663–667
- rules, 19
- Rules and Alerts command, 289
- Rules Wizard, 289
- Run As Another User dialog box, 175

S

- S/MIME (Secure Multipurpose Internet Mail Extensions) protocol
 - for Outlook MAPI clients, 700–701
 - signatures in, 382
- SA (System Attendant), 71, 396, 404
- sample forms, 760
- SAN (Storage Area Network) technology, 652
- Save As command, 282
- Save Attachments command, 282
- saving
 - forms, 746
 - vs. publishing, 758
 - tracking history, 611
- scalability, 22
- SCANDISK program, 152
- ScanMail program, 769
- scanners
 - for security, 703
 - third-party applications for, 767–768
- Schedule+, 76, 78
- Schedule dialog box, 456
- Schedule+ Free Busy folder, 584
- Schedule Job dialog box, 200–202, 201–202
- Schedule Jobs Options dialog box, 205, 205
- Schedule property page
 - for newfeeds, 531–533, 532
 - for Pocket Outlook, 726, 727
- Schedule Jobs page, 203, 205
- Scheduled Tasks folder, 203, 204
- schedules
 - for backups, 199–205, 200–205
 - for Mailbox Manager, 396
 - for mailbox stores, 388
 - for newfeeds, 531–533, 532
 - for Pocket Outlook, 726, 727
 - Schedule+ for, 78
 - for SMTPC, 456
- schema, Active Directory, 54
- schema masters, 114–115
- Scope container, 175–177
- scope for SMTPC, 451
- Scope Options container, 178
- Scope Properties dialog box, 176, 176
- script source access right, 494
- scripts
 - for monitors, 358
 - for notifications, 363
- Scripts permission, 495
- Scripts and Executables permission, 495
- SCSI controllers
 - multiple, 101
 - testing, 152
- SCSI tape backup systems, 100, 193
- Search Base field, 507
- searching
 - for LDAP accounts, 508, 509
 - for messages, 20, 288. See also tracking messages
 - system, 612, 613
 - user, 608–611, 609, 612
 - for recipients, 345–346, 345–347
- Second Retry Interval (Minutes) field, 433
- secondary proxy addresses, 615
- Secure HTTP, 644
- Secure Multipurpose Internet Mail Extensions (S/MIME) protocol
 - for Outlook MAPI clients, 700–701
 - signatures in, 382
- Secure Password Authentication (SPA)
 - for LDAP, 507
 - for NNTP, 533
 - for POP3, 481
- Secure Sockets Layer (SSL)
 - for calendar, 476
 - for Exchange messages, 701–702
 - in front-end/back-end server configurations, 472
 - for NNTP, 513
 - for POP3, 475
- SecureIS application, 768
- SecurExchange Anti-Virus application, 769
- security, 22, 679–680. See also permissions
 - best practices
 - in Exchange Server, 693–699, 697–699
 - in Windows, 693–694
 - for calendar, 476
 - in client installation, 253–254
 - in client/server systems, 16
 - component management, 213–216, 214–215
 - for distribution groups, 340
 - domain, 212
 - for Exchange messages, 700–702, 701
 - firewalls for, 682–691, 683–686, 688
 - installation, 212–213
 - IPsec for, 704
 - logs for, 702–703
 - for mailbox-enabled users, 326–329, 328
 - of messages, 106
 - for newsgroups, 518–519, 533
 - for Outlook 2003 client, 275
 - physical, 680–682
 - proxy servers for, 437
 - in shared-file systems, 15
 - for SMTPVS, 423, 426–428, 434, 434
 - for spam, 706–709, 708–709
 - System Attendant for, 71
 - third-party applications for, 767–770
 - updates for, 692–693
 - virtual private networks for, 703–704
 - for viruses, 704–706, 705

- in Windows 2003 Server, 27–30, 29–31
- for WLANs, 717
- security groups, 38
 - for administrative groups, 565–566
 - in multidomain environments, 600
- security identifiers (SIDs), 140
- Security property page
 - for mailbox-enabled users, 327–329, 328
 - for POP3, 483
 - for public folders, 371
- Security Settings container, 216
- Security tab, 275
- Select a Device page, 460, 461
- Select a Public Store dialog box, 552, 553
- Select Database to Recover dialog box, 664, 664
- Select Disk to Convert page, 185, 185
- Select Disks page, 187, 188
- Select Disks to Initialize page, 185, 185
- Select Exchange Server dialog box, 618, 619
- Select Groups dialog box, 325, 325
- Select Items to Place Under the Control of This Policy option, 547
- Select Names dialog box, 269
- Select Public Store dialog box, 381, 382, 582, 582
- Select Recipients dialog box, 451
- Select the Sender of Message to Locate dialog box, 608
- Select Users, Computers, or Groups dialog box
 - for delegating control, 566
 - for mailboxes, 322, 322
- Select Users, Contacts, or Groups dialog box, 340
- Select Users or Groups dialog box, 261
- Select Volume Type page, 186, 187
- selection, component, 219, 219
- SELF group, 321–322
- Send As permissions, 328
- Send Contents dialog box, 585
- Send Copy of Nondelivery Report To field, 432
- Send delivery reports to group owner option, 342
- Send delivery reports to message originator option, 343
- Send Form Definition with Item option, 757
- Send Notification Mail to User After Processing option, 395
- Send on Behalf options, 316, 329
- Send out-of-office messages to originator option, 342
- Send/Receive command, 286–288, 287–288
- Send/Receive Groups dialog box, 287, 287
- Send/Receive Settings - All Accounts dialog box, 287–288, 288
- Sender Filter, 707–708, 708
- sending messages, 268–270, 268–270
- Sent folder in POP3, 484
- Sent Items folder in IMAP4, 487–488
- serial ports for RAS, 151
- server-based anti-spam programs, 707
- Server Configuration Progress page, 165, 165
- server level setup
 - IMAP4, 485–486, 486–487
 - LDAP, 503–506, 504–505
 - OWA, 492–498, 493–494, 496–498
 - POP3, 473–477, 474, 476
- Server Manager, 169–170
- Server Type page, 273, 274, 640, 641
- servers, 354, 355. See also Exchange 2003 Server; NT Server
 - backing up. See backups
 - clustering, 36, 654–655
 - designing, 99–101
 - Diagnostics Logging property page for, 364–365, 364
 - Directory Access page for, 358
 - documenting, 124–125
 - fault tolerance in, 101
 - firewalls for, 682–691, 683–686, 688
 - front-end/back-end configurations, 472–473, 555–557, 556–558
 - Full-Text Indexing page for, 358
 - General property page for, 355–357, 355
 - hardware setup for, 150–153
 - installing. See installation
 - Locales property page for, 357, 357
 - locking up, 681
 - Mailbox Management property page for, 363–364
 - Monitoring property page for, 358–363, 359–362
 - monitors for, 360–361, 361
 - in multidomain environments. See multidomain environments
 - multiple. See multiple servers
 - naming conventions for, 91
 - for networking users, 102–103
 - for newsgroups, 526
 - policies for, 101–102, 365–366, 366–368
 - Policies page for, 358
 - Public Folder Referrals property page for, 365
 - recovering, 670–671
 - redundancy in, 650–655
 - in software installation, 156
 - storing data on, 681–682
 - versions of, in upgrading, 128–129
 - virtual, 469–472, 470–471
 - logs for, 702–703
 - in NNTP, 513–516, 514–515
 - SMTP. See SMTP virtual servers (SMTPVPS)
- Servers and Connectors to Monitor field, 362
- Servers container, 567
- service packs
 - for Exchange Server, 634
 - for ROH, 635, 639
 - for upgrading, 113
- services
 - in Active Directory, 56
 - IS, 68
 - for Outlook, 256–257, 256
 - troubleshooting, 225, 225
 - for upgrading, 135
 - verifying, 224–225, 225

- Services container, 224, 225, 471
- Sessions property page, 330
- Set Account Information dialog box, 200, 200
- Set As Primary button, 615
- Set Schedule option, 199
- Settings drop-down list, 489
- Settings property page
 - for backups, 201, 202
 - for NNTP, 515–516, 515
- SETUP.EXE program, 109, 258–259, 264
- SETUP.INI file, 258–259
- Setup programs
 - for clients, 258–259, 264
 - for Exchange 2003 Server installation, 218–222, 218–222
- Setup wizard
 - for device detection and driver installation, 155
 - for domains, 157–158
 - final steps in, 158
 - for licensing information, 156
 - for name and organization, 155
 - for networking installation, 156–157
 - for regional settings, 155
- share points for attachments, 9
- Share This Folder option, 244
- shared-file systems, 14–16, 15
- SharePoint server, 270
- sharing
 - clients for, 18–19
 - folders, 244, 244, 246, 401
- Sharing and Security option, 401
- Show/Hide IMAP folders dialog box, 488–489, 489
- Shut Down option, 190
- shutdown, 190
- SIDs (security identifiers), 140
- signatures, 22, 700–702, 701
- Simple Display Name field, 318–319
- Simple MAPI, 13
- Simple Message Transport Protocol (SMTP), 23, 419–421
 - connectors. See SMTP Connector (SMTPC)
 - for EAS, 720, 721
 - hosts in, 411–413, 464–467
 - installation of, 42
 - in Internet messaging, 411–413, 414
 - for intersite links transports, 128
 - logs for, 702–703
 - redundancy in, 655
 - with Routing Engine, 69–71, 70
 - for routing group connections, 98
 - virtual servers. See SMTP virtual servers (SMTPVS)
 - for Windows 2003 Server, 33
- Single computer option, 429
- single contiguous namespaces, 53, 53, 586
- single-domain model
 - documenting, 120, 120
 - upgrading, 126–127
- single-master domain model
 - documenting, 120, 121
 - upgrading, 126–127
- sites, 62, 62–63
 - Exchange 2003 Server, 39–40, 40
 - Exchange Server 5.5, 559–560
 - parallel, 578
- size
 - labels, 744
 - mailboxes, 316–318, 318
 - messages, 431, 574, 627
 - volumes, 187
- slave newsgroup servers, 527
- smart hosts, 415, 436, 449, 464
- SMTP. See Simple Message Transport Protocol (SMTP)
- SMTP Address Property dialog box, 307
- SMTP Connector (SMTPC), 75, 447–448
 - Address Space property page for, 450–451, 450
 - Advanced property page for, 455–457, 455
 - with bridgehead routers, 572
 - Content Restrictions property page for, 451–453, 452
 - Delivery Options property page for, 454–455, 454
 - Delivery Restrictions property page for, 451, 452
 - General property page for, 448–450, 449
 - links for, 104
 - for routing groups, 99, 569–570
- SMTP mailbox store queues, 445
- SMTP Queue Growth resource monitor, 360
- SMTP virtual servers (SMTPVS), 419–421
 - Access property page for, 424–432, 425
 - Advanced Delivery dialog box for, 435–437, 436
 - Authentication dialog box for, 425
 - authentication for, 425–426
 - automatically generated message content for, 444–445
 - connections for, 424, 428–430, 429–430
 - demand-dial interfaces, 457–464, 459–463
 - limits on, 435, 435
 - Delivery property page for, 432–437, 433
 - domain postmasters for, 438
 - General property page for, 422–424, 422
 - managing, 421, 422
 - message format properties for, 440–445, 441–443
 - Messages property page for, 430–432, 431
 - MIME content types for, 438–440, 440
 - Outbound Connections dialog box for, 435, 435
 - Outbound Security dialog box for, 434, 434
 - queues for, 445–447, 446
 - relay restrictions in, 430
 - secure communications in, 426–428
- SMTPC (SMTP Connector). See SMTP Connector (SMTPC)
- snap-ins. See Microsoft Management Console (MMC) snap-ins
- software
 - compatibility of, 112–113, 112, 129
 - replicating, 674–675

- software installation, 153
 - device detection and driver installation in, 155
 - disk partitions for, 154–155
 - domains in, 157–158
 - final steps in, 158
 - licensing information in, 156
 - name and organization in, 155
 - networking, 156–157
 - regional settings, 155
 - server names in, 156
 - starting, 153–154
 - SonicWall firewall, 685
 - source-based anti-spam programs, 706
 - SPA (Secure Password Authentication)
 - for LDAP, 507
 - for NNTP, 533
 - for POP3, 481
 - spam, 706
 - anti-spam programs, 706–707, 768–770
 - features for, 707–709, 708–709
 - spare servers , 671
 - Specify When Messages Are Sent Through This Connector option, 455
 - Speech command, 290
 - spin button controls, 752
 - SpinRite program, 152
 - spoofing, e-mail, 425
 - SSL (Secure Sockets Layer)
 - for calendar, 476
 - for Exchange messages, 701–702
 - in front-end/back-end server configurations, 472
 - for NNTP, 513
 - for POP3, 475
 - SSL Port field, 474
 - Stand-alone page, 226
 - standalone servers
 - installing, 209–211
 - installing Outlook 2003 on, 261–262
 - Standard Edition, 35
 - Start option, 472
 - Start Full Population option, 387, 387
 - Start Incremental Population option, 387
 - Start menu option, 34
 - Starts With operator, 623
 - Startup Type for services, 471
 - Status Bar command, 285–286
 - Status container, 358, 628, 629
 - .STM files, 378
 - Stop Mailbox Management Process option, 396
 - Stop option, 472
 - stopping queues, 447
 - Storage Area Network (SAN) technology, 652
 - storage groups, 43, 68. See also Information Store (IS)
 - adding and deleting, 231
 - creating, 378–379, 379
 - managing, 380, 380
 - as new feature, 44
 - storage limits
 - for mailbox-enabled users, 317–318, 318
 - for public folders, 370
 - Storage Limits property page, 317–318, 318
 - storage policies for servers, 101–102
 - Storage property page, 346
 - STORE.EXE program, 222
 - Store Special Folders on IMAP4 Server option, 488
 - String Attribute Editor dialog box, 306
 - striped disks, 650–651
 - structural domains, 128
 - subcontainers
 - for multiple administrative groups, 567
 - opening, 298
 - Subject field
 - for monitors, 363
 - in Outlook 2003 client, 269
 - subnets, SMTPVS connections to, 429
 - Subscription property page, 531, 531
 - Subsequent Retry Interval (Minutes) field, 433
 - Summary of Selections page, 163, 164
 - Supported Types setting, 182
 - SurfControl E-Mail Filter, 770
 - synchronization
 - Active Directory Connector for, 131–132
 - of domains, 126
 - in EAS, 720
 - IMAP4 folders, 489
 - in Outlook 2003 client, 286–288, 287–288
 - Synchronize button, 489
 - System Attendant (SA), 71, 396, 404
 - System container, 301
 - System Event log, 364
 - system folders, replicating, 584
 - System Manager user interface, 42, 42, 64, 65
 - for administrative groups, 560, 561
 - for hierarchy, 350–351, 350–351
 - for multiple servers, 540–542, 541
 - in program group, 224
 - system messages
 - through connectors, 574
 - in SMTPC, 453
 - tracking, 612, 613
 - System Path Location field, 379
 - system policies
 - for administrative groups, 354
 - for multiple servers, 547–548, 547–548
 - System policies container, 392, 567
 - System State data, backing up, 195
- ## T
- TabStrip control, 741–742, 741
 - Take ownership permission, 321

- tape backup systems, 100, 102, 193
 - Task in Progress page, 233
 - Task Manager, 222
 - Task Scheduler, 203
 - Tasks to Delegate page, 598
 - TCP/IP protocol
 - DNS for, 51–52
 - in Internet messaging, 410–411, 414
 - setting up, 414–416
 - WINS for, 57
 - X.400 connectors in, 98–99
 - TCP ports for SMTPVS, 423, 435
 - TechNet for security updates, 692
 - Technical Consultant role, 83
 - Technical Support Technician role, 84
 - Telephone number attribute, 323
 - Telephones property page, 324
 - Terminal Services Profile property page, 329
 - test machines, 150
 - testing
 - backups, 671–672
 - firewalls, 691
 - forms, 749, 750
 - restores, 206
 - UPSs, 192
 - in Windows 2003 Servers installation, 151–153
 - Testing and Q/A Engineer role, 83
 - text
 - for labels, 744–745, 745
 - as MIME content type, 439
 - TextBox control, 741, 741
 - third-party applications, 24
 - administration and management, 763–765
 - backup, 206, 237, 555, 765–766
 - fax servers, 766–767
 - monitors, scanners, and intrusion detectors, 767–768
 - security, virus protection, and anti-spam, 705, 768–770
 - unified messaging, 768
 - workflow, 770
 - Third Retry Interval (Minutes) field, 433
 - This Database Can Be Overwritten by a Restore option, 384
 - This Folder option, 598
 - This Index Is Currently Available for Searching by Clients option, 388
 - This Is a Front-End Server option, 356–357, 556
 - This server monitor option, 362
 - This Server Requires a Secure Connection option, 483
 - threading newsgroup conversations, 535–536, 536
 - 3C90XCFG.EXE program, 182
 - time settings, 156, 357
 - timeouts
 - for POP3, 475
 - in SMTPVS, 424, 433
 - times for backups, 200, 201
 - Title attribute, 324
 - ToggleButton control, 741–742, 741
 - Token Ring networks, 103
 - Toolbars command, 285
 - toolbars for Outlook 2003 client, 266
 - tools for forms design, 736–737
 - Tools menu, 286–290, 286
 - tracking messages, 607–608
 - system, 612, 613
 - System Attendant for, 71
 - user, 608–611, 609, 612
 - traffic
 - in client/server systems, 16
 - in shared-file systems, 15
 - Training Developer role, 83
 - transaction log files, 378–379, 669
 - Transaction Log Location field, 379
 - Transform Response application, 770
 - transitive trust relationships, 55
 - translators, 23
 - Transport-layer security in SMTPVS, 426
 - transport protocols for firewalls, 691
 - trees
 - in Active Directory, 50, 52–55, 53–54
 - public folder, 372, 396–397, 397, 580–581, 580–581
 - troubleshooting
 - Exchange Server, 633–635, 634
 - Outlook Web Access, 502
 - POP3, 485
 - services, 225, 225
 - trust relationships
 - documenting, 124
 - for domains, 55, 592–593, 593
 - in mixed mode, 125
 - in NT Server 4 domains, 118–119, 119
 - Trusts property page, 592
 - TURN command, 453, 456
 - two-way trusts, 121
 - Type of Backup page, 197, 197
 - types for fields, 748
 - typical installation option, 219
- ## U
- UltraBac backup software, 766
 - ultrawide SCSI drives, 100
 - UMTS (Universal Mobile Telecommunications System), 716–717
 - unallocated disk space configuration, 184–190, 184–189
 - Unfreeze option, 447
 - unified messaging, third-party applications for, 768
 - Unified Messenger application, 768
 - uninterruptible power supplies (UPSs)
 - importance of, 101
 - installing, 190–193, 191–192
 - in redundant power supplies, 653
 - USB ports for, 151, 190

- universal groups, 335–336
- Universal Mobile Telecommunications System (UMTS), 716–717
- universal security groups, 142
- Universal Serial Bus (USB) devices and connectors
 - support for, 33
 - for UPSs, 151, 190
- Unix features, 28
- Unix-to-Unix Encode (UUEncode) format, 442–443
- Unread Information for This Folder option, 369
- up-to-date modifications in EAS, 720
- update intervals for mailbox stores, 388
- Update Now option, 624
- update services for recipients, 623–624, 624
- updates for security, 692–693
- upgrading
 - to Exchange 2003 Server, 43–44
 - Active Directory population in, 137–143, 138–140, 142–143
 - coexistence in, 144
 - from Exchange 2000 Server, 115–117
 - from Exchange Server 5.5, 131–132, 134–137
 - group management domains in, 142–143
 - to Windows 2003 Server, 109–111, 117
 - domains in, 118–128, 119–123
 - migrating for, 110
 - from NT 4 Server, 133
 - NT 4 server checks in, 129
 - server versions in, 128–129
 - strategy for, 129–130
 - from Windows 2000 Server, 111–115, 112
- UPS page, 191, 191
- UPS Selection dialog box, 191, 191
- UPSs (uninterruptible power supplies)
 - importance of, 101
 - installing, 190–193, 191–192
 - in redundant power supplies, 653
 - USB ports for, 151, 190
- Urgent option for replication, 582
- URLs
 - for calendar, 476
 - for event help, 225
 - for OWA, 502
- USB (Universal Serial Bus) devices and connectors
 - support for, 33
 - for UPSs, 151, 190
- Use At Column field, 444
- Use DNS field, 449
- Use Hardware Compression option, 198
- Use Local Copy of Mailbox option, 266, 275, 640
- Use MAPI Rich Text Format option, 334
- Use Public Store Defaults option, 370
- user interfaces in Exchange 2003 Server, 41–42, 41–42
- User logon name field, 172
- user logons for OWA, 499

- User Management role, 84
- user messages, tracking, 608–611, 609, 612
- User Properties dialog box, 29, 30
- User Rights Assignment container, 216
- USERNAME environment variable, 255
- usernames, 175
 - for demand dial, 462
 - for domains, 587
 - in POP3, 481
 - for ROH, 640, 643
 - in SMTPC, 456
- users, 66, 309–310
 - creating, 172–175, 173–174
 - deleting, 333
 - enabling, 141
 - in LDAP, 505, 505
 - mailbox-enabled. See mailbox-enabled users
 - mailbox-enabling, 232–235, 233–234
 - in multidomain environments, 600
 - needs assessments for, 85–87
 - networking, servers for, 102–103
 - organizational units for, 353
- Users container, 172, 299, 553
- Users folder, 65, 66
- Users or Groups page, 229, 566, 566
- UUEncode (Unix-to-Unix Encode) format, 442–443

V

- validating
 - design, 105–106
 - form data, 752
- Validation property page, 752
- Value property page, 747–749, 749, 753, 753
- verifying services, 224–225, 225
- VeriSign certificate authority, 427
- Veritas Backup Exec program, 659, 659
- versatility, system, 106
- versions
 - Exchange 2003 Server, 45
 - in upgrading, 128–129
 - Windows 2003 Server, 35–36
- vertical scalability, 22
- video as MIME content type, 439
- View menu, 284–286, 284
- View Only Administrator role, 229
- views, 19–20
- virtual directories, 496–498
 - authentication for, 495
 - for newsgroups, 518–519, 521–526, 522–525
 - in OWA, 493–494
 - for ROH, 638–639, 638
- Virtual Directories container, 512, 521
- Virtual Directory property page, 498, 498

virtual private networks (VPNs), 703–704

virtual servers, 469–472, 470–471

- logs for, 702–703
- in NNTP, 513–516, 514–515
- SMTP. See SMTP virtual servers (SMTPVPS)

viruses

- controlling, 656, 704–706, 705
- third-party applications for, 768–770

Visible page, 488

Volume License Agreement (LVA), 243

volume shadow copies, 198, 657

Volume Shadow Copy Service (VSCS) backups, 657, 660, 670

volumes, creating, 186–189, 187–189

VPNs (virtual private networks), 703–704

Vulnerability Assessment application, 768

W

WANs

- with firewalls, 683–684, 683
- wireless technologies, 714–717

WAP (Wireless Application Protocol), 715

warning criteria for monitors, 358

Warning Message Interval field, 384

web browser access. See Outlook Web Access (OWA)

Web Distributed Authoring and Versioning (WebDav) clients, 397

Web Edition, 36

web page attribute, 324

Web Sharing tab, 401

WebDav (Web Distributed Authoring and Versioning) clients, 397

What to Back Up page, 195, 195, 235, 235

When Sending a Message dialog box, 252, 253

When to Back Up page, 199, 200, 202, 202

white lists for spam, 706–707

Windows 2000 Server, upgrading from, 111–115, 112

Windows 2003 Datacenter Server, 36

Windows 2003 Server

- additional, 540
- cross-domain management of, 595–599, 596–599
- dependency on, 20
- domain controllers in, 58
- new features in, 26–27, 27
 - Internet protocols, 31–32
 - security, 27–30, 29–31
- vs. NT 4 Server, 34–35
- old features in, 33–34
- upgrading to. See upgrading
- versions, 35–36

Windows 2003 server backup, 102–103

Windows 2003 Service resource monitor, 360

Windows 2003 SMTP services, 419

Windows and .NET Magazine, 634

Windows authentication, 495

Windows Components page, 637, 638

Windows Internet Naming Service (WINS), 57

Windows security, 693–694

Windows Update for security, 692

WinINSTALL program, 243

winmail.dat file, 444

WINS (Windows Internet Naming Service), 57

WinVN newsreader, 511, 533

wireless access, 713–714

- Blackberry Enterprise Server, 723–725, 724–725
- clients, 725
 - OMA and OWA, 729–730, 729–732
 - Pocket Outlook with EAS, 726, 726–728
 - POP3 and IMAP4, 728, 728
- Exchange Server 2003, 719–723, 721–722
- LAN technologies, 717–719
- WAN technologies, 714–717

Wireless Application Protocol (WAP), 715

WLANs, 717–719

Word, messaging in, 9–10, 10

Work Offline command, 283

workflow applications, 770

Workgroup or Domain page, 157

workstation-based anti-spam programs, 707

workstations

- installing Outlook 2003 on, 261–262
- locking up, 681
- replicating, 674–675
- requirements for, 88
- security updates for, 692

write right, 494

X

X.25 protocol, 98

X.400 Connector, 75, 104

- with bridgehead routers, 572
- for routing groups, 98–99, 570

X.400 Queue Growth resource monitor, 360

X.400 systems, 23, 104

X.500 format, 32

XML (Extensible Markup Language), 491

Y

Yes, Make This Computer a Member of the Following Domain, 157

Your Name page, 478–479, 479

Z

Zero Out Deleted Database Pages option, 379

Zone Type page, 592