

Index

Note: Page numbers in *italic* refer to figures and/or tables

- abdomen
 - complex 4–5, 4
 - open 1–2, 2, 4
 - surgical wound dehiscence 41–2, 43
 - temporary closure 2–4, 3, 4
- abdominal aorta, rupture 2
- abdominal compartment syndrome 1, 2
- ABG analysis 20–21
- abscess, epidural 28
- ACS 1, 2
- acute urinary retention 59, 60
- advanced life support 6
- airways, surgical 6–11
- alginates 43
- ALS 6
- analgesia
 - balanced 27
 - in chest drain insertion 14
 - and discharge 33
 - epidural 28–9, 30, 31
 - multimodal 26–7
 - patient-controlled 27–8
 - postoperative 26–7
 - pre-emptive 26
 - step down 33, 33
- analgesic ladder 27, 33, 33
- ankle block 31
- antibiotics
 - long-term therapy 24
 - prophylactic
 - in chest drainage 13, 17
 - in percutaneous endoscopic gastrostomy 35
 - in prevention of SSIs 40
- anticoagulant therapy as contraindication to epidural analgesia 28
- aortic rupture 2
- arterial blood gas analysis 20–21
- Aspen collar 68
- aspiration, in enteral feeding 37
- Benchmark tube 35
- biliary peritonitis 50
- biliary system
 - endoscopic stenting 50–51, 51
 - external drainage 49–50, 49, 50, 51
 - internal drainage 50–51, 51
 - nasobiliary drainage 50
 - percutaneous transhepatic drainage 50, 51
 - percutaneous transhepatic stenting 50, 51, 51
 - T-tubes 49–50, 49, 50
- biofilm 61
- bladder
 - cancer 62
 - catheters 59, 60, 62
 - pressure measurement 2
- ‘Blue Rhino’ tracheostomy introducer 8, 8
- Bogotá bag 2, 3
- BPF 17
- brachial artery cannulation 21
- brachial plexus block 31–2
- brain
 - herniation 64, 65
 - ischaemia 64
 - trauma 64, 66
- bronchopleural fistula 17
- ‘butterfly’ 19
- cannulae *see* lines
- cardiothoracic surgery, postoperative
 - complications 12
- catheters
 - Foley 45, 59, 60
 - gauge 20
 - Malecott 45
 - urinary 59, 60, 62
 - vascular *see* lines
- CBF 64, 65
- central nervous system 64–9
- central venous pressure lines 21–3, 22, 23, 24, 25
- cephalic vein, in parenteral nutrition 37
- cerebral blood flow 64, 65
- cerebral perfusion pressure 64, 65
- cerebrospinal fluid (CSF)
 - drains 67–8, 68
 - fistula 68
 - infection 68
 - leakage in epidural analgesia 28
 - physiology 67
- cervical spine stabilising devices 68
- chemotherapy 24
- chest 12
 - incisions 13
 - intercostal drains 12–18, 14, 15, 16, 17
 - postoperative complications 12
 - radiography findings 13
 - regional anaesthesia 18
- cholangitis 50, 51
- cholecystectomy
 - laparoscopic 49
 - percutaneous 51–2, 52
- cholecystitis 52
- chylothorax 13
- Clagett window 18
- CNS 64–9
- coagulopathy 1, 28, 35
- colectomy 53–4
- colitis 53–4
- collars 68
- colonic mucous fistula 53, 54
- colorectal cancer 53
- colostomy 53, 53
 - closing/reversing 56, 58
 - complications 54–6, 55, 57
 - examination 54
 - function 54
 - indications 53–4
 - loop 53, 54
 - management 56, 57, 58
 - siting 56, 56
- compartment syndrome 32, 70, 73
- coniotomy (cricothyroidotomy) 6–7, 6, 7
- constipation
 - in enteral feeding 37
 - and stomas 55–6, 57
- continuous venovenous haemofiltration 23
- corrugated drains 45, 46
- CPP 64, 65
- cricothyroidotomy (cricothyrotomy) 6–7, 6, 7
- crush syndrome 73
- CSF *see* cerebrospinal fluid
- CVP lines 21–3, 22, 23, 24, 25
- CVVH 23

- damage control 1, 2
 decompressive laparotomy 1
 deep incisional surgical site infection 42
 dermatitis, peristomal 56, 57
 diarrhoea
 in enteral feeding 37
 and stomas 57
 diverticulitis, perforated 53
 dorsalis pedis artery cannulation 21
 drains *see* intercostal drains; surgical drains
 dressings, surgical wounds 41, 42, 43
- ECMO 23
 elastomer wound infusor pumps 30–31
 Eloesser flap 18
 emergency infusion devices 22
 empyema
 chest 13, 17, 18
 gallbladder 52
 endoscopic retrograde
 cholangiopancreatography 49
 enteral feeding
 bolus feeding 37
 care of the tube 36
 complications 36, 37
 continuous drip feeding 37
 gastric 35–6, 35
 indications for 34
 nasogastric 34, 36
 nasojejunal 35
 NICE guidelines 35
 tubes 34, 35, 45
 Entonox 32, 33
 epidural abscess 28
 epidural analgesia 18, 28–9, 30, 31
 ERCP 49
 EVD 65, 65, 67
 evisceration 41, 42
 external fixators/frames 70–72, 70, 71, 72
 external ventricular drain 65, 65, 67
 extracorporeal membrane oxygenation 23
- fasciotomy 73
 feeding *see* enteral feeding; parenteral nutrition
 femoral artery cannulation 21
 femoral nerve blockade 31
 femoral vein, in parenteral nutrition 37, 38
 ‘filling’ pressure 24
 fluid resuscitation 22–3
 flutter bag 15, 18
 Foley catheter 45, 59, 60
 foot drop 72
 fractures
 care of pins and frames 71–72, 71, 72
 external fixators/frames 70–71, 70, 71
 infection 72, 72
 principles of care 70
 soft tissue trauma associated 70
- gallbladder drains 51–2, 52
 Gardener–Wells tongs 68
- gastrostomy
 percutaneous endoscopic 35–6, 35, 36
 surgical 36
 grenade drain 46, 47
- haematoma, epidural 28
 haemodialysis lines 23–4
 haemothorax 13
 Hagen–Poiseuille formula 20
 halo vest 68
 Hartmann’s procedure 53, 54, 58
 head injury 64, 66
 headache associated with epidural analgesia 28
 Heimlich valve 15, 16
 Hemovac drain 45
 hepato-pancreatico-biliary system 49–52
 hernia
 incisional 2
 para-stomal 54–5, 55
 Hickman lines 24, 24, 37, 39
 hydrocephalus 67–8, 68
 hydrocolloid dressings 43
 hydrogels 43, 61
 hyperkalaemia 73
 hypertension, intra-abdominal 2
 hypotension, in epidural analgesia 28, 31
- ICP *see* intracranial pressure
 ileal conduit 62
 ileostomy 53, 53
 closing/reversing 56, 58
 complications 54–6, 55, 57
 examination 54
 function 54
 granulations 56, 57
 indications 53–4
 loop 53
 management 56, 57, 58
 oedema 54, 54
 siting 56
- Ilizarov frame 70
 infection
 associated with lines 21, 23, 24–5
 fractures 72, 72
 surgical wounds 40, 41, 42
 inferior vena cava, in parenteral nutrition 37–8
 intercostal drains
 care 15
 complications 16–18, 17
 contraindications 13
 conventions 15
 device selection 13
 indications for 12–13
 insertion techniques 13–15, 14, 15
 removal 15–16
 systems 15, 15, 16, 17
 intermittent self-catheterization 59
 internal jugular vein, in parenteral nutrition 37, 38
 intra-abdominal hypertension 2
 intra-abdominal pressure measurement 2
- intra-arterial lines 20–21, 21
 intracranial pressure (ICP)
 complications of monitoring 67
 elevation in head injury 66
 indications for monitoring 66
 monitoring 65, 65, 66, 68
 physiology 64, 64, 65
 raised, symptoms and signs 67
 waveform 65–6, 66
 intracranial surgery, surgical drains 68
 intravenous (i.v.) lines
 long term access 24, 24
 peripheral 19–20, 19, 20, 21
 resuscitation 22–3
 itching in epidural analgesia 31
 i.v. lines *see* intravenous lines
- J-vac drain 47
 Jackson–Pratt drain 45, 45, 46
 jejunostomy 36, 54
- KCI VAC dressing 3–4, 4
- LA agents *see* local anaesthetic agents
 laparotomy, decompressive 1
 lines 19
 care of 21, 23, 23, 24–5
 central venous pressure 21–3, 22, 23, 24, 25
 epidural analgesia 28, 29, 30
 gauge measurement 20
 haemodialysis 23–4
 Hickman 24, 24, 37, 39
 infection associated 21, 23, 24–5
 intra-arterial 20–21, 21
 long-term intravenous access 24, 24
 peripheral intravenous 19–20, 19, 20, 21,
 22–3
 removal 24
 resuscitation 22–3
 sizes 19–20
 subcutaneous opiate administration 27, 28,
 30
 tunnelled 24, 24, 37, 39
 local anaesthetic (LA) agents 30
 in epidural analgesia 29
 nerve blocks/neural blockade 31–2
 safety 32
 toxicity 32
 wound infusor pumps 30–31
 long-term catheterization 59
 Luer-Lok port 19, 19
 lumbar drains 68
- magnetic resonance
 cholangiopancreatography 49
 Malecott catheter 45
 MARS 23
 mesenteric ischaemia, acute 2
 Minitrach II kit 7, 7
 minitracheostomy 7, 7
 molecular absorbent recirculating system 23

- Monro–Kellie doctrine 64
 MRCP 49
 mucous fistula 53, 54, 54
 myoglobinuria 73
- nasobiliary drainage 50
 nasogastric feeding tubes 34, 36
 nasojejunal feeding tubes 35
 nausea in epidural analgesia 31
 needle cricothyroidotomy 6, 6
 nephrostomy, percutaneous 61–2, 62
 nerve blocks 31–2
 neural blockade 31–2
 NICE guidelines, tube feeding 35
 night splint 72
 nitrous oxide 32, 33
 nociceptors 26
 nutrition *see* enteral feeding; parenteral nutrition
- ‘open thoracic window’ 18, 18
 opiates
 - in epidural analgesia 29
 - intermittent subcutaneous injection 27–8, 29, 30
 - patient-controlled administration 27–8
 - precautions 30
- Opsite sandwich 2–3, 3
 orthoses, cervical spine 68
- pain 26
 - assessment 26, 28
 - in chest drainage 16
 - in compartment syndrome 73
 - complications of 28
 - discharge 33
 - in epidural analgesia 31
 - history 26
 - intervention sites 27
 - pathways 26, 27
 - in a plaster cast 73
 - postoperative 28
 - procedural 26
 - receptors 26
 - relief *see* analgesia
 - traumatic 28
- pancreas
 - abscess/necrosis 51
 - drains 51
- pancreatitis 51
 paracetamol 26, 27
 parapneumonic effusion 13
 para-stomal hernia 54–5, 55
 parenchymal pleural fistula 17
 parenteral nutrition (PN) 37, 37
 - access routes 37, 38
 - complications 38, 38
 - factors affecting access 38
 - indications for 34
 - line removal 39
 - peripheral 37, 38
 - total 24
 - weaning from 38–9
- PDT 8, 8
 PEG 35–6, 35, 36
 PEJ 36
 Penrose drain 45, 45
 percutaneous dilational tracheostomy 8, 8
 percutaneous endoscopic gastrostomy 35–6, 35, 36
 percutaneous endoscopic jejunostomy 36
 percutaneous nephrostomy 61–2, 62
 percutaneous transhepatic biliary drainage 50, 51, 51
 perforated diverticulitis 53
 peripheral intravenous lines 19–20, 19, 20, 21
 peristomal dermatitis 56, 57
 Philadelphia collar 68
 plaster of Paris 72–3, 73
 pleural effusion 13
 PN *see* parenteral nutrition
 pneumomediastinum 13
 pneumothorax 12–13, 15, 17
 polyurethane dressings 43
 Portex Emergency Cricothyroidotomy Kit 7, 7
 positive pressure ventilation 9, 13
 PPF 17
 PPN 37, 38
 pulmonary artery catheters 23, 24, 25
 pulmonary capillary wedge pressure 24, 25
- radial artery cannulation 21
 rectal mucous fistula 54
 rectum, defunctioned 54
 red rubber tube drain 45, 45
 Redivac drain 45, 47
 refeeding syndrome 37
 regional anaesthesia, chest 18
 respiratory depression in epidural analgesia 28, 31
 resuscitation lines 22–3
 retention sutures 42
 rib fractures 13
 rubber 45, 49
- Salem sump drain 45
 saline soak 43
 Seldinger technique
 - chest drain insertion 14–15
 - CVP line insertion 21
 - intra-arterial line insertion 21
 - intravenous line insertion 19, 20
- sepsis
 - abdominal 2, 4
 - as contraindication to epidural analgesia 28
 - in parenteral nutrition 38
- silastic 49
 - tube drain 45, 46
- SOMI brace 68
 SPC 59
 speaking valves 10, 10
 SSIs 40, 41, 42
- Stamm gastrostomy 36
 stents
 - blockage 51
 - coatings 61
 - double-J (JJ) 60, 61
 - drug eluting 61
 - endoscopic biliary 50–1, 51
 - metal 61
 - single-J 60
 - transhepatic percutaneous 50, 51, 51
 - ureteric 60–61, 61
- sterno-occipital mandibular immobilization
 - brace 68
- sternotomy 13
 stoma cap 54
 stoma therapist 56
 stomas 53
 - bag leakage 56, 57
 - bleeding from 56, 57
 - closing/reversing 56, 58
 - complications 54–6, 55, 57
 - and constipation 55–6, 57
 - and diarrhoea 57
 - end 53, 53
 - examination 54
 - function 54
 - granulations 56, 57
 - indications 53–4
 - ischaemic stricturing 55, 55
 - loop 53, 54
 - management 56, 57, 58
 - and open abdomen 4
 - products 56, 58
 - prolapse 55, 55
 - retraction 55, 55
 - siting 56, 56
 - troubleshooting 57
 - types 53, 53, 54
- subclavian vein, in parenteral nutrition 37, 38
 sump drain 45, 45, 47
 superficial incisional surgical site infection 42
 superior vena cava, in parenteral nutrition 37–8
 supra-pubic catheterization 59
 surgery, damage control 1, 2
 surgical airways 6–11
 surgical cricothyroidotomy 7
 surgical drains 44, 44, 45, 46, 47
 - closed 44, 45
 - complications 45
 - following intracranial surgery 68
 - management 45–6
 - open 44, 45
 - removal 47–8
 - troubleshooting 46–7, 48
- surgical site infections 40, 41, 42
 surgical wounds 40
 - dehiscence 41–2, 43
 - dressings 41, 42, 43
 - healing by primary intention 40, 40
 - healing by secondary intention 40, 41

- surgical wounds (*Contd.*)
 - infection 40, 41, 42
 - optimum conditions for healing 43
- sutures, retention 42
- Swan–Ganz sheaths 23, 24, 25

- T-tubes 49–50, 49, 50
- thoracostomy 18, 18
- thoracotomy 13
- tibial plafond 71, 71
- totally implantable vascular access devices (TIVADs) 24
- tracheostomy 6, 7
 - benefits 7
 - Ciaglia technique 8, 8
 - and communication 10
 - complications 7, 8
 - decannulation 11
 - Griggs technique 8
 - humidification 10, 10
 - long-term care 11
 - percutaneous vs. surgical 7–8
 - speaking valves 10, 10
 - suctioning 10
 - and swallowing 10
 - tube changes 11
 - tubes 8–10, 9
 - wound care 10
- tracheotomy 6
- traction, cervical spine 68
- triangle of safety 14, 14

- ureteric stents 60–61, 61
- urethral catheters 59, 60, 62
- urinary incontinence 59
- urinary retention 31, 59, 60
- urinary tract 59
 - catheters 59, 60, 62
 - infection 59
 - lower 59, 60
 - upper 60–61, 61
- urostomy 62

- VAC dressing 3–4, 4
- ‘Vacpack’ dressing 2–3
- Valsalva manoeuvre 66
- VATS 17–18
- Venflon 19
- ventriculoperitoneal shunt 67, 68, 68
- video-assisted thoracoscopic surgery 17–18
- vomiting
 - in enteral feeding 37
 - in epidural analgesia 31
- VP shunt 67, 68, 68

- wedge pressure 24, 25
- wound infusor pumps 30–31
- wounds *see* surgical wounds

- Yeates drain 45

