

# Index

Note: page numbers in *italics* refer to figures, those in **bold** refer to tables and boxes

- ABC protocol 83, **84**
- abdominal aorta, branches 164
- abdominal aortic aneurysm
  - causes **165**
  - CT 164–5, 168
  - CT image 165–6, **167**
  - definition **165**
  - endoleak 166, **167**, **168**
  - EVAR 166, **167**
  - infrarenal 166
  - leaking 162, 163, 168
  - management **165**, 166
  - surgery 166
- abdominal pain 199
  - analgesia 101
  - child 50–3
  - CT 51
  - diarrhoea 114–20
  - epigastric mass 130–4
  - investigations 50, 99, **100**
  - right upper quadrant 99–105
  - ultrasound 51
- abdominal X-rays 10–11
  - diagnosis 192, **192–4**
- abscess
  - cerebral 20
  - tuberculous 178
- Advanced Trauma Life Support (ATLS)
  - guidelines 83, **84**, 92
- airway, assessment 83, **84**
- alcohol consumption 109
- alpha-fetoprotein (AFP) 108
- Alvarado scoring system for acute appendicitis 156
- American Association for the Surgery of Trauma (AAST) grading 88
- anaemia, macrocytic 114–15
- analgesia
  - abdominal pain 101
  - NSAIDs 54–5
  - osteoid osteoma 57
  - pancreatitis 102
  - psoriatic arthritis 97
  - renal calculi 137
- aneurysm
  - definition 165
  - endovascular repair 166
  - partial hepatectomy 87, 92
  - see also* abdominal aortic aneurysm; cerebral aneurysms
- angiography 3
  - CT 170, **172**
  - liver 87
  - meningiomas 25
- angiomyolipomas, renal 73–4, 75, 142–6
- ankylosing spondylitis **94**
- Ann Arbor staging classification and Cotswold
  - revision for lymphoma 34, 36
- antibiotics
  - hepatectomy postoperative fluid collection 126, 128
  - prophylactic for splenectomy 81
- anticoagulation, pulmonary embolism 153, 154
- anti-TNF- $\alpha$  monoclonal antibodies 97
- aorta
  - angiogram 167
  - branches 186
- APACHE II score 102
- appendectomy 157, **158**, 161
- appendicitis 114, 156–61
- arm pain
  - child 54–8
  - management 54–5
  - MRI 55
- arterial embolization 110, **111**, 112
- arteries 188
- arthritides 94, 95
  - seronegative 93, **94**
  - see also* psoriatic arthritis
- aspergillosis, angio-invasive 37
- Auspitz's sign **94**
- azathioprine 97
- back pain 162–8
  - low 199
  - lumbar 162–8
  - red flag symptoms 162, **163**
  - severe 43–9
  - spinal tuberculosis 181–2, 183
- Balthazar Severity Score 103
- bamboo spine **94**
- barium studies 4, 115–16
  - barium enema 116, 122
  - barium small bowel enema 115–16, 118, 119
- B-cell lymphoma, diffuse large 34
- bile duct, ERCP 126, 127
- biliary stents 126, **127**, 128
- biliary tract imaging 100–1
- bilirubin testing 107
- biopsy 3
  - breast lump 63
  - lung 67, 68
  - sentinal node 63–4
- blood pressure
  - elevation in neuroblastoma 50, 52
  - hypertension case 198
- bone 188
  - abnormalities 189
  - infection 56, 57
  - lucency 200
  - metastases 43, 184
  - plain film of lesions 55, **56**
- bone marrow
  - imaging in multiple myeloma 47, **48**
  - transplantation in multiple myeloma 49
- bone scintigraphy 3
  - meningioma 26–7
  - multiple myeloma **45**
- brain
  - miliary tuberculosis 179
  - periventricular white matter abnormalities 40, **41**, 42
  - tumours 20
- BRCA1* and *BRCA2* genes 59
- breast cancer
  - breast lump 59
  - invasive ductal carcinoma 63–4
  - mammography 200
  - metastases 26, 27
  - screening 185
  - staging **64**
- breast lump 59–64
  - assessment 59, **60**
  - core needle biopsy 63
  - cyst 62
  - cytological scoring 63
  - diagnosis 62–3
  - fine-needle aspiration cytology 63
  - mammography 60, 61, 62
  - scoring 59, **60**
  - triple assessment 59
  - ultrasonography 60, 62, 62–3, 64, Plate 4
- breast screening, MRI 60
- breathing, assessment 83, **84**
- breathlessness 70–6, 198
  - chest X-ray 70–1
  - chronic obstructive pulmonary disease 184
  - clinical examination/history 70
  - post-hysterectomy 151–3, 154
  - sudden onset 70
- bronchoscopy 67
- CA-125 149
- CAVITY mnemonic 66

- central nervous system (CNS), focal pathology 20
- cerebral abscess 20
- cerebral aneurysms 171, 171–3  
coil insertion 173  
rupture 171  
site 171–2  
treatment 173
- cerebral blood flow Plate 1
- cerebral blood volume Plate 2
- cerebral infarction 14  
imaging signs 16  
prognosis 18
- cerebral ischaemic events 14
- cerebral metastases 20, 23
- cerebral perfusion study Plates 1–3
- cerebrospinal fluid (CSF) examination,  
multiple sclerosis 29
- cervical cord, hyperintensity 30
- cervical excitation 155, 158
- cervical lymph nodes  
biopsy 78, 81  
enlarged 77–82  
granulomas 78–9  
ultrasound-guided biopsy 78
- cervical spine  
CT 89, 90–1  
evaluation 84–5  
fracture 88–9, 90, 91, 92  
psoriatic arthritis 96  
ultrasonography 85  
X-ray 84–5, 88–9
- chemoembolization, transarterial 110, 111, 112
- chemotherapy  
liver metastases 125, 127, 128  
lymphoma 36, 37, 39, 42  
multiple myeloma 45, 49  
neuroblastoma 53  
rectal mucinous adenocarcinoma 123, 128  
renal transitional cell carcinoma 144, 146
- chest pain, breathlessness 70
- chest X-rays 10  
breathlessness 70–1  
cough 176  
diagnosis 190–1, 191  
expiratory 71  
haemoptysis 65, 66  
lung cancer 68  
lung consolidation 152, 154  
lymphoma 36–7  
mediastinal mass 34  
trauma 86  
tuberculosis 180
- children  
abdominal pain 50–3  
abdominal tumours 185  
arm pain 54–8  
ultrasonography 185
- cholecystectomy 101  
pancreatic debridement 105  
pancreatitis 102
- cholecystitis 101
- chronic obstructive pulmonary disease 184
- circulation, assessment 83, 84
- cirrhosis 108, 112  
alcoholic 109–10  
coeliac disease 115
- colon cancer, metastatic 187
- colonography, CT 121, 122, 123, 128
- colonoscopy  
Crohn's disease 117, 119  
rectal bleeding 121, 128
- colorectal cancer  
PET for metastases 125  
*see also* rectal mucinous adenocarcinoma
- comb sign 117
- computed tomography (CT) 1  
abdominal 194, 194–5  
abdominal aortic aneurysm 164–6, 167, 168  
abdominal pain in child 51  
angiography 170, 172  
bone lesion 57  
cervical spine 89, 90–1  
colonography 121, 122, 123, 128  
contraindications 5, 6  
contrast-enhanced 4–6, 15  
CT-guided biopsy 3  
epigastric mass 131–2, 134  
gastrointestinal tract 4  
haemoptysis 66–7, 68  
head 170, 196, 196–7  
high resolution 71, 72, 75  
Hounsfield units 67  
interpretation 11–12  
lung cancer 68  
lymphoma 34, 35, 36, 38  
relapse 39, 41  
meningioma 26, 27  
multiple myeloma 45, 48–9  
neuroradiology 4  
pancreatitis 102, 103, 104, 105  
perfusion studies 15–16  
pulmonary angiogram 153, 154  
rectal 121  
renal calculi 137, 138, 139, 140  
stroke investigations 15–16  
repeat 17  
subarachnoid haemorrhage 170, 171  
tuberculosis 176–7, 181, 183  
urography 142, 145  
whole body 84, 92
- contrast media 3–4  
adverse events 5–6  
CT 4–6  
intravenous 4–5, 126, 127, 128, 184  
iodinated 4, 5–6  
MRI 6  
ultrasonography 6
- contrast studies 2–3
- core needle biopsy, breast lump 63
- corticosteroids  
Crohn's disease 118, 119  
multiple sclerosis 32, 33  
psoriatic arthritis 97
- cough 65, 68  
clinical history 175  
differential diagnosis 175  
investigations 175–6  
tuberculosis 175–83
- counselling, tuberculosis 178–9
- C-reactive protein (CRP) 114, 115
- Crohn's disease 116–20, 187  
complications 119  
elemental diet 118, 119  
fistulae 119  
strictures 119  
treatment 118–19  
ulcerative colitis differential diagnosis 117
- cystadenoma/cystadenocarcinoma 134
- cystectomy, renal transitional cell carcinoma 143, 144, 145–6
- cystic fibrosis 185
- cystoscopy 140, 145  
flexible 142
- dermoid cyst 150
- diabetes mellitus, iodinated contrast media precautions 5–6
- diagnostic radiology 3
- diarrhoea 114–20
- digital rectal examination 121, 128
- digital subtraction angiography (DSA) 167
- Directly Observed Therapy (DOT) 180
- disability, assessment 83, 84
- disease-modifying antirheumatic drugs (DMARDs) 97
- drugs, recreational 187
- dyspnoea *see* breathlessness
- electrocardiogram (ECG), pulmonary embolism 152, 154
- elemental diet 118, 119
- endoleak 186  
abdominal aortic aneurysm 166, 167, 168
- endometrial cancer 150–4  
risk factors 147, 148  
staging 151, 154
- endometriomas 160
- endometriosis 160–1  
cervical excitation 155
- endometrium, thickened 148, 153
- endoscopic retrograde cholangiopancreatography (ERCP) 102, 103  
hepatectomy postoperative fluid collection 126, 127
- endoscopic ultrasound 132, 133
- endoscopy, epigastric pain 130, 131, 134
- endovascular aneurysm repair (EVAR) 166, 167, 186
- enteroclysis 116, 118
- enteropathic arthritis 94
- eosinophilic granuloma 56
- epigastric mass 130–4  
CT 131–2, 134  
differential diagnosis 130  
investigations 130, 131  
ultrasonography 131
- exposure, assessment 83, 84
- extracorporeal shock wave lithotripsy (ESWL) 140
- extradural haemorrhage 171
- eye movements, neuroblastoma 50, 52

- facial angiofibromas 73, 75  
 FAST scan 85  
 feet  
   numb 29, 33  
   psoriatic arthritis 94, 95, 97  
   X-ray 94, 95, 96, 186  
 fine-needle aspiration cytology (FNAC), breast lump 63  
 fingers, painful swollen 93–8  
 Fischer classification of subarachnoid haemorrhage 172  
 fluid resuscitation 168  
   leaking abdominal aortic aneurysm 163, 164  
   road traffic accident 83  
 18F-fluorodeoxyglucose positron emission tomography (FDG-PET) 3  
   lung cancer 67, 68, Plate 5  
   lymphoma  
     assessment 38, 39  
     radiological response definitions 40  
     staging 36  
 fluoroscopy 2–3  
   examinations 115–16  
 folate deficiency 115  
 foreign body imaging 185  
 fractures  
   cervical spine 88, 91, 92  
   multiple myeloma 45, 46, 49  
   radius 86  
   sternum 89  
   wedge compression fracture 43, 44  
 fungal infection 37
- gadolinium 6  
 gallbladder, ultrasonography 101  
 gallstones 101  
   pancreatitis 102–5  
 gastroenteritis 114  
 gastrointestinal tract studies 4  
 Glasgow Criteria for severe pancreatitis 102, 103  
 gout 97  
   features 95–6  
 granulomatous diseases 79  
 gynaecological history 155, 156
- H<sub>2</sub>-antagonists 130  
 haematological malignancy 43  
 haematoma, intracranial 20  
 haematuria  
   clinical history 141  
   frank 141–6  
   investigations 141–2  
   microscopic 135–40, 186  
 haemoptysis 65, 68  
   blood tests 65  
   chest X-ray 65, 66  
   CT 66–7  
 haemorrhagic shock 85–7, 92  
 hands  
   numb 29, 33  
   psoriatic arthritis 94, 96, 97  
   X-ray 94, 96  
 headache 13, 19, 20  
   meningism 169, 171  
   thunderclap 169–74
- hemianopia, left homonymous 20, 21  
 hemiplegia 13–19  
 heparin, low molecular weight 153  
 hepatectomy  
   liver metastases 125–6, 128  
   partial 86  
   postoperative fluid collection 126, 128  
 hepatic artery  
   chemoembolization 110, 111  
   pseudoaneurysm 92  
   ultrasonography 101  
 hepatitis B, chronic 200  
 hepatocellular carcinoma 108–13  
   abscess formation 110, 111–12, 112  
   treatment 110  
 high resolution computed tomography (HRCT) 71, 72, 75  
 hilar lymphadenopathy 187  
 HLA B27 93, 94  
 Hounsfield units (HU) 67  
 humerus  
   CT 57  
   plain film 55, 56  
 Hunt and Hess classification of subarachnoid haemorrhage 172  
 hydrocephalus 171  
 hypertension 198  
 hyperthyroidism 114  
 hypovolaemic shock 163  
 hypoxia, postoperative 151–3, 154  
 hysterectomy, transabdominal with bilateral salpingo-oophorectomy 151, 154
- iliac fossa pain, right 155–61  
 immune modulators, multiple sclerosis 32, 33  
 immunocompromised patients, atypical infections 37  
 immunoglobulin G (IgG) index, CSF 29  
 infection  
   atypical 37  
   bone 56, 57  
   pelvic 155  
   spinal 43  
 inflammatory bowel disease  
   extraintestinal conditions 118  
   *see also* Crohn's disease; ulcerative colitis  
 inflammatory response, abdominal pain with diarrhoea 114  
 International Neuroblastoma Staging System 52, 53  
 International Workshop Criteria for Response Assessment in Lymphoma 38  
 interventional radiology 3  
 intra-abdominal sepsis 105  
 intracranial mass 20  
   MRI 21–5  
 intracranial pressure, raised 20, 21  
   management 21  
   MRI 21–3  
 intravenous urography, renal calculi 138  
 irritable bowel syndrome (IBS) 114
- jaundice 107–13  
   cirrhosis 108  
   alcoholic 109–10
- hepatocellular carcinoma 108–13  
   investigations 107
- Koebner reaction 94
- Langerhans cell histiocytosis 71, 73  
 leg  
   swollen 198  
   twitching with neuroblastoma 50, 52  
 liver  
   angiography 87  
   cirrhosis 108, 112  
   hypertrophy 127  
   laceration 87–8, 92  
   lesions 187  
   MRI 185  
   transplantation 110  
   trauma 87–8, 92  
   ultrasonography 100–1, 107, 108  
 liver function tests 107  
 liver metastases  
   chemotherapy 125, 127, 128  
   hepatectomy 125–6  
   from rectal tumour 124–5, 128  
 lung(s)  
   biopsy 67  
   cavitating lesions 37, 66, 67, 68  
   consolidation 152  
   fibrosis 187  
   malignancy 176  
   miliary nodules 176  
   recreational drug use 187  
   tuberculosis 180, 181  
 lung cancer 176  
   chest X-ray 68  
   CT 67  
   FDG-PET 67, 68, Plate 5  
   histological classification 67  
   PET 67, 68  
   staging 67, 68  
   surgical resection 68  
 lymph nodes  
   enlarged 77–82  
   sentinel node biopsy 63–4  
 lymphangioliomyomatosis 71, 73  
 lymphoma 34, 35, 36–42  
   chemotherapy 36, 37, 39, 42  
   chest X-ray 36–7  
   CT 34, 35, 36, 38, 39, 41  
   FDG-PET 36, 38, 39  
     radiological response definitions 40  
 International Workshop Criteria for Response Assessment 38  
 MRI 40, 41  
   relapse 39–40, 41, 42  
   residual soft tissue mass 37  
   staging 34, 36
- macrocytic anaemia 114–15  
 magnetic resonance angiography (MRA), stroke 16, 17, 18  
 magnetic resonance imaging (MRI) 1–2  
   arm pain 55  
   axial FLAIR 17, 18  
   breast screening 60

- contraindications 6  
 contrast agents 6  
 cystic pelvic mass 149–51, 153–4  
 diffusion-weighted imaging 16, 18  
 gadolinium-enhanced 6  
   meningioma 24, 25, 26  
 interpretation 11, 12  
 intracranial mass 21–5  
 ischaemic lesions 184  
 liver 185  
 lymphoma 40, 41  
 meningioma 21–6  
 multiple myeloma 45, 47, 48, 49  
 multiple sclerosis 29–30, 31, 32, 33  
 ovarian lesions 159–60, 161  
 raised intracranial pressure 21–3  
 rectal 121, 122, 128  
 rectal tumour 123, 124  
 renal calculi 138–9  
 spinal 89, 91, 92  
 stroke 16, 17, 18  
 T1-weighted 159, 185  
 T2-weighted 159–60  
 tuberculosis 179, 180, 181–2  
 magnetic resonance urography (MRU) 145  
 malignancy 185  
   bone involvement 43–4  
   intracranial 20, 23  
   mammography 61  
 mammography 200  
   breast lump 60, 61, 62  
   malignancy 61  
   scoring 61, 62  
 Mantoux test 79, 81  
 McDonald criteria, multiple sclerosis 31  
 meningioma  
   angiography 25  
   benign 23  
   bone scintigraphy 26–7  
   CT 26, 27  
   diagnostic imaging 23–5  
   malignant 23–8  
   MRI 23–5  
   prognosis 27  
 meningism 169, 173  
 mesorectum 121  
<sup>131</sup>I-metaiodobenzylguanidine (MIBG) scan 52–3  
 metastases  
   bone 43, 184  
   breast cancer 26, 27  
   cerebral 20, 23  
   colon cancer 187  
   liver from rectal tumour 124–5  
   multiple myeloma 45–7  
   radiofrequency ablation 125  
 methotrexate 97  
 microbubbles 6  
 microscopic haematuria 135–40, 186  
 middle cerebral artery, hyperdense sign 15, 17, 19  
 mitral stenosis, stroke 13, 14  
 MRI-guided biopsy 3  
 multiple myeloma 44–9, 186  
   bone marrow  
     imaging 47, 48  
     transplantation 49  
   chemotherapy 45, 49  
   CT 48–9  
   disease extent 44–5  
   fracture risk 45, 46, 49  
   imaging techniques 45  
   metastases 45–7  
   MRI 47, 48, 49  
   progression 48–9  
   radiological appearance 45  
   staging 45, 46  
 multiple sclerosis 29–33  
   diagnosis 30–1  
   disease pattern 33  
   inflammatory demyelination 33  
   investigations 29–30  
   mimics on MRI 31  
   MRI 29–30, 31, 33  
   therapeutic options 32–3  
 Murphy's sign 100  
 myelin basic protein (MBP) 29  
  
 nails, pitting 93  
 National Institute for Clinical Excellence (NICE)  
   breast MRI screening 60  
   guidelines for upper gastrointestinal endoscopy 130, 131  
 neo-bladder creation 144  
 neuroblastoma 51–3  
   MIBG scan 52–3  
   MRI 53  
   prognosis 52, 53  
   staging 52, 53  
   symptoms/signs 52  
   treatment 53  
 neurofibromatosis 71, 73  
 neurological deficit, reversible ischaemic 14  
 neuroradiology, CT 4  
   enlarged lymph node 77–82  
 Nikolsky's sign 94  
 nimodipine 173  
 non-Hodgkin's lymphoma 34  
 non-small cell lung cancer 67  
   staging 68  
 non-steroidal anti-inflammatory drugs (NSAIDs) 54–5  
 nuchal rigidity 169, 171  
 nuclear medicine 3  
   pulmonary embolism 153  
 see also: 18F-fluorodeoxyglucose positron emission tomography (FDG-PET), positron emission tomography (PET) 3  
<sup>131</sup>I-metaiodobenzylguanidine (MIBG) scan, bone scintigraphy, positron emission tomography-computed tomography (PET-CT)
- osteoarthritis 95  
 osteoid osteoma 56, 57–8  
 osteomyelitis 57  
 ovarian cancer 149  
 ovarian teratoma 150, 151–4  
 ovaries, enlarged 158–61  
  
 pain  
   chest 70  
   loin 186  
   renal calculi 137, 138  
   right iliac fossa 155–61  
   *see also* abdominal pain; analgesia; arm pain; back pain  
 pancreas  
   cystic lesion 132, 133  
   cystic tumours 132  
 pancreatic debridement 105  
 pancreatic insufficiency 114  
 pancreatic necrosis 105  
 pancreatic pseudocyst 104, 105, 132  
 pancreaticoduodenectomy 134  
 pancreatitis 101–5  
   acute 186  
   analgesia 102  
   CT 102, 103, 104, 105  
   fluid collection 103–4  
   gallstone 102–5  
   severe 102–3, 105  
 pancytopenia, sarcoidosis 80, 81  
 pelvic infections, cervical excitation 155  
 pelvic mass, cystic 148–54  
   MRI 149–51, 153–4  
 pelvis, bony destruction 177–8  
 percutaneous nephrolithotomy (PCNL) 140  
 pernicious anaemia 115  
 photophobia 169, 171  
 plasma exchange, multiple sclerosis 32, 33  
 pneumothorax 70–1, 187  
   differential diagnosis 71, 73  
   treatment 71, 72  
 positron emission tomography (PET) 3  
   colorectal cancer metastases 125  
   lung cancer 67, 68  
   lymphoma staging 36  
   multiple myeloma 45  
 positron emission tomography-computed tomography (PET-CT) 67  
 post-menopausal bleeding 147–54  
   clinical history 147, 148  
   investigations 147  
   ovarian teratoma 150, 151–4  
   *see also* endometrial cancer  
 pregnancy  
   ectopic 156  
     cervical excitation 155  
     iodinated contrast media precautions 6  
   leg swelling 198  
 proton pump inhibitors (PPIs) 130  
 pseudoaneurysm, hepatic artery 87, 92  
 psoriasis 93–8  
   skin examination 93, 94  
 psoriatic arthritis 93–8  
   analgesia 97

- cervical spine 96
- feet 94, 95, 97
- hands 94, 96, 97
- pain 97
- patterns 95
- public health, tuberculosis 179
- pulmonary angiogram, CT 153, 154
- pulmonary cysts 71, 72, 184
- pulmonary embolism
  - anticoagulation 153, 154
  - diagnosis 153, 154
  - ECG 152, 154
  - investigations 152–3, 154
- pulmonary fibrosis 187
- pulmonary nodule 200
- radiation, background 188
- radiofrequency ablation, liver metastases 125
- radiological image interpretation 9–12
- radiotherapy
  - neuroblastoma 53
  - rectal mucinous adenocarcinoma 123, 128
- radius, fracture 86
- reactive arthritis 94
- rectal bleeding 121–9, 199
  - investigations 121–5
  - tumour 123–9
- rectal mucinous adenocarcinoma 123–9
  - chemotherapy 123, 128
  - metastases 124–5
  - MRI 123, 124
  - radiotherapy 123, 128
  - surveillance 124, 128
- rectum
  - CT 121
  - MRI 121, 122, 128
- renal angiography, tuberous sclerosis 74–5
- renal angiomyolipomas 73–4, 75, 142–6
- renal artery occlusion 166
- renal calculi 135–40
  - analgesia 137
  - clinical history 138
  - complications 138
  - composition 135, 137
  - CT 137, 138, 139, 140
  - intravenous urography 138
  - management 140
  - MRI 138–9
  - obstruction 139
  - pain 137, 138
  - spontaneous passing 140
  - surgery 140
  - ultrasonography 137
  - X-rays 136, 137, 138
- renal haemorrhage, tuberous sclerosis 74
- renal transitional cell carcinoma 143–6
  - chemotherapy 144, 146
  - magnetic resonance urography 145
  - treatment 143–4
  - ureteroscopy 145
- renal ultrasound
  - renal calculi 135, 136
  - tuberous sclerosis 73–4, 75
- respiratory failure, postoperative 152–3, 154
- reversible ischaemic neurological deficit (RIND) 14
- rheumatoid arthritis 94, 95
- right iliac fossa pain 155–61
  - appendicitis 156
  - differential diagnosis 155
  - imaging 156–7, 158, 159
  - investigations 155
  - ultrasonography 157, 158, 159
- right upper quadrant pain 184
- Rigler's sign 186
- road traffic accident 83–92
  - ATLS guidelines 83, 84
  - cervical spine fracture 88–9, 90, 91, 92
  - chest X-ray 86
  - haemorrhagic shock 85–7, 92
  - hepatic artery pseudoaneurysm 87
  - liver trauma 87–8, 92
  - secondary survey 84, 86
  - spinal cord decompression 91, 92
  - thoracic CT 200
- sacroiliitis, septic 177, 178
- Salmon and Durie staging classification for multiple myeloma 45, 46
- sarcoid, granulomas 79
- sarcoidosis 79–81, 187
  - blood count 80
  - splenomegaly 80–1
  - stages 80
- Schistosoma haematobium* 141
- seizure 170, 173
- selective oestrogen receptor modulators (SERMs) 147
- sentinel node biopsy 63–4
- sepsis, intra-abdominal 105
- shock 162, 163, 168
  - diagnosis 164
  - haemorrhagic 85, 92
  - hypovolaemic 163
  - severity 163
  - types 163
- skeletal X-rays 9
  - severe back pain 43, 44
- skin examination, psoriasis 93, 94
- skull, multiple myeloma 45, 46
- small cell lung cancer 67
- smoking
  - endometrial cancer risk 147
  - urothelial tumour risk 141
- sphincterotomy 103
- spinal cord
  - cervical cord hyperintensity 30
  - neurosurgical decompression 91, 92
  - oedema 91, 92
- spine
  - infection 43
  - MRI 53, 89, 91
- spleen, ultrasonography 80, 100
- splenectomy, elective 81
- splenomegaly
  - causes 81
  - sarcoidosis 80–1
- sternum, fracture 89
- steroids *see* corticosteroids
- stroke 13–19
  - CT 15–16, 17
  - haemorrhagic 14
  - hemiplegia 13
  - ischaemic 14
  - laboratory investigations 16–17
  - management 14–15, 17
  - mitral stenosis 13, 14
  - MRA 16, 17, 18
  - MRI 16
  - prognosis 18
  - radiological investigations 15–16
  - repeat 17–18
- subarachnoid haemorrhage 170–4
  - causes 170
  - CT 171
  - extent classification 172
  - investigations 170, 171
  - management 170, 171, 172–3
  - severity 172
- superparamagnetic contrast agents 6
- swirl sign 171
- syndesmophytes 94
- synovitis 97
- tamoxifen 147
- temporal horn dilatation 170, 173
- terminal ileum, Crohn's disease 116, 117, 119
- therapeutic radiology 3
- tibia, lucency 200
- transient ischaemic attacks (TIAs) 14
- transvaginal ultrasonography 147–8, 149, 153, 158
- trauma
  - ABC protocol 83, 84
  - American Association for the Surgery of Trauma grading 88
  - chest X-ray 86
  - liver 87–8
  - secondary survey 86
  - thoracic CT 200
  - tibial lucency 200
  - see also* road traffic accident
- triple assessment, breast lump 59
- tuberculosis 34, 42, 81, 175–83, 185
  - abscess 178
  - chest X-ray 180
  - counselling 178–9
  - Crohn's disease differential diagnosis 116
  - CT 176–7, 181, 183
  - diagnosis 178
  - Directly Observed Therapy 180
  - granulomas 79
  - lung 180, 181
  - miliary 178, 179
  - MRI 179, 180, 181–2
  - primary/post primary 180
  - public health 179
  - spinal 182
  - treatment 178, 179, 180, 182, 183
- tuberous sclerosis 73, 186
  - complications 74
  - renal manifestations 73–4

- ulcerative colitis 117
- ultrasonography 2
  - abdomen 85
  - abdominal pain in child 51
  - breast lump 60, 62, 62–3, 64, Plate 4
  - children 51, 185
  - colour-coded duplex of neck arteries 17
  - contrast agents 6
  - endoscopic 132, 133
  - epigastric mass 131
  - gallbladder 101
  - liver 100–1, 107, 108
  - renal 73–4, 75, 135, 136
  - renal calculi 137
  - right iliac fossa pain 157, 158, 159
  - spleen 80, 100
  - transabdominal 147, 148, 153
  - transvaginal 147–8, 149, 153, 158
- ultrasound-guided biopsy 3
- ureteroscopy 140
- urography
  - CT 142, 145
  - intravenous 138
- urothelial tumours, risk factors 141
- vasospasm 172–3
- ventilation–perfusion [V/Q] scintigraphy 153
- vertebral bodies
  - multiple myeloma 47, **48**
  - wedge compression fracture 43, 44
- visual disturbance
  - meningioma 20
  - multiple sclerosis 29, 33
- vitamin B<sub>12</sub> deficiency 114, 115
- warfarin 153
- water-soluble iodine-based contrast agents 4
- wedge compression fracture 43, 44
- weight loss 34, 42
- Whipple's procedure 134
- white matter, periventricular abnormalities 40, 41, 42
- World Federation of Neurological Surgeons
  - classification of subarachnoid haemorrhage 172
- X-rays 1
  - abdominal 10–11
  - cervical spine 84–5, 88–9
  - feet 94, 95, 96, 186
  - hands 94, 96
  - renal calculi 136, 137, 138
  - skeletal 9
  - standard trauma series 83–4
  - see also* abdominal X-rays; chest X-rays
- Yersinia*, Crohn's disease differential diagnosis 116