

Index

A

1/4" tape recorder 39
3D accelerometer 222
3G 12
AAC 89, 104
accessories 24
 add new functionality 25
 enhance media features 25
 facilitate stationary use 25
 improve mobility 24
Acidized WAV 106
actions (in UI) 247
Adobe Extensible Metadata Platform (XMP) 103
advertising 334
affective computing 337
album 42
animations 320
annotating content 273, 293
annotation 293–4
Apple iPhoto 58
Apple iPod 18, 20, 25, 42, 207, 221
Apple iTunes 20, 42, 104, 151, 331
Apple Quicktime 107–8
 atoms 108
application 285, 286
 development 286
 interoperability 120, 146, 148
 view 223
 window 223
archive content 271
Archos 18, 218
artificial intelligence 91
ASCII 265
associations, see also relations 61, 141

associative browsing 91, 145
ATRAC 41
attention span 14
automatic summarization 96, 264
availability information see presence
AVC 137

B

backing up 135, 271
blackboard architecture 186
Bluetooth 22, 37
Boolean (data type) 175
bread crumb trail 227
broadband internet connection 34
broadcast networks 35
 DVB 35
browse content 254
browsing 138, 254

C

call log 81
camphone 210
capturing experiences 207
cardinality 162
carryability 200
catalogue 82
categorization 54
C-cassette 39
CCC, consumer created content 3
cellspotting 296
censorship 316
CIPA 122
circuit design 31
citizen journalism 67, 314
clam shell form factor 217

- client/server 173
- clipboard 264–5
- cognitive load 245
- collaborative filtering 256
- community 61, 295, 300, 325
- compact disk (CD) 40
- composer (metadata framework component) 156
- composing content 264
- composite objects 166–7
- computing capacity 31
- consistency 244
- confidence (of property instance) 175
- connectivity 27
- consistency check 157
- consumer created content (CCC) 3
- consumer electronics (CE) 118
- contact 65
- container format 105
- content creation, motivation 207
- content 1, 52
- content adaptation 64, 136–8
 - accessible devices 138
 - device capability 136
 - intended use 137
 - network capability 137
 - quality 137
- content based retrieval (CBR) 139, 327
- content categorization 54–6
- content creation 46
 - implicit 46
 - motivation 207
- content lifecycle 154
- content lifecycle management (CLM) 51, 75
- content management 5, 49, 79, 127
- content management system 130
 - legacy 120
 - migration 120
- content object 53, 158
 - schema 162
 - coordinate-based 168
 - direct actors 47
 - embedded 169
 - time-based 168
- content storage 130–2
- content transcoding 64
- content type 64–6
- content
 - cross media 335
 - definition 52–3
 - digitalization 4
 - distributed 63
 - enjoyment 84
 - experience 5
 - explosion 58
 - freshness 207
 - fresh views 60
 - growth rate 57
 - lifecycle 75, 120
 - maturity 56
 - modality 54
 - organizing 95–6
 - reuse 98
 - sharing 46, 61
 - tracing and recall 94
- content-based retrieval (CBR) 139, 327
- content-on-demand 45
- context 64, 111–16, 128, 142, 335
 - access 114
 - capture 142–4
 - categories 114
 - environmental 114
 - history 112–3
 - mobile communication 115
 - personal 114
 - recall 144
 - service 114
 - social 114
 - spatio-temporal 114
 - task 114
 - terminal 114
- Context Comic 98, 241
- context engine 172, 185–9
 - communications manager 189
 - context consumer 186
 - context producer 185
 - script engine 187
 - scripts 189
- Context Exchange Protocol (CEP) 187, 189
- context object 176, 186
 - producer 188
- context ontology 186

context-aware 111, 112, 185
 context-awareness *see* context-aware
 continous mobile use 200
 controls *see* widgets
 convergence 32
 coordinate-based objects 168–9
 create point-of-interest (POI) 264
 Creative Commons 69, 103, 342

D

data access pattern 28
 data encryption 29
 data mining 326
 database management system (DBMS) 132
 DCF 107
 DCMI, metadata terms 102
 dedicated media devices 17
 deleting content 271
 desktop metaphor 216
 device ecosystem 118, 130, 271
 dialog (pop-up) window 227
 dialog, modal or modeless 227
 dictionary, personal 66
 DIDL Lite 157
 digital camera 3, 18, 209–10
 digital convergence 32
 digital information lifecycle model 75
 digital life 2
 Digital Living Network Alliance (DLNA) 118, 121
 digital rights management (DRM) 67–9, 193
 centrally controlled 69
 digital video camera 18, 211–12
 Digital Video Express (DivX) 69
 direct manipulation 216
 distributed content 63
 storage 130
 DivX 37, 69
 DivX Finland 320
 dmoz.org 327
 double (data type) 175
 download content 260
 drawing 263
 Dublin Core Metadata Initiative (DCMI) 101–3, 157

DVB-H 35
 DVD 18, 19, 27
 DVD player 19

E

ecosystem (personal content) 118, 130
 editing content 269
 effectiveness 253
 efficiency 253
 Electronic Frontier Foundation (EFF) 68
 e-mail client (device) 21
 embedded objects 169
 emoticon 263
 encryption 29
 enjoying content 74, 207
 EP 39
 EPOC (in training) 319
 ergonomics 217
 error prevention 244
 event 147, 158, 164
 Exchangeable Image File Format (EXIF) 104, 107, 112, 156, 183
 expressing personal status or identity 207
 extensibility (of a device) 16–25
 eyes-free use 217

F

fan fiction 98, 314
 fashion 39
 favorites 61
 feature race 200
 feedback 219, 244
 file 48
 context 112–14
 management 49
 path 48
 structure 48
 system 132
 filtering 96, 178
 collaborative 256
 fisheye lens 232
 fitness monitor, *see also* personal training 19
 Fitts' law 203
 Flickr 142, 300
 flip form factor 217

folder 48
 hierarchy 48, 59
 folksonomy 83, 142, 159, 301, 325
 form 236
 form factor 217
 clamshell 217
 monoblock 217
 slide 217
 swivel 217
 form filling interaction style 216, 237
 fragment 167
 free content 70
 freeDB 72, 88, 328
 friend-of-a-friend 181
 fuel cell 27

G

game 307
 casual 309
 mobile 308–9
 saved 311
 modding 313
 pervasive 315
 skinning 313
 virtual money 317
 game character 312
 game console 21
 game content
 characters 312
 game movies 312
 ghosting 312
 in-game messages 312
 saved game 311
 score 311
 game item 312
 game modding 313–14
 game or gaming console 21, 119
 game walkthrough 312
 gaps in life 15, 213
 GEMS 7, 72–6
 browsing 76, 256, 257
 effect of device category 277
 effect on application development 286
 enjoy phase 155, 266
 evolution 75
 get phase 154, 260

 maintain phase 155, 270
 multi-tasking 276
 searching 76, 254, 255
 share phase 156, 273
 genetic coding 329
 gestalt laws 202
 Get-Enjoy-Maintain-Share see GEMS
 ghosting 312
 giving content 274
 glance and click 16, 337
 global village 12
 Google 49, 138, 204, 254, 294, 334
 GPRS 12, 27
 GPS 2, 19, 20, 143, 290
 graffiti 23
 graphical user interface (GUI) 202, 215
 greed 117
 grid 239
 grouping 96

H

Habbo Hotel 317
 harvester 155
 harvester manager 183–5
 observer component 184
 head-worn display 23
 heart rate log 56
 heartbeat monitoring 19
 hiding file structure 51
 home media server 118
 Hot or Not 302
 human bottleneck 32

I

ID3 41, 88, 104, 155, 183
 ignorance 117
 immediate usability 253
 incoming content 73
 inference 157
 information appliance 17
 Information Interchange Model (IIM) 104
 information retrieval 83
 input 201, 220–2
 continuous 221
 discrete 221
 human 202

- implicit 222
 - selecting 222
- input device 216, 220
 - dedicated keys 221
 - keypad 220
 - pointing 221
 - scroll wheel 221
 - sensor 222
 - softkey 220
 - touch sensitive display 221
- input focus 234
- instance metadata 160
- instance object 158
- integer (data type) 175
- interaction 201, 222
- interaction history 148
- interaction style 216
 - direct manipulation 216
 - form filling 216
 - menu selection 216, 225
- interactive cycle 201
- interactive system 201
- interchangeable (devices) 32
- Internet 34
- Internet Engineering Task Force (IETF) 122
- Internet Media Type (IMT) 102, 107
- internet radio 35
- Internet relay chat 263
- interoperability, application 120, 150–1
- interviewing 205
- IPTC 103, 107, 141, 156, 183
- iterative design 206

J

Java 20

K

Kazaa 41
 keypad layout 220
 knowledge presentation 91

L

landmark 290
 laptop pc 22
 LCD 218
 learnability 253

legislation 47
 library 80
 lifebase 338
 Lifeblog 241, 270
 Linux 172, 279
 Local area network (LAN) 27
 location aware application 290
 location

- as metadata 294
- as social information 295
- mobility 65
- tracing 295

location-aware application 290
 location-aware games 307
 location-based applications 289
 location-dependent content 65
 long tail 71–2, 304
 long-term memory 203
 loops 105
 LP 39

M

Machine Readable Catalogue (MARC)

- 100–1, 117

machinima 312
 main pane 223
 maintaining content 74
 malicious software 29, 97
 MARC21 101
 mashup 209
 Massive Multiplayer Online Games (MMOG) 308
 Massive Multiplayer Online Role Playing Games (MMORPG) 308, 316
 Matrix Browser 258–9, 272, 329
 media streamer 119
 Media Tray 229, 257–8
 memory consumption 190
 memory prosthesis 337
 memory, human 203
 mental model 203
 menu selection interaction style 216, 224, 225
 metadata 63, 79, 81, 140
 metadata engine 173–4

- example 192–4

- metadata framework 153
 - access control 194
 - architecture 154
 - communication manager (CM) 188, 189
 - components 172
 - context engine (CE) 172, 185
 - example usage 192
 - harvester manager 172, 184
 - initialization 161
 - memory consumption 190
 - metadata engine (MdE) 172, 173
 - performance 189
 - persistent storage 172
 - prototype 171
 - queries 176
 - script engine for context engine 187
 - scripts 188
 - speed 191
- metadata
 - ambiguity 81
 - attribute 140, 159, 301, 325
 - automation 336
 - categorization 83–4, 141
 - challenges 116–7
 - composer 156
 - context capture 143, 194
 - creation 86, 87, 88, 325, 329
 - definition 81
 - derived 87, 93
 - direct 93
 - event 147–8
 - extensibility 117, 149
 - format 100, 111
 - harvester 93, 154, 183
 - indirect 93
 - interaction 88, 148
 - interoperability 118, 148, 335
 - lifecycle 154
 - location 294
 - maintenance 91
 - management 148
 - manual 86
 - misuse or abuse 85, 117, 325, 326, 336
 - ownership 150
 - people as 1st class 92
 - procedural 148
 - pure 146
 - quality 335
 - relations 145–7
 - semantics 82, 86, 117, 327
 - standards 99
 - tag 83, 141–2
 - terms (Dublin Core) 102
 - unintentional disintegration 85
 - uniqueness 85
 - universal 116–7
 - usage history 113, 147, 148, 194
 - user benefits 93
 - uses 94–9, 325
- metadata instance 160
- metadata lifecycle 154–5
- metadata magic 326
- metadata management 129, 132, 149, 153
 - key requirements 149
 - storing 150, 157
- metadata manifest 152, 156
- metadata object 158, 174, 175
 - property definition 175
- metadata processor 194–5
- metadata schema 160
- meta-metadata 148
- meta-search 256
- microformat 117
- micro-history 67
- micromechanics 31
- micromovie 212
- micropayment 70
- Microsoft XBOX 360 Live 119
- miniaturization (of electronics) 26, 31
- minidisk (MD) 40
- MiniMap 230
- mischievousness 117
- mobile application 288
- mobile compromise 26
 - connectivity 27
 - miniaturization 26
 - power consumption 26
 - size 26
- mobile device 16, 111
- mobile device categories 16
- mobile games 308
- mobile music 38, 207–9

- mobile personal content 63
 - distributed 63
 - usage patterns 64
- mobile phone 12
- mobile TV 35
- mobile use 15
 - continuous 15, 111, 200
 - nomadic 15, 111, 200
- mobility 65, 111
- modding 313
- mode switching 222
- monoblock form factor 217
- Moore's law 31
- Motorola 218
- move content 270
- movie subtitle 319–20
- MP3 41, 104–5
 - codec 41
 - history 41
 - player (application) 223–4, 249–52
 - player (device) 18, 40, 88
- MPEG-1, layer 3 *see* MP3
- MPEG-21 108
- MPEG-4 108
- MPEG-7 108–9
- multimedia computer 21
- multi-tasking 22
- Multi-User Dungeon (MUD) 313
- Multi-user Publishing Environment (MUPE) 187, 197, 310
- music (mobile) 38, 64, 207
- MyLifeBits 337
- MySpace 302, 333

N

- namespace 161, 174, 327
- Napster 41
- navigation (wayfinding) 249
 - map 289
- navigation, user interface 223, 225, 227
 - aiding 227, 228, 229, 230
 - navigation pane 223
 - shortcut 223, 228
 - structure 223, 224
 - tabs 226
- navigator (device) 20

- near field communication (NFC) 262
- Network Time Protocol (NTP) 134
- new nomads 11, 12, 15
- Nintendo DS 20, 309
- Nokia 21, 218, 266, 293, 299, 309
- Nokia Album 295
- nomad 11–12
- nomadic mobile use 200
- nonlinear datatype 108
- NTT Docomo 310
- nymity 92

O

- object schema 162
- observing 205
- OMA SyncML 152
- ontology 128, 157, 158, 160, 161, 162, 175, 328, 334
 - extending 169–70
- open directory project 327
- Open Mobile Alliance 66, 152
- open software platform 22
- operations (in UI) 247
- optical character recognition 263
- organizing content 95, 272
 - automatic 96
 - temporal dimension 96
- outgoing content 73
- output 201, 218–20
 - audio playback 219
 - human 202
 - non-speech 219
 - speech (playback) 219
 - text-to-speech (TTS) 219
 - vibration 219
- output device 216
- output device, display 218

P

- P2P 41, 305, 327
- palette 237
- Palm 221, 289
- PalmGear 289
- Pandora 208
- paradigm shift 94
- participatory culture 98

participatory design 206
 peer-to-peer see P2P
 performance 189
 personal content 2, 52, 53, 59
 familiarity 59
 favourites 60
 freshness 207
 games 311
 importance 59
 value 59
 personal content ecosystem 6
 personal content experience 2, 4, 5, 47,
 127, 199
 personal content framework 129
 personal content growth rate 57
 Personal Digital Assistant (PDA) 23
 personal information 2
 personal training, see also fitness
 monitor 317–18
 Personal Video Recorder (PVR) 53
 perspective distortion 232
 pervasive game 315
 Philips 39
 photo 64, 209–11
 photography 3, 209–11
 photo post-processing 210
 Picasa 2 49
 PictBridge 122, 276
 PIM 24
 Pirate Bay 305
 placeshifting 120
 playback content 266
 playlist 41
 plug-in framework 184
 podcast 109, 266
 point-of-interest (POI) 259, 264, 290, 295
 pop-up dialog 226
 portable cassette player 39
 positioning 289
 post-modern user type 208
 power consumption 26
 presence (information) 65
 printing content 275
 privacy 62, 97, 132, 194, 297, 317, 325,
 335

property 158
 property definition 175
 protean self 14
 prototyping 206
 publishing content 275
 Python 174

Q

query-by-example (QBE) 140
 QVGA 218
 QWERTY 30

R

rapid prototyping 206
 Rapid Serial Visual Presentation (RSVP) 233
 rating content 61, 272, 302
 reaction time 203
 reading 268
 Really Simple Syndication (RSS) 14, 109,
 329
 reasoning 157
 recall 94
 receive content 261
 recommendation 98
 reconstruct 98
 record content 263
 reference count 147
 refrigerator 33
 relation 61, 91, 147, 165
 relational database 182
 tables 184
 relevance feedback 139, 255
 remixing 98, 209
 Reordable Matrix 258
 Resource Description Framework (RDF)
 103, 173, 179–81, 327
 query language 180
 reuse 98
 reverse engineering 316
 reward model 69
 RFID 25, 261, 274
 rich text format 263
 ring tone 66
 ripping content 72, 265
 rootkit case, Sony BMG 68

S

- SceneMaker 307
- schema 158, 160
 - managing 174
- schema object 158, 162, 163, 164
- screen layout 223
- screen, preserving space 232
- screening (game content) 316
- Script Engine 187
- search criteria 204
- search history 204, 251
- search range 140
- search result selection 204
- search-by-example 95, 140
- searching 76, 94–5, 138, 204, 254–7
 - ad hoc 95
 - boolean operators 139, 204
 - browsing 138, 254
 - cognitive process 204
 - collaborative 95, 256
 - concept 139
 - content-based retrieval 139, 327
 - full-text 139
 - keyword 138
 - meta-search 257
 - personalized 95
 - proactive 95
 - query-by-example 95, 140
 - relevance feedback 95, 139, 255
 - selection criteria 204
 - successive 204
 - visual 138
- Second Life 313, 317
- security 62, 97
 - blocking 97
- self-expression 303
- semantic web 179–81, 325
- semantics 82, 157
- sending content 273
- senses, human 202
- sensory memory 203
- sequential information presentation 223
- Series 60 22, 51, 223, 227, 247, 260, 279, 289
- Series 90 289
- sharing content 46, 61, 207, 300, 303, 339
- Sharme 339
- shoot image 263
- short-range wireless communication 36
- Simple Query Language (SQL) 178–9, 182
- skin 313
- skinning 313
- slide form factor 217
- Slug 119
- smart deletion 147
- smart phone 24
- smiley 263
- SMS 24
- Snake 309
- sneakernet 270
- SNTP 134
- social escapism 39
- social network 269
- social status 207
- society 34, 47
- softkey 220
- Sony 20, 39, 287
- SonyEricsson 218
- sorting 96
- SpaceManager 228, 233
- speech input 23
- speech output 23
- speech user interface (SUI) 214
- speed (software execution) 191
- SQLite 171
- Star Wars Kid 29
- status pane 223
- storing experiences 207
- storytelling 97
- stylus 23
- subjective satisfaction 253
- summarization, automatic 96
- summarization, storytelling 97
- superdistribution 70
- Suunto 318
- swiss army knife 20
- swivel form factor 217
- Symbian 171, 223, 289
- synchronization 133, 152, 271
- synchronized clock 133–4

T

T9 30, 46, 66
 tabs (in user interface) 226
 tagging 83, 104, 141, 301
 Tampere Film Festival 212
 tape recorder 39
 task, user's 111
 task-switching 22
 technology push 200
 text entry 220, 221
 graffiti 221
 handwriting recognition (HWR) 221
 virtual keyboard 221
 Text-to-speech (TTS) 219
 ticker tape 231
 tilted plane 228
 time-based objects 168
 timeshifting 120
 timeshifting life 9, 338
 toaster 33
 toolbar 237
 toolbox device 21
 total conversion 313
 tracing 94
 tracking 295
 transfer rate 37
 transition between applications 99
 tree view 239–40
 trend 47

U

UI design 201, 247
 UI design guidelines 243–6
 UI design process 247
 UI view 97
 UIQ 227, 247, 279, 289
 UKMARC 101
 undo 135
 UNIMARC 101
 Universal Plug and Play (UPnP) 29, 121, 151, 157
 Universal Resource Identifier (URI) 102, 161, 167, 179, 188
 usability 252–3
 usage event 147
 usage history 141

usage pattern 64–5
 user centred design 6, 205
 user interface controls 234
 user interface (UI) 201
 user interface component 216, 234
 time 232
 button 234
 calendar view 241
 checkbox 236
 drop-down textbox 235
 grid 239
 image or icon 231
 label 231
 list 237
 menu 237
 palette 237
 radiobutton 236
 slider 234
 spin button 236
 symbol 231
 text 231
 text box 236
 toolbar 237
 tree view 239
 user interface design process 247
 component specification 251
 detailed design 251
 dialogue diagram 250
 key questions 248, 249
 operation analysis 247
 task analysis 247
 validating design 253
 user interface structure *see* navigation, structure
 user interface style 246–7
 user interface style guide 227, 243, 247
 user interface, evolution 201
 user interface, highlighting a component 233
 user pull 200
 User-centered Design (UCD) 205
 user-centered design methods 205, 206
 UWB 36

V

vehicle 19
 version control 134

VGA 218
vibration 219
video 211–13, 303
 editing 211
view a single image 267
view, combining 226
view, constructing automatically 97
vinyl record 39
viral marketing 69
virtual asset trade 313, 334
virtual container 49
virtual graffiti 293
virtual object 146, 158
virus 97
visual attributes 231
visualizing social network 269
VoIP 34

W

W3C 103, 122, 161, 167, 180
walkthrough 312
wayfinding 267, 289, 291–2
wearable computer 23
Web 2.0 71–2
webcomics 320
Wibree 38

Widget see user interface component
Wikipedia 117
WIMP 202, 215, 220
Winamp 90
Window 216
Windows Media Audio (WMA) 104
wireless access technologies 35
wireless attack 28
wireless communication 34
wireless connectivity, short-range 36
wireless networking 34
wizard 245
WLAN 12, 34
write document 263

X

XML 161
XPointer 167–8
Xvid 305

Y

YouTube 37, 142, 303, 331, 333

Z

ZoneZoom 228
Zoomable User Interface (ZUI) 233, 330

