

# Index

**Note to the reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## Symbols and Numbers

% disk time counter, 90  
 @@ERROR functions, 306  
 @loopback\_detection  
   parameter, 349  
 64-bit CPU, vs. 32-bit CPU, 27  
 64-bit SQL Server, 103

## A

accessibility of data, archiving  
   records and, 411, 415, 416  
 active/active clusters, 329, 330,  
   330–331  
 Active Directory (AD), 128, 129  
   password policies, 150  
 active node in cluster, 329  
 active/passive clusters, 329,  
   329–330  
 AD. *See* Active Directory (AD)  
 Add Counters dialog box  
   (System Monitor), 10, 10,  
   94, 94  
 Address Windowing Extensions  
   (AWE), 27, 90  
 administrative overhead,  
   naming convention  
   as, 297  
 administrative security,  
   131–132, 137  
 administrative tasks, roles  
   for, 222  
 administrator, preventing  
   unauthorized access  
   by, 152  
 ADO.NET 2.0, and  
   mirroring, 337  
 affinity mask, 19  
 alerts, tracking, 140  
   for replication, 424  
 AllowPartiallyTrustedCallers  
   attribute, 241  
 Alter Any permission, 225

ALTER DATABASE statement  
   ADD LOG FILE clause, 51  
   FILEGROUP keyword,  
     56, 270  
   MODIFY FILE clause, 51  
   SET PARTNER FAILOVER  
     option, 344  
   SET PARTNER option, 338  
 ALTER ENDPOINT statement,  
   209, 210  
 Alter permission, 225  
 ALTER statement, 203  
   WITH ENCRYPTION  
     keyword, 207  
 ALTER TABLE statement,  
   PERSISTED keyword, 270  
 Analysis Services, 60  
   account defaults, 163  
   default mode, 172  
   port, 175  
   service rights needed, 168  
   user group, 161  
 antivirus software, 170–171  
 application domains, 242  
 application roles, 202–203, 223  
   secure implementation, 132  
 applications, planning for  
   migration, 106–108  
 archiving records  
   accessing, 428  
   business and regulatory  
     requirements, 409–411  
   data-movement strategy,  
     416–417  
   determining data for,  
     412–414  
   reasons for, 408–409  
   replication for, 417, 418  
   storage format, 415–416  
   structure for, 413–414  
   tape-backup system for, 351  
 articles for replication, 349, 419  
 assemblies  
   creating, 240–241  
   trusted, 241  
 asymmetric keys, 155–156,  
   160, 235–236  
 user mapping to, 191  
 attributes in database, 253, 259  
 auditing  
   and chain of custody, 392  
   execution context changes,  
     232–234  
   system access, 140  
 authentication  
   choices of methods,  
     129–130  
   for SOAP/Web Service  
     endpoints, 209  
 automatic failover, 355  
 autonomy, and replication  
   type, 420  
 availability measurement, 323  
 Average Disk Queue Length  
   counter, 90  
 Avg Disk Read/sec counter, 91  
 Avg Disk Write/sec counter, 91  
 AWE (Address Windowing  
   Extensions), 27, 90

## B

B-Tree structure, 272  
 BACKUP command,  
   CHECKSUM option, 393  
 backup device, creating,  
   369–370  
 Backup dialog box, 377,  
   377–378  
 BACKUP LOG statement, 49  
 Backup permission, 226  
 backup strategy, 384–387  
   combining full, differential  
     and transaction  
     log, 386  
   design process, 387–393  
     business requirements  
       analysis, 388  
     frequency, 392  
     security policy, 392  
     validation and testing  
       policy, 393  
 documentation of, 393  
 full backups only, 384–385

## 454 BACKUP WITH RESTORE VERIFYONLY command – consolidation strategy

- full with differential, 385
  - full with transaction log backups, 385–386
  - partial and partial differential, 386–387
  - BACKUP WITH RESTORE VERIFYONLY command, 393
  - backups
    - creating
      - with Management Studio, 371, 371–374
      - with T-SQL commands, 374–375
    - before deployment, 311
    - differential, 375–376
    - documentation of location, 395
    - exam essentials, 401
    - file storage design, 52–53
    - filegroup, 378–379, 386
    - full, 371–375
    - protecting, 139
    - reasons for, 369–379
    - restoring database, 379–384
    - security for tapes, 133
    - security impact of manual, 136
    - of transaction log files, 49, 53, 376–378
  - baseline, 88
    - in backup strategy, 371
    - and growth trends, 23
    - for memory usage, 22
    - for replication performance, 424
  - Basic authentication, for SOAP/Web Service endpoints, 209
  - batches, EXECUTE AS keyword in, 230–235
  - benefits analysis, of security design, 128
  - best practices
    - for disaster recovery plan maintenance, 398–400
    - for hardware and software selection, 23–24
    - for password rules, 153
  - bidirectional transactional replication, 349
  - bigint datatype, 265
  - binary datatype, 267
  - bit datatype, 265
  - bottlenecks in network, identifying potential, 17
  - brute-force dictionary attack, 139
  - budget, and database server infrastructure, 6–7
  - bulk log backup, 53
  - Bulk-Logged recovery model, 49, 376, 390
    - comparison, 391
  - Bulkadmin role, 188
  - business requirements
    - for archiving records, 409–411
    - for backup and restore strategy, 388
    - for database server infrastructure, 6–7
    - for views, 282
- 
- C**
- camelCase, 300
  - cascading referential integrity, 268
  - central processing unit (CPU)
    - evaluating data, 100
    - monitoring, 89
    - requirements analysis, 18–20
      - current performance assessment, 19
      - forecasting and planning, 19–20
      - sizing hardware, 105
      - type selection, 27–28
  - centralized management, consolidation and, 81
  - certificate authority (CA), 156
  - certificates, 156–157
    - for log-record transfer, 338
  - chain of custody, maintaining, 392
  - change rate for data, databases categorized by, 389
  - char datatype, 264, 266
  - check constraints, 268
  - checkpoint, 48
  - client applications, reconnecting
    - after failover to log-shipping server, 347–348
  - client components of SQL Server 2005, 60
  - Client Network Utility, 67
  - clustered indexes, 272
    - vs. nonclustered indexes, 273
  - clustered table, 272
  - clustering, 324, 327–333
    - vs. database mirroring, 334
    - designing, 328–333
      - geographic design, 331–332
    - hardware for, 332–333
    - licensing costs, 333
    - requirements, 328
    - security impact, 135
  - coding. *See also* source code standards, 296
  - collation conflicts, and instances consolidation, 99
  - column-level encryption, 235–239
  - columns in database
    - computed, 269–270
    - filtering in views, 283–286
    - naming conventions, 298
  - Common Language Runtime (CLR) Programming, network configuration for, 134
  - compound growth of disk space needs, 14
  - compression, and SQL Server performance, 54
  - computed columns in database, 269–270
  - concurrency, in replication, 424
  - Configure Database Mirroring Security Wizard, 341–343, 341–343
  - conflicts in replication, 422
    - handling, 349
  - conflicts in security requirements, 124–125
  - connection strings, update after failover to secondary log-shipping server, 347
  - consistency, and replication type, 420
  - consolidation strategy
    - deployment phase, 111
    - developing phase, 108–110
      - design
        - reexamination, 110
      - hardware acquisition, 109
      - pilot, 110
      - proof of concept, 109

- envisioning phase, 78–99
  - decision process, 79–85
  - environment analysis, 86–99
  - goals, 85–86
  - project guidelines, 86
  - reasons against
    - consolidating, 83–85
  - team formation, 79
- exam essentials, 112
- planning phase, 99–108
  - 64-bit SQL Server, 103
  - data evaluation, 99–101
  - disk subsystem
    - planning, 101–102
  - high availability
    - needs, 104
  - initial decisions, 102
  - migrating applications, 106–108
  - multiple instances, 103
  - multiple iterations, 104–105
  - sizing hardware, 105–106
  - Upgrade Advisor, 102
- constraints for database columns, 264–269
  - check constraints, 268
  - datatypes, 265–267
  - default constraints, 269
  - naming conventions, 299
  - unique constraints, 269
- contact list in disaster recovery plan, 394–395
  - validating, 399
- contingency planning, for disaster recovery, 396
- Control Panel, Services Control Manager, 167, 173
- Control permission, 225
- cookies, to revert to previous execution context, 231–232
- cooling capacity for server environment, 80
- corporate hackers, 136–137
- corrupt databases, Shutdown as indicator, 379
- cost-benefit analysis, in hardware or software selection, 23

- costs
  - acceptable, of potential data loss, 388
  - of archive storage, 414
    - and format decision, 415
  - of clustering, 328–329
    - licensing, 333
  - of consolidation, 79–80, 84
  - of RAID, 352
  - of security requirements, analysis, 125–128
- CPU (central processing unit)
  - evaluating data, 100
  - monitoring, 89
  - requirements analysis, 18–20
    - current performance
      - assessment, 19
    - forecasting and planning, 19–20
    - sizing hardware, 105
    - type selection, 27–28
- CREATE APPLICATION ROLE command, 202
- CREATE ASSEMBLY command, 213
- Create Assembly permission, 241
- CREATE ASYMMETRIC KEY statement, 237
- CREATE DATABASE statement
  - FOR ATTACH clause, 56
  - FILEGROUP keyword, 56, 270
- CREATE ENDPOINT command, 204, 210, 338
- CREATE LOGIN statement (T-SQL), 187
- Create permission, 226
- CREATE statement, 203
  - WITH ENCRYPTION keyword, 207
- CREATE SYMMETRIC KEY statement, 237
- CREATE TABLE statement, 260
  - PERSISTED keyword, 270
- CREATE TRIGGER statement, 204
- cursors, 306

---

## D

- data availability, and database server infrastructure, 7
- Data Center Edition of Windows 2003, clustering in, 329
- data loss prevention, 326–327
- data migration, testing, 107
- data modification language (DML) events, 203
- data page, 42
  - calculating number for table, 44
- data retention, and database server infrastructure, 7
- database administrator, 80
  - password access after disaster, 394
  - run book record of actions, 311
- database connectivity technology, and mirroring, 337
- Database Console Command (DBCC). *See* DBCC ...
- Database Diagram Designer, 258
- Database Engine, 60
- database, estimating size, 43–46
- database filegroups, 56–57
- database-level encryption policy, 206–207
- Database Maintenance Plan Wizard, 369
- database master key, 154
  - creating, 155
- database mirroring, 324, 333–344
  - configuring, 338–343
    - exercise, 339–343
  - design, 337
  - endpoints, 207, 210, 338
  - protection levels, 335–336
  - security impact, 135
  - server roles for, 335
  - testing, 343–344
- database objects, naming conventions for, 298–300
- database roles, 195–203
- database server infrastructure

## 456 database snapshots – development database

- capacity requirements, 8–23
    - storage requirements analysis, 8–15
  - CPU requirements, 18–20
  - current configuration
    - analysis, 3–7
    - assessment of current condition, 3–5
    - business requirements, 6–7
    - capacity requirements as a whole, 6
    - requirements analysis, 5–7
  - exam essentials, 31
  - memory requirements, 20–23
    - forecasting and planning, 22–23
  - network storage
    - requirements, 15–18
    - current capacity, 16–18
    - current traffic analysis, 17–18
    - forecasting and planning, 18
  - planning and design, 2
  - software versions and hardware
    - configurations, 23–30
    - best practices, 23–24
    - CPU type, 27–28
    - memory options, 28–29
    - operating system, 24–25
    - SQL Server 2005 edition, 26
  - database snapshots, 334
  - database transaction growth rate, 8
  - Database Tuning Advisor, for creating indexes, 274–280
  - database-wide scope, 204
  - databases. *See also* system databases
    - access standards, 308–309
    - categorizing based on recovery criteria, 388–389
    - determining number to create, 61
    - disabling, 381
    - modifying design based on performance and business requirements, 253–259
  - datatypes and
    - constraints, 264–267
  - denormalization, 255–256
  - documentation and diagrams, 256–259, 258
  - normalization, 254–255
  - partitions for tables, 260–262
  - planning, 253–254
  - primary and foreign keys, 262–264
  - number of files and placement, 55–57
  - types, 55
- datatypes for database columns, 264–267
    - and column names, 301
  - datetime datatype, 266
  - DBA. *See* database administrator
    - Db\_accessadmin role, 196
    - Db\_backupoperator role, 196
  - DBCC CHECKALLOC
    - command, 393
  - DBCC CHECKCATALOG
    - command, 393
  - DBCC CHECKDB
    - command, 393
  - DBCC CHECKTABLE
    - command, 393
  - DBCC SHRINKDATABASE
    - command, 51
  - DBCC SHRINKFILE
    - command, 51
  - DBCC SQLPERF (LOGSPACE)
    - command, 49
  - Dbcreator role, 188
  - Db\_datareader role, 196
  - Db\_datawriter role, 196
  - Db\_ddladmin role, 196
  - Db\_denydatareader role, 196, 197
  - Db\_denydatawriter role, 196, 197
  - Db\_owner role, 196
  - Db\_securityadmin role, 196
  - DDL triggers, 203–206
    - policy for, 205–206
    - scope, 203–204
    - specifying events, 204–205
  - decimal datatype, 265
  - decision process, for consolidation strategy, 79–85
  - decision tree in disaster recovery plan, 395
    - creating, 396–397
    - documentation, 397–398
  - DecryptByKeyAutoCert()
    - function, 157
  - Dedicated Administrator Connection (DAC), default endpoint, 208
  - default constraints, 269
  - default filegroup, 57, 270
  - default instance, 57, 58
    - port, 175
  - definition defaults, 269
  - delegation, allowing, 132
  - Delete permission, 226, 227
  - DELETE statement, indexes and, 274
  - demilitarized zone (DMZ), for SQL Servers in Internet-accessible systems, 133
  - denormalization, 255–256
    - for archive data, 413
  - DENY permissions, for assemblies, 243
  - DENY statement, 225
    - for assigning permissions to user-defined role, 198–199
  - deployment phase in consolidation strategy, 111
  - deployment process
    - protecting production data during, 310–311
    - staff roles and responsibilities, 311
    - standards for, 309–311
  - Developer edition of SQL Server 2005, 26
    - minimum and recommended RAM, 27
    - number of instances, 58
    - storage choices, 29
  - developing phase in consolidation strategy, 108–110
    - design reexamination, 110
    - hardware acquisition, 109
    - pilot, 110
    - proof of concept, 109
  - development database, 310

- Simple recovery model
    - for, 389
  - diagrams of database, 256–259, 258
  - differential backups, 375–376
  - Digest authentication, for SOAP/Web Service endpoints, 209
  - digital signature, for modules, 242
  - direct access to database data, 308
  - direct transfer, of archived data, 417
  - directories
    - for common files for all instances on computer, 63
    - for Server components, 60
  - disabled state for endpoint, 211
  - disabling databases, 381
  - disaster recovery plan, 394–400
    - best practices for maintaining, 398–400
    - contact list, 394–395
    - decision tree, 395
      - classifying loss scenarios, 396–397
      - creating, 396–397, 400
      - prioritizing recovery steps, 397
    - infrastructure
      - documentation, 395
      - location of backups, software, hardware, 395
      - recovery success criteria, 395
      - scripting replication for, 423
  - disasters, 324
    - computer systems survival, 323
    - staffing in, 356
  - disk drives. *See also* storage
    - archiving and, 408
    - for high availability, 350–355
    - monitoring performance, 90–92
    - planning, 101–102
    - savings from archiving, 412
    - usage percentage, and disk performance, 91
  - disk mirroring (RAID-1), 45
  - disk-space capacity, 8–9
  - disk striping (RAID-0), 45
  - disk throughput capacity, 9
  - Diskadmin role, 188
  - distributed partitioned view, 283
  - distribution database, 62
    - for transactional replication, 47
  - distributor in replication, 419, 426
  - DML (data modification language) events, 203
  - documentation. *See also* disaster recovery plan
    - for application security requirements, 120
    - of backup strategy, 393
    - of database, 256–259
      - schemas, 256–257
    - of naming conventions, 302–304
    - replication topology diagram, 425
    - run book, 311
    - of server interactions and connections, 98
    - T-SQL coding standards, 307
  - domain integrity, 268
  - Domain Name Service (DNS), 359
    - for reconnecting clients after failover, 347–348
  - Domain User account, 164–165
    - for running SQL Server service, 163
  - downloading SQL Server service packs, 4
  - downtime, minimizing for migration, 358–359
  - DROP DATABASE statement, 379
  - DROP statement, 203
  - dual-core CPUs, 105
  - durability of storage format, 415
  - duration of synchronization, in replication, 424
  - dynamic affinity, 19
- 
- E**
- efficiency, in database structure, 254
  - employees
    - consolidation benefits for, 82
    - in disaster, 356
    - in disaster recovery contact list, 394
    - performance problems impact on, 84
    - roles and responsibilities during deployment process, 311
    - as single point of failure, 356–357
    - training on high-availability system, 359–360
  - ENCRYPT() function, 154
  - ENCRYPTBYPASSPHRASE() function, 236
  - encryption
    - column-level, 235–239
    - deploying, 236–239
    - for endpoints, 210
    - impact on disk space requirements, 15
    - and SQL Server performance, 54
    - and triggers, 206
  - encryption policy, 154–160
  - certificates, 156–157
  - database-level, 206–207
  - development, 159–160
  - hierarchy, 154–155
  - performance issues, 157–159
  - symmetric and asymmetric keys, 155–156
- endpoints
  - database mirroring, 338
  - disabled vs. stopped, 211
  - policy for, 210–211
  - ports for, 175
  - security, 207–211
  - SOAP/Web Service, 209
- Enterprise edition of SQL Server 2005, 26
  - clustering in, 329
  - minimum and recommended RAM, 28
  - number of instances, 58
  - storage choices, 29
- entity integrity, 268
- environment analysis for consolidation strategy, 86–99
  - applications analysis, 87–88

applications monitoring, 88–97  
 CPU monitoring, 89  
 disk performance, 90–92  
 memory, 89–90  
 associated systems  
 monitoring, 97–98  
 @@ERROR functions, 306  
 event groups, DDL trigger to respond to, 204, 205  
 EXECUTE AS keyword, 132, 228–230  
 in batches, 230–235  
 developing policy for batches, 234–235  
 Execute permission, 226, 227  
 execution context, 228–235  
 auditing aspects of changes, 232–234  
 Express edition of SQL Server 2005, 26  
 minimum and recommended RAM, 27  
 number of instances, 58  
 server accounts, 164  
 storage choices, 29  
 extended stored procedures (XPs), and instances consolidation, 99  
 extents, 42, 43  
 backups of, 375  
 external resources, accessing, 241  
 EXTERNAL\_ACCESS permissions, 213

## F

failover, 324  
 delay for clustering vs. mirroring, 334  
 time constraints, 355  
 failover clustering, 327–333  
 fault-tolerant storage  
 from SAN device, 354–355  
 for transaction logs, 52  
 federation of database servers (FDS), 283  
 File menu (SQL Server Profiler) > New Trace, 275  
 filegroups, 41, 56–57, 270–272

backups, 378–379, 386  
 designing  
 for partitions, 272  
 for performance, 271  
 for recoverability, 271–272  
 for nonclustered indexes, 281  
 FILEGROWTH setting for log, 48  
 filenames, 56  
 files, growth increment, 56  
 firewalls, 133  
 configuration, 175–176  
 firing order for triggers, 205  
 “five nines,” 323  
 fixed database roles, 196  
 adding user, 197–198  
 float datatype, 266  
 fn\_my\_permissions function, 227  
 foreign key, 263–264  
 and column encryption, 159  
 fragmentation of pages, 43  
 full backups, 371–375  
 in strategy, 384–385  
 with differential backup, 385  
 with transaction log backups, 385–386  
 Full recovery model, 49, 376, 390  
 comparison, 391  
 FullText Search, 167  
 account defaults, 164  
 default mode, 172  
 service rights needed, 168  
 user group, 161

## G

geographic consolidation, 85  
 geographic issues  
 in clustering design, 331–332  
 in server location, 97  
 geometric growth of disk space needs, 14  
 Gibson, Garth, 351  
 Global Allocation Map (GAM) page type, 42  
 goals, for consolidation strategy, 85–86  
 GRANT permissions, for assemblies, 243  
 GRANT statement, 224  
 for assigning permissions to user-defined role, 198–199  
 groups  
 for Active Directory, 130  
 for service accounts, 162  
 GROWTH\_INCREMENT setting, for log, 48  
 guest user, 190

## H

hackers, 136–137  
 hard costs, for consolidation, 79  
 hardware  
 acquisition, 109  
 best practices for selection, 23–24  
 for clustering, 332–333  
 vs. database mirroring, 334  
 interaction of components, 40  
 Hardware Compatibility List (HCL), cluster-certified system, 328  
 hardware partitioning, 261  
 HBA (Host Bus Adapters), 354  
 heap, 272  
 High Availability mode for database mirroring, 336  
 high availability technologies, 323–327  
 database mirroring, 324, 333–344  
 configuring, 338–343  
 design, 337  
 endpoints, 207, 210, 338  
 protection levels, 335–336  
 security impact, 135  
 server roles for, 335  
 testing, 343–344  
 exam essentials, 360  
 failover clustering, 327–333  
 log shipping, 344–348  
 reconnecting client applications, 347–348  
 roles for, 345–346

- security impact, 136
  - switching roles, 346
  - migration strategy, 358–360
  - replication, 348–350
  - security for, 135–136
  - single point of failure
    - identification, 323–324
  - solution design, 355–358
    - address abstraction, 359
    - planning for
      - nontechnical issues, 356–357
      - reporting, 357–358
    - storage design, 350–355
    - system goals, 324–326
    - system limitations, 326–327
  - High Performance mode for database mirroring, 335–336
  - High Protection mode for database mirroring, 336
  - historical trends, for estimating future disk needs, 13–14
  - horizontal partitioning, 261
    - for articles, 419
  - Host Bus Adapters (HBA), 354
  - hotfixes, downloading, 4
  - HTTP attack, preventing, 139
  - hyperthreading, 27
- 
- I**
- I/O rate of disk, 9
  - IAM (Index Allocation Map)
    - page, 42
  - IANA (Internet Assigned Numbers Authority), 68
  - identity property, 267
  - image datatype, 42, 267
  - immediate updating
    - subscription, 421
  - Impersonate permission, 225
  - impersonation, allowing, 132
  - Index Allocation Map (IAM)
    - page, 42
  - index page, 42
  - indexed views, 283
    - for archive data, 413
  - indexes, 262, 272–281
    - Database Tuning Advisor
      - for creating, 274–280
    - encryption and, 158, 236
    - for faster data access, 274
    - naming conventions, 299
    - physical placement, 280–281
  - indirect transfer of archived data, 417
  - infrastructure. *See also* database server infrastructure
    - planning and design, 2
  - Insert permission, 226, 227
  - INSERT statement, indexes
    - and, 274
  - installing operating system,
    - location for, 54
  - instance-aware services, 162
  - instance ID, 60
  - instances
    - assigning TCP ports to, 68
    - configuration specifications, 67–69
    - consolidation, 85
    - decision on number of, 58–59, 103
    - designing, 57–58
    - determining number of
      - physical servers needed based on, 61
    - establishing service
      - requirements, 67
    - and memory pressure, 22
    - naming, 59–60
    - system database placement
      - for, 61–63
    - Tempdb.mdf database file,
      - physical location and size for each instance, 64–66
  - int datatype, 264, 265
  - Integrated authentication, for SOAP/Web Service endpoints, 209
  - Integration Services of SQL Server 2005, 60, 167
    - account defaults, 163
    - for archiving records, 417
    - default mode, 172
    - disabling, 173–174
    - network configuration
      - for, 134
    - port, 175
    - service rights needed, 168
    - user group, 161
  - integrity of data, 254, 268
  - Internet Assigned Numbers Authority (IANA), 68
  - intrusion detection system (IDS), 140
  - IT policies, and database server infrastructure, 7
  - IT staff, consolidation benefits for, 82
- 
- K**
- Katz, Randy, 351
  - Kerberos, 131
    - for SOAP/Web Service endpoints, 209
  - key management scheme, 159–160
  - keys. *See* asymmetric keys; symmetric keys
- 
- L**
- labeling backup media, 53
  - latency in replication, 420, 424
  - .ldf file extension, 41, 55
    - excluding files from
      - antivirus scan, 171
  - legal issues, in security requirements, 125
  - licensing costs, for clustering, 333
  - linear growth of disk space needs, 13
  - linked servers, 98
  - load balancing, 337, 359
    - with filegroups, 41
    - for reconnecting clients after failover, 347–348
  - local partitioned view, 283
  - Local Service accounts, 163, 165
  - Local System account, 163, 166
  - log sequence numbers (LSNs), 49
  - log shipping, 324, 344–348
    - reconnecting client
      - applications, 347–348
    - recovery model for, 390
    - roles for, 345–346
    - security impact, 136
    - switching roles, 346
  - logical disk setup, 101
  - Logical Unit Number (LUN), 101
  - logical\_file\_name, 56
  - Login - New dialog box, 186, 186

## 460 logins – network

logins  
 adding, 153  
 adding to server role, 189  
 creating, 184–187  
 migrating, 106  
 as security object, 231  
 @loopback\_detection  
 parameter, 349  
 lowercase, in naming  
 conventions, 300  
 LUN (Logical Unit  
 Number), 101

**M**

Management Studio  
 and backup history, 52  
 database entry with  
 Shutdown, 379  
 for full backup, 371,  
 371–374  
 Replication Conflict  
 Viewer, 422  
 to restore databases, 379  
 Security folder, Logins  
 folder, 185  
 managerial personnel, in  
 disaster recovery contact  
 list, 394  
 mapping database users to roles,  
 190–192  
 master database (Master.mdf),  
 56, 61–62  
 growth, 91  
 master.sys.server\_principals  
 system view, 152  
 Mastlog.ldf log file, 61–62  
 MCSC (Microsoft Cluster  
 Services), 327  
 .mdf file extension, 41, 55  
 excluding files from  
 antivirus scan, 171  
 memory  
 evaluating data, 100–101  
 monitoring, 89–90  
 requirements, 106  
 analysis, 20–23  
 forecasting and  
 planning, 22–23  
 minimum and  
 recommended  
 amounts, 28–29

Memory: Available Bytes  
 counter, 20, 89  
 Memory: Pages/sec counter,  
 20, 102  
 Memory: Paging File: %Usage  
 counter, 90  
 memory pressure, 22  
 merge replication, 349, 350,  
 422–423  
 validating, 424  
 microprocessor. *See* central  
 processing unit (CPU)  
 Microsoft Cluster Services  
 (MCSC), 327  
 Microsoft Management  
 Console, 67  
 Microsoft Operations Manager  
 (MOM), 22  
 migrating applications, 106–108  
 migration strategy, for high  
 availability system,  
 358–360  
 mirror database, 335  
 mirroring. *See*  
 database mirroring  
 mirroring (RAID 1), 351–352  
 mixed extent, 43  
 model database, 389  
 recovery model for new  
 database from, 391  
 Modellog.ldf log file, 61–62  
 Model.mdf database file, 61–62  
 module signing, 242  
 money datatype, 265  
 monitor server, for log  
 shipping, 345  
 MOVE ... TO option, for  
 RESTORE DATABASE  
 statement, 380  
 moving applications. *See*  
 migrating applications  
 msdb database, 52  
 database roles for SQL  
 Server Agent, 211  
 growth, 91  
 Msdbdata.mdf database file,  
 61–62  
 Msdblog.ldf log file, 61–62  
 multicore CPU, 27  
 Multiple Active Result Sets  
 (MARS), tempdb database  
 and, 64

**N**

N+1 cluster configuration,  
 331, 332  
 name collisions, 87  
 named instance, 57, 58  
 connecting to, 57, 103  
 naming convention, 59–60  
 network configuration  
 for, 134  
 port, 175  
 named pipes, 131  
 default endpoint, 208  
 port for, 175  
 namespace, 192–193  
 naming conventions, 296  
 avoiding pitfalls and  
 dangers, 300–302  
 bad practices, 300–301  
 benefits of, 296–297  
 documenting and  
 communicating,  
 302–304  
 establishing and  
 disseminating,  
 297–304  
 for database objects,  
 298–300  
 vendor, 302  
 Naming the Database Role  
 dialog box, 200  
 NAS (Network Attached  
 Storage), 354  
 nchar datatype, 266  
 .ndf file extension, 41, 55  
 excluding files from  
 antivirus scan, 171  
 .NET Common Language  
 Runtime (CLR) security,  
 213–214, 239–243  
 creating assemblies,  
 240–241  
 policy development,  
 242–243  
 NetValidatePasswordPolicy  
 method (Windows  
 API), 152  
 network  
 impact of server location  
 change, 97  
 storage requirements, 15–18  
 current capacity, 16–18

- current traffic analysis, 17–18
- forecasting and planning, 18
- Network Attached Storage (NAS), 354
- Network Interface: Bytes Totals/sec counter, 18
- Network Service account, 163, 165
- NO REVERT COOKIE option, 231–232
- NO REVERT option, 231
- no single point of failure, 324
- node in cluster, 327
- nonalphanumeric characters in object names, 301
- nonclustered indexes, 273
  - filegroup for, 281
- NORECOVERY option, for RESTORE DATABASE statement, 380
- normalization, 254–255
  - for archive data, 413
  - for vertical partitioning, 261
- Notification Services of SQL Server 2005, 60
  - account defaults, 163
  - default mode, 172
  - and failover, 326
  - service rights needed, 168
  - user group, 161
- ntext datatype, 42, 267
- NTLM authentication, for SOAP/Web Service endpoints, 209
- numeric datatype, 265
- nvarchar datatype, 267

## O

- object-control permissions, 223
- object defaults, 269
- object level of security, 222
- objects. *See also* naming conventions
  - evaluating names, 302–304
  - owner of, 192–193
  - permissions, 227
  - schema for grouping, 193
- obsolete data, storing, 408
- obsolete technology, risk of, 23

- offline storage, costs, 414
- online indexing, tempdb
  - database and, 64
- operating system
  - choosing version and edition, 24–25
  - location for installing, 54
- ORIGINAL\_LOGIN()
  - function, 232
- orphaned users, 191
- OS\_file\_name, 56
- overloaded systems, 82
- owner of objects, 192–193

## P

- PAE (Physical Address Extensions), 90
- Page Free Space page, 43
- pages, 42–43
- partial backup, 386–387
- partial differential backup, 386–387
- partitioned views, 283
- partitioning tables, 260–262
  - for archive data, 413
- partitions
  - FAT or NTFS, 55
  - filegroup design for, 272
  - for operating system install, 54
- PascalCase, 300
- passive node in cluster, 329
- passphrase, 160
- password rules, 150–153
  - best practices, 153
  - enforcing change at next login, 152
  - expiration enforcement, 152
  - policy enforcement, 151–152
- passwords
  - analysis of time cost of resets, 126–127
  - preventing cracking, 139
  - for user service account, 169
- Patterson, David, 351
- peer-to-peer transactional replication, 421–422
- performance
  - archiving and, 408, 412
  - consolidation and, 83
  - denormalization and, 255–256
  - encryption and, 157–159
  - factors affecting replication, 423
  - filegroup design for, 271
  - partitioning database for, 261
- Performance Logs And Alerts node (System Monitor), 11–12
- performance measurement, information gathering over time, 93–96
- Performance Monitor, maximum value in, 96
- permanent backup device, 369
  - creating, 370
- permissions, 224–225
  - analyzing existing, 226–228
  - applying, 225–226
  - assigning to user-defined database role, 223–224
  - for database roles, 195
  - EXECUTE AS statement for checking, 235
  - strategy, 222–226
  - to TDS endpoint, 208
- Physical Address Extensions (PAE), 90
- physical disk setup, 101
- physical security for servers, 133, 176
- physical servers. *See* servers
- PhysicalDisk: Disk Read Bytes/sec counter, 9
- PhysicalDisk: Disk Write Bytes/sec counter, 9
- piecemeal restores, 384
- pilot for consolidation process, 110
- planned failovers, testing, 343–344
- planning phase in consolidation strategy, 99–108
  - 64-bit SQL Server, 103
  - disk subsystem planning, 101–102
  - high availability needs, 104
  - initial decisions, 102
  - migrating applications, 106–108
  - multiple instances, 103
  - multiple iterations, 104–105

## 462 point-in-time restores – resources

- sizing hardware, 105–106
- Upgrade Advisor, 102
- point-in-time restores, 383–384, 386
- ports, for SQL server, 175
- power (electrical), for multiple servers, 80
- prefix constraints, for object type, 298
- primary data files, 41, 55, 252
  - excluding files from
    - antivirus scan, 171
- primary filegroup, 56, 270
- primary key
  - choosing, 262
  - and column encryption, 159
  - modifying, 263
- primary server, 324
  - for log shipping, 345
- principal database, in database mirroring, 335
- principals, 184, 224
  - database user as, 190
- privacy, and database server infrastructure, 7
- private key, 156
- Process: Private Bytes: sqlservr
  - process counter, 90
- Process: SQL Server process: % Processor Time counter, 89
- Process: Working Set counter, 20
- Processadmin role, 188
- processor. *See* central processing unit (CPU)
- Processor: % Processor Time counter, 89
- production database, 310
  - minimizing impact of data movement on, 417
  - protecting data during deployment process, 310–311
- Profiler, 274, 412
  - SESSIONLOGINNAME
    - column from, 232
- project guidelines, for consolidation strategy, 86
- proof of concept, creating, 109
- protocols, Configuration Manager for
  - configuring, 68
- proxies, 212
- public key, 156
- Public role, 190, 196, 197, 198

- publication in replication, 420
  - retention period
    - adjustment, 425
- pull subscription, 426
- pure log backup, 53
- push subscription, 426

**Q**

- queries, gathering averages for performance times, 89
- queued updating
  - subscription, 421
- quorum drives, excluding files from antivirus scan, 171
- quorum of servers, 335

**R**

- RAID 10 (RAID 1+0), 352
- RAID (Redundant Array of Independent Disks), 45–46, 351
  - for backups, 53
  - designing, 351–353
  - performance
    - measurement, 91
    - for SAN disks, 354
- real datatype, 266
- Receive permission, 227
- records in database, 253, 259
- recoverability, filegroup design for, 271–272
- recovery model of database, 389–391
  - Bulk-Logged recovery model, 390
  - comparison, 390–391
  - Full recovery model, 390
  - Simple recovery model, 389
  - and transaction log truncation, 48–49
- RECOVERY option, for RESTORE DATABASE statement, 380
- “red tape,” 40
- redundancy, 324
  - normalization and, 255
- Redundant Array of Independent Disks. *See* RAID (Redundant Array of Independent Disks)
- References permission, 226, 227
- referential integrity, 268
- regulatory requirements
  - for archiving records, 409–411
  - for security, 120–121
    - and database server infrastructure, 7
    - impact on storage, 15
- reliability of storage format, 415
- remote computers, monitoring, 94
- replication, 98, 324, 348–350
  - for archiving records, 417, 418
  - bidirectional
    - transactional, 349
  - downside of, 349
  - exam essentials, 429
  - excluding temporary files from antivirus scan, 171
  - merge, 350, 422–423
  - and network traffic analysis, 17
  - security impact, 136
  - snapshot, 422
  - strategy design, 425–428
    - exercise, 426–427
  - topology design, 418–428
    - diagrams, 425
    - factors affecting, 419
    - publisher/subscriber metaphor, 419–420
    - types, 420–423
  - topology management, 423–425
  - transactional, 47, 348–349, 421–422
- Replication Management Objects (RMO), 424
- Reporting Services, 60
  - account defaults, 163
  - default mode, 172
  - service rights needed, 168
  - user group, 161
- reserved words, 301
- Resource database, 62
- resources
  - consumption during system monitoring, 11

- multiple instances and, 59
  - optimized use, 82–83
  - replication
    - consumption, 424
  - Restore Database dialog box, 382
    - General page, 382
    - Options page, 383
  - RESTORE DATABASE statement, 380
    - STOPAT clause, 384
  - Restore permission, 226
  - restore plan, 52
  - restoring database, 379–384
    - general steps, 379–380
    - performing standard, 380–383
    - piecemeal restores, 384
    - point-in-time restores, 383–384
    - from transaction logs, 47, 376
  - RESTRICT\_USER option, for RESTORE DATABASE statement, 380
  - retention of data, and database server infrastructure, 7
  - return on investment, from consolidation, 81
  - REVERT command, 231
  - REVOKE permissions, for assemblies, 243
  - REVOKE statement, 224–225
    - for assigning permissions to user-defined role, 198–199
  - risk factor
    - for consolidation, 84
    - instability, 104
    - in security assessment, 128
  - roles
    - for Active Directory, 130
    - application, 202–203, 223
    - secure implementation, 132
    - assigning permissions to, 227
    - database, 9, 195–203
    - for log-shipping, 345–346
    - mapping database users to, 190–192
    - ownership of schema, 193
    - for permission assignments, 222
    - server, 187–189
    - for SQL Server Agent jobs, 211–212
    - sysadmin, 132
    - user-defined, 198–202
    - creating, 199–202
  - rollback
    - after deployment failure, 310
    - plan for, 311
  - ROLLBACK statement, transaction log files for, 47
  - rolling forward, 47
  - row splitting, for vertical partitioning, 261
  - row versioning for triggers, tempdb database and, 64
  - rows in database, filtering in views, 283–286
  - run book, 311
- 
- S**
- SAFE assemblies, 213
  - SAN (Storage Area Network), 101, 351
    - designing, 354–355
  - schemas, 122–123
    - creating, 194–195
    - documentation, 256–257
    - naming conventions, 299
    - partition, 260
    - security for, 192–195
  - scope creep, 107
  - scope for security, 122–123
  - secondary data files, 41, 55, 252
    - excluding files from
      - antivirus scan, 171
  - secondary database, in database mirroring, 335
  - secondary server, 324
    - for log shipping, 345
    - for reporting, 357
  - securables, 184, 224
  - Securables dialog box, 201
  - “secure by default” mode, 172
  - security
    - application migration and, 106
    - for archive data, 415
    - auditing access, 140
    - consolidation and, 80, 83
    - and database server infrastructure, 7
    - exam essentials, 142
    - gathering requirements, 120–128
      - analysis, 123–124
      - benefits, 128
      - conflicting requirements, 124–125
      - cost analysis, 125–128
      - risk factors, 128
      - scope, 122–123
    - for high availability, 135–136
    - integration with enterprise, 128–132
      - administrative security, 131–132
      - allowing impersonation and delegation, 132
      - authentication method choices, 129–130
      - implementing
        - applications
          - roles, 132
        - Kerberos, 131
        - set up with groups and roles, 130
    - mitigating server attacks, 136–139
      - backup protection, 139
      - HTTP attack
        - prevention, 139
      - preventing password cracking, 139
      - source code
        - management, 138–139
      - SQL injection
        - attacks, 138
    - .NET Common Language Runtime (CLR), 213–214, 239–243
      - creating assemblies, 240–241
      - policy development, 242–243
    - network policies impact
      - assessment, 133–134
      - ongoing reviews, 141
      - recommendations, 140–141
      - for schemas, 192–195
      - standards for, 311–312
    - security policy, for backup, 392
    - Securityadmin role, 188
    - Select permission, 226, 227

## 464 SELECT query – SQL Server 2005

- SELECT query, 281
- self-signed certificates, 156
- server-level security. *See*
  - also* roles
  - antivirus software, 170–171
  - encryption policy, 154–160
    - certificates, 156–157
    - development, 159–160
    - hierarchy, 154–155
    - performance issues, 157–159
    - symmetric and asymmetric keys, 155–156
  - exam essentials, 177
  - firewall configuration, 175–176
  - logins, creating, 184–187
  - password rules, 150–153
    - best practices, 153
    - enforcing change at next login, 152
    - expiration
      - enforcement, 152
      - policy enforcement, 151–152
  - physical security, 176
  - SQL Server service accounts, 160–170
    - changing, 166–170
    - choosing account, 163–166
    - domain user, 164–165
    - local service, 165
    - local system, 166
    - network service, 165
  - server name, preventing dependency on, 359
  - Server Network Utility, 67
  - server roles, 187–189
    - adding login to, 189
    - for database mirroring, 335
  - server-wide scope for trigger, 204
  - Serveradmin role, 188
  - servers
    - consolidation, 85
    - determining number needed, 61
    - linked, 98
    - mitigating attacks, 136–139
      - backup protection, 139
      - HTTP attack prevention, 139
      - preventing password cracking, 139
    - source code management, 138–139
    - SQL injection attacks, 138
    - need for high availability, 104. *See also* high availability technologies
    - service accounts, changing, and service master key, 154
    - Service Broker endpoints, 207, 210 and failover, 326
    - service-level agreements, creating, 96–97
    - Service Manager Utility, 67
    - service master key, 154
    - service packs for SQL Server and consolidation
      - decision, 88
      - downloading, 4
    - services, 161–162
      - disabling, 173–174
      - policies for enabling and disabling, 67
      - working with, 172–174
    - Services Control Manager (Control Panel), 167, 173
    - Setupadmin role, 188
    - SETUSER command, 228
    - shared memory, default endpoint, 208
    - shared resources, and instances consolidation, 99
    - SharePoint Portal Server, 307
    - shelf life of file storage format, 415
    - shrinking transaction log files, 49–51
    - Shutdown, in Management Studio listing, 379
    - Simple Object Access Protocol (SOAP), endpoints for, 207
    - Simple recovery model, 48–49, 389
      - comparison, 390–391
    - simulation, EXECUTE AS for batch queries, 234
    - single point of failure goal of limiting, 356
    - identification, 323–324
    - size of database
      - databases categorized by, 389
      - estimating, 43–46
    - smalldatetime datatype, 266
    - smallint datatype, 265
    - smallmoney datatype, 266
    - Snapshot Agent, 422
    - snapshot isolation, tempdb database and, 64
    - snapshot replication, 422
    - SOAP/Web Service endpoints, 209
    - social engineering, 137
    - soft costs, 79–80
    - software
      - best practices for version selection, 23–24
      - costs for, 79
    - source code
      - encryption, 207
      - managing, 138–139
      - preventing SQL injection attacks, 138
    - standards, 206
    - sp\_ prefix, 300
    - spaces in object names, 301
    - sp\_change\_users\_login stored procedure, 191
    - sp\_configure stored procedure, 4
    - sp\_helpprevlogin procedure, 106
    - sp\_unsetapprole stored procedure, 202
    - SQL injection attacks, 138
    - SQL logins, options, 150, 150
    - SQL Native Client, and mirroring, 337
    - SQL Profiler, 274, 412
    - SESSIONLOGINNAME column from, 232
    - SQL script, generating schema as, 256–257
    - SQL Server 2005
      - default instance, port, 175
      - edition choices, 26
      - hierarchy, 122
      - instances, and memory pressure, 22
      - minimum operating system required by version and edition, 24–25
      - naming structure, 192
      - server components, 60

- service executables location, 54–55
- starting automatically, 160
- SQL Server Active Directory Helper
  - account defaults, 164
  - default mode, 172
  - service rights needed, 168
  - user group, 161
- SQL Server Agent, 140, 167
  - account defaults, 163
  - default mode, 172
  - granting job roles, 211–212
  - service rights needed, 168
  - user group, 161
- SQL Server authentication, 129, 150, 184–185
  - login creation, 186
- SQL Server Browser, 167
  - account defaults, 164
  - default mode, 172
  - service rights needed, 168
  - user group, 161
- SQL Server: Buffer Manager:
  - Buffer Cache Hit Ratio counter, 90
- SQL Server: Buffer Manager:
  - Reserved Pages counter, 90
- SQL Server: Buffer Manager:
  - Stolen Pages counter, 90
- SQL Server: Cache Manager:
  - Cache Hit Ratio counter, 92
- SQL Server Configuration Manager, 67–69, 68, 167
  - Database Properties, Files page, 66, 66
  - for information gathering, 16–17, 17
  - service account changes, 162, 166, 166–170
  - for service changes, 173
- SQL Server: Databases:
  - Database Size: Tempdb counter, 92
- SQL Server: Databases:
  - Transactions/sec counter, 92
- SQL Server: General Statistics:
  - User Connections counter, 92
- SQL Server Management Studio
  - filtering in views, 283–286
  - login options, 151
- SQL Server: Memory Manager:
  - Target Server Memory (KB) counter, 90
- SQL Server: Memory Manager:
  - Total Server Memory (KB) counter, 90
- SQL Server Profiler, 274, 412
  - SESSIONLOGINNAME column from, 232
- SQL Server service, 167
  - account defaults, 163
  - default mode, 172
  - service rights needed, 168
  - user group, 161
- SQL Server service accounts, 160–170
  - changing, 166–170
  - choosing account, 163–166
  - domain user, 164–165
  - local service, 165
  - local system, 166
  - network service, 165
- SQL Server services, inventory
  - of running, 4
- SQL Server Surface Area Configuration tool, 67
- SQL Server system administrator, 185
- SQL Trace, 412
- SQL Writer
  - account defaults, 164
  - default mode, 172
  - service rights needed, 168
  - user group, 161
- SQLAgentOperatorRole, 211–212
- SQLAgentReaderRole, 211–212
- SQLAgentUserRole, 211–212
- SQLCMD tool, 310
- SqlContext.WindowsIdentity API, 241
- SQLServer: Backup Device:
  - Device Throughput Bytes/sec counter, 17
- SQLServer: Buffer Manager counter, 20–21
- SQLServer: Buffer Manager:
  - Page Life Expectancy counter, 21
- SQLServer: Database Mirroring: Bytes Received/sec counter, 17
- SQLServer: Database Mirroring: Bytes Sent/sec counter, 17
- SQLServer: Memory Manager:
  - Total Server Memory counter, 20
- SQLServer: Plan Cache counter, 19
- SQLServer: SQL Statistics counter, 19
- sql\_variant property, 267
- SSIS. *See* Integration Services of SQL Server 2005
- SSL encrypted connections, network configuration for, 134
- staffing. *See also* employees
  - during consolidation deployment, 111
- stakeholders, wants vs. needs, 411
- Standard edition of SQL Server 2005, 26
  - clustering in, 329
  - minimum and recommended RAM, 26
  - number of instances, 58
  - storage choices, 29
- standard transactional replication, 421
- standard views, 282
- standardization
  - from centralized management, 81
  - of hardware and software, 24
- standards for databases, 304–312
  - database access, 308–309
  - deployment process, 309–311
  - exam essentials, 312–313
  - security, 311–312
  - T-SQL coding standards, 305–307
    - defining, 305–307
    - documenting, disseminating, and reviewing, 307
- standby server, transaction log files for, 47
- stopped state for endpoint, 211
- storage. *See also* disk drives
  - choices, 29
  - current capacity analysis, 8–9
  - estimating database size, 43–46

## 466 Storage Area Network (SAN) – transaction log files

- planning for capacity, 44–45
- RAID (Redundant Array of Independent Disks), 45–46
- exam essentials, 70
- forecasting and planning requirements, 13–15
- estimation period, 13
- exercise, 14–15
- growth rate projection, 13–14
- highly availability, 350–355
- network requirements, 15–18
- regulatory requirements impact, 15
- SQL Server concepts, 40–43
  - data files, 41–42
  - extents, 43
  - pages, 42–43
  - transaction log files, 41–42
- for transaction logs, 46–52
- Storage Area Network (SAN), 101, 351
  - designing, 354–355
- stored procedures
  - for database access, 308
  - naming, 298
  - vs. views, for database access, 309
- stress, and disaster recovery, 396
- striping (RAID 0), 351
- striping with parity (RAID 5), 46, 352
- subscriber in replication, 419, 426
- subsystems, proxy access to, 212
- summary tables, for archive data, 414
- “sunk cost” factor, 84–85
- Surface Area Configuration Tool, 137
- surface area of attack, 80, 134
  - reducing, 129, 211
- SUSER\_NAME() function, 232
- symmetric keys, 155–156, 160, 235–236
- Sysadmin role, 132, 188
- sys.dm\_exec\_cached\_plans view, 21
- sys.dm\_exec\_query\_stats view, 21

- sys.dm\_os\_memory\_clerks view, 21
- sys.dm\_os\_memory\_objects view, 21
- sys.syscomments table, 207
- system databases
  - growth, 91
  - placement for each instance, 61–63
- system errors, tracking, 140
- System Monitor, 9, 93, 93
  - for assessing current memory usage, 20–21
  - for assessing memory requirements, 21–22
  - for current disk throughput assessment, 9–12
  - PhysicalDisk: Disk Read Bytes/sec counter, 9
  - PhysicalDisk: Disk Write Bytes/sec counter, 9

**T**

- T-SQL coding standards, 305–307
  - defining, 305–307
  - documenting, disseminating, and reviewing, 307
- tables in database, 253
  - designing, 259–270
  - estimating size, 44
  - naming conventions, 298
  - partitioning, 260–262
  - physical location, 270
  - vs. view, 281
- Tabular Data Stream (TDS) endpoint, 207
- tail-log backup, 53
- Take Ownership permission, 225
- tape-backup system, 351
- tbl prefix, 301
- TCP/IP, default endpoint, 208
- TCP ports, assigning to instances, 68
- TDS endpoint, 208–209
- team formation, for consolidation strategy, 79
- technical security, 137
- technicians, in disaster recovery contact list, 394
- technology, risk of
  - obsolescence, 23
- Tempdb.mdf database file, 61–62
  - file-growth increment, 65
  - growth, 91–92
  - performance impact of consolidation, 83, 102
  - physical location and size for each instance, 64–66
- Template Explorer, 306–307
- Templog.ldf log file, 61–62
- temporary backup device, 369
- test database, 310
  - Simple recovery model for, 389
- testing
  - database mirroring, 343–344
  - disaster recovery process, 397
  - EXECUTE AS for batch queries, 234
  - migration strategy, 358
- text datatype, 42, 267
- text/image page, 42
- thresholds, for replication, monitoring, 424
- throughput, in replication, 424
- time cost of password resets, analysis, 126–127
- timestamp datatype, 266
- tinyint datatype, 265
- Trace Properties dialog box, 275, 275
  - Events Selection tab, 234
- training, on high-availability system, 359–360
- transaction log files, 41–42, 55, 252
  - 100 percent full, 376
  - adding or enlarging, 51
  - backups, 53, 376–378
    - after database failure, 379
    - for log shipping, 344–348
  - with TRUNCATE\_ONLY clause, 385
  - clearing, 376
  - excluding files from antivirus scan, 171
  - in Simple recovery model, 389

storage for, 46–52  
 location, 52  
 managing file size, 47–51  
 monitoring log space  
 use, 49  
 shrinking file size, 49–51  
 truncating, 48  
 transactional replication, 47,  
 348–349, 421–422  
 validating, 424  
 triggers, 203–206  
 naming conventions, 299  
 policy for, 205–206  
 scope, 203–204  
 specifying events, 204–205  
 Triple DES algorithm, 154  
 trusted assemblies, 241  
 Trustworthy Computing  
 Initiative, 172  
 TRY ... CATCH constructs, 306  
 turnaround time, acceptable, for  
 archived records, 411

## U

uniform extent, 43  
 unique constraints, 263, 269  
 unique index, 262  
 uniqueidentifier datatype, 266  
 U.S. Securities and Exchange  
 Commission, 418  
 unplanned failovers, testing,  
 343–344  
 UNSAFE assemblies, 213–214  
 Update permission, 226, 227  
 UPDATE statement, indexes  
 and, 274  
 updating subscribers,  
 transactional replication  
 with, 421  
 Upgrade Advisor, 102  
 uppercase, in naming  
 conventions, 300  
 user accounts. *See also*  
 Windows user accounts  
 user-defined database role,  
 assigning permissions to,  
 223–224  
 user-defined datatypes for  
 database columns, 267  
 user-defined filegroups, 56, 270  
 user-defined functions, 306  
 naming conventions, 299

user-defined roles, 198–202  
 creating, 199–202  
 user Properties page, default  
 namespace on, 193, 193  
 user-schema separation, 193  
 user stored procedures,  
 naming, 300  
 USER\_NAME() function, 232  
 users  
 adding to fixed database  
 role, 197–198  
 concurrent, and memory  
 pressure, 23  
 lockout from full  
 transaction log, 376  
 mapping to roles, 190–192  
 orphaned, 191  
 usp\_ prefix, 300

## V

validating  
 disaster recovery plan, 399  
 replication, 424  
 value of data, databases  
 categorized by, 388–389  
 varbinary datatype, 267  
 varchar datatype, 264, 266, 267  
 vendor naming conventions, 302  
 verification of archived data, 417  
 vertical partitioning, 261  
 for articles, 419  
 very large databases  
 (VLDBs), 41  
 filegroup backups for, 378  
 VIA, default endpoint, 208  
 View Definition permission,  
 226, 227  
 views, 281–286  
 business requirements, 282  
 choosing type, 282–283  
 for data collection on SQL  
 Server memory, 21  
 for database access, 309  
 naming conventions, 298  
 row and column filtering,  
 283–286  
 vs. tables in database, 281  
 virtual log files, 47, 48  
 Visual Studio .NET 2005, 241  
 VLDBs (very large  
 databases), 41  
 filegroup backups for, 378

volumes, storing log files and  
 data files on different, 51

## W

Web Service requests, endpoints  
 for, 207  
 white papers  
 “Microsoft SQL Server  
 2000 Scalability  
 Project—Server  
 Consolidation,” 103  
 “SQL Server Consolidation  
 on a 32-Bit Platform  
 Using a Clustered  
 Environment,” 103  
 “SQL Server Consolidation  
 on the 64-Bit  
 Platform—Lessons  
 Learned,” 103  
 “Troubleshooting  
 Performance  
 Problems in SQL  
 Server 2005,” 106  
 Windows Administrators group,  
 in sysadmin role, 188  
 Windows authentication, 128,  
 150, 184–185  
 for administrators, 131–132  
 for log-record transfer, 338  
 login creation, 186  
 Windows Data Protection API  
 (DPAPI), 154  
 Windows user accounts for SQL  
 Server and SQL Server  
 Agent, 54–55  
 built-in, 163  
 witness, in database  
 mirroring, 335  
 Workgroup edition of SQL  
 Server 2005, 26  
 clustering in, 329  
 minimum and recommended  
 RAM, 27  
 number of instances, 58  
 storage choices, 29  
 wrap-around file, transaction  
 log as, 48  
 write-ahead log, 41

## X

xml datatype, 267