

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

Numbers

3D models and objects, **187**, **194**
 accessing, **213**, **213**
 composite, **201–202**, **201–202**
 coordinate systems, **188–193**, **188–193**
 crosshairs in, **31–32**, **31–32**
 curved, **211–212**, **211–212**
 flattening, **210**
 impressions, **205–207**, **205–206**
 lofting, **198–199**, **199**
 materials for, **237–239**, **237–239**
 polysolids, **195–197**, **195–197**
 primitives, **194–195**, **194–195**
 publishing DWF files, **281–282**, **282**
 snapping with, **207–208**, **207**
 subobjects, **203–205**, **203–204**
 from surfaces, **208–209**, **208–209**
 sweeping, **197–198**, **197–198**
 transforming, **200–201**, **200–201**
3DCLIP command, **223**
3DCONFIG command, **238**
3DCORBIT command, **220**
3DDWF command, **281**
3DDWFPREC system variable, **281**
3DFLY command, **224–225**
3DFORBIT command, **220**
3DMESH command, **209**
3DMOVE command, **200–201**, **204**
3DORBIT command, **220–221**
3DPOLY command, **62**
3DROTATE command, **200–201**, **203**
3DSIN command, **242**
3DSWIVEL command, **221**
3DWALK command, **224–225**

A

ACAD.CUI file, **301**
ACAD.MNC file, **291**
ACAD.MNS file, **291**
ACAD.MNU file, **291**
acaddoc.lsp file, **92**
ACI (AutoCAD Color Index), **269**

actions, **179**
 base-point independence of, **180**, **180–181**
 lookup tables, **182–184**, **182–184**
 multiple, **181–182**, **181–182**
 placeholder fields for properties, **184–186**, **185–186**
 selecting, **179**, **179**
ADCENTER command, **249**
ADCNAVIGATE command, **249**
Add-A-Plotter Wizard, **267**
additive color, **31**
ADT (Architectural Desktop) drawings, **257**
AEC (Architecture Engineering and Construction)
 objects, **257**
AECTOACAD command, **257**
ALIASEDIT tool, **29**, **122**, **253**
aliases, command, **29**, **29**
aligning
 dynamic blocks, **174–175**
 text, **113**, **113**
all selection option, **51–52**
alpha channels, **246**
anchoring dockable windows, **23–24**, **24**
angles
 in surveys, **42**, **42**
 working with, **43–44**
annotation, **89**
 attributes. *See* attributes
 fields. *See* fields
 hatches. *See* hatches
 tables, **131–133**
 text. *See* text
antivirus software, **8**, **17**
APBOX system variable, **47**
APERTURE system variable, **47–48**
apostrophes (') for transparent commands, **216**
appearance settings, **11–12**, **11–12**
Architectural Desktop (ADT) drawings, **257**
Architecture Engineering and Construction (AEC)
 objects, **257**
ARCHIVE command, **276**
arcs, **59–61**, **60**
AREA command, **100**
areas with hatches, **100**, **100**
arrows, dimension, **116**, **117**

as-built plans, 47
 ASHADE layers, 77–78
 associated actions. *See* actions
 associating text with dimensions, 116
 associative hatch patterns, 97
 at signs (@) for relative coordinates, 37
 Attach By Face method, 241
 Attach By Layer method, 240–241, 241
 Attach By Object method, 241
 attaching materials, 240–241, 241
 attachments, viruses in, 8
 ATTDEF command, 117–118, 122, 178
 ATTDIA system variable, 119
 ATTDISP system variable, 120–121
 ATTEDIT command, 122
 ATTMODE system variable, 121
 ATTREQ system variable, 119
 Attribute Extract Wizard, 121
 attributes, 117
 defining, 118, 118–119
 fields inside, 127–128, 127–128
 global, 123–124, 123
 with grips, 178, 178
 invisible, 120–121
 local, 122, 122
 prompts, 119
 synchronizing, 124, 124
 tables from, 132–133, 133
 audio, linking and embedding, 256–257, 256–257
 AutoCAD Color Index (ACI), 269
 Autocomplete feature, 28
 Autodesk-MONO.stb file, 270
 Autodesk User Group International (AUGI), 19
 Automatic Updates feature, 8
 Autosnap tooltips, 38–39, 39
 auxiliary scale for dynamic blocks, 168–169, 168–169
 AVG program, 8

B

/b startup switch, 13
 background, plotting in, 266–267, 266–267
 background images, 234–235, 235
 background masks, 126
 backups, 7
 balloon help, 252
 BASE command, 170
 base points
 for 3D objects, 198
 for actions, 180, 180–181
 for dynamic blocks, 170–173, 171–173
 BATTMAN (Block Attribute Manager), 118, 123–124
 BCOUNT command, 169
 BCYCLEORDER command, 173
 bearings, 42, 42
 BEDIT command, 118, 128, 160, 169
 binding ADT controls, 257

bitcodes
 for hatches, 94
 for snap modes, 48
 bitmaps. *See* textures
 Block Attribute Manager (BATTMAN), 118, 123–124
 BLOCK command, 118
 Block Editor
 for attributes, 118
 for nesting blocks, 163–165, 163–164
 block units, 166
 blocks
 attribute definitions in, 118, 118–119
 with attributes, exploding, 119–120, 120
 dynamic. *See* dynamic blocks
 blogs, 19–20
 BMAKE command, 155, 160, 164, 166
 BMPOUT command, 272
 Boolean operations, 201–202
 boundaries
 hatch, 96–97, 96
 pick points for, 98–99, 98–99
 BOUNDARY command
 for hatches, 98–99
 for polylines, 61
 bounded areas, pressing and pulling, 205–207, 205–206
 BOX command, 194
 boxes, 194, 194
 BPARAMETER command, 174
 BREP command, 202
 BTMARKDISPLAY system variable, 176
 bubbles, viewport, 142–144, 142–144
 buffers, selection, 51–52
 BURST command, 120
 buttons, status bar, 22, 22
 BVSHOW command, 177
 BVSTATE command, 176–178
 ByBlock property, 161–162
 ByLayer property, 161–162

C

/c startup switch, 13
 CAD Managers, 302
 calculators, 40–42, 41
 callout blocks, 151, 151
 callout bubbles, 130
 CAMERA command, 229–230
 CAMERADISPLAY system variable, 230
 cameras
 for perspective, 229–230, 230
 swiveling with, 221
 Cancel, reassigning F1 to, 293, 294
 Cartesian coordinate system, 190, 243
 case of text, 104, 104
 categories, sheet view, 150
 CELTSCALE system variable, 149
 CHAMFER command, 202

CHANGE command, 67–68, 68
 Change Case command, 104
 CHKDSK utility, 3
 CHPROP command, 68
 CHSPACE command, 146
 cleaning up
 hard drives, 7
 user interface, 22–23, 22–23
 clipboard
 for moving data between drawings, 248
 for text alignment, 113, 113
 color
 additive and subtractive, 31
 plotting, 269–271, 270–271
 quality setting, 10
 texture, 245, 245
 Comma Separated Values (.csv) files, 132
 command line
 hiding, 21–22, 21
 for restoring workspaces, 299, 299
 Command String property, 290
 commands
 aliases for, 29, 29
 customizing, 295–297, 296–297
 cycling, 28
 on palettes, 285, 286
 transparent, 216
 comments for help, 18–19, 18
 composite solids, 201–202, 201–202
 computer maintenance, 7–8
 cones, 194, 194
 constraining motion, 200
 control panels, 25
 CONVERTCTB command, 270
 converting
 DWG files, 260–261, 260
 materials, 242–243, 242
 to MTEXT, 111–112
 plot styles, 270
 polylines, 72
 surfaces and solids, 208–209, 209
 viewport layers to layer snapshots, 233, 233
 CONVERTOLDMATERIALS command, 242
 CONVERTPOLY command, 72
 CONVERTPSTYLES command, 270
 CONVTSOLID command, 208
 CONVTSURFACE command, 208
 coordinate systems, 188
 3D, 190–191, 190–191
 dynamic UCS, 192–193, 192–193
 filters for, 188–189, 189
 real-time UCS, 191–192, 191
 rotating, 44, 44
 coordinates, entering, 37
 COPYBASE command, 248
 COPYCLIP command, 248

copying
 dragging for, 66–67, 67
 for moving data between drawings, 248–250, 248–250
 COPYTLAYER tool, 80, 234
 counting dynamic blocks, 169
 crosshairs in 3D, 31–32, 31–32
 Crossing (C) option, 53
 Crossing Polygon (CP) option, 53–54
 crossing windows, 51
 .csv (Comma Separated Values) files, 132
 CUI command, 300–303, 302–303
 CUILOAD command, 302
 cursor help, 17, 17
 cursor in zooming, 217–218, 217–218
 curved objects, 211–212, 211–212
 customization group names, 301
 CUSTOMIZE command, 228, 237, 284
 customizing, 283
 enterprises, 301–303, 302–303
 hatch patterns, 100–101
 materials, 239–240, 240
 menus, 290–292, 291–292
 tool palettes, 228, 237, 284–290, 284–290
 user interface, 293–297, 294–297
 workspaces, 297–301, 298–301
 cutting for moving data between drawings, 248–250, 248–250
 cycling
 commands, 28
 insertion points, 172–173, 172–173
 objects, 54
 through tasks and documents, 14–15
 through viewports, 142
 cylinders, 195, 195
 cylindrical coordinates, 190, 190

D

Dashboard, 25–26, 25
 DBLCLKEDIT system variable, 109
 DC Online tab, 213, 213
 DDEDIT command, 122
 defaults
 attribute values, 117
 hatch patterns, 91–93, 92
 defining attributes, 118, 118–119
 DEFPOINTS layers, 77–78
 defragmenting disk drives, 2–4, 3
 degraded performance, 238
 deleting layers, 87
 DELOBJ system variable, 198, 198
 Deployment Wizard, 303, 303
 Design Review product, 262–263
 DesignCenter, 249, 249
 dialog boxes, cursor help in, 17, 17
 dictionaries, spell checker, 105, 105

- dimension arrows, flipping, **116, 117**
 - dimension styles, dragging to palettes, **288–289, 289**
 - dimensions
 - annotating. *See* text
 - associating text with, **116**
 - coordinate filters for, **188–189, 189**
 - field notes for, **47**
 - DIMREASSOC command, **116**
 - disabling snaps, **94, 94**
 - discussion groups, **19**
 - disk drives
 - cleaning up, **7**
 - defragmenting, **2–4, 3**
 - error checking, **3**
 - Diskeeper program, **4**
 - display area in fields, **125–127, 126–127**
 - Display control panel, **8–12, 9**
 - DIVIDE command, **75–76**
 - dividing objects, **75–76, 76**
 - dockable windows
 - anchoring, **23–24, 24**
 - lost, **26–27, 27**
 - documentation, layers for, **77–78**
 - documents, cycling through, **14–15**
 - double-click actions, **294–295**
 - drafting tooltips, **38, 38**
 - dragging
 - blocks to tool palettes, **287–288, 287–288**
 - dimension styles to palettes, **288–289, 289**
 - for moving and copying data, **66–67, 67**
 - for Web data, **250**
 - drawing and editing, **35**
 - angles, **43–44**
 - arcs, **59–61, 60**
 - as-built plans, **47**
 - calculators for, **40–42, 41**
 - dividing and measuring, **75–76, 76**
 - dragging for, **66–67, 67**
 - dynamic input for, **36–38, 36–38**
 - filleting, **72–73**
 - hot grips for, **69, 69**
 - layers in. *See* layers
 - offsetting, **73–75, 75**
 - overlap, **64, 64–65**
 - polylines, **61–62, 62**
 - properties for, **67–69, 68**
 - redundant lines, **76–77, 76**
 - revision clouds, **62–63, 63**
 - selections for. *See* selecting
 - sketching, **45–46, 45–46**
 - snaps in, **47–49, 48–49**
 - surveys, **42, 42**
 - tooltips for, **38–40, 38–40**
 - trimming and extending, **69–72, 71**
 - undoing, **65–66**
 - visual effects, **49–50, 50**
 - drawing web format (DWF) files
 - 3D, **281–282, 282**
 - vs. i-drop, **250**
 - in PowerPoint presentations, **259**
 - publishing, **272–274, 272–274**
 - underlay, **254, 262**
 - drawings, moving data between, **248–250, 248–250**
 - DRAWORDER command, **64**
 - drivers
 - graphics card, **8–9, 9**
 - plotter, **138, 267**
 - DSETTINGS command, **193**
 - DTEXT command, **110**
 - DTEXTED system variable, **110**
 - DUCS (dynamic user coordinate system), **192–193, 192–193**
 - DVIEW command, **227**
 - DWF files. *See* drawing web format (DWF) files
 - DWF Viewer, **262**
 - DWFATTACH command, **254**
 - DWFOSNAP system variable, **254**
 - DWG files
 - converting, **260–261, 260**
 - viewing and plotting without AutoCAD, **261–262, 261**
 - DWG TrueConvert program, **260–261**
 - DWG TrueView program, **261–262, 261**
 - DXBIN command, **115**
 - dynamic blocks, **159**
 - actions in. *See* actions
 - aligning, **174–175**
 - base points for, **170–173, 171–173**
 - counting, **169**
 - explosions in, **160–162, 160**
 - grips in, **178, 178**
 - hiding set marks, **176, 176**
 - nesting, **163–165, 163–164**
 - object visibility in, **176–178, 177**
 - properties for, **165, 165**
 - scaling, **165–169, 166–167**
 - scope of, **162–163, 162–163**
 - stretching, **173–174, 173–174**
 - dynamic input, **36–38, 36–38**
 - dynamic input tooltips, **39**
 - dynamic text editor, **110**
 - dynamic user coordinate system (DUCS), **192–193, 192–193**
- ## E
- e-Learning training, **19**
 - EATTEDIT command, **122**
 - EATTEXT command, **121, 132**
 - EDGEMODE system variable, **72**
 - edges for subobjects, **203, 203**
 - EDGESURF command, **209**
 - editing
 - attributes
 - globally, **123–124, 123**
 - locally, **122, 122**

- enlarging text for, **106–107, 106**
- MTEXT, **109, 110**
- scale lists, **141, 141**
- tool properties, **289–290, 290**
- electronic markups, **262–263, 262**
- ELEV command, 68
- ELEVATION command, 207
- elevations, orbiting in, **222–223, 223–224**
- embedding vs. linking, 255
- Enhanced Attribute Editor, 122, 122
- enlarged viewport bubbles, **142–144, 142–144**
- enlarging text, **106–107, 106**
- ENTERPRISE.CUI file, 302–303
- enterprises
 - CUI deployment, **303, 303**
 - profiles for, **302, 302**
 - workspaces for, **299–301, 300–301**
- entourage, **245–246, 246**
- Erase command, 52
- error checking disk drives, 3
- eTransmit, 103, **274–276, 275–276**
- EXPLODE command, 161, 209
- exploding
 - attributed blocks, **119–120, 120**
 - in dynamic blocks, **160–162, 160**
- exporting tables, 132
- EXPORTTOAUTOCAD command, 257
- Express Tools installation, 29
- EXTEND command, **69–72, 71**
- extending objects, **69–72, 71**
- Extensible Markup Language (XML), 293
- extents, zooming to, **218**
- external references (Xrefs)
 - framing images, 254
 - overview, **251–252, 251–252**
 - Reference Manager for, **252–253, 253**
- EXTERNALREFERENCES command, 251
- extracted attributes, 121

F

- F1 key reassignment, **293, 294**
- faces for subobjects, 203, 203
- FACETRES system variable, **211–212**
- fast selection, 54–55
- Fence (F) option, 53
- FIELD command, 126
- field notes, 47
- FIELDDISPLAY system variable, 125
- fields, **125, 125**
 - inside attributes, **127–128, 127–128**
 - display area in, **125–127, 126–127**
 - hyperlink text with, **129–130, 129–130**
 - placeholder, **184–186, 185–186**
 - for sheet templates, **153–158, 154–158**
- file format conversions, 260

- files
 - backing up, 7
 - swap, **5–6, 5–6**
 - temporary, **6–7**
- FILL command, 93
- FILLET command
 - for composites, 202
 - for revision clouds, 62
 - working with, **72–73**
- FILLETRAD system variable, 62, 73
- filling hatches, **93–94**
- FILLMODE system variable, 93
- FILTER command, **58–59, 59, 106**
- filters
 - for coordinate systems, **188–189, 189**
 - for layers, **82–84, 82–83**
- FIND command, 105–106
- finding and replacing text, **105–106, 106**
- firewalls, 8
- first-person navigation tools, **224–227, 224–226**
- fitting
 - mapping coordinates for textures, **243–244, 243–244**
 - text, **110–111, 111**
- FLATSHOT command, 210
- flattening 3D objects, 210
- flicker, 10
- flipping dimension arrows, **116, 117**
- floating palettes, **23–24, 24**
- flying navigation, **224–227, 224–226**
- font scales, embedded, 255
- fonts
 - overview, 102–103
 - setting, 11
- formulas, importing, 131
- framing images, 254
- frustrum, 194
- FSMODE system variable, 55
- function keys, **30, 30**

G

- gaps, hatch, 95
- GATTE tool, 123–124
- getenv command, 93
- GETSEL tool, 57–58
- global attributes, **123–124, 123**
- global blocks, **162–163, 162–163**
- glyphs, 229–230
- graphics card drivers, **8–9, 9**
- grids, DUCS, 193, 193
- grips
 - for 3D objects, **200–201, 200–201**
 - in dynamic blocks, **178, 178**
 - hot, **69, 69**
 - insertion point, **171–174, 171–174**
 - for polysolids, 196, 196
 - for subobjects, 203, 203

GRIPS system variable, 66
 GROUP command, 56
 group filters, 83
 Group (g) option, 54
 groups
 selecting, 56–57, 56–57, 97
 tool palette, 284–285, 284–285
 GTDEFAULT system variable, 201

H

hard disk drives
 cleaning up, 7
 defragmenting, 2–4, 3
 error checking, 3
 Hardware Certification Database, 9–10
 HATCH command, 94, 96–99
 HATCHEDIT command, 91, 97
 hatches, 90
 areas with, 100, 100
 boundaries, 96–97, 96
 customizing, 100–101
 default, 91–93, 92
 in fields, 125–127, 126–127
 filling, 93–94
 origins of, 90–91, 90–91
 pick points for, 98–99, 98–99
 selection style for, 97–98
 snaps for, 94, 94
 tolerance, 95, 95
 height style, 102–103, 102–103
 helices, 195, 195
 help, 15
 antivirus software checking of, 17
 balloon, 252
 comments for, 18–19, 18
 cursor, 17, 17
 online, 19–20, 19
 Quick Help feature, 18, 18
 search tips for, 15–16, 16
 hiding
 command line, 21–22, 21
 insertion point grips, 171–172, 171–172
 printers and paper sizes, 267–269, 268–269
 set marks, 176, 176
 hints, 150
 history for composites, 201–202, 201–202
 History property, 202
 hot grips, 69, 69
 HPGAPTOL system variable, 95, 100
 HPNAME system variable, 91–92
 HPOBJWARNING system variable, 94
 HPORIGIN system variable, 90–91
 HPORIGINMODE system variable, 90
 HPSEPARATE system variable, 96
 hyperlink text, 129–130, 129–130

I

i-drop feature, 250, 250
 icon editor, 297
 icons, customizing, 295–297, 296–297
 IMAGEFRAME system variable, 254
 images
 background, 234–235, 235
 framing, 254
 implied windowing, 50–51
 IMPLIEDFACE system variable, 207
 importing
 sheets from layouts, 151–152, 152–153
 tables, 131, 131–132
 impressions, 205–207, 205–206
 IMPRINT command, 204–205
 in-place text editor, 110
 INDEXCTL system variable, 252
 input
 command aliases, 29, 29
 crosshairs in 3D, 31–32, 31–32
 dynamic, 36–38, 36–38
 function keys, 30, 30
 mouse wheel, 32–33
 optimizing, 27–28, 28
 right mouse button, 33–34, 33
 temporary overrides, 30–31, 31
 input prompts, dynamic, 39
 INSERT command
 for basepoints, 170
 for blocks, 119, 163, 165
 for moving data between drawings, 248–249
 for tool palettes, 287
 insertion base, 170
 insertion point grips, 171–174, 171–174
 insertion points, cycling, 172–173, 172–173
 insertion scales, 165–167, 166–167
 INSUNITS command, 42, 166–167
 internal MTEXT editor, 109
 interruption, zooming without, 216–217, 216
 INTERSECT operation, 46, 201
 intolerant hatch boundaries, 95, 95
 invisible attributes, 120–121
 islands in hatches, 100
 ISOLINES system variable, 212, 212

J

JOIN command, 61
 JPGOUT command, 272
 justification, 113
 justification points, 113

L

label blocks, 151, 151
 last selection option, 51–52

- launching AutoCAD, **12–15, 13**
 - LAYDEL command, **87**
 - layer snapshots, **231–233, 232–233**
 - LAYERFILTERALERT system variable, **84**
 - layers, **77**
 - advantages and disadvantages, **86–87**
 - deleting, **87**
 - filters for, **82–84, 82–83**
 - Layer Walks, **84–85, 84**
 - for materials, **240**
 - merging, **86**
 - nonplotting, **77–78, 78**
 - searching for, **80–81**
 - tools for, **78–80**
 - translating, **85–86, 85**
 - LAYFRZ command, **79**
 - LAYISO tool, **79–80**
 - LAYLCK command, **79**
 - LAYMRG command, **86**
 - LAYOFF command, **79–80**
 - LAYON command, **79, 295**
 - LAYOUT command, **140–141**
 - /layout startup switch, **13**
 - layout views, **150**
 - layouts, **135**
 - creating, **136–137, 136–137**
 - importing sheets from, **151–152, 152–153**
 - options for, **140, 140**
 - page setups for, **137–139, 138–139**
 - templates for, **140–141, 140–141**
 - viewports. *See* viewports
 - LAYOUTWIZARD command, **136**
 - LAYTHW tool, **79**
 - LAYTRANS command, **85–86**
 - LAYULK command, **79**
 - LAYUNISO tool, **79–80**
 - LAYWALK command, **84–85, 84**
 - /ld startup switch, **13**
 - legacy 3D models, **209**
 - legacy menu items, **292, 292**
 - LENGTHEN command, **60**
 - libraries, material, **236–237, 236–237**
 - linetypes, scaling, **149**
 - linework for logos, **115, 115**
 - linking vs. embedding, **255**
 - Lisp editor, **109**
 - loading
 - profiles, **13**
 - sheet sets, **14**
 - local attributes, **122, 122**
 - local blocks, **162–163, 162–163**
 - locking
 - attribute definitions, **178, 178**
 - user interface, **26, 26**
 - viewports, **146–148, 147–148**
 - LOFT command, **198–199**
 - lofting objects, **198–199, 199**
 - logos, **115, 115**
 - lookup tables, **182–184, 182–184**
 - lost dockable windows, **26–27, 27**
 - LTSCALE system variable, **149**
- ## M
- macros
 - for buttons, **72**
 - for MTEXT width, **107–108**
 - mapping coordinates for textures, **243–244, 243–244**
 - marking with UNDO, **65–66**
 - Markup Set Manager palette, **262**
 - markups, electronic, **262–263, 262**
 - masks for fields, **126**
 - MAT command, **243**
 - matching properties, **68–69**
 - MATCHPROP command, **68**
 - MATERIALATTACH command, **240**
 - materials, **236**
 - for 3D performance, **237–239, 237–239**
 - attaching, **240–241, 241**
 - converting, **242–243, 242**
 - customizing, **239–240, 240**
 - libraries for, **236–237, 236–237**
 - MaxHatch system registry variable, **93–94**
 - maximized viewports, **148**
 - MAXSORT system variable, **81**
 - MBUTTONPAN system variable, **32**
 - MEASURE command, **76**
 - measuring objects, **75–76, 76**
 - MEE system variable, **49**
 - memory, virtual, **5–6, 5–6**
 - menu group names, **301**
 - MENULOAD command, **291**
 - menus, **290–291**
 - legacy items, **292, 292**
 - migrating, **291, 291**
 - merging layers, **86**
 - migrating menus, **291, 291**
 - .MNC files, **290**
 - .MNL files, **291**
 - .MNS files, **290**
 - .MNU files, **290**
 - Model Views tab, **151, 151**
 - modelspace, **135**
 - mouse button, right, **33–34, 33**
 - mouse wheel, **32–33**
 - MOVE command, **201**
 - moving
 - 3D objects, **200–201, 200–201**
 - data between drawings, **248–250, 248–250**
 - dragging for, **66–67, 67**
 - subobjects, **204**
 - MTEXT
 - converting to, **111–112**
 - editing, **109, 110**

- subscripts and superscripts for, **112–113**, *112–113*
- width, **107–109**, *107–108*
- MTEXT command, 102–103
- MTEXT editor, 104, 106
- MTEXTFIXED system variable, 107
- MTJIGSTRING command, 103
- Multiline Text tool, 107–108
- multiple actions, **181–182**, *181–182*
- multiple object selection, **53–54**
- multitasking hotkeys, 14

N

- named plot styles, 270
- named views, 150, **230**
- names, page setup, **137–139**, *138–139*
- nesting dynamic blocks, **163–165**, *163–164*
- NEWSHEETSET command, 152
- newsreaders, 19
- nonplotting layers, **77–78**, *78*
- nonuniform scale for dynamic blocks, **167–168**, *167–168*
- /nossm startup switch, 13
- number signs (#) for absolute coordinates, 37
- numbering text, **114–115**, *114*

O

- Object Linking and Embedding (OLE), 131, **255–257**, *255–257*
- objects
 - 3D. *See* 3D models and objects
 - cycling, 54
 - dividing, **75–76**, *76*
 - extending and trimming, **69–72**, *71*
 - overlapping, **64**, *64–65*
 - visibility of, **176–178**, *177*
 - zooming to, **218–219**, *219*
- Office, sharing data with, **259–260**, *259*
- OFFSET command, **73–75**, *75*
- OFFSETGAPTYPE system variable, 73–74
- Oldeditor MTEXT option, 109
- OLE (Object Linking and Embedding), 131, **255–257**, *255–257*
- OLESCALE command, 255
- one-button orbit command, **221–222**, *222*
- online help, **19–20**, *19*
- OPTIONS command, 300
- orbiting viewpoints, **220–223**, *220*, **222–224**
- organizing tool palettes, **286–287**, *286*
- origins of hatches, **90–91**, *90–91*
- OSMODE system variable, 48–49
- OSNAPHATCH system variable, 94
- OSNAPZ system variable, **207–208**, *207*
- OSOPTIONS system variable, 94, 193
- output images, plotting, **272**

- OVERKILL command, **76–77**, *76*
- overlapping
 - hatches, 100
 - objects, **64**, *64–65*
- overrides, temporary, **30–31**, *31*

P

- /p startup switch, 13
- page setups
 - creating, **136–137**, *136–137*
 - naming, **137–139**, *138–139*
- PAGESETUP command, 138–139, 169, 270
- palettes. *See* tool palettes
- paper sizes
 - hiding, **267–269**, *268–269*
 - in page setup, 138
- paperspace
 - saving views in, **231**, *231*
 - scaling linetypes in, **149**
- parameters for multiple actions, **181–182**, *181–182*
- Paste As Block command, 248
- Paste Special command, 256
- PASTECLIP command, 248
- PASTEORIG command, 248
- PASTESPEC command, 256
- pasting for moving data between drawings, **248–250**, *248–250*
- paths for 3D objects, 197
- PDMODE system variable, 75
- PEDIT command, 61
 - in sketching, 46
 - for solids, 208
- PEDITACCEPT system variable, 61
- people, 245–246, *246*
- perspective
 - cameras for, **229–230**, *230*
 - working in, **227**
- Photoshop, sharing data with, **258**
- pick points, **98–99**, *98–99*
- PICKADD system variable, 52–53
- PICKAUTO system variable, 50
- PICKBOX system variable, 54
- PICKDRAG system variable, 51
- PICKFIRST system variable, 50
- PICKSTYLE system variable, 57, 91, 97–98
- placeholder fields for properties, **184–186**, *185–186*
- PLAN command, 44
- PLANESURF command, 246
- plants, 245–246, *246*
- PLINE command, 290
- PLINEGEN system variable, 149
- PLOT command, 268
- plot device drivers, 138
- PLOTSTYLE command, 271
- PLOTTERMANAGER command, 115, 258

plotting, 265–266
 in background, 266–267, 266–267
 color in, 269–271, 270–271
 DWG files without AutoCAD, 261–262, 261
 hiding unused printers and paper sizes, 267–269, 268–269
 output images, 272
 PNG (Portable Network Graphics)
 files, 258
 PNGOUT command, 272
 point filters, 188–189, 189
 polar coordinate system, 190
 polylines, 61–62, 62, 72
 POLYSOLID command, 62, 195–197
 polysolids, 195–197, 195–197
 Portable Network Graphics (PNG)
 files, 258
 PowerPoint presentations, 259
 PRESSPULL command, 205–207, 205–206
 previous selection option, 51–52
 primitives, 194–195, 194–195
 Print Screen key, 272
 printers, hiding, 267–269, 268–269
 profiles
 for 3D objects, 197–198
 for enterprises, 302, 302
 loading, 13
 Project Freewheel, 254
 prompts
 attribute, 117, 119
 dynamic input, 39
 properties
 changing and matching, 67–69, 68
 for dynamic blocks, 165, 165
 placeholder fields for, 184–186, 185–186
 for tool palettes, 289–290, 290
 property filters, 82–83
 PSETUPIN command, 139
 PSLTSCALE system variable, 149
 PSTYLEMODE system variable, 270
 PSTYLEPOLICY system variable, 271
 PUBLISH command, 272–274, 281
 publishing, 272
 DWF files, 272–274, 272–274, 281–282, 282
 with eTransmit, 274–276, 275–276
 to Web, 276–280, 277–281
 PUBLISHTOWEB wizard, 276, 280
 PURGE command, 86
 pyramids, 194, 194

Q

QSELECT command, 57
 Quick Help feature, 18, 18
 quick select, 57–58
 QuickCalc calculator, 40–42, 41

R

raster devices, 266, 272
 real-time UCS (RTUCS), 191–192, 191
 reassigning F1 to Cancel, 293, 294
 reassociating text with dimensions, 116
 redundant lines, 76–77, 76
 Reference Manager, 252–253, 253
 REGEN command
 for fields, 127
 with FILL, 93
 REGION command, 46
 RENAME command, 248
 renumbering text, 114–115, 114
 replacing text, 105–106, 106
 resolution, screen, 10, 10
 restoring workspaces, 299, 299
 reusing layout templates, 140–141, 140–141
 REVCLOUD command, 62–63, 63
 reviews, electronic markups for, 262–263, 262
 revision clouds, 62–63, 63
 REVSURF command, 209
 right mouse button, 33–34, 33
 ROMANS font, 103
 ROTATE command, 201
 rotating
 3D objects, 200–201, 200–201
 base-points, 180, 180–181
 subobjects, 203
 user coordinate system, 44, 44
 RTUCS (real-time UCS), 191–192, 191
 RULESURF command, 209

S

safe computing, 7–8
 saving
 layout templates, 140–141, 140–141
 views in paperspace, 231, 231
 scale lists, editing, 141, 141
 SCALELISTEDIT command, 141
 scaling
 bitmaps, 244, 244
 dynamic blocks, 165–169, 166–167
 fonts, 255
 linetypes, 149
 mapping coordinates, 243–244, 243–244
 in viewports, 146–147
 scheduling defragmentation, 4, 4
 scope of dynamic blocks, 162–163, 162–163
 screen resolution, 10, 10
 script files, startup switches for, 13
 searching
 for help, 15–16, 16
 for layers, 80–81
 for text, 105–106, 106
 sections, orbiting in, 222–223, 223–224

- security, 8
 - SELECT command, 52
 - selecting, **50**
 - actions, **179, 179**
 - basic process, **50–51**
 - with filtering, **58–59, 59**
 - groups, **56–57, 56–57**
 - multiple objects, **53–54**
 - previous, last, and all buffers, **51–52**
 - quick, **57–58**
 - selection set additions and removals, **52–53**
 - touching objects, **54–55**
 - selection style, **97–98**
 - selections, zooming to, **218–219, 219**
 - set marks, hiding, **176, 176**
 - setenv command, 93
 - sharing data, **247**
 - with ADT, **257**
 - DWG file conversions for, **260–261, 260**
 - electronic markups, **262–263, 262**
 - external references for, **251–254, 251–253**
 - moving data between drawings, **248–250, 248–250**
 - with Office, **259–260, 259**
 - with OLE, **255–257, 255–257**
 - with Photoshop, **258**
 - viewing and plotting without AutoCAD, **261–262, 261**
 - Sheet Set Manager (SSM), **150–151, 272–274**
 - Sheet Views tab, 150, **151**
 - sheets and sheet sets, 129, 135, **149–150**
 - importing vs. creating, **151–153, 152–153**
 - loading, **14**
 - templates for, **153–158, 154–158**
 - terms for, **150–151, 150–151**
 - SHOWHIST system variable, 202
 - SHX fonts, 103
 - single-line text, **110–112, 111–112**
 - SKETCH command, 45
 - sketching, **45–46, 45–46**
 - SKPOLY system variable, 45
 - SNAPBASE system variable, 90
 - snaps
 - for hatches, **94, 94**
 - working with, **47–49, 48–49**
 - snapshots
 - design alternatives with, **234, 234**
 - layer, **231–233, 232–233**
 - SOLDRAW command, 144
 - solid objects
 - composite, **201–202, 201–202**
 - from surfaces, **208–209, 209**
 - viewports for, **144–145, 145**
 - SOLPROF command, 210
 - SOLVIEW command, 144–145
 - space, changing, **146**
 - spacebar, 217
 - spell checker, **104–105, 104–105**
 - SPELL tool, 104–105
 - spheres, 195, **195**
 - Spherical coordinates, 191
 - splash screen, 12
 - SPLINE command, 62
 - SSM (Sheet Set Manager), **150–151, 272–274**
 - startup switches, **12–15, 13**
 - status bar buttons, 22, **22**
 - stretching dynamic blocks, **173–174, 173–174**
 - STYLE command, 102
 - styles
 - cameras for, **229–230, 230**
 - color in, **269–271, 270–271**
 - design alternatives, **234, 234**
 - developing, **227–229, 228–229**
 - dimension, **288–289, 289**
 - height, **102–103, 102–103**
 - layer snapshots with views, **231–233, 232–233**
 - named views, **230**
 - saving views, **231, 231**
 - view background images, **234–235, 235**
 - STYLESMANAGER command, 270
 - SUbject (SU) option, 54
 - subobjects, **203–205, 203–204**
 - subscripts, **112–113, 112–113**
 - subsets, 150
 - SUBTRACT operation, 46, 201
 - subtractive color, 31
 - SUPERHATCH tool, 101
 - superscripts, **112–113, 112–113**
 - Support Knowledge Base, 19
 - surfaces, solids from, **208–209, 208–209**
 - surveys, **42, 42**
 - swap files, **5–6, 5–6**
 - SWEEP command, 197–198
 - sweeping objects, **197–198, 197–198**
 - swiveling viewpoints, **221**
 - symmetric stretching, **173–174, 173–174**
 - synchronizing attributes, **124, 124**
 - system printers, 267
- ## T
- /t startup switch, 13
 - TABLEEXPORT command, 132
 - tables, **131**
 - from attribute data, **132–133, 133**
 - exporting, **132**
 - importing, **131, 131–132**
 - lookup, **182–184, 182–184**
 - TABSURF command, **209**
 - tags, attribute, 117
 - tasks, cycling through, **14–15**
 - TCASE tool, 104
 - TCOUNT tool, 114
 - templates
 - for layouts, **140–141, 140–141**
 - for sheets, **153–158, 154–158**

temporary base points, **170–171, 171**
 temporary files, **6–7**
 temporary overrides, **30–31, 31**
 text, **101**
 aligning, **113, 113**
 associating with dimensions, **116**
 case of, **104, 104**
 enlarging, **106–107, 106**
 fields in, **126**
 finding and replacing, **105–106, 106**
 height, **102–103, 102–103**
 hyperlink, **129–130, 129–130**
 for logos, **115, 115**
 MTEXT
 converting to, **111–112**
 editing, **109, 110**
 subscripts and superscripts for, **112–113, 112–113**
 width, **107–109, 107–108**
 renumbering, **114–115, 114**
 single-line, **110–112, 111–112**
 spell checking, **104–105, 104–105**
 TEXTFILL system variable, **115**
 TEXTFIT tool, **111**
 TEXTSIZE system variable, **102**
 TEXTTTOFRONT command, **64**
 textures, **243**
 bitmaps for, **244, 244**
 color for, **245, 245**
 entourage, **245–246, 246**
 mapping coordinates for, **243–244, 243–244**
 TFRAMES command, **64**
 THICKEN command, **208**
 thickening surfaces into solids, **208, 208**
 TIFOUT command, **272**
 tiling, **243**
 tint for textures, **245, 245**
 title blocks for sheet templates, **153–158, 154–158**
 tolerance, hatch boundary, **95, 95**
 tool palettes, **25–26, 25, 284**
 commands on, **285, 286**
 dragging blocks to, **287–288, 287–288**
 dragging dimension styles to, **288–289, 289**
 groups, **284–285, 284–285**
 organizing, **286–287, 286**
 properties for, **289–290, 290**
 TOOLTIPMERGE system variable, **40**
 tooltips
 for cursor help, **17, 17**
 working with, **38–40, 38–40**
 topology, changing, **203**
 touching objects, selecting, **54–55**
 transforming 3D objects, **200–201, 200–201**
 transition effects, **219, 219**
 translating layers, **85–86, 85**
 transparent commands, **216**
 TRIM command, **69–72, 71**
 trimming objects, **69–72, 71**
 True Color, **269–270**

TrueConvert program, **260–261**
 TrueType fonts, **103**
 TrueView program, **261–262, 261**
 TTF fonts, **103**
 Turntable tool, **281**
 TXT font, **102–103**
 TXT2MTXT tool, **111–112**
 TXTEXP tool, **115**

U

UCS (user coordinate system), **188**
 real-time, **191–192, 191**
 rotating, **44, 44**
 UCSFOLLOW system variable, **44**
 UI. *See* user interface (UI)
 underlay files, **254, 262**
 UNDO command, **65–66**
 UNION operation, **46, 201**
 units
 block, **166**
 in surveys, **42, 42**
 UNITS command, **166**
 UPDATEFIELD command, **127**
 UPPERCASE command, **104**
 Use Flyout property, **290**
 user coordinate system (UCS), **188**
 real-time, **191–192, 191**
 rotating, **44, 44**
 user interface (UI)
 cleaning up, **22–23, 22–23**
 command aliases, **29, 29**
 command and icon customization, **295–297, 296–297**
 command line, **21–22, 21**
 Dashboard and tool palettes, **25–26, 25**
 dockable windows, **23–24, 24, 26–27, 27**
 double-click actions, **294–295**
 F1 reassignment, **293, 294**
 help, **15–20, 16–19**
 input techniques, **27–34, 28–33**
 locking down, **26, 26**
 Windows tweaking. *See* Windows tweaking
 workspaces, **20–21, 20**
 UVW space, **243–244**

V

/v startup switch, **13**
 value sets for dynamic blocks, **176**
 values, attribute, **117**
 vertices for subobjects, **203, 203**
 VIEW command, **231**
 viewing DWG files without AutoCAD, **261–262, 261**
 VIEWPLOTDETAILS command, **267**
 viewpoints
 orbiting, **220–223, 220, 222–224**
 swiveling, **221**

viewport layers, 232–233
 viewports, 141
 creating, 137
 cycling through, 142
 enlarged bubbles in, 142–144, 142–144
 locking, 146–148, 147–148
 scale lists for, 141, 141
 for solid objects, 144–145, 145
 VIEWRES system variable, 211–212
 views
 background images behind, 234–235, 235
 layer snapshots with, 231–233, 232–233
 named, 150, 230
 virtual memory, 5–6, 5–6
 virtual space, 216
 first-person navigation, 224–227, 224–226
 orbiting viewpoints, 220–223, 220, 222–224
 zooming in, 216–219, 216–219
 virus protection, 8
 visibility in dynamic blocks, 176–178, 177
 visual effects, 49–50, 50
 Visual LISP, 92–93
 visualization, 215
 materials. *See* materials
 styles. *See* styles
 textures, 243–246, 243–246
 virtual space, 216
 first-person navigation, 224–227, 224–226
 orbiting viewpoints, 220–223, 220, 222–224
 zooming in, 216–219, 216–219
 VLIDE command, 92
 VTDURATION system variable, 219
 VTENABLE system variable, 219
 VTFPS system variable, 219
 VTOPTIONS command, 219

W

walking navigation, 224–227, 224–226
 WBLOCK command, 162, 248, 287
 WCS (world coordinate system), 188
 Web design, 276–280, 277–281
 wedges, 194, 194
 wheel mouse
 system variables for, 32–33
 zooming to extents with, 218
 WHIPARC system variable, 211, 211
 WHOHAS command, 251

width, MTEXT, 107–109, 107–108
 wildcard characters
 in layer searches, 81
 in text searches, 106
 Window Polygon (wP) option, 53–54
 Windows tweaking, 2
 AutoCAD launching, 12–15, 13
 computer maintenance, 7–8
 disk drives, 2–4, 3
 Display control panel, 8–12, 9
 swap files, 5–6, 5–6
 temporary files, 6–7
 WIPEOUT command, 64
 wireframe geometry, 198
 WMFOOT command, 259
 workspaces, 20–21, 20
 CUI dialog box for, 297–298, 298
 for enterprises, 299–301, 300–301
 restoring, 299, 299
 world coordinate system (WCS), 188
 WSETTING command, 20

X

XCLIP system variable, 252
 XEDGES command, 209
 XEDIT system variable, 252
 XLOADCTL system variable, 252
 XML (Extensible Markup Language), 293
 XPLODE command, 161–162
 XREFNOTIFY command, 251
 Xrefs (external references)
 framing images, 254
 overview, 251–252, 251–252
 Reference Manager for, 252–253, 253

Z

ZOOM command, 216–217
 ZOOMFACTOR system variable, 33
 zooming
 cursor location in, 217–218, 217–218
 to extents, 218
 without interruption, 216–217, 216
 to objects and selections, 218–219, 219
 transition effect, 219, 219
 in viewports, 146–147
 ZOOMWHEEL system variable, 33