

Index

A

- <abbr> tag, 284
- absolute positioning, 18, 372
- absolute size, fonts, 288
- accessibility, 21, 511
- Accessibility preferences
 - Keep Focus In The Panel When Opening option, 95
 - Offscreen Rendering option, 95
 - Show Attributes When Inserting option, 95
- <acronym> tag, 284
- actions
 - Call JavaScript, 408
 - Change Property, 409
 - Check Plugin, 410–411
 - Drag AP Element, 411
 - Go To Timeline Frame, 423–425
 - Go to URL, 413
 - Play Sound, 415
 - Play Timeline, 423–425
 - Popup Message, 416
 - Preload Images, 416
 - Set Nav Bar Image, 417
 - Set Text of Container, 419
 - Set Text of Frame, 419
 - Set Text of Status Bar, 420
 - Set Text of Text Field, 421
 - Show Hide Elements, 421
 - Stop Timeline, 423–425
 - Swap Image, 422–423
 - Swap Image Restore, 422–423
 - Validate Form, 425
- active content directory servers
 - file servers and, 640
 - mail servers and, 640
- active content servers, directory servers and, 640
- <address> tag, 284
- Adobe connectivity, 5
- Adobe Contribute, 960–961
 - administrator settings, 963–965
 - compatibility, 962–963
 - Connection Keys, 975–977
 - Contribute Publishing Services, 977–978
 - Editing category, 968
 - File Placement, 973
 - Folder/File Access, 967
 - New Images, 974
 - New Pages, 971
 - roles, 965
 - managing, 965
 - modifying settings, 966–975
 - rollback, 978–979
 - Shared Assets, 974
 - Styles and Fonts, 970
- Ajax, 4, 24, 594
- alignment
 - AP elements
 - grid and, 388
 - guides and, 384, 387
 - ruler and, 383–384
 - images
 - horizontal, 321
 - vertical, 321
 - tables, 459
 - horizontal, 468
 - vertical, 468
 - text, 295
- Allow multiple consecutive spaces option, 83
- Always Show Tabs option, 80
- anchors, named, 351
- animation, 328
 - GIF, 328
 - timelines, 577, 586
- animation bars, timelines, 580
- AP elements, 209, 358
 - aligning
 - grid and, 388
 - guides and, 384, 387
 - ruler and, 383–384
 - background, 381
 - behaviors, 392–396
 - creating, 368–372
 - defaults, 370
 - Drag AP Element action, 411
 - dragging, 393
 - elements, adding, 389–390
 - forms, 390
 - inserting, 376
 - loading, 397
 - moving, 374
 - nested, 372
 - objects, inserting, 368–370
 - overlaps, 392

AP elements (*continued*)

- panel
 - nesting and, 383
 - properties, 382
- positioning, 359
- resizing, 374
- selecting, 373
- Set Text of Container, 394–396
- Show-Hide Elements, 396
- timelines, recording path, 586–588
- Timelines panel, 577–579
- Tracing Image, 391–392
- z-index, 381

AP elements preferences

- Background Color option, 98
- Background Image option, 98
- Nesting option, 98
- Netscape 4 Compatibility option, 98
- Visibility option, 97
- Width and Height options, 97

Appear/Fade effect, 426–427

applets (Java), adding, 198–200

application objects, 31

- record navigation and, 700–701

application variables, 662, 754

applications, previewing in browser, 725

Apply Source Formatting command, 1013

Apply Source Formatting to Selection command, 1013

ASP (Active Server Pages), 640

- connections, creating, 648–650
- DSN connections and, 646–647
- server behaviors, 1078

ASP Request variables, 754

ASP.NET

- ColdFusion and, 653
- connections, 656

Assets panel

- images, dragging from, 308, 310
- templates and, 903–906
- URLs and, 342

Assets panel, Library , 912

asynchronous actions, 594

attaching behaviors, 400

- adding behaviors, 402–403
- Behaviors panel, 401–402

attributes

- CSS, 236
 - block options, 239
 - border options, 241
 - box options, 240
 - extensions options, 245
 - list options, 242
 - positioning options, 243
 - type, 236
- Flash, 801–803
- <form> tags, 486

- images, 318
 - borders, 320
 - descriptions, 319–320
 - height/width, 318
 - lowscr, 321
 - margins, 319
 - names, 318
- Relative, 372
- replacing, 267
- templates, editable, 879–882

audio. See also sound

- ActiveX controls, 859
- digital audio files, 847
 - compressed, 849
 - formats, 848–849
- files, linking to, 853
- MP3, 851
 - encoding, 853
 - player support, 852
- podcasts, 863
 - linking to, 865
 - XML feeds, 864–865
- streaming audio, 860
 - RealAudio players, 860, 863
 - Windows Media Player, 857–858

B

background

- AP elements, 381
- images, 324–325, 328
 - frames, 561
- music, 856
- tables, 464

banner ads, 329–330

Base object, <meta> tag, 170

behaviors

- AP elements, 392–396
- attaching, 400
 - adding behaviors, 402–403
 - Behaviors panel, 401–402
- deleting, 440
- deprecated
 - Check Browser, 433
 - Control Shockwave or Flash, 434
 - Jump Menu, 436–437
 - Jump Menu Go, 436–437
 - Show Pop-Up Menu/Hide Pop-Up Menu, 435–436
- events and, 405–407
- filtered recordsets, 734
- Go To Detail Page server, 730
- Go To Related Page, 740
- incorporating, 404
- installation, 437
- introduction, 399
- JavaScript, 28

- modifying, 438
 - mouse overs, 404
 - objects and, 29
 - parameters, 438
 - Repeat Region, 692
 - rollovers and, 779–781
 - sequencing, 440
 - Server Behavior Builder, 30
 - server behaviors, 1053
 - inserting, 1055
 - parameters, 1055
 - removing, 1055
 - standard, 1056–1080
 - server-side, 26
 - timelines, 588–589
 - triggering from Flash movies, 815–817
- Behaviors panel, 401–402
- binding fields to attributes, 685
- Bindings panel, Spry data columns, 602–603
- bitmap graphics
 - jaggies, 795
 - vector graphics and, 795
- Blind effect, 427
- block elements, 252, 274
- <body> tag, 172
 - logical styles, 172–173
 - physical styles, 173
- borders
 - frames, setting, 562
 - framesets, 560
 - images, 320
 - tables, 464
-
 tag, 274
- Bridge, 790–791
- brightness, images, 314
- browser targeting, 35
- browser-safe colors, 69
- browsers
 - application preview, 725
 - frameless, 569
- building forms, 502–504
- building search page, 742–743
- bulleted lists, 519
 - symbols, 523–524
- button rollovers, 422–423
- buttons
 - Flash, 810–811
 - inserting, 810
 - Go buttons, 507
 - graphics, 530
- callables, 1074
- cascading, 211–212
- cells (tables), 444–445
 - cell padding, 465
 - header cells, 469
 - Layout mode, 475–478
 - merging, 465–466
 - properties, 468–470
 - selecting, 453
 - spacing, 465
 - splitting, 465–466
 - width/height, 469
 - wrapping, 469
- centering tables, 460
- Centering option, 84
- CFML (ColdFusion Markup Language), 640
- Change Property action, 409
- Character objects, 206
- character ranges, searches, 272
- characters
 - decimal, 205
 - named, 205
 - UTF-8 encoding, 205
- Check Browser behavior, 433
- Check In/Check Out
 - checking files in and out, 947–949
 - enabling, 946–947
 - overview, 944–945
- Check In/Check Out system, 37
- Check Plugin action, 410–411
- Check Spelling dialog box, 259
- checkboxes, 494, 744–745
- Clean Up HTML command, 1014
- Clean Up XHTML command, 1014
- clipping, 379
 - values, 380
- closing
 - Dreamweaver, 143
 - files, 143
 - framesets, 556
- code
 - blocks, modifying, 184–186
 - collapsing, 179
 - comments, 298–299
 - copying, 257
 - editing, 12
 - Find and Replace, 264–265
 - inserting
 - Snippets Panel, 187–189
 - Tag Chooser, 186–187
 - moving, 179
 - pasting, 257
 - printing, 176
 - rollovers and, 781–784
 - searches, 264
 - validation, 929–932

C

- C-level extensions, 1012
- C-level libraries, extending, 1046–1048
- Call JavaScript action, 408

- Code Coloring preferences, 109–110
- Code Format preferences, 110
 - Case Control options, 112
 - CSS Source Format, 113
 - Indent Control options, 110
 - Line Control, 112
- Code Hints, 182–184
- Code Hints preferences, 105–106
- Code inspector, 173–175
- Code Rewriting preferences, 106
 - Active Content preferences, 108
 - Fix Invalidly Nested and Unclosed Tags, 106
 - Never Rewrite Code, 108
 - Remove Extra Closing Tags, 107
 - Special Character Encoding preferences, 108
 - URL Encoding preferences, 108
 - Warn When Fixing or Removing Tags, 107
- Code view, 12, 44, 173–175
 - options, 175–176
 - printing code, 176
- code view font, 104
- codecs, 822
- Coder workspace, 39
- Coding toolbar, 55, 57, 177
 - code collapse, 177–178
 - comments, 180
 - CSS and, 180
 - highlighting code, 180
 - selecting code, 180
- ColdFusion
 - ASP.NET and, 653
 - connections, 650–658
 - JSP and, 651–653
 - ODBC and, 648
 - PHP and, 653
 - Server Debug panel, 726–728
- collapsing code, 179
- color picker, 291
- columns (framesets), 546
- columns (tables), 444
 - deleting, 463
 - headings, 446
 - inserting, 462–463
 - properties, 468–470
 - selecting, 452
- combining images, Fireworks, 778
- Command buttons, 508–509
- commands, 30, 1011–1015
 - Apply Source Formatting, 1013
 - Apply Source Formatting to Selection, 1013
 - as objects, 1022
 - blank document creation, 1024
 - calling commands, 1024
 - Clean Up HTML, 1014
 - Clean Up XHTML, 1014
 - History panel, 1026
 - menu commands, 1032
 - Optimize, 315
 - recording, 1015–1017
 - replaying, 1015–1017
 - scripting, 1018–1020
 - selecting objects, 1021
 - text selection, 1020
 - user's selection, 1020
- Commands menu, 77
- comments in code, 298–299
 - Code toolbar and, 180
- compatibility, Web pages, 933–940
- components, Flash, 803
- compressed audio files, 849
- Connection Keys, Adobe Contribute, 975–977
- connection speed, 89
- connection strings, 653–656
- connections
 - ASP, creating, 648–650
 - ASP.NET, 656
 - ColdFusion, 650–658
 - design, 659
 - DSN-less, 653–654
 - OLE DB, 655–656
 - parameters, 659
 - PHP, setup, 658
 - runtime, 659
- connectivity, 10
- container tags, 265
- containers, Set Text of Container action, 419
- contrast, images, 314
- Contribute Publishing Services, 977–978
- Control Shockwave or Flash behavior, 434
- controls
 - forms, grouping, 492
 - Timeline controls, 581–583
- converting Web pages, 928
- cookies, 662
- Copy/Past preferences, 92–93
- copying
 - code, 257
 - Office content, 276
 - from Photoshop, 768–769
 - text, 255
- cropping images, 312
- CSS (Cascading Style Sheets), 20, 24
 - applying style sheets, 219–233
 - applying styles, 213–215, 223–224
 - attributes, 236
 - block options, 239
 - border options, 241
 - box options, 240
 - extensions options, 245
 - list options, 242
 - positioning options, 243
 - type, 236

- automatically created styles, 219–220
 - box model, <div> tags, 364–366
 - cascading, 211–212
 - changing styles, 223–224
 - classes, 212
 - Code toolbar and, 180
 - creating style sheets, 219–233
 - debugging, 233
 - <div> tags, 360–361
 - editing style sheets, 230–233
 - embedded styles, 214
 - enhancements, 6
 - external style sheets, 213, 221–223
 - font size, 285–286
 - forms, 512
 - <form> tag, 513–514
 - highlighting focus, 516
 - input fields, 514–515
 - labels, 515
 - legends, 515
 - lists, 515
 - menus, 515
 - inline styles, 215
 - layout and, 27
 - layout backgrounds, <div> tags, 364
 - layout outlines, <div> tags, 366
 - layouts, applying, 367–368
 - lists and, 524
 - New CSS Rule button, 226–229
 - properties
 - grouping, 210
 - inheritance, 211
 - Property inspector, 221
 - removing styles, 223–224
 - specificity, 213
 - Spry and, 610
 - tables, centering, 460
 - CSS Styles panel, 215–218
 - CSS Styles preferences, 99–100
 - CSS-P Property inspector, 374–376
 - cursive fonts, 293
 - custom panels, 1012
 - custom tags, 1011, 1033–1035
 - customers
 - logging in existing, 757–758
 - logging out, 760
 - new, 761–762
 - restricting access, 758–760
 - cutting text, 255
- D**
- data
 - formatting, 674–675
 - new formats, 681–682
 - repeating, 692–694
 - data fields, drag and drop and, 15
 - data representation, 11
 - data sets, 597–599
 - data sources
 - deleting data, 752
 - file-based, 638
 - inserting data, 747–750
 - overview, 637
 - system-based, 638
 - updating data, 750–752
 - databases
 - fields, 638
 - filters, 639
 - flat-file, 638
 - joins, 639
 - key fields, 639
 - records, 638
 - relational, 639
 - WHERE statement, 639
 - date, 297
 - formatting, 674, 682
 - inserting, 297
 - decimal characters, 205
 - default document, new, 146
 - definition lists, 538–540
 - applying, 540
 - Delete Record server behavior, 1065
 - deleting
 - behaviors, 440
 - frames, 565
 - deprecated behaviors
 - Check Browser, 433
 - Control Shockwave or Flash, 434
 - Jump Menu, 436–437
 - Jump Menu Go, 436–437
 - Show Pop-Up Menu/Hide Pop-Up Menu, 435–436
 - descriptions, images, 319–320
 - design connections, 659
 - Design Notes, 949
 - custom, 952
 - File view columns, 954–955
 - setup, 950–951
 - status and, 951
 - viewing, 953
 - design options, site planning, 119
 - full Web design, 121
 - hierarchical model, 120
 - linear approach, 119
 - spoke-and-hub model, 120
 - design time style sheets, 248
 - Design view, 44
 - Designer workspace, 39
 - DHTML (Dynamic HTML), 24
 - digital audio files, 847
 - compressed, 849
 - formats, 848–849

- dimensions of movies, 796
 - Director
 - Flash and, 794–796
 - graphic formats, 794
 - HTML, generating, 799
 - Lingo, 794
 - directories virtual, 717
 - directory lists, 544
 - directory servers, 640
 - <div> tags, 357
 - AP elements, 358
 - CSS box model, 364–366
 - CSS layout, applying, 367–368
 - CSS layout outlines, 366
 - CSS rules, 360–361
 - inserting, 361–363
 - layout backgrounds, 364
 - placement, 360–368
 - tag and, 378
 - visualizing, 363
 - dockable panels, 70
 - groups, customizing, 74–76
 - hiding/showing, 73
 - doctype declarations, 158–159
 - Document toolbar
 - Check Browser Compatibility button, 53
 - File Management button, 51
 - Preview in Browser button, 52
 - Refresh Design View button, 52
 - Validate Markup button, 53
 - View Options button, 52
 - Visual Aids button, 52
 - Document window, 42
 - Code view, 44
 - Design view, 44
 - Live Data view, 44
 - status bar
 - Download Indicator, 49
 - Hand tool, 46
 - Select tool, 46
 - Tag Selector, 45
 - Window Size pop-up menu, 48–49
 - Zoom tool, 46
 - views, switching, 43–44
 - documents
 - default, 909
 - new, 146
 - new, 143–146
 - Office, importing, 32
 - opening in tabs, 80
 - reopening on startup, 81
 - Download Indicator, 49
 - drag and drop
 - data fields and, 15
 - Excel files, 278
 - Library items, 914
 - text, 256
 - Word files, 278
 - Drag AP element action, 411
 - dragging AP elements, 393
 - Dreamweaver
 - closing, 143
 - introduction, 9–15
 - starting, 140
 - drop-down menus
 - creating, 498
 - values, 499–500
 - DSN (Data Source Names), 644–645
 - ASP and, 646–647
 - setup, Windows systems, 644
 - DSN-less connections, 653–654
 - Dual Screen workspace, 40
 - dynamic data
 - adding, 672–673
 - viewing, 671
 - dynamic elements, server behaviors, 1069–1073
 - dynamic font technology, 812
 - dynamic form elements, 743
 - checkboxes, 744–745
 - lists, 746–747
 - menus, 746–747
 - radio buttons, 745–746
 - text fields, 743
 - dynamic images, 307, 683–688
 - dynamic media, 688–689
 - dynamic sites, setup, 641–642
 - dynamic text, inserting, 669–671
- ## E
- echoing, text fields, 489
 - Edit menu, 76
 - editable regions, templates
 - existing content and, 872–873
 - links in, 874–875
 - locks, 876
 - editing
 - code, 12
 - images, 316
 - editors
 - defining, file types, 91
 - keyboard shortcut, 1026–1028
 - effects
 - Appear/Fade, 426–427
 - Blind, 427
 - Grow/Shrink, 428–429
 - Highlight, 429
 - Shake, 430
 - Slide, 431
 - Squish, 432
 - effects (Spry), 632

- elements
 - Flash, 803
 - showing/hiding, 697–698
 - email links, 347
 - embedding
 - sound and music, 854
 - video, 835
 - empty tags, 157
 - Enable BBEdit Integration option, 90
 - Enable Double-Byte inline input option, 83
 - enctype, 488
 - entered values, 662
 - entering text, 15
 - environment customization, 17
 - event handlers, 406
 - events, behaviors and, 405–407
 - Excel files, drag and drop, 278
 - existing customers, logging in, 757–758
 - exporting XML, 987–990
 - expressions, templates, 892–901
 - extensions, 788–789
 - External Code Editor option, 90
- F**
- fantasy fonts, 293
 - fields
 - binding to attributes, 685
 - databases, 638
 - index fields, 638
 - file, 510–511
 - hidden, 510
 - file field, 510
 - file input type, 511
 - file formats
 - digital audio files, 848–849
 - compressed, 849
 - file input type, 511
 - File Management button, Document toolbar, 51
 - File menu, 76
 - file servers, 640
 - File Types/Editors preferences
 - Enable BBEdit Integration option, 90
 - External Code Editor option, 90
 - Fireworks option, 91
 - Open in Code View option, 90
 - Reload Modified Files option, 90
 - File view columns, Design Notes, 954–955
 - file-based data sources, 638
 - files
 - audio, linking to, 853
 - closing, 143
 - Excel, drag and drop, 278
 - framesets, creating, 547–549
 - opening, 140
 - Photoshop, inserting, 766–768
 - read-only, warn when opening, 81
 - saving, 142
 - server, access, 138–139
 - site cloaking, 133
 - Word, drag and drop, 278
 - XML, connections to, 597–599
 - files types, defining editors for, 91
 - filtered recordsets
 - Advanced mode, 733
 - receiving parameters, 732
 - server behaviors, 734
 - Simple mode, 732
 - filters
 - databases, 639
 - searches, 266
 - Find and Replace, 20, 260–272. *See also* searches
 - advanced options, 265–266
 - all occurrences, 262
 - attributes, 267
 - code, 264–265
 - queries, storing/retrieving, 264
 - regular expressions, 269–272
 - replacing, formatting, 263
 - tags, 267
 - Find and Replace dialog box, 260
 - Fireworks, 25–26
 - export files, 773
 - extensions, 788–789
 - graphics, optimizing, 774–775
 - image placeholders, replacing, 776–778
 - images
 - combining, 778
 - editing, 775–776
 - optimizing, 771–772
 - sliced, 784
 - source files, 773
 - Web photo album and, 785–787
 - Fireworks option, 91
 - fixed fonts, 104
 - Flash, 25–26, 793
 - attributes, 801–803
 - buttons, 810–811
 - inserting, 810
 - recordset navigation and, 704–709
 - components, 803
 - Director and, 794–796
 - elements, 803
 - adding, 807
 - HTML, integration, 803–807
 - Image Viewer
 - inserting, 804–805
 - parameters, 805–806
 - movies
 - behaviors and, 815–817
 - editing, 817
 - including, 796–798

- Flash (*continued*)
 - links, 814–815
 - scale, 802
 - parameters, 802
 - slide show, 808
 - text, 812
 - TrueType fonts, 812
 - Text object, 812
 - video
 - encoding, 822–823
 - parameters, 828
 - publishing files, 827
- Flash media, integrating, 688–689
- Flash Video, inserting, 824–827
- Flash Video Encoder, 823
- Flash Video Wizard, 823
- flat-file databases, 638
- floating panels, 30
 - custom, 1040–1042
- FLV (Flash Video) files, 822
- FLV QuickTime Export plugin, 823
- tags, 286
- Font preferences, 104
- fonts
 - assigning, 292
 - cursive, 293
 - dynamic font technology, 812
 - fantasy, 293
 - fixed, 104
 - HTML fonts, 292
 - list, editing, 294
 - monospace, 293
 - proportional, 104
 - sans serif, 293
 - selecting, 293
 - serif, 292
 - size, 285
 - absolute, 288
 - CSS and, 285–286
 - TrueType, Flash, 812
- <form> tags, 486, 513–514
 - attributes, 486
- form fields, validation (Spry), 613–622
- Form Property inspector, 487
- form variables, 662
- formats, editing, 681–682
- formatting
 - data, 674–675
 - date, 682
 - time, 682
- forms, 23
 - AP elements, 390
 - building, 495–497, 502–504
 - checkboxes, 494
 - Command buttons, 508–509
 - controls, grouping, 492
 - CSS and, 512
 - <form> tag, 513–514
 - highlighting focus, 516
 - input fields, 514–515
 - labels, 515
 - legends, 515
 - lists, 515
 - menus, 515
 - drop-down menus
 - creation, 498
 - values, 499–500
 - dynamic elements, 743
 - checkboxes, 744–745
 - lists, 746–747
 - menus, 746–747
 - radio buttons, 745–746
 - text fields, 743
 - enctype, 488
 - file fields, 511
 - graphical buttons, 509–510
 - hidden fields, 510
 - highlighting focus, 516
 - input fields, altering, 514–515
 - inserting, 487–488
 - labels, 515
 - legends, 515
 - lists, 515
 - menus, 515
 - jump menus, 504–507
 - values, 499–500
 - overview, 485–486
 - radio buttons, 494–495, 498
 - Reset button, 508–509
 - scrolling lists, 500–501
 - Submit button, 508–509
 - validating, 425
 - values, 738
 - passing multiple, 740
 - passing single, 739–740
 - passing to related page, 740–741
- frame objects, framesets and, 550
- Frame Property inspector, 562
 - borders, setting, 562
- frames
 - deleting, 565
 - modifying content, 565
 - naming, 562
 - resizing, 564
 - margins, setting, 565
 - scroll bars, 563
- frameless browsers, 569
- frames
 - background images, 561
 - borders, setting, 562

- creating
 - menus and, 553
 - mouse and, 553
 - deleting, 565
 - margins, 565
 - naming, 562
 - overview, 546
 - page properties, 561
 - resizing, 558–559, 564
 - saving, 556
 - scroll bars, 563
 - selecting, 555–556
 - Set Text of Frame action, 419
 - setup, 23
 - sizing, 546
 - targets, 567
 - updating, multiple, 567
- Frameset Property inspector, 558
- frameset borders, 560
 - resizing frames, 558–559
- framesets
- borders, 560
 - closing, 556
 - columns, 546
 - creating visually, 549
 - establishing, 557
 - file creation, 547–549
 - frame objects and, 550
 - frames, targets, 567
 - hard-coding, 549
 - overview, 546
 - resizing frames, 558–559
 - rows, 546
 - saving, 556
 - selecting, 555–556
 - targets, 566
- framework, definition, 594
- FTP, publishing Web pages and, 148–150
- FTP Log panel, 150
- FTP publishing, 36
- full-page refresh, 594
- functions, custom, triggering, 407
- ## G
- General preferences, 79
- Document Options
 - Always Show Tabs, 80
 - Open Documents in Tabs, 80
 - Reopen Documents On Startup, 81
 - Show Welcome Screen, 80
 - Update Links, 81
 - Warn When Opening Read-Only Files, 81
 - Editing Options
 - Allow Multiple Consecutive Spaces, 83
 - Centering, 84
 - Enable Double-Byte Inline Input, 83
 - Maximum number of history steps, 84
 - Show Dialog When Inserting Objects, 82
 - Spelling dictionary, 85
 - Switch to Plain Paragraph After Heading, 83
 - Use And In Place of And <i> , 83
 - Use CSS Instead of HTML Tags, 83
 - Warn when placing editable regions within <p> Or <h1>-<h6> Tags option, 84
- GIF (Graphics Interchange Format) format, 302–303
- GIF animation, 328
- Go buttons, 507
- Go To Detail Page server behavior, 730
- Go To Related Page server behavior, 740, 1062
- Go To Timeline Frame action, 423–425
- Go to URL action, 413
- graphical buttons, forms, 509–510
- graphics, 766
- buttons, 530
 - Fireworks, optimizing, 774–775
 - GIF format, 302–303
 - JPEG format, 303–304
 - jump menus and, 506
 - PNG format, 304
 - support, 21
 - vector graphics, 794
- grouping, regular expressions and, 272
- Grow/Shrink effect, 428–429
- ## H
- Hand tool, 46
- hard-coding framesets, 549
- <head> elements, 159–171
- <head> tag, code in, 1023
- headings, 251–253
- height/width, images, 318
- Help menu, 77
- hidden field, 510
- hidden input type, 510
- hidden input, 510
- Highlight effect, 429
- highlighting
- forms, 516
 - code, 180
 - preferences, 86
- History panel, 33, 257–258
- commands, 1026
- horizontal alignment, images, 321
- HTML, 13
- attributes, replacing, 267
 - Flash, integration, 803–807
 - fonts, 292
 - generating, Director, 799
 - reports, 958

HTML (*continued*)
 tags, replacing, 267
 Word HTML, importing, 278–279
 hypertext, 156
 links and, 339–346

I

<iframe> tag, 570–572
 Iframes, 570–572
 image placeholders, Fireworks, replacing, 776–778
 Image Viewer, Flash
 inserting, 804–805
 parameters, 805–806
 images
 alignment
 horizontal, 321
 vertical, 321
 altering, 311–316
 attributes, 318
 height/width, 318
 margins, 319
 names, 318
 background, 324–325, 328
 frames, 561
 borders, 320
 brightness, 314
 contrast, 314
 cropping, 312
 descriptions, 319–320
 dragging from Assets panel, 308–310
 dynamic, 307, 683–688
 editing, 316
 Fireworks
 combining, 778
 editing, 775–776
 optimizing, 771–772
 height, 318
 inline, inserting, 304–307
 jump menus and, 506
 lowscr, 321
 naming, 318
 Optimize command, 315
 optimizing, 311–316
 Photoshop, updating, 769–770
 Preload Images action, 416
 resampling, 313
 resizing, resampling, 313
 rollovers, 331–333
 Set Nav Bar Image action, 417
 sharpening, 315
 sliced, 784
 Swap Image action, 422–423
 Swap Image Restore action, 422–423
 text, wrapping around, 323
 tiling, 326
 Timelines panel, 577–579
 Web photo album, 785–787
 importing
 documents to Office, 32
 Office documents, 277
 table data, 472–473
 Word HTML, 278–279
 XML, 990
 improvements, 7–8
 indents, 273
 paragraphs, 296
 index fields (databases), 638
 inline images
 inserting, 304–306
 relative to document, 306–307
 relative to site root, 307
 input fields, altering, 514–515
 Insert bars, 31
 Insert menu, 76
 Insert Record server behavior, 1063
 Insert toolbar, 58
 ASP category, 66
 ASP.NET category, 66
 categories, 58
 CFML category, 66
 Common category, 60–61
 Data category, 62
 enabling, 59
 Favorites category, 65–66
 Forms category, 61
 JSP category, 67
 Layout category, 61
 PHP category, 67
 Spry category, 62–63
 Text category, 64–65
 XSLT category, 67
 inserting
 files, Photoshop, 766–768
 forms, 487–488
 rollovers, 779–784
 text, 255
 from other applications, 256
 text fields, 489
 interactive slideshows, 590
 interface, 15–20

J

jaggies, bitmap graphics, 795
 Java applets, adding, 198–200
 JavaScript
 behaviors, 28
 Call JavaScript action, 408
 editing, 202
 inserting, 200–201
 joins (databases), 639

JPEG (Joint Photographic Experts Group) format, 303–304
 JSP, ColdFusion and, 651–653
 Jump Menu behavior, 436–437
 Jump Menu Go behavior, 436–437
 jump menus, 504–507
 graphics and, 506

K

key fields (databases), 639
 keyboard shortcuts, 18, 1011
 editor, 1026–1028
 keyframes, 576
 keyframes, timelines, 584
 keywords, <meta> tags, 167

L

labels, forms, 515
 Layout mode
 cell properties, 479
 cells, 475–478
 column widths, 482
 introduction, 473–474
 modifying layouts, 479–483
 table properties, 480
 tables, 475–478
 Layout Mode preferences, 95–97
 layout widgets (Spry), 624–631
 legends, forms, 515
 tags, 521
 libraries
 C-level, extending, 1046–1048
 object libraries, 33
 tag, 1012
 tag libraries, customizing, 1049–1051
 Library
 adding items, 913
 applying items, 921–922
 Assets panel, 912
 building items, 917–918
 deleting items, 916–917
 drag-and-drop, 914
 editing items, 918–919
 inserting items in Web page, 914–916
 modifying items, 921–922
 moving items to new site, 914
 renaming items, 917
 repeating elements and, 912
 updating Web sites, 920–921
 Library items, 911
 line spacing, 276
 Link object, <meta> tag, 171
 links
 anchors, 348–350
 editable regions, templates, 874–875
 email links, 347

Flash movies, 814–815
 hypertext and, 339–346
 null, 351
 pod casts, 865
 Point to File icon, 344
 record navigation, 698–700
 targets, 352, 565
 to audio files, 853
 to video, 835
 underlines, 341
 updating, 81
 verification, 36, 345
 lists, 746–747
 bulleted lists, 519
 symbols, 523–524
 CSS and, 524
 definition lists, 538–540
 applying, 540
 directory lists, 544
 forms, 515
 menu lists, 543
 navigation buttons from, 529–538
 nested, 541–542
 numbered, 525
 numbered lists, number style, 528
 ordered lists
 editing, 526
 inserting, 527
 scrolling lists, 500–501
 tags
 , 521
 , 526
 , 521
 unordered lists, 519, 522
 editing, 520
 Live Data toolbar, 57
 Live Data view, 44, 671, 713
 editing in, 718
 invoking, 718
 overview, 714
 query strings, 720
 settings, 719–724
 setup, 716
 variables, 722
 loading AP elements, 397
 locking code, translators, 1045–1046
 logging in existing customers, 757–758
 logging out customers, 760
 lowscr, images, 321

M

mail servers, 640
 margins
 frames, 565
 images and, 319

- Mark of the Web code, 170
- markup elements, 156
- markup language, 156
- Master-Detail Page Set, automation, 734, 737
- Maximum number of history steps option, 84
- menu commands, 1032
- menu lists, 543
- menus, 746–747, 1011
 - accessing, 76–77
 - Commands, 77
 - drop-down, creating, 498
 - Edit, 76
 - File, 76
 - forms, 515
 - frames creation, 553
 - Help, 77
 - Insert, 76
 - jump menus, 504–507
 - Modify, 76
 - Site, 77
 - Text, 76
 - values, 499–500
 - View, 76
 - Window, 77
- menus.xml file, 1029–1032
- <meta> tag, 164–171
 - Base object, 170
 - keywords, 167
 - Link object, 171
 - Refresh object, 168
- MIDI files, 850–851
- MIME types, 814
- ML, comments, 987
- Modify menu, 76
- monospaced fonts, 293
- mouse, frames creation, 553
- mouse overs, behaviors, 404
- Move To Specific Record server behavior, 1059
- movies
 - dimensions, 796
 - Flash
 - behaviors and, 815–817
 - editing, 817
 - links, 814–815
 - scale, 802
 - including, 796–798
- MP3 format, 851
 - encoding, 853
 - player support, 852
- multiline text areas, 490–492
- multimedia, 24
- music
 - background, 856
 - embedding, 854

N

- named anchors, 348–350
 - inserting, 351
- named characters, 205
- naming
 - frames, 562
 - images, 318
- navigation bar, 333–335
- navigation buttons from lists, 529–538
- nested AP elements, 372
- nested lists, 541–542
- nesting templates, 901–903
- new customers, 761–762
- New Document dialog box, 144
- New Document preferences
 - Default Document option, 93
 - Default Document Type (DTD) option, 93
 - Default Extension option, 93
 - Encoding options, 94
 - Show New Document Dialog Box On Control+N option, 94
- new paragraph, 253
- nonbreaking space, 253
- nonmodal windows, 260
- null links, 351
- numbered lists, 525
 - number style, 528

O

- object libraries, 33
- objects
 - AP elements, inserting, 368–370
 - application objects, 31
 - behaviors and, 29
 - custom, 1012
- ODBC (Open Database Connectivity), 644
 - ColdFusion and, 648
 - data source, declaring, 646
- Office documents
 - copying, 276
 - importing, 32, 277
 - pasting, 276
- OLE DB connections, 655–656
- Open Documents in Tabs option, 80
- Open in Code View option, 90
- opening
 - documents in tabs, 80
 - new files, 140
- opening files, 140
- Optimize command, 315
- optimizing graphics, Fireworks, 774–775
- optimizing images, Fireworks, 771–772
- optional regions, templates, 888–901
 - properties, 891

- ordered lists
 - editing, 526
 - inserting, 527
- P**
- Page Properties dialog box
 - Appearance category, 160
 - Headings category, 161
 - Links category, 161
 - Title/Encoding category, 162
 - Tracing Image category, 162
- page properties, frames, 561
- pages. *See* Web pages
- panels
 - Assets
 - templates and, 903–906
 - URLs and, 342
 - CSS Styles, 215–216
 - Current mode, 217–218
 - custom, 1012
 - dockable, 70
 - groups, 74–76
 - hiding/showing, 73
 - floating, 30
 - custom, 1040–1042
 - FTP Log, 150
 - History, 33
 - commands, 1026
 - Reference, 33, 190–191
- paragraphs, 253
 - indenting, 296
 - new, 253
 - new line, 253
 - nonbreaking space, 253
- parameters
 - behaviors, 438
 - Flash, 802
 - Flash video, 828
 - passing, 730
 - URLs and, 729–737
 - RealAudio, 863
 - receiving, 732
 - Shockwave files, 798–800
 - URL parameters, 662
- partial-page refresh, 594
- passing parameters, 730
 - URLs and, 729–737
- passing values
 - from forms, 739–740
 - from forms to related page, 740–741
- password fields, 489
- Paste Special, 256
- pasting
 - code, 257
 - from Photoshop, 768–769
 - Office content, 276
 - text, 255
- Photoshop, 25–26
 - copying from, 768–769
 - files, inserting, 766–768
 - images, updating, 769–770
 - pasting from, 768–769
- PHP
 - ColdFusion and, 653
 - connections, setup, 658
- placeholder Web pages, 139
- Play Sound action, 415
- Play Timeline action, 423–425
- playing video, 836
- plugins, 19
 - Check Plugin action, 410–411
- PNG (Portable Network Graphics) format, 304
- podcasts, 863
 - linking to, 865
 - XML feeds, 864–865
- Popup Message action, 416
- positioning
 - absolute, 372
 - relative, 372
- preferences
 - Accessibility, 94
 - AP elements, 97–98
 - Code Coloring, 109–110
 - Code Format, 110–113
 - Code Hints, 105–106
 - Code Rewriting, 106–109
 - Copy/Paste, 92–93
 - CSS Styles, 99–100
 - File Types/Editors, 89–92
 - Fonts, 104
 - General, 79
 - highlighting, 86
 - invisible elements, 85–86
 - Layout Mode, 95–97
 - New Document, 93–94
 - Preview In Browser, 102–104
 - Site, 100–102
 - Status Bar, 88
 - connection speed, 89
 - window sizes, 88
 - Validator, 113–114, 930
- preformatted text, 274
- Preload Images action, 416
- Preview in Browser button, Document toolbar, 52
- Preview In Browser preferences, 102–104
- previewing Web pages, 146–148
- printing code, 176
- progressive download video, 824
- properties
 - AP elements panel, 382
 - nesting and, 383

properties (*continued*)

- Change Property action, 409
- CSS
 - grouping, 210
 - inheritance, 211
- optional regions, templates, 891
- Shockwave, 798–800
- tables, 458–470
- Web pages, 159–164
- Property Inspector, Shockwave, 798–800
- Property inspector, 31
 - coding, 1036–1039
 - color, 69
 - designing, 1039–1040
 - enabling, 67
 - filenames, browsing for, 68
 - files, selecting, 68
 - Flash objects and, 801
 - Form Property inspector, 487
 - Frame Property inspector, 562
 - borders, setting, 562
 - content, modifying, 565
 - deleting frames, 565
 - naming frames, 562
 - resizing frames, 564
 - scroll bars, 563
 - setting margins, 565
 - Frameset Property inspector, 558
 - frameset borders, 560
 - resizing frames, 558–559
 - introduction, 67
 - Point to File icon, 344
 - Quick Tag Editor, 68
 - repositioning, 68
- Property inspectors, 1012
- proportional fonts, 104
- protocols, URLs, 338
- publishing Flash video files, 827
- publishing Web pages, FTP and, 148–150

Q

- queries
 - retrieving, 264
 - saving, 264
 - storing, 264
- query strings, 720
- Quick Tag Editor, 193
 - Edit Tag mode, 197, 198
 - Insert HTML mode, 194
 - Wrap Tag mode, 195
- QuickTime, 831–832
 - movies, inserting, 836–841
 - versions, 841
- QuickTime Music, 851
- QuickTime VR (QTVR), 841–842

R

- radio buttons, 494–495, 498, 745–746
- read-only files, warn when opening, 81
- RealAudio parameters, 863
- RealMedia, 830–831, 844–845
 - inserting, 844–845
 - metafilés, 844
- record navigation
 - Application objects and, 700–701
 - links, 698–700
- recording commands, 1015–1017
- records (databases), 638
 - status, tracking, 701
- Recordset Paging server behavior, 1058
- recordsets, 637, 660
 - advanced, 663
 - building, 660–662
 - creating, 1056
 - defining, 667
 - filtered
 - Advanced mode, 733
 - receiving parameters, 732
 - server behaviors, 734
 - Simple mode, 732
 - navigation, 702
 - Flash buttons and, 704–709
- Redo, 257–258
- Reference panel, 33, 190–191
- Refresh Design View button, Document toolbar, 52
- Refresh object, 168
- regions (Spry), 600–601
 - detail regions, 623
 - repeating, 604–605
- regions, templates
 - optional, 888–901
 - properties, 891
 - repeating, 883–887
- regular expressions, 269–272
 - character position, 270
 - character ranges, 272
 - grouping and, 272
 - repeating characters, 270
 - text pattern matching system, 269
 - wildcards, 269
- relational databases, 639
- Relative attribute, 372
- relative positioning, 372
- Reload Modified Files option, 90
- Reopen Documents On Startup, 81
- Repeat Region behavior, applying, 695
- Repeat Region server behavior, 692, 1057
- repeating data, 692–694
- repeating regions, templates, 883–887
- repeating Spry regions, 604–605
- repeating tables, 885

- replaying commands, 1015–1017
- reports
 - accessing, 957
 - generating, 956–960
 - HTML, 958
 - workflow, 959
- Reset button, 508–509
- resizing
 - AP elements, 374
 - frames, 564
 - tables, 460
- restricting customer access, 758–760
- results page, searches, 755
- Rich Music Format, 851
- rollover images, 331–333
- rollovers
 - behaviors and, 779–781
 - button rollovers, 422–423
 - code and, 781–784
 - inserting, 779–784
- Roundtrip XML, 985
- rows (framesets), 546
- rows (tables), 444–445
 - deleting, 463
 - headings, 446
 - inserting, 462–463
 - properties, 468–470
 - selecting, 452
- runtime connections, 659

S

- sans serif fonts, 293
- saving
 - files, 142
 - frames, 556
 - framesets, 556
- scripting commands, 1018–1020
- scroll bars, frames, 563
- scrolling lists, 500–501
- search page, building, 742–743
- searches. *See also* Find and Replace
 - character ranges, 272
 - code, 264
 - filters, 266
 - regular expressions, 269–272
 - results page, 755
- Select tool, 46
- selecting, 18
 - AP elements, 373
 - frames, 555–556
 - framesets, 555–556
 - text, 255
- serif fonts, 292
- server, testing details, site setup, 132

- Server Behavior Builder, 30
- server behaviors, 1053
 - ASP, 1078
 - callable, 1074
 - commands, 1074
 - custom, 1082–1084
 - Delete Record, 1065
 - dynamic elements, 1069–1073
 - Go To Related Page, 1062
 - Insert Record, 1063
 - inserting, 1055
 - JSP, 1076
 - Move To Specific Record, 1059
 - parameters, 1055
 - Recordset Paging, 1058
 - removing, 1055
 - Repeat Region, 1057
 - standard behaviors, 1056–1080
 - stored procedures, 1074
 - Update Record, 1064
 - user authentication, 1066–1069
- Server Debug panel (ColdFusion), 726–728
- server side includes, 911
- Server.MapPath(), 655
- server-side behaviors, 26
- server-side includes
 - adding, 923
 - applying, 922–923
 - editing, 924
- servers
 - file access, 138–139
 - siteless server connection, 135–138
 - working directly with, 135–138
- session variables, 662, 754
- Set Nav Bar Image action, 417–418
- Set Text of Container action, 419
- Set Text of Container behavior, AP elements, 394–396
- Set Text of Frame action, 419
- Set Text of Status Bar action, 420
- Set Text of Text Field action, 421
- SGML (Standard Generalized Markup Language), 357
- Shake effect, 430
- sharpening images, 315
- Shockwave, 793
 - automatic settings, 800
 - MIME types and, 814
 - movies, including, 796–798
 - parameters, 798–800
 - properties, 798–800
- Show Dialog When Inserting Objects, 82
- Show Hide Elements action, 421
- Show Pop-Up Menu/Hide Pop-Up Menu behavior, 435, 436
- Show Welcom Screen option, 80
- Show-Hide Elements, AP elements, 396
- site cloaking, 133

- Site Definition dialog box, 123–127
- Site Definition Wizard, 123–126
- Site Map, 36
- Site menu, 77
- site planning, 118–119
 - design options, 119–121
- Site preferences, 100
 - Always Show Local/Remote Files on the Right/Left , 100
 - Dependent Files , 101
 - Firewall Host and Firewall Port options, 102
 - FTP Connection Disconnect After __Minutes Idle, 101
 - FTP Time Out, 101
 - FTP Transfer options , 102
 - Manage Sites button, 102
 - Move options, 102
 - Put options, 102
- Site Reports panel, 958
- site setup
 - local connections, 128–129
 - remote site, 129–132
 - server, testing details, 132
- siteless server connection, 135, 138
- sites
 - information management, 134
 - setup, 127
 - Site Definition Wizard, 123–126
- sizing frames, 546
- sliced images, 784
- Slide effect, 431
- slideshows, Flash, 808
 - interactive, 590
 - setup, 579–580
- Snippets Panel, 187–189
- sorting tables, 470
- sound. *See also* audio
 - embedding, 854
 - MIDI files, 850–851
 - MP3, 851
 - encoding, 853
 - player support, 852
 - Play Sound action, 415
- spacers, 95
- tag, <div> tag and, 378
- special characters, 204
 - Character objects, 206
 - decimal characters, 205
 - named characters, 205
 - UTF-8 encoding, 205
- Spell Checker, 259
- Spelling dictionary option, 85
- sprites, 794
- Spry
 - Accordian Panel, 629
 - Bindings panel, 602–603
 - Collapsible Panel, 630
 - CSS and, 610
 - data, adding, 610
 - effects, 632
 - form fields, validation, 613–622
 - introduction, 4, 594
 - menu bar, 625
 - regions, 600–601
 - detail regions, 623
 - repeating, 604–605
 - Spry Validation Checkbox, 621
 - Spry Validation Select, 619
 - Tabbed Panel, 627
 - tables, 607–609
 - text field validation, 614
 - validation
 - custom patterns, 615
 - textarea, 617
 - widgets, 612–630
 - layout widgets, 624–631
- Spry Widgets, 4
- SQL (Structured Query Language), 637
 - statements, 639
 - advanced, 662–666
- Squish effect, 432
- SSI (server-side includes)
 - adding, 923
 - applying, 922–923
 - editing, 924
 - variables, 923
- standard actions, 408
 - Set Nav Bar Image, 418
- Standard toolbar, 54
- starting Dreamweaver, 140
- status bar
 - Download Indicator, 49
 - Hand tool, 46
 - preferences, 88
 - connection speed, 89
 - window sizes, 88
 - Select tool, 46
 - Set Text of Status Bar action, 420
 - Tag Selector, 45
 - Window Size pop-up menu, 48–49
 - Zoom tool, 46
- Stop Timeline action, 423–425
- stored procedures, 1074
- streaming, RealMedia, 844–845
- streaming audio, 860
 - RealAudio players, 860–863
- streaming media
 - QuickTime, 831–832
 - RealMedia, 830–831
 - Windows Media, 832
- streaming video, 824
- strings, URL encoded, 720
- Style Rendering toolbar, 55
- styles, text, 281–283

Submit button, 508–509
 Swap Image action, 422–423
 Swap Image Restore action, 422–423
 swc file extension, 803
 swf file extension, 803
 Switch to plain paragraph after heading option, 83
 symbols, 204
 system-based data sources, 638

T

<table> tag, 444
 tables, 22
 alignment, 459
 horizontal, 468
 vertical, 468
 attributes, copying, 456
 backgrounds, 464
 borders, 464
 cells, 444–445
 cell padding, 465
 header cells, 469
 merging, 465–466
 properties, 468–470
 selecting, 453
 spacing, 465
 splitting, 465–466
 width/height, 469
 wrapping, 469
 centering, 460
 color, 470
 columns, 444
 deleting, 463
 headings, 446
 inserting, 462–463
 properties, 468–470
 selecting, 452
 contents, copying, 456–457
 converting to AP elements, 928
 copying in, 456
 cutting in, 456
 editing contents, 454–457
 elements
 Expanded Tables mode, 451–452
 selecting, 451–454
 Expanded Tables mode, 451–452
 importing data, 472–473
 inserting, 446–449
 Layout mode, 475–478
 moving through, 454
 pasting in, 456
 properties, 458–466
 repeating, 885
 resizing, 460
 rows, 444–445
 deleting, 463
 headings, 446
 inserting, 462–463
 properties, 468–470
 selecting, 452
 selecting entire table, 452
 sorting, 470
 Spry, 607–609
 tabs, showing/hiding, 80
 Tag Chooser, 13, 186–187
 Tag Completion, 184
 Tag inspector, 13, 192
 tag libraries, 1012
 customizing, 1049–1051
 Tag Selector, 45
 tags, 156
 <abbr>, 284
 <acronym>, 284
 <address>, 284
 <body>, 172
 logical styles, 172–173
 physical styles, 173

, 274
 custom, 31, 1011, 1033–1035
 <div>, 357
 , 286
 <form>, 486, 513–514
 <head> code in, 1023
 <iframe>, 570–572
 , 521
 <meta>, 164–171
 , 526
 replacing, 267
 <table>, 444
 text styles, 283
 , 521
 targeting links, 352
 targets
 framesets, 566
 links, 565
 templates, 34
 applying, 905
 Assets panel, 903–906
 attributes, editable, 879–882
 blank, 904
 content, adding, 876–878
 creating, 871
 deleting, 905
 editable attributes, 870
 editable regions, 870–875
 links in, 874–875
 locking, 876
 expressions, 892–901

- templates (*continued*)
 - introduction, 869
 - markup
 - deleting, 908
 - deleting individually, 908
 - exporting site without, 908
 - nesting, 901–903
 - opening, 905
 - optional regions, 870
 - regions
 - options, 888–901
 - repeating, 883–887
 - repeating regions, 870
 - updating, 907
 - Web pages, converting, 878
- text
 - alignment, 295
 - block elements, 252
 - blocks, moving, 255
 - copying, 255
 - cutting, 255
 - drag and drop, 256
 - dynamic, inserting, 669–671
 - Find and Replace, 260–272
 - Flash, 812
 - Text object, 812
 - TrueType fonts, 812
 - headings, 251–253
 - History panel, 257–258
 - hypertext, 156
 - images, wrapping around, 323
 - indents, 273
 - inserting, 255
 - from other applications, 256
 - markup elements, 156
 - markup language, 156
 - paragraphs, 253
 - pasting, 255
 - preformatted, 274
 - Redo, 257–258
 - selecting, 255
 - styles, 281–283
 - support, 21
 - tags, 156
 - Undo, 257–258
- text editors, 11
- text entry, 15
- text fields, 489, 743
 - inserting, 489
 - multiline text areas, 490–492
 - password fields, 489
- Text menu, 76
- text pattern matching system, regular expressions as, 269
- Text Property inspector, 15
- tiling images, 326
- time, formatting, 682
- Timeline controls, 581–583
 - Autoplay, 582
 - Back, 582
 - Loop, 583
 - Play, 582
 - Rewind, 582
- timelines, 423–425, 575
 - animation, speed, 586
 - animation bars, 580
 - animations and, 577
 - AP elements, path, recording, 586–588
 - behaviors, 588–589
 - editing, 580–584, 587–588
 - guidelines for, 576
 - implementation, 575
 - keyframes, 576, 584
 - roles, 576
- Timelines panel, 577
 - Add Keyframe command, 584
 - AP elements, 577–579
 - elements, removing, 585
 - images, 577–579
- toolbars
 - Coding, 55–57, 177
 - code collapse, 177–178
 - comments, 180
 - CSS, 180
 - highlighting code, 180
 - selecting code, 180
 - custom, 1012
 - Document, 50
 - Check Browser Compatibility option, 53
 - File Management button, 51
 - Preview in Browser button, 52
 - Refresh Design View button, 52
 - Validate Markup option, 53
 - View Options button, 52
 - Visual Aids button, 52
- Insert, 58
 - ASP category, 66
 - ASP.NET category, 66
 - categories, 58
 - CFML category, 66
 - Common category, 60–61
 - Data category, 62
 - enabling, 59
 - Favorites category, 65–66
 - Forms category, 61
 - JSP category, 67
 - Layout category, 61
 - PHP category, 67
 - Spry category, 62–63
 - Text category, 64–65
 - XSLT category, 67

- Live Data, 57
- Standard, 54
- Style Rendering, 55
- Tracing Image, 391–392
- translators, 1012, 1042–1043
 - locking code, 1045–1046

U

- tags, 521
- underlines, links, 341
- Undo, 257–258
- unordered lists, 519, 522
 - editing, 520
- Update Links option, 81
- Update Record server behavior, 1064
- updating
 - frames, multiple, 567
 - images, Photoshop, 769–770
 - links, 81
 - templates, 907
- URL encoded strings, 720
- URL parameters, 662
- URLs
 - absolute addresses, 345
 - Assets panel and, 342
 - document-relative addresses, 345
 - Go To URL action, 413
 - introduction, 337
 - passing parameters, 729–737
 - protocols, 338
 - site-root-relative addresses, 345
 - values, passing to related page, 740–741
- Use And In Place of And <i> option, 83
- Use CSS instead of HTML option, 83
- user authentication, server behaviors, 1066–1069
- UTF-8 encoding, 205

V

- Validate Form action, 425
- validation
 - code, 929–932
 - form fields, Spry, 613–622
 - forms, 425
 - text fields, Spry, 614
 - textarea, Spry, 617
 - Web pages, 203–204, 932
- Validator preferences, 113–114, 930
- values
 - drop-down menus, 499–500
 - forms, 738
 - passing multiple, 740
 - passing single, 739–740
 - passing to related page, 740–741

- URLs, passing to related page, 740–741
- variables
 - application variables, 662, 754
 - ASP Request variables, 754
 - Live Data, 722
 - session variables, 662, 754
 - SSI (server-side includes), 923
- VBScript
 - editing, 202
 - inserting, 200–201
- vector graphics, 794
 - bitmap graphics and, 795
- verification
 - links, 345
- vertical alignment, images, 321
- video
 - clips, 833
 - formats, 833
 - embedding, 835
 - encoding, 822–823
 - Flash
 - inserting, 824–827
 - parameters, 828
 - publishing files, 827
 - introduction, 821
 - links to, 835
 - playing, 836
 - progressive download, 824
 - streaming, 824
- View menu, 76
- View Options button, Document toolbar, 52
- virtual directories, creating, 717
- Visual Aids button, Document toolbar, 52
- visual editors, 11
- Visual SourceSafe (VSS), 980–981
- VSS (Visual SourceSafe), 980

W

- Warn When Opening Read-Only Files option, 81
- Warn when placing editable regions with <p> or <h1>-<h6> tags option, 84
- Web 2.0, introduction, 4
- Web Distributed Authoring and Versioning (WebDAV), 981–982
- Web pages
 - compatibility, 933, 937–940
 - converting, 36, 928
 - creating, 139–143
 - inserting Library items, 914–916
 - placeholder pages, 139
 - previewing, 146–148
 - properties, 159–164
 - publishing, FTP and, 148–150
 - saving, 139–143
 - tables, inserting, 450

- Web pages (*continued*)
 - templates, converting to, 878
 - validation, 203–204, 932
 - Web photo album, 785–787
 - Web sites
 - libraries and, 920–921
 - maintenance tools, 14
 - WebDAV (Web Distributed Authoring and Versioning), 981–982
 - Welcome screen, showing, 80
 - WHERE statement, databases, 639
 - wildcards, 269
 - Window menu, 77
 - Window Size pop-up menu, 48, 49
 - windows
 - Document
 - Download Indicator, 49
 - Hand tool, 46
 - Select tool, 46
 - status bar, 45
 - Window Size pop-up menu, 48, 49
 - Zoom tool, 46
 - Document window, 42
 - Code view, 44
 - Design view, 44
 - Live Data view, 44
 - views, switching, 43, 44
 - sizes, 88
 - Windows Media, 832
 - Windows Media Player, 857–858
 - wizards
 - Flash Video Wizard, 823
 - Site Definition Wizard, 123–126
 - Word files, drag and drop, 278
 - Word HTML, importing, 278–279
 - workflow reports, 959
 - workspace
 - Coder, 39
 - Designer, 39
 - Dual Screen, 40
 - layout, 39–41
 - default, 39
 - wrapping text around images, 323
- X**
- XHTML (Extensible HyperText Markup Language), 20, 157
 - DTDs, 157
 - empty tags, 157
 - XML (Extensible Markup Language)
 - document type declarations, 987
 - elements, 986
 - entity references, 986
 - exporting, 987–990
 - files
 - building, 990
 - connections to, 597–599
 - importing, 990
 - integration, 27
 - introduction, 985–987
 - marked sections, 987
 - processing instructions, 987
 - Roundtrip XML, 985
 - Spry integration, 596
 - XML feeds, pod casts, 864–865
 - XPath Expression Builder, 996
 - XSL (Extensible Stylesheet Language), 991–992
 - filtering data, 996
 - fragments, 992–1001
 - styling, 999
 - Web pages, 1000
 - pages, building, 1001–1003
 - repeating data, 994
 - XSLT (Extensible Stylesheet Transformation), integration, 27
- Z**
- z-index, AP elements, 381
 - Zoom tool, 46