

# Index

- adolescents 6, 8–9
- advanced directives 84–5, 101
- age at first symptoms 6
- aggressiveness 97
- agranulocytosis 65–6
- akathisia 62
- alcohol 70–1
  - see also* substance misuse
- amenorrhea 64
- anticholinergic side effects 63
- antipsychotic medication 57, 58–75
- arrhythmia of the heart 64
- assertiveness 20, 97–8
- atypical antipsychotic medication 58, 65–6
- auditory hallucinations 4, 9, 42, 44–6, 88–90
  
- behaviour changes 51, 82, 100
- beliefs *see* delusions
- blood pressure 63, 66
- blood tests 65
- blurred vision 63
- boyfriends 102–6
- brain 25, 33–5
- brain chemicals 34–5, 58, 63, 71
  
- caffeine 71
- cannabis 25
- causes of schizophrenia 15–29, 34–5
- CBT *see* cognitive behavioural therapy
- celebrities 36–7, 79
- challenge of schizophrenia 79
- changing your responses/outcomes 20–2
- children of schizophrenic parents 16–17, 106
- cigarettes 71
- clozapine 65–6
- cognitive behavioural therapy (CBT) 57–8
- compulsory hospital admission 73, 101
- concentration 51
- confidence 92–9
- constipation 63, 67
- control
  - by outside forces 40, 48
  - of your illness 79–80, 104
- coping strategies
  - delusions 90–2
  - hearing voices 88–90
  - relapse drill 86–7
  - stress 19, 20–3
- cure for schizophrenia 57, 69, 75
  
- delusions 40
  - of control 48
  - coping strategies 90–2
  - dopamine 34
  - grandiose 49
  - paranoid/persecutory 27, 49–50, 90, 92
  - of reference 47–8
  - somatic 48
- denial of illness 11, 28–9, 67, 88
- depot injections 60
- depression 3–4, 27
- detaining in hospital 73, 101
- deterioration of psychosis *see* relapses
- diagnosis 6–9, 10–11, 40
  - disagreement 11, 28–9, 67
- diaries 24
- diet 62, 63, 67
- Disability Discrimination Act (1995) 95
- distraction activities 90, 91
- dizziness 63, 66
- doctors *see* professionals
- domestic tasks 51, 95–6
- dopamine 34–5, 58, 63
- drowsiness side effects 62
- drugs *see* illegal drugs; medication; substance misuse
- dry mouth 67
- dual diagnosis (schizophrenia/substance misuse) 29
  
- early warning signs of relapse 80–3
- emotions
  - at diagnosis 10
  - changes 83
  - families of patients 99–100
  - negative symptoms 51
  - stressful situations 21–2
- employment law 95
- endorphins 71
- extrapyramidal side effects (EPS) 62–3
  
- false alarms 84
- families 99–102
  - beginning of illness 9
  - hospital admission 101
  - inheriting schizophrenia 16–17, 34
  - negative symptoms 51, 100
  - psychological family work 57–8
  - relapse strategies 101–2

- families (*Continued*)  
 relationships link to schizophrenia 35, 99  
 substance misuse effects 27, 100  
 supporting you 22, 100, 101–2  
 understanding schizophrenia 9–10, 100–2
- famous people 36–7, 79
- fear 7–8, 40, 41
- feelings *see* emotions
- fever side effects 66
- financial issues 95
- flu-like symptoms 66
- friends 20–1, 22, 27, 93, 99, 102
- gender differences 6
- genetic make-up 34
- girlfriends 102–6
- glucose tolerance impairment 64
- goals 97
- God *see* religious experiences
- grandiose delusions 49
- hallucinations 4, 40, 42–6  
 auditory (voices) 4, 9, 42, 44–6, 88–90  
 dopamine 34  
 gustatory (taste) 43  
 leading to delusions 47  
 olfactory (smell) 43  
 tactile (touch) 43  
 visual 43
- harming others 72
- having children 17, 106
- headaches 64
- hearing voices 4, 9, 42, 44–6, 88–90
- heart palpitations 64
- helpful coping strategies 20–3, 88–92
- hereditary factors 16–17, 34
- hobbies 51, 94
- hospital admission 73, 101
- humour 21
- hypersalivation 66
- hypotension 63, 66
- identical twins 16
- illegal drugs 25–9, 70–1  
*see also* substance misuse
- impaired glucose tolerance 64
- impotence (sexual dysfunction) 65, 106
- inheritance 16–17, 34
- injections 60
- insomnia 27
- intelligence 35
- intimate relationships 65, 102–6
- keeping busy 91, 94–5
- keeping well 57–8, 68–70, 74–5, 78–99
- “laziness” 51
- looking after yourself 41, 51, 95–6
- losing touch with reality 41, 42, 73, 88
- loving relationships 102–6
- low blood pressure 63, 66
- “madness” 4, 7
- manic depression 3–4
- marriage/intimate relationships 102–6
- medication 55–75  
 benefits 68–9, 75  
 mode of action 34, 58  
 risks of not taking 67–8, 70, 72–3, 75  
 side effects 57, 60–7, 68
- menstrual problems 64
- Mental Health Act (1983) 73
- mixing with people 93
- motivation 41, 51, 79, 100
- movement disorders 63
- negative attitudes to schizophrenia  
 4–5, 51, 100, 103
- negative symptoms 41, 51, 58, 100
- negative thoughts 20–1
- nerve cells 33–4, 58
- “nervous breakdowns” 4
- neurosis 3
- neurotransmitters 34–5, 58, 63, 71
- neutropenia *see* agranulocytosis
- numbers of sufferers 5–6
- nurses 20, 21, 22
- olfactory hallucinations 43
- orphenadrine 62, 66–7
- orthostatic hypotension 66
- other people’s reactions 9–10, 102–3  
*see also* families
- over-protective families 100
- palpitations 64
- paranoia 27, 49–50, 90, 92
- Parkinsonism 63
- partners in intimate relationships 102–6
- passivity experiences 40, 48
- period problems 64
- persecution feelings  
 27, 49–50, 90, 92
- personality 35
- physical illness 4, 7, 17, 18, 106
- physical symptoms 22, 48, 61–7
- positive symptoms 41, 42–51, 58, 88–92
- positive thoughts 20–1
- prevalence 5–6
- problem solving 95
- procyclidine 62, 66–7
- professionals 7–8, 20, 21, 22, 86, 88
- propranolol 62
- psychological treatments 57–8
- psychosis 3–4  
*see also* symptoms

- radio voices 45, 47  
rashes 64  
reality confusion 41, 42, 73, 88  
*see also* delusions  
rebuilding your life 69, 79, 92–9  
relapse drill 86–7, 101  
relapses 78–92  
  early warning signs 80–3  
  illegal drugs 71  
  prevention 57, 69, 86–8  
  stopping medication 67–8, 74  
  stress 19–20  
  substance misuse 27  
relapse signature 80–3, 85  
relationships (intimate) 65, 102–6  
*see also* families; friends  
relaxation techniques 22, 87, 90  
releasing tension 22  
religious experiences 43, 47, 48, 49, 91  
restlessness 27, 62  
rights 95, 98  
risks  
  family history 16  
  psychotic symptoms 72  
  substance misuse 25, 27
- schizo-effective disorder 4  
sectioning (compulsory hospital admission) 73, 101  
seizures 66  
self care 41, 51, 95–6  
self esteem 92–9  
self-harming 72  
self-talk/self-calming 20–1  
serotonin 58  
sexual relationships 65, 106  
side effects of medication 60–7, 68  
skin rashes 64  
smell (olfactory) hallucinations 43  
smoking 71  
somatic delusions 48  
sound *see* auditory hallucinations  
“spied on” feelings 45, 47, 49  
spirit world 45  
*see also* religious experiences  
“split personality” 4, 5  
strange ideas *see* delusions  
stress 17–24  
  causes of 17–18  
  diaries 24  
  effects of 18  
  helpful coping strategies 20–3  
  schizophrenia relationship 17–20, 84  
  unhelpful coping strategies 19, 23
- substance misuse  
  cannabis 25  
  causing psychotic symptoms 4, 25, 26, 27, 28  
  effects on families 27, 100  
  medication interaction 70–1  
  reasons to say “no” 27–9  
  schizophrenia relationship 25–9, 34  
  stress response 19, 23  
supervised discharge 73  
suspicion *see* paranoia  
symptoms 4, 40–52  
  beginning of illness 6, 8–9  
  coping strategies 88–92  
  delusions 46–51  
  diagnosis 7–9  
  discussing 7–8  
  early warning signs 80–4  
  hallucinations 40, 42–6  
  negative 41, 51, 58, 100  
  positive 41, 42–51, 58, 88–92  
  risks 72  
  substance misuse relationship 25, 26, 27, 28  
synapses 34
- tactile hallucinations 43  
tardive dyskinesia 63  
taste hallucinations 43  
teenagers 6, 8–9  
television voices 45, 47  
tension release 22  
tests 6–7, 65  
thirst 64  
thoughts 20–1, 81  
*see also* delusions  
tobacco 71  
treatment 55–76  
triggers 19, 20, 34, 84  
TV voices 45, 47  
typical antipsychotic medication 58
- unhelpful coping strategies 19, 23  
urination (excessive need) 64
- violence 4, 5  
vision blurring 63  
visual hallucinations 43  
voices 4, 9, 44–6, 88–90
- weakness 64  
weight gain 62  
white blood cells 65  
withdrawal 40, 51  
working 95  
worrying ideas *see* delusions