

# INDEX

## A

- Abiotic elicitors, 231
- Abiotic stresses, 231
- Accelerated solvent extraction (ASE), 70
- Accumulation rate, 32
- Acetic acid, 127
- Acetonitrile (AcN), 127, 262
- Acetyl-CoA, 28
- Acid profiling, 257
- Acidic extraction, 66
- Actin, 58
- Activator(s), 28, 42
- Adduct formation, 272
- Adenosine triphosphate (ATP), 28, 34, 222
- Advance warning system, 256
- Aerobic conditions, 195
- Agt. *See* Alanine:glyoxylate aminotransferase reaction, 201
- Agt-encoding gene, 201
- Alanine:glyoxylate aminotransferase (Agt), 198
- Algae, 216
- Algorithms, 153, 163, 178
  - alignment, 163
  - asymmetric, 165
  - baseline correction, 158
  - development, 135
  - dynamic programming, 166
  - genetic, 259, 163
  - linear background estimation, 160
  - symmetric, 165, 172, 183, 184
- Alkaline extraction, 66
- Alkaloids, 24
- Allelopathic agents, 223
- Allosteric control, 28
- Allosteric regulation, 28
- Allosteric sites, 28
- Alzheimer's disease, 264
- AMDIS, 167, 226, 227, 269
- Amino acid metabolism, 278
- Ammonia, 22, 127, 134, 258
- Amplitude
  - of vibrations, 67
- Amyloplast, 31
- Anabolism, 17
- Anaerobic conditions, 195

- Analysis, 194
    - of biofluids, 257
    - of blood, 262
    - of hormones, 33
    - of plant metabolites, 217
    - of qualitative data, 148
  - Analyte, 72
  - Analyte coelution, 272
  - Analytical, 4
    - approach of metabolomics, 226
    - chemistry, 129
    - instruments, 157, 255
    - mass spectrometers, 134
    - method, 41, 150
    - methodology(ies), 194, 221
    - methods, 150
    - protocol, 125
    - technique(s), 25, 72, 194
    - technologies, 217
    - tools, 83, 217
    - work-flow, 125
  - Analyzer, 83
  - AnalyzerPro, 185
  - Anatomy, 216
    - plant tissues, 221
  - Angle, 175
  - Animal, 66
    - tissue, 50, 71
  - Anticoagulant, 262
  - APCI. *See* Atmospheric pressure chemical ionization
  - Apolastic, 72
  - Apoplast, 231
  - Apoplastic stream, 30
  - APPI. *See* Atmospheric pressure photo ionization
  - Applications, 277
    - of metabolomics approaches, 229
  - Approximation coefficients, 163
  - Arabidopsis thaliana*, 26, 218
  - Arabidopsis thaliana* metabolic pathways (AraCyc), 229
  - ArMet project, 147
  - Aromatic alcohols, 57
  - Array, 153
  - ASE. *See* Accelerated solvent extraction
  - Asymmetric algorithm, 165
  - Atmospheric pressure chemical ionization (APCI), 115
  - Atmospheric pressure photo ionization (APPI), 115
  - ATP. *See* Adenosine triphosphate
  - Attribute, 148
  - Aurantiamine, 246
  - Automated
    - chromatogram evaluation, 185
    - (computer-aided) techniques, 203
    - pattern recognition methods, 163
  - Automatic kernel carpentry, 155
  - Automation, 185, 213
  - Autotrophic, 222
  - Auxotrophs, 253
  - Average intensity, 151
  - Axial diffusion
    - along the column, 89
- B**
- Bacillus subtilis*, 47, 196
  - Background, 157
  - Back-pressure regulator, 98
  - Bacteria, 53
  - Bacterial cells, 46
  - Baker's yeast, 25
  - Balanced steady-state culture, 213
  - Ball mill, 71
  - Ballotini
    - beads, 67
    - glass beads, 71
  - Band broadening effects, 96
  - Bare silica, 104
  - Base peak chromatogram (BPC), 131
  - Baseline
    - corrected profile, 159
    - correction, 157
    - correction algorithms, 158
    - variations, 157
  - Basics of chromatography, 87
  - Benson, Andrew, 217
  - Benzene ring, 144
  - $\beta$ -glucan polymers, 56
  - $\beta$ -1,4 glycosidic bonds, 54
  - $\beta$ -1,6 glycosidic bonds, 55
  - $\beta$ -1,3 glycosidic bonds, 55
  - Between-group
    - covariance, 172
    - variance, 172
  - Bin width, 157

- Binary (dis)similarity measures, 177
  - Binary functions, 176
  - Binary response variables, 177
  - Binary variable, 176
  - Binning, 157
    - approach, 249
    - principle, 150
  - Biochemical, 7
    - information, 7
    - oxidations, 28
    - pathway map, 229
    - reaction network, 32
    - techniques, 217
  - Biochemistry, 191, 203, 256, 278
  - Bioelements, 133, 246
  - Biofluids, 51, 255, 260
    - constituents, 257
  - Bioinformaticians, 13
  - Bioinformatics, 4
  - Biological, 3
    - fluids, 275
    - materials, 67
    - matrices, 39, 70
    - public domain, 227
    - replicates, 260
    - sample(s), 52, 260
    - system(s), 3, 32
  - Biology, 3
  - Biomarker identification, 278
  - Biomass, 44
    - separation, 43
    - synthesis, 16
  - Biomolecules, 133
  - Biopolymers, 8
  - Biopsies, 260
  - Bioreactor(s), 76, 203, 209
  - Bioscope, 212
  - Biosynthesis
    - from glycine, 196
    - of membrane proteins, 195
  - Biosynthetic, 34
    - intermediates, 34
    - pathways, 221
    - reaction, 201
  - Biotech
    - crop, 234
    - products, 240
  - Biotechnological applications, 192
  - Biotechnology, 107
  - Biotic elicitors, 231
  - Biotin, 28
  - Blood
    - plasma, 262, 270
    - specimen, 262
  - Body fluids, 263
  - Boiling ethanol, 46, 65
  - Boiling point, 20
  - Boiling water, 46
  - BPC. *See* Base peak chromatogram
  - Branched polysaccharides, 57
  - Breast cancer, 259
  - Buffer ions, 140
  - Buffered ethanol solution, 65
  - Buffered methanol–chloroform–water, 64
- ## C
- Calcium ions, 33
  - Calculus, 148
  - Calibration, 117
    - of data, 150
    - parameters, 150
    - polynomial, 150
    - table, 124
  - Calvin cycle, 34, 217
  - Calvin, Melvin, 217
  - Canaries, 256
  - Canavan's disease, 264
  - Capillary electrophoresis (CE), 85, 139, 258, 219
  - Capillary zone electrophoresis (CZE), 140
  - Carbohydrate metabolism, 231
  - Carbon dioxide, 70, 71
  - Carbon
    - isotope, 143
    - sources, 220
  - Carbowax phases, 96
  - Cardiovascular disease, 195
  - Carotene, 217
  - Carotenoids, 225
  - Carrier gas, 97, 157
  - Cartridge material, 73
  - CAS number, 251
  - Catabolic reactions, 204
  - Catabolism, 17, 28, 278
  - Catechol *O*-methyltransferase (COMT), 44
  - Cation
    - of secondary metabolites, 24

- CE. *See* Capillary electrophoresis
- Cell
- culture, 231
  - disruption methods, 58
  - envelops, 59
  - life cycle, 26
  - physiology, 191
  - suspension, 70
  - types, 225
- Cell wall, 52
- degrading enzymes, 60
  - structure and composition, 58
  - structures, 52
  - structures of bacteria, 53
- Cells and tissues, 267
- Cell-type specific protoplasts, 222
- Cellular
- extracts, 26
  - interactome, 35
  - metabolic network, 204
  - metabolism, 41
  - networks, 15
- Cellulose, 57
- microfibrils, 57
- Central
- dogma, 5
  - metabolic pathways, 37
  - metabolism, 7, 26, 239
  - (or primary) metabolism, 17
- Centrifugation, 209, 269
- Centroid
- calculation, 156
  - data, 131, 156
  - files, 124
  - mass spectra, 156
  - spectra, 124, 246
- Cerebral blood flow, 264
- Cerebrospinal fluid (CSF), 260, 264, 269, 271, 274, 283
- Chebyshev distances, 173
- Chemical
- analysis, 125
  - and physical properties, 18
  - challenge of the metabolome, 15
  - chemists, 257
  - classification, 239
  - degradation, 42, 43
  - derivatization, 269
  - diversity, 217, 248
  - interactions, 42
  - lysis, 61
  - nature of the metabolites, 52
  - shift, 144
  - shift chromatography, 275
  - shift reference standard, 275
  - similarity, 248
- Chemical extraction methods, 62
- Chemistry, 15, 86
- Chemometric(s), 83, 108, 132, 163
- analysis(es), 242, 249, 261
  - and multivariate statistical analyses, 259
  - approaches, 277
  - methods, 163
  - or metabolomics approach, 275
  - or multivariate statistical methods, 259
  - processing, 246
- Chemonomic approach, 277
- Chemonomic software, 277
- Chiral detergents, 140
- Chiral phases, 126
- Chitin, 56, 60
- Chloroform, 64, 65
- Chloroplasts, 222
- ChromaToF, 269
- Chromatogram, 88
- chromatography, 90
- Chromatographic
- information, 163
  - method, 72
  - peak, 92, 128, 136, 226
  - profile, 160
  - profile matching, 163
  - resolution, 96
  - retention times, 257
  - separation, 88, 132, 157, 258
  - system, 91, 93, 167
  - techniques, 217
  - theory, 89
- Chromatographic data, 157, 185
- analysis, 163
  - matrices, 133
- Chromatography, 11, 83, 217
- basics of, 87
- Chromophore(s), 86, 105
- Chromosome, 3
- CID. *See* Collision induced dissociation
- Citrate, 262
- Citric acid cycle, 37

- Citrullinemia, 279
- Classical
  - liquid chromatography, 139
  - phenotypic classification, 249
- Classification, 252
- Class-specific tests, 257
- Clinical chemistry, 257, 269, 278
  - applications, 271
  - instrumentation, 257
- Cluster analysis, 249
- Centroid mass spectra, 151
- Coenzyme A (CoA), 28
- Coenzymes, 27
- Cofactors, 28, 36, 41
- Co-chromatography, 227
- Co-extracted media components, 242
- Cold methanol, 46, 65
- Cold methanol solution, 49
- Cold osmotic shock, 61
- Collenchyma cells, 220
- Collision induced dissociation (CID), 113
- Colorimetric
  - assays, 257
  - tests, 257
- Column
  - bleed temperature, 157
  - chromatography, 217
- Columns
  - and oven in gas chromatography, 95
- COMT. *See* Catechol *O*-methyltransferase
- Commercial software, 151
  - packages, 152
- Commercial standard compounds, 227
- Compartmentalized biofluid systems, 255
- Complex chromatographic signal, 167
- Complex metabolite mixtures, 272
- Complexity
  - of the metabolome, 26
  - of the plant metabolome, 226
- Composition/concentration, 88
- Compound partitioning, 258
- Computer scientists, 13
- Computer-aided pattern recognition, 276
- Concentration(s), 26, 86
  - levels, 23
- Constant flow, 94
- Constant pressure, 94
- Consumption rate, 32
- Contingency table, 176
- Continuous, 148
  - flow principle, 212
  - functions, 173
- Continuous-pulse experiments, 212
- Continuum
  - data, 156, 244
  - spectra, 124, 131, 244, 246
- Control animals, 261
- Control
  - by compartmentalization, 30
  - by hormones, 33
  - by “pathway independent” regulatory molecules, 27
  - by substrate level, 27
  - of enzyme activity, 26
  - of enzyme level, 26
  - of uptake and transport, 26
- Controlled bioreactor, 207
- Controlling rates and levels, 26
- Conversion dynode, 121
- Coordinate system, 171
- Core methods, 136
- Correlation, 175
  - calculation, 157
  - coefficient, 166
  - similarity, 175
- Correlation optimized warping (COW), 166
- Coulomb
  - explosion, 112
  - repulsion, 113
- Covariance, 169, 173
  - matrix, 169, 174
- COW. *See* Correlation optimized warping
- Cross contamination, 244, 261, 263
- Cross-linking glycans, 57
- Crude
  - calibration, 150
  - plant extracts, 218
- Cryo-sectioning, 222
- CSF. *See* Cerebrospinal fluid
- Cucibita maxima*, 220
- Cucubita maxima*, 218
- Cucurbita maxima*, 219
- Cultivation, 242
  - media, 46
  - medium, 196, 211
  - samples, 46
- Cultures, 243
- Curved baseline, 158

- Cutin, 57  
 CYA. *See* Czapek yeast extract agar  
 Cyanopropyl methyl silicone phases, 96, 126  
 Cyclic nucleotides, 33  
 Cyclodextrins, 126  
 Cysteine, 67  
 Cystinuria, 278  
 Cytoplasmic membrane, 52, 56  
 Cytoskeletal proteins, 58  
 Czapek yeast extract agar (CYA), 243  
 CZE. *See* Capillary zone electrophoresis
- D**
- DAD. *See* Diode-array detection  
 Data  
   analysis, 146  
   evaluation, 129, 185  
   evaluation and processing, 242  
   leveraged for speculation, 201  
   matrix, 132, 249  
   organizing the, 146  
   scaling, 168  
   standardization (normalization), 167  
   standards, 12  
   structures, 148  
   system, 108  
   transformation, 168  
 Data-drive research, 125  
 Databases  
   for metabolomics-derived data, 228  
 Daughter scans, 141  
 DBE. *See* Double bond equivalents  
 Development algorithms, 135  
 Developmental delays, 225  
 Dead-time, 90, 123  
 Dead-volume, 106, 127  
 Deamination  
   of glycine, 201  
 Decarboxylation  
   of glycine, 199  
 Decomposition, 168  
 Deconvolution, 128, 166  
   of spectroscopic data, 166  
 Deconvolution process, 226  
 Defense mechanisms, 221  
 Defrosting, 225  
 Degradation  
   of cell walls, 59  
   Dendrogram, 249  
   Deproteinization, 262  
   Derivatization  
     for GC, 101  
   Dermal, 220  
   Description  
     of methodology used, 192  
   Design matrix, 155  
   Detail coefficients, 163  
   Detected peaks, 157  
   Detection  
     and computing in MS, 121  
     systems, 232  
     techniques, 225  
 Detector(s), 87, 108  
   array, 157  
   limit, 248  
   signal recorder, 90  
 Detoxification, 222  
 Developmental adaptations, 219  
 Developmental stage, 225  
 Developments in chromatography, 137  
 Diagonal element, 155  
 Diatomaceous earths, 67  
 Dietary  
   control, 261  
   requirements, 253  
 Diffusion rate, 70  
 Dimensionality reduction, 168  
 DiMS. *See* Direct infusion mass spectrometry  
 DIMS. *See* Direct injection mass spectrometry  
   analysis, 239  
   mass profiles, 249  
 DiMSometry, 239  
 Diode-array detection (DAD), 212, 218  
 Direct infusion electrospray mass spectrometry, 241  
 Direct infusion mass spectrometry (DiMS), 242  
 Direct injection mass spectrometry (DIMS), 258  
 Direct spectrometric measurement method, 151  
 Direct-infusion ESI-MS, 150  
 Discrete, 148  
 Discriminant function(s), 172, 173  
 Discriminating power, 173

- Disease diagnosis, 278  
Dispersion, 88  
Distance, 175  
    function, 173  
Disturbance factor, 203  
Diurnal changes, 261  
Diurnal rhythm, 223  
D-lactate, 194  
DNA arrays, 4  
DNA methyltransferases (DNMT), 44  
DNA microarray community, 228  
DNMT. *See* DNA methyltransferases  
Double bond equivalents (DBE), 247  
Dowex resin, 270  
DP. *See* Dynamic programming algorithm  
Dramatic growth retardations, 220  
Drug  
    consumption, 261  
    testing, 278  
    toxicity, 259  
DTW. *See* Dynamic time warping  
Dynamic  
    association, 33  
    range, 122  
Dynamic programming, 163  
Dynamic programming algorithm (DP),  
    166  
Dynamic time warping (DTW), 163, 165  
Dynamical range of plant metabolites, 226  
Dynamics of metabolism, 31  
Dynode, 121
- E**
- Ear protectors, 67  
Ecological interactions, 24, 223  
Eddy diffusion, 88, 104  
EDTA, 262  
Effector, 30  
EI. *See* Electron impact  
    ion source, 83, 109, 126  
    mass spectra, 134  
    spectra, 124  
Eigenvalue, 170  
Eigenvalue–eigenvector problem, 170  
Eigenvector, 170  
Electron impact (EI), 109, 227  
Electron multiplier, 121, 124  
Electron multiplier detector, 121, 122  
Electron transfer processes, 28  
Electronegativity, 20  
Electronic pressure control, 163  
Electronics, 87  
Electroosmotic flow, 140  
Electropherograms, 140  
Electrophoresis, 140, 217  
Electrophoretic  
    mobility, 140  
    velocity, 140  
Electrospray, 112, 134  
    process, 134  
Electrospray ionization (ESI), 108, 111  
Electrospray ionization mass spectrometry  
    (ESI-MS), 218, 242  
Elemental analysis, 228  
Elemental composition report, 246  
Ellipsis, 171  
Eluents, 73, 127  
Endogenous metabolites, 253, 263, 283  
Endometabolome, 9  
Energy metabolism, 37  
Energy turn-over, 26  
Energy-capturing metabolites, 36  
Envelopes of other fungi, 55  
Environmental factors, 226  
Enzymatic  
    activity, 225  
    degradation, 59  
    lysis, 59  
    methods, 59  
    reactions, 28  
Enzyme(s), 17  
    activity, 27  
    clusters, 33  
    complexes, 34  
    concentrations, 41  
    synthesis, 27  
Epanechinikov function, 155  
Epidermis, 221  
*Escherichia coli*, 47  
ESI. *See* Electrospray ionization  
    ion source, 111  
    mass spectrometry, 111, 115  
ESI-source, 83  
ESI-MS. *See* Electrospray ionization mass  
    spectrometry  
Essential minerals, 254  
Essential nutrients, 254

- Ethanol, 64
  - Ethanol deproteinization, 270
  - Ethyl acetate, 64
  - Euclidean distance, 173
  - Eukaryote(s), 39, 191
  - Eukaryotic cell biology, 191
  - EUROFAN, 192
  - European research network, 192
  - European *Saccharomyces Cerevisiae* ARchive for Functional analysis (EUROSCARF), 192
  - EUROSCARF. *See* European *Saccharomyces Cerevisiae* ARchive for Functional analysis
  - Evaporation, 270
  - Exogenous
    - chemicals, 255
    - metabolites, 253, 263, 283
    - metabolome, 255
  - Exometabolome, 9, 85
  - Explanatory variables, 149
  - Exponential growth phases, 196
  - Exporting data
    - for processing, 135
  - External
    - calibration, 150
    - information, 149
    - reactions, 23
  - Extracellular
    - concentration, 42
    - enzyme activities, 42
    - medium, 44, 65, 209
    - metabolites, 46, 51, 193
    - turnover, 42
  - Extract metabolites, 39
  - Extracted factors, 168
  - Extraction, 242
    - efficiency, 51
    - medium, 52
    - method(s), 52, 239, 225
    - methodologies, 16
    - of cellular compounds, 23
    - of intracellular metabolites, 44, 59
    - of metabolites, 66
    - of plant metabolites, 225
    - of proteins, 66
    - of total lipids, 64
    - procedures, 52
    - process, 65
    - protocols, 275
    - solvent, 243
- F**
- Factor analysis, 168
  - Factors, 6
  - FAD. *See* Flavin adenine dinucleotide
  - Fanconi's syndrome, 278
  - Fats, 70
  - Fatty acids, 101
    - acylation, 195
  - FDA approved drugs, 255
  - Feature histograms, 168
  - Fed-batch experiments, 213
  - Feedback and feedforward control, 27
  - Femtomole detection limits, 258
  - Fermentation
    - broth, 212
    - process, 49
  - Fermentor, 212
    - port, 212
  - Fibrin, 262
  - FID. *See* Free induction decay
  - Filamentous fungi, 49, 55, 66, 71, 239
  - Filter parameters, 155
  - Filtered value, 155
  - Filtering, 152
    - procedure, 155
  - Fingerprinting, 84, 163
  - First messenger, 33
  - Fisher discriminant analysis, 171
  - Fisher's criteria, 172
  - Flat baseline, 158
  - Flavin adenine dinucleotide (FAD), 28
  - Flavor components, 163
  - Flow program, 94
  - Flow rate, 67
  - Flow-through system, 70
  - Fluid-mosaic lipid bilayer, 58
  - Fluorophore, 105
  - Flux map, 32
  - Fluxome, 5
  - Fluxomics, 232
  - Fodrin, 58
  - Footprinting, 85
    - analysis, 71
  - Foreign plants, 253
  - Forensic investigations, 163

- Fourier transform (FT-MS) instruments, 272
- Fourier transform MS (FT-MS) methods, 258
- Fourier transform ion cyclotron resonance mass spectrometry (FT-ICR-MS), 219
- Fourier-transform ion cyclotron resonance mass analyzer, 141
- Fragmentation pathways, 272
  - patterns, 227
- Free induction decay (FID), 143
- Freeze clamps, 223
- Freeze-dried samples, 51
- Freeze-drying, 76
- Freeze-thawing, 61
- French press, 67
- Frit, 72
- Fructose, 225
- Fruit metabolism, 232
- FT-ICR-MS. *See* Fourier transform ion cyclotron resonance mass spectrometry
- FT-MS. *See* Fourier transform MS
- Full width half maximum (FWHM), 156
- Fully automated device, 209
- Functional
  - analysis, 192
  - genomics, 84, 203, 231
  - groups, 22
- Fungal culture(s), 242, 243, 252
- Fungal extract, 176, 239
- Future perspectives, 11
- FWHM. *See* Full width half maximum
  
- G**
- GA. *See* Genetic algorithms
- Galactosemia, 278
- Gas-liquid system, 87
- Gas
  - chromatograph, 75
  - phase volume, 96
  - sample, 76
  - supply, 94
- Gas chromatographic (GC), 257
- Gas chromatography, 94, 125, 126
  - columns and ovens in, 95
- Gaussian function, 155
- GC. *See* Gas chromatographic deconvolution software, 269
  - peak detection, 269
  - retention times, 272
  - stationary phase, 76
- GC-injection, 83
- GC-MS, 194, 217
  - analysis, 269
  - chromatogram, 226
  - fingerprint, 274
  - instruments, 167
  - libraries, 274
  - methods, 276
  - systems, 185, 257
  - technology, 218
- Gdc. *See* Glycine decarboxylase multienzyme complex
- GenBank, 3
- Gene(s), 4, 25
  - annotations, 25
  - functions, 84
- General analytical considerations, 129
- Generalized Euclidean, 174
- Genetic
  - disease testing and monitoring, 257
  - diversity, 217
  - engineering, 231
  - loci, 232
  - or environmental changes, 39
  - perturbations, 234
  - segregation, 234
  - transformation, 217
  - variation, 232
- Genetic algorithms (GA), 163, 259
- Genome, 5, 18
  - analyses, 25
  - sequencing, 3, 35
- Genome-scale metabolic model, 12
- Genomic, 256
  - information, 7
  - pyramid, 256
- Genetically modified organisms (GMO), 229
- Gibbs free energy, 215, 23
- Glass wool, 72
- Glucan fibrils, 55
- Glucans, 54
- Gluconeogenesis, 37
- Glucose, 225
- Glue production, 222
- Glutathione, 67

- Glycan chains, 54
- Glycine  
 assimilation, 198  
 biosynthesis from, 196  
 catabolism, 198  
 cleavage system, 198  
 deamination of, 201  
 decarboxylation, 199  
 metabolism, 201  
 synthase, 198
- Glycine decarboxylase multienzyme complex (Gdc), 197
- Glycogen storage diseases, 278
- Glycolysis, 37, 219
- Glycolytic metabolites, 47
- Glycosyltransferases, 25
- Glyoxylate, 195, 196  
 biosynthesis, 195  
 cycle, 195, 196  
 pathway, 195
- GMO. *See* Genetically modified organisms
- Golgi apparatus, 33
- Gradient analysis, 127
- Gram stain procedure, 53
- Gram-negative bacteria, 53, 61
- Gram-positive bacteria, 53
- Ground, 220
- Growth  
 factors, 33  
 retardations, 225  
 temperature, 150
- Guard cells, 221
- Guilt-by-association, 10
- Gut micro flora, 255
- H**
- Haemophilus influenzae*, 3
- Half-life, 40
- HCA. *See* Hierarchical cluster analysis
- HCl. *See* Hydrochloric acid
- Headspace analysis, 76
- Heating, 61
- Height scaling, 157
- Helium, 98
- Hemicellulose, 57
- Hen egg white lysozyme, 60
- Heparin, 262
- Herbicides, 218
- Herbivores, 255
- Herbivory, 223
- Hermogenes, 257
- Heteroallostery, 30
- Heterotrophic plant tissues, 30
- HEWL, 60
- Hexane, 64
- Hexapole, 141
- Hierarchical cluster analysis (HCA), 218
- High pressure liquid chromatography (HPLC), 271
- High resolution instrument, 244
- High-energy donors, 28
- High-pressure chromatographs, 138
- High-resolution spectroscopic technique, 274
- High-speed gas chromatography, 138
- High-value metabolites, 32
- Hippocrates, 257
- History  
 of mammalian metabolomics, 257  
 of plant metabolomics, 217
- Holistic integration, 229
- Homeostasis, 263
- Homeostatic biofluid, 262
- Homoallostery, 28
- Homocystinuria, 279
- Homogenization procedures, 225
- Hordeum vulgare*, 218
- Hormone(s)  
 control by, 33  
 receptor, 33
- Host-specific microbes, 253
- HPLC. *See* High pressure liquid chromatography  
 column, 137  
 methods, 258  
 pumps, 138  
 retention indices, 272  
 retention times, 272  
 separation, 137, 157  
 separation protocols, 272  
 system(s), 102, 127
- HPLC–MS protocol, 272
- Hubs, 36
- Human  
 controls, 261  
 genetics, 278  
 genome, 3

- genome project, 283
  - metabolites, 234
  - metabolome, 283
  - metabolome database, 283
  - metabolome library, 283
  - metabolome project, 283
  - pathogens, 261, 264
  - Hydrochloric acid (HCl), 66
  - Hydrogen isotope, 143
  - Hydrophilic metabolites, 272
  - Hydrophobic metabolites, 272
  - Hyperosmotic transition, 47
  - Hyper-dimensional space, 149
  - Hyphal walls, 55
  - Hyposmotic conditions, 61
- I**
- Identification, 243
  - Identifier, 147
  - IEMs. *See* Inborn errors of metabolism
  - IL. *See* Introgression line
  - Illicit drug consumption, 263
  - Immiscible solvent, 72
  - Improved sampling device, 205
  - Improving detection
    - via sample concentration, 76
  - Inactivation of metabolism, 44
  - Inborn errors of metabolism (IEMs),
    - 258, 278
  - Independent components analysis, 168
  - Index/mass spectral library databases, 269
  - Inert gas, 141
  - Infinite variance, 170
  - $\infty$ -norm, 173
  - Infrared spectrometry, 84
  - Infrared spectroscopy, 259
  - In-house written routines, 244
  - Initial data processing, 245
  - Injection in gas chromatography, 96
  - In-line, 137
  - Inoculation and cultivation, 243
  - Inositol triphosphates (IP3), 33
  - In-source collision induced dissociation (CID), 113
  - In-source fragmentation, 272
  - Institute of Microbiology, 192
  - Instrument
    - database software, 251
    - format, 244
    - parameters, 163
    - software, 244
    - software packages, 250
  - Instrumental
    - software packages, 154
    - software vendors, 147
    - techniques, 228
  - Instrumentation, 221, 261
  - Integrated analysis, 6
  - Integration, 91
  - Integrative information, 11
  - Intensity, 132, 144
  - Interactome, 5, 37, 38
  - Interactomics, 4
  - Intermediary metabolites, 204
  - Intermediates, 34
  - Intermolecular interactions, 20
  - Internal mass reference(s), 156, 246
  - Internal mass scale correction, 156
  - Internal reactions, 23
  - Interpolation, 159
  - Interscan time, 244
  - Intracellular
    - enzyme concentrations, 204
    - metabolic reactions, 204
    - metabolite concentration(s), 42, 196, 203
    - metabolite dynamics, 203, 204, 208, 210, 211, 213
    - metabolites, 46, 52, 192
    - metabolome, 267
    - turnover, 42
    - turnover value, 40
  - Introgression line (IL), 232
  - Invertase, 225
  - Ion
    - current, 121, 123
    - evaporation, 112
    - mass, 156
    - source, 108
    - suppression, 272
    - trap instruments, 271
    - trap mass spectrometers, 272
    - exchange phase, 74
    - exchange purification, 86
  - Ionizability, 86
  - Ionization, 108, 113
    - parameters, 185
    - technique, 242

- Ion-trap, 117, 83
  - instruments, 121
  - mass spectrometer, 118
- Ion-trap-time-of-flight (trap-TOF), 141
- IPP. *See* Isopentenyl diphosphate
- IP3. *See* Inositol triphosphates
- Irreversible stress responses, 212
- Isocitrate lyase, 196
- Isopentenyl diphosphate (IPP), 24
- Isotope labeling analysis, 201
- Isotopes, 246
- Isotopic compositions, 108
- IUPAC compendium of technical terminology, 157
  
- J**
- Jaccard, 176
- J-couplings, 274
  
- K**
- KEGG, 12
  - database, 228
  - system, 228
- Kinetic(s), 23
  - labeling, 32
  - modeling, 204
  
- L**
- Labeled metabolites, 32
- Lactate
  - catabolism, 194
  - dehydrogenases, 194
- Lactobacillus acidophilus*, 54
- Large-scale metabolite screening, 259
- Laser micro-dissection, 222
- Laser-induced fluorescence (LIF), 219
- LC. *See* Liquid chromatography
  - columns, 104
  - detection by spectroscopy, 105
  - injection, 104
  - pumps, 103
- LC-MS, 10, 12, 85, 111, 115, 127
  - analysis, 271
  - data, 131
  - methods, 276
  - signal identification, 228
  - system, 185
- Least squares solution, 161
- Least squares polynomial fitting, 158
- Leucine-enkephalin solution, 244
- Level-1 biohazard certification, 261
- Level-1 containment, 261
- Level-1 lab space, 261
- Level-2 containment procedures, 264
- Libraries, 185
- Library spectra, 226
- LIF. *See* Laser-induced fluorescence
- Light dependency of plant metabolism, 223
- Light-dependent metabolism, 225
- Lignin, 57
- Line analyses, 257
- Linear
  - algebra, 35
  - background estimation algorithm, 160
  - interpolation, 159
  - matrix, 15
- Lipids, 70, 72
  - compounds, 61
- Lipid-soluble metabolites, 268
- Lipophilic compounds, 64
- Liquid-liquid system, 87
- Liquid
  - chromatograph, 75, 103
  - chromatography columns, 72
  - CO<sub>2</sub>, 51
  - nitrogen, 46, 49, 51, 71, 225
  - samples, 72
- Liquid chromatography (LC), 85, 102, 125, 130, 271
- Liquid shear methods, 66
- Local minima, 159
- Lotus japonicus*, 218
- Low pass FIR, 152
- Low-energy acceptors, 28
- Low-pass filter, 152
- Lumbar puncture, 264
- Lycopersicon esculentum*, 218
- Lyophilization, 76
- Lysosomal storage diseases, 278
- Lysozyme, 60
- Lytic enzymes, 59
  
- M**
- Machine learning (ML) methods, 259
- Macromolecular interactions, 256

- Magic angle, 268  
Magic angle sample spinning (MAS), 268  
Magnetic field(s), 143, 274  
Magnetic pinch valve, 209  
Magnetic resonance imaging (MRI), 268, 274  
Mahalanobis, 173  
    distance, 174  
Malabsorption, 278  
Malonate/acetate pathway, 24  
Mammalian  
    cell cultures, 267  
    cells, 58, 191, 253  
    gut, 255  
    metabolome, 253  
    metabolome analysis, 271  
    metabolomics studies, 260  
    physiology, 277  
    systems, 259  
Manhattan distance, 173  
Mannan(s), 54, 55  
    backbone, 55  
Mannan–enzyme complexes, 55  
Mannose units, 55  
Manual grinding, 71  
MapMan, 229  
Mapping, 229  
MAS. *See* Magic angle sample spinning  
Mass  
    accuracy, 246  
    flow, 31  
    precision, 248  
    profiles, 248  
    profiling, 239  
    scale, 156  
Mass analyzer(s), 108, 141  
    the ion-trap, 117  
    the quadrupole, 115  
    the time-of-flight, 119  
Mass spectra, 227  
    libraries, 185  
    data, 133  
Mass spectral  
    deconvolution, 185, 269  
    libraries, 13  
Mass spectrometer(s), 85, 107, 126,  
    140, 269  
Mass spectrometric software, 250  
Mass spectrometry (MS), 10, 32, 83, 106,  
    126, 128  
Mass spectrum, 11, 118, 124, 150, 227  
    libraries, 227  
Matches, 176  
Matching metric, 163  
Mathematical models, 6, 12  
Matlab, 147  
Matrix, 149  
    effect(s), 114, 141, 163, 242, 252  
    simplification, 268  
    transpose, 162  
Max-Planck-Institute for Molecular Plant  
    Physiology, 218  
MCF. *See* Methylchloroformate  
    derivatization, 194  
    procedure, 194  
McLafferty rearrangement, 143  
MCP. *See* Micro-channel plate  
    detectors, 122  
MCP–TDC detectors, 248  
MCP–TDC detector systems, 123  
M-dimensional space, 149  
Measured  
    absorbance, 157  
    peak properties, 153  
    signal, 157  
Mechanical disruption, 59  
    of cell envelopes, 66  
Mechanical  
    extraction methods, 68  
    force, 70  
    protection, 264  
*Medicago truncatula*, 218  
    cell cultures, 231  
Medical practice(s), 262, 257  
Medicinal drugs, 216  
Medium, 23  
Medium/carbon source, 147  
Melting point, 20  
Melvin Calvin, 217  
Membrane synthesis, 195  
Meningitis, 264  
Menstrual cycle status, 261  
Meristematic tissue, 220  
Mesophyll cells, 221  
Messenger molecules, 33  
Metabolic  
    adaptations, 231  
    cages, 261  
    channeling, 33

- Metabolic (*continued*)  
 complement, 229  
 complexity, 254  
 components, 215  
 composition, 52  
 compounds, 23  
 diseases, 278  
 disorders, 269, 263  
 energy, 17, 215  
 engineering, 203  
 events, 26  
 fingerprinting, 9, 10  
 flux analysis datasets, 229  
 fluxes, 32, 232  
 footprinting, 9  
 graph, 12  
 infrastructure, 255  
 laboratories, 269  
 models, 6  
 network, 6, 15, 32, 35, 203  
 pathways, 191, 201  
 phenotype, 218  
 profiling, 257, 277  
 reactions, 24, 26  
 repertoire, 264  
 specialization, 255  
 state monitoring, 278  
 stress, 267  
 trait analysis, 232
- Metabolic flux analysis (MFA), 32, 213, 232
- Metabolism, 15, 39
- Metabolite(s), 15, 31, 35, 37, 52, 241  
 abundance, 23  
 analysis, 39, 70, 192  
 analysis platform, 229  
 concentrations, 52, 234, 255  
 leakage, 46  
 perturbations, 260  
 prediction, 246  
 profile(ing), 9, 10, 83, 192, 217, 229, 261  
 profiling data, 192  
 profiling developments, 258  
 profiling experiments, 194  
 target analysis, 9  
 in solution, 72  
 in the extracellular medium, 71  
 in the gas phase, 72, 75
- Metabolites in a biological system, 25
- Metabolome, 5, 34, 39, 52, 83, 213  
 analysis, 9, 18, 41, 59, 66, 71, 83, 104, 129, 194, 201  
 complexity of the, 26  
 data, 12
- Metabolomics, 3, 8, 13, 33, 136, 217, 219, 234, 278, 283  
 analysis of urine, 263  
 applications, 215  
 experiments, 147  
 in humans, 253  
 instruments, 279  
 measurements, 256, 260  
 studies, 259
- Metabolomics approach, 16, 18, 216, 220  
 applications of, 229
- Metabolomics Society, 11, 147
- Metabolons, 33
- Metabonomics, 260, 272
- Metadata, 147
- Methanol, 64, 71, 127  
 extracts, 244
- Methanol/chloroform (M/C) extractions, 267
- Methanol–water mixtures, 64
- Method standardization, 213
- Methodology  
 choosing, 84  
 screening of fungi, 242  
 used, 192
- Methods  
 for extraction, 52  
 for quenching, 44
- Methylated fatty acids, 143
- Methylchloroformate (MCF), 193
- Methylglyoxal catabolism, 194
- Methyl-silicone phase(s), 96, 126
- MFA. *See* Metabolic flux analysis
- MIAME. *See* Minimum information about a microarray experiment  
 standards, 12
- Mic acid, 127
- Micellar electrokinetic capillary chromatography, 140
- Microbes, 253
- Microbial  
 cells, 203, 254  
 cultivations, 203  
 culture media, 72

- cultures, 46, 204
  - infection, 223
  - metabolomic, 203, 256
  - physiology, 203, 232
  - products, 253
  - Micro-channel plate (MCP) detectors, 121
  - Microwave-assisted extractions, 67
  - Microwaves, 67
  - Middle lamella, 57
  - Mid-polar metabolites, 65
  - Milk, 72
  - Mineral deficiencies, 220
  - Miniaturization of the systems, 213
  - Minimization of residuals, 163
  - Minimum information about a microarray experiment (MIAME), 228
  - Misidentification, 243
  - Mismatches, 176
  - Mitochondrial respiratory chain dysfunction, 278
  - Mitochondrion, 33
  - ML. *See* Machine learning
  - Mobile phase, 73, 87, 94, 127
    - resistance to mass transfer, 89
  - Model fermentation, 191
  - Model
    - of eukaryotic organism, 25
  - Modifier(s), 127, 244
  - Molecular
    - biology, 3, 191
    - ion, 111
    - phenotype, 256
    - size, 18
    - weight, 18
  - Monoisotopic mass, 124
  - Moving average filter, 152
  - Moving window, 154
  - MRI. *See* Magnetic resonance imaging
  - MRM-analysis, 142
  - MS. *See* Mass spectrometry
    - analyzers, 272
    - detection target analysis, 83
  - MS/MS
    - fingerprint, 274
    - instruments, 274
    - libraries, 274
  - MSRI, 134, 226
  - MS–TOF instruments, 274
  - MSTFA. *See* *N*-methyl-*N*-trimethylsilyltrifluoroacetamide
  - Multicellular organ, 255
  - Multicomponent clinical analyzers, 257
  - Multidimensional chromatography, 137
  - Multienzyme formations, 34
  - Multiparallel detection method, 232
  - Multiple reaction, 142
  - Multiple sclerosis, 264
  - Multivariate
    - analysis methods, 173
    - data, 168
    - statistical analysis, 163
  - Multi-targeted compound analysis, 185
  - Murein sacculus*, 54
  - Muscle metabolism, 263
  - Mutant(s), 10, 198
    - libraries, 252
  - Mutation, 217
    - identification, 278
  - Mycotoxins, 240
  - Myristate, 195
- N
- N*-acetylglucosamine (NAG), 54
  - N*-acetylmuramic acid (NAM), 54
  - NAD. *See* Nicotinamide adenine dinucleotide
  - NADP. *See* Nicotinamide adenine dinucleotide phosphate
  - NADPH, 222
  - NADPH<sub>2</sub>, 34
  - NAG. *See* *N*-acetylglucosamine
  - NAM. *See* *N*-acetylmuramic acid
  - Nanoelectrosprays, 113
  - Nano-ESI techniques, 242
  - National Institute of Standards and Technology (NIST), 134, 167, 227
  - NetCDF, 135, 147
  - Network
    - components, 35
    - diameter, 35
  - Network of the networks, 37
  - Neural networks (NN), 259
  - Neuroendocrine hormones, 264
  - Neurometabolic disorders, 264
  - Neurospora crassa*, 56
  - Neurotransmitters, 33

- Neutral loss, 142
- Nicotinamide adenine dinucleotide phosphate (NADP), 28
- Nicotinamide adenine dinucleotide (NAD), 28
- NIST. *See* National Institute of Standards and Technology software, 228
- Nitrobacter agilis*, 197
- Nitrogen fixating bacteria, 220
- Nitrogen supplement conditions, 231
- Nitrous oxide, 70
- N*-methyl-*N*-trimethylsilyltrifluoroacetamide (MSTFA), 270
- NMR. *See* Nuclear magnetic resonance
- NMR-based metabolomics analysis, 276
- NN. *See* Neural networks
- Node degree, 35
- Nominal data, 132
- Noncoding polymorphism, 256
- Nonmechanical disruption of cell envelopes, 59
- Nonpolar, 86  
compounds, 52, 70  
solvents, 64
- Nontargeted analysis, 258
- Nontargeted metabolite detection, 226
- Non-human tissues, 267
- Non-primate tissues, 267
- Normal phase, 74  
chromatography, 104
- Normalization, 157, 167
- Novel  
bioactive plant compounds, 234  
pathways, 234  
software package, 185
- Nuclear magnetic resonance (NMR), 10, 32, 217, 268  
analysis, 219, 274  
instrument, 228  
spectra fingerprint, 274  
spectrometry, 84, 143, 219  
spectroscopy, 259  
spectrum, 144  
studies, 263
- Nuclear spins, 274
- Nucleotide sequence, 3
- Nutraceuticals, 255
- Nutrigenomics, 234
- Nutritional supplements, 255
- ## O
- Observation, 149
- Octyldecyl chains (C-18 chains), 104, 126
- Off-line, 137
- Olfactory communication, 263
- Oligomeric complexes, 25
- Omes, 5
- Omics, 234  
techniques, 4
- 1D-NOE pulse sequences, 275
- <sup>1</sup>H NMR spectra, 274
- 1-norm, 173
- 2-norm, 173
- 1,6-phosphodiester bonds, 55
- Open reading frames (ORF), 5, 192
- Optimal path, 165
- Ordinal rank, 148
- ORF. *See* Open reading frames
- Organ  
rejection, 259  
transplantation, 278
- Organic, 257  
acidemias, 278
- Organism, 191
- Organism-specific connectivity, 35
- Organizing data, 146
- Orphan genes, 10
- Orthonormal projections, 169
- Osmotic  
balance, 53  
equilibrium, 47  
pressure, 53  
shock, 47  
stress, 196
- Oxaloacetic acid, 222
- Oxidative pentose phosphate pathway, 219
- ## P
- Parasite, 254
- Parenchyma cells, 220
- Parent scanning, 142
- Partial linear fit, 163
- “Pathway Tools Omics Viewer”, 229
- Pathway-genome wide databases, 35

- Pathways, 16
- Pattern recognition routines, 163
- PC. *See* Principal component
- PCA analysis, 251
- PDMS, 76
- Peak, 90, 101, 109, 122, 128
  - area, 136
  - centroid, 156
  - detection, 163, 185
  - height, 90, 156
  - retention time, 136
  - shape, 132
  - width, 90, 156
- Pectins, 57, 58
- PEG. *See* Polyethylene glycol
- PEG spectrum, 150
- Penicillium*, 240, 248
- Penicillium freii* (*P. freii*), 245
  - spectra, 251
- Penicillium* species, 239, 249
- Peptidoglycan, 54, 60
- Perchloric acid (PCA), 46, 66
  - extraction, 267
- Permeabilization of cell envelopes, 59
- Peroxisomal storage diseases, 278
- Perturbing agent, 213
- Pharmaceuticals, 191
- Phenolic compounds, 24
- Phenotypic
  - analysis, 234
  - characterization, 8
  - description, 242
  - information, 72
- Phenotyping, 229
- Pheromones, 33
- Phloem, 220
- Phosphoglycolate, 222
- Phosphor isotope, 143
- Phosphoric buffers, 127
- Photolability, 43
- Photodegradation, 23, 44
- Photorespiration, 219
- Photosynthesis, 34, 215
- Photosynthetic cycle, 217
- Physical chemical extraction method,  
70
- Physical lysis, 60
- Physiology, 256
- Phytochemicals, 223, 234
- Phytohormones, 226
- Piecewise linear background estimation,  
159
- Piecewise linear background subtraction  
method, 160
- Piecewise linear correction, 159
- $pK_a$ , 23, 86
- PKU, 279
- Planar, 270
  - analysis, 258
- Plant(s), 66, 219, 253
  - cell, 65
  - genomes, 217
  - kingdom, 26, 226
  - materials, 70
  - metabolism, 217, 219, 222
  - metabolite analysis, 217
  - metabolomics, 215, 219
  - mitochondria, 222
  - model, 26
  - products, 216
  - research, 215, 229
  - research applications, 229
  - structure building, 231
  - structures, 219
  - tissues, 50, 71
- Plant Metabolomics Society, 11
- Plant metabolome
  - complexity of the, 226
- Plasma, 72
- Plate height, 91
- Plate number, 91
- PLE. *See* Pressurized liquid extraction
- Plot
  - of a detector signal recorded, 90
- Plug extraction procedure, 243
- Point, 149
  - analyses, 257
- Polar, 22, 64, 86
  - compounds, 52, 61
  - metabolites, 65, 194
  - solvents, 22
- Polarity, 18, 86
- Pollinators, 223
- Polar metabolites, 64
- Polyethylene glycol (PEG) polymers, 95,  
114, 150, 242, 244
- Polyketides, 25
- Polymer(s), 42, 59

- Polynomial
    - equation, 161
    - filter, 154
    - model, 158
    - parameters, 155
  - Polynomial background estimation, 161
  - Polynomial calibration curve, 124
  - Polystyrene-divinyl benzene, 76
  - Pool of metabolites, 26
  - Pooling, 256
  - Porous carbon, 76
  - Positive electrospray mass spectrometry (di-ESMS), 244
  - Postgenomics technologies, 228
  - Potassium hydroxide (KOH), 66
  - Potato tubers, 230
  - Precursor metabolites, 16, 37
  - Predator, 254
  - Preprocessing
    - methods, 168
    - of data, 150
    - principles, 150
  - Prepurification procedures, 226
  - Pressure, 23
  - Pressure constant, 70
  - Pressurized liquid extraction (PLE), 70
  - Primary
    - cell wall, 57
    - metabolic pathways, 222
    - metabolism, 24, 243
    - metabolites, 24, 40, 42, 71,
    - producers, 215
  - Primates, 261
  - Principal component (PC), 168
  - Principal component analysis (PCA), 168, 196, 218, 230, 251, 259, 276
  - Principle(s)
    - of chromatography, 87
    - of the automated sampling device, 210
    - of the PCA, 170
  - Probability distributions, 175
  - Product, 32
  - Profile scans, 151
  - Profiling fungal cultures workflow, 242
  - Projection of the data, 168
  - Projection per-suit, 168
  - “Projections”, 168
  - Prokaryotes, 39
  - Proline, 226
  - Protein encoding genes, 192
  - Proteins, 25, 54, 72
  - Proteome, 5, 8
  - Proteomic(s), 4, 217
    - analyses, 256
    - community, 228
    - data, 234
  - Proton affinity, 242
  - Protonated compositions, 246
  - Protonated mass, 251
  - Pulsed splitless mode, 194
  - Pusher, 120
  - Pyramid of life, 256
  - Pyridoxal phosphate, 28
  - Pyruvate, 222
    - metabolism, 195
  - Pyruvate dehydrogenase complex, 28
- Q**
- QqTrap. *See* Quadrupole ion-trap
  - QTOF. *See* Quadrupole time-of-flight
  - QTL. *See* Quantitative trait locus
  - Quantitative trait locus (QTL), 232
  - Quadrupole, 115, 121, 141
    - analyzer, 83
    - mass analyzer, 115
    - mass profiles, 250
    - mass selective detector, 194
    - mass spectrometers, 132
  - Quadrupole ion-trap (QqTrap), 117, 141
  - Quadrupole time-of-flight (QTOF), 141, 218, 228
  - Qualitative data, 148
    - nominal scale, 132
    - ordinal scale, 148
  - Quantitation standard, 275
  - Quantitative analysis, 203, 204
  - Quenching, 41, 207, 243
    - agent(s), 46, 209
    - methods, 44
    - microbial and cell cultures, 44
    - plant and animal tissues, 50
    - solution, 206
    - solution receiver, 207

- time, 204
  - yeast cell, 49
- R**
- RA. *See* Relative abundance
  - Radio frequency radiation, 274
  - Random
    - noise contribution, 158
    - variations, 157
  - Rapid-freezing method, 210
  - Raw
    - continuum mass spectrum, 246
    - data, 147, 150
    - detector signals, 150
  - Rayleigh
    - coefficient, 172
    - limit, 111
  - Reference
    - library, 227
    - metabolite values, 261
    - strains, 198
  - Regulation
    - mechanism, 27
    - of reactions, 33
  - Relative abundance (RA), 247
  - Relative entropy, 175
  - Release
    - of intracellular metabolites, 52
  - Representative sample, 49
  - Reproduction, 26
  - Residuals minimization, 163
  - Resistance to mass transfer
    - in the mobile phase, 89
    - in the stationary phase, 89
  - Resolution spectrometers, 271
  - Resolution, 92
  - Respiration, 216
  - Response
    - matrix, 149
    - time, 122
  - Retention gab, 100
  - Retention time, 90, 119, 132, 142, 157, 227, 269, 276
    - correction, 163
    - shifting, 163
    - shifts, 165
    - variations, 163
  - Retention time indices (RI), 185, 269
  - Reversed phase, 74
    - chromatography, 104, 126
  - Reversible interaction of the enzyme, 27
  - RI. *See* Retention time indices
  - Riboflavin mononucleotide (FMN), 28
  - Rigid matrix, 55
  - Risk assessment, 229
  - Root exudates, 72
  - Rubisco, 34
  - RuBP, 34
  - Run-time, 138
- S**
- Saccharomyces cerevisiae*, 3, 25, 191
    - cultivation, 196
    - physiology, 195
  - Saccharification, 196
  - Saccharum officinarum*, 218
  - Salts, 72
  - Sample(s), 86
    - analysis, 268
    - correlation matrix, 169
    - harvesting, 40
    - injection, 96
    - matrices, 73
    - preparation, 39, 41, 86, 260
    - preparation procedure, 192
  - Sampling, 39
    - probe, 207
    - rates, 207
    - reproducibility, 206
    - systems, 204
    - techniques, 203
    - time, 207
    - tube, 205
    - tube device, 207
    - valve, 211
  - Saturated fatty acid myristate, 195
  - Savitsky–Golay filter, 154
  - Scales of measurement, 147
  - Scaling, 249
  - Schematic overview of the BioScope, 212
  - Sclerenchyma cells, 220
  - SDS. *See* Sodium dodecyl sulfate
  - Search report, 250
  - Second messengers, 33

- Secondary
  - cell wall, 57
  - metabolism, 17, 24, 239, 243
- Secondary metabolites, 26, 43, 66, 252
  - cation of, 24
- Seed-dispersing animals, 223
- Segmented data preprocessing method, 166
- Segment-wise correlation, 166
- Segregation, 251
- Selected ion monitoring (SIM), 117, 120
- Selective ion monitoring mode, 194
- Selective ion recording (SIR), 117
- Selective saturation techniques, 275
- Selectivity, 167
- Sensibility of detectors, 86
- Separation
  - by chromatography, 125
  - methodologies, 223
  - power, 96, 167
  - process, 88
  - technique(s), 139, 223, 269
- Sequenced genomes, 25
- Sex hormones, 33
- SFE. *See* Supercritical fluid extraction
- Shikimic acid pathway, 24
- Shock freezing, 223
- Shock waves, 67
- Short hand-packed column, 72
- Shuttle system, 222
- Signal compound, 17
- Signal deconvolution, 185
- Signaling molecules, 255
- Silylation, 271
- SIM. *See* Selected ion monitoring
- SIR. *See* Selective ion recording
- Simple
  - matching coefficient, 176
  - paper strip tests, 257
  - sampling device, 204
- Single cell metabolomics approach, 222
- Single receptor, 33
- Sink, 220
- Slack parameter, 166
- Slanted background, 158
- “SLM Aminco French Pressure Cell Press”, 70
- “Small world”, 36
- “Smooth” fit, 162
- Sodiated mass, 251
- Sodium dodecyl sulfate (SDS), 140
- Sodium hydroxide (NaOH), 66
- Soft ionization, 273
- Software packages, 185
- Solanum tuberosum*, 218
- Solid
  - matrix, 72
  - shear, 66
- Solid shear methods, 71
- Solid-phase matrix, 72
- Solid-phase extraction (SPE), 72, 86
- Solid-phase microextraction (SPME), 72, 75
- Soluble carbon sources, 220
- Solubility, 20, 22
- Solvent(s), 64
  - effect, 100
  - elute, 157
  - evaporation, 65
  - extraction technique, 267
  - phase, 243
- Sorptive polymers, 76
- Source, 220
  - of losses, 52
- Soxhlet system, 64, 70
- SPE. *See* Solid-phase extraction
  - cartridge, 72
  - phase, 72
  - techniques, 137
- Specialty phases, 126
- Spectral data, 129
  - with a time dimension, 129
- Spectral
  - information, 151
  - library, 277
- Spectrin, 58
- Spectroscopic data, 150
- Spheroplasts of microbial cells, 58
- Spinal cord, 264
- Spinal tap, 264
- Split mode, 194
- Split/splitless injection, 97, 99, 100, 137
- SPME. *See* Solid-phase microextraction
  - fibre, 76
- Stability, 23
- Stable isotope labeling experiment, 198
- Standard
  - analytical methods, 12
  - clinical chemistry tests, 258

- deviation, 168
  - laboratory medium, 196
  - Standardization, 173
  - Standardizing data, 168
  - Starch
    - biosynthesis, 30
    - synthesis, 31, 223
  - Starting point, 86
  - Static association, 33
  - Stationary growth phases, 196
  - Stationary phase, 88, 89
    - decomposition, 163
    - resistance to mass transfer, 89
    - volume, 96
  - Statistical
    - analysis, 147
    - methods, 151
    - software programs, 147
  - Steady-state, 32
    - cultivations, 203
    - level, 32
    - metabolism, 204
  - Steel beads, 71
  - Step engine, 209
  - Steroid hormones, 33
  - Sterols, 101
  - Stirred tank reactor, 207
  - Stoichiometric matrix, 35
  - Stolon, 225
  - Stomata, 221
  - Stopped-flow technique, 209
  - Strain collection numbers, 251
  - Strain/species/mutant, 147
  - Stress
    - metabolites, 267
    - response, 231
  - Stress-resistant crops, 231
  - Strong eluent, 127
  - Structural
    - diversity of metabolites, 18
    - networks of the wall, 57
  - Structure
    - elucidation, 223
    - of data, 129
    - of plant cell envelopes, 56
    - of the cell envelopes, 52
    - of yeast cell envelopes, 54
  - Stylized scatter plot, 172
  - Subarachnoid hemorrhage, 264
  - Suberin, 57
  - Subjective peak selection, 163
  - Substrate, 32
    - availability, 41
  - Sugar profile, 225
  - Supercritical fluid, 70
  - Supercritical fluid extraction (SFE), 70
  - Supernatant, 262
  - Surface
    - potential, 242
    - tension, 67, 111
  - Symbiotic
    - microbes, 255
    - nitrogen fixation, 234
    - relationships, 220
  - Symmetric
    - algorithm, 165
    - matrix, 172
  - Synapsin-1, 58
  - Syringe pump, 244
  - Systems
    - biology, 6, 234
    - miniaturization, 213
  - Systems-biology approach, 234
- ## T
- Tandem mass spectrometry (MS/MS), 258
  - Tandem MS and advanced scanning
    - techniques, 141
  - Tanimoto similarity measure, 176
  - Target, 85
    - analysis, 85, 257
  - Target-specific compound classes, 226
  - Taxonomist, 249
  - Taxonomy, 239, 242
    - of microorganisms, 163
  - Taylor cone, 111
  - Tricarboxylic acids (TCA), 196
  - Triple quadrupole mass spectrometer (QqQ), 141
  - TCA cycle, 37, 199
  - TDC. *See* Time-to-digital converter
  - Technical replicates, 261
  - Teichoic acids, 54
  - Temperature, 23
    - programming, 96
  - Tenax, 76
  - Terpenoids, 24

- Tetrahydrofolic acid (THFA), 28  
Thermal degradation, 76, 98  
Thermodynamics, 23  
Thermo-labile  
  compounds, 65  
  metabolites, 70, 271  
THFA. *See* Tetrahydrofolic acid  
Thiamine pyrophosphate, 28  
Three-step valve operating sequence, 206  
Time  
  axis, 159  
  bins, 121, 123  
  index, 165  
  trajectories, 165  
Time-of-flight (TOF), 119, 141, 272  
Time-to-digital converter (TDC), 121  
Time-to-digital detection, 244  
Tissue extravasation, 267  
TMS. *See* Trimethylsilyl  
TMS-Cl. *See* Trimethylsilyl chloride  
TOF. *See* Time-of-flight  
  analyzer(s), 83, 122  
  instrument, 121, 150, 246  
  mass analyzer, 120  
  mass spectrometers, 122  
  spectrum, 250  
Tolerance window, 156  
Total ion chromatogram (TIC), 130  
Total ion current (TIC), 274  
Transamination reactions, 37  
Transcriptome, 5, 8, 18  
  proteome, 12  
Transcriptomics, 4, 217  
  data, 234  
Transcripts, 25  
Transformed domain, 163  
Transgenesis, 217  
Transgenic  
  and environmental manipulations, 229  
  tubers, 229  
Transient analysis, 203  
Translational apparatus, 6  
Transpiration, 221  
Transport processes, 33  
Trap-TOF. *See* Ion-trap-time-of-flight  
Tricarboxylic acid cycle, 28  
Trichloroacetic acid (TCA), 46, 66  
Trifluoroacetic acid, 127  
Trimethylsilyl (TMS), 270  
Trimethylsilyl chloride (TMS-Cl), 270  
Trimethylsilylation, 270  
Trimmed mean value, 151  
True quantitative analysis, 12  
Turnover of secondary metabolites, 43  
Turnover rate, 23  
TWEEN, 114, 242  
2-propanol, 127  
Type I (or ice-Ih), 61
- U**
- UDP-activated sugar, 223  
UDP-glucose, 25  
Ultra high performance liquid  
  chromatography (UPLC), 138, 258,  
  272  
Ultrasonic disintegrators, 67  
Ultrasonication, 66  
Ultrasonics, 66  
Ultraviolet or visible light (UV/VIS), 218  
Ultraviolet-visual spectrophotometers (UV),  
  85  
Ultra-Turrax, 71  
  homogenizers-dispenser, 71  
UPLC. *See* Ultra high performance liquid  
  chromatography  
  chromatograms, 272  
Urea cycle defects, 278  
Urease treatment, 270  
Urinalysis, 272  
Urinary  
  creatinine, 263  
  metabolite concentrations, 263  
  organic acids, 257  
Urine, 72, 263  
Use of additives, 67  
UV. *See* Ultraviolet or visible light  
  chromatograms, 130  
  detector, 157  
UV-spectra, 157
- V**
- Vacuole, 231  
van Deemter  
  curve, 89  
  plot, 91  
Variance, 169, 173

- Vascular, 220  
Vector, 149  
  of bins, 157  
Venting, 99  
Ventricular system, 264  
Very high gravity fermentation (VHG), 195  
Vessel characteristics, 67  
VHG. *See* Very high gravity fermentation  
*Vicia faba*, 219  
*Viridicata*, 241, 248  
Viscosity, 70  
Viscous dissipative eddies, 67  
Volatile  
  analytes, 96  
  compounds, 75, 96  
  metabolites, 52  
Volatility, 22, 70, 86
- W**
- Water soluble metabolites, 52, 262  
Watergate, 275  
Wavelet  
  coefficients, 163  
  transform(s), 163, 168  
  transformation, 162  
Wear out, 67  
Weighted  
  linear least squares, 155  
  Lp-norm, 173  
Weighted pair-group average (WPGMA),  
  179  
Weighting  
  functions, 155  
  matrix, 155  
  scheme, 155
- White noise, 67  
Wide pass filter, 116  
Wild-type profiles, 84  
WILEY, 134  
Window, 152  
  displacements, 159  
Within-group  
  covariance, 172  
  variance, 172  
WPGMA. *See* Weighted pair-group  
  average
- X**
- Xanthophyll, 217  
Xenobiotic(s), 263  
  interactions, 259  
Xenon, 70  
Xylem, 221  
  sap, 221  
  transports, 221
- Y**
- Yeast  
  cells, 47, 191  
  gene deletion project, 192  
  genome, 192  
  metabolomes, 254  
  metabolomics, 191  
  stress response, 195, 197  
Yeast extract sucrose agar (YES), 243
- Z**
- Zero eddy diffusion, 89

