

# Index

---

## A

---

- access, granting, 654–657
- account provisioning, Database Engine
  - Configuration screen, 40
- Account Provisioning database engine
  - configuration, 41
- ad hoc queries
  - about, 715
  - remote applications, 388
- adding
  - Boolean logic to query, 252–255
  - columns to tables, 148
  - connections for data sources, 665–667
  - connections to Excel, 665–666
  - data to database, 266–268
  - disk storage, 625–626
- adjusting
  - parameters, memory settings, 591–592
  - server properties, 605–614
- administration
  - about, 619–620
  - activity schedule, 51
  - adding disk storage, 625–626
  - attaching databases, 629–631
  - backing up data, 637–642
  - backup options, 50
  - copying databases, 631–633
  - database, state of, 621–624
  - database logs, 622–624
  - detaching databases, 628–629
  - exporting data, 633–637
  - importing data, 633–637
  - Maintenance Plan Wizard, 47–51
  - maintenance plans, 643–646
  - Management Studio, 47
  - managing disk space, 624–627
  - moving databases, 627–637
  - off-line database, 621–622
  - online database, 622
  - policy-based management, 51–57
  - relational databases, 17–18
  - removing disk storage, 626–627
  - restoring data, 641–643
  - SQL Server, 12–13, 18
  - supporting tools, 29–30
  - Web sites, 705
  - wizards, 47–57
- ADO.NET object services, 11
- advanced queries
  - about, 291
  - BEGIN TRANSACTION, 291
  - COMMIT TRANSACTION, 291–292
  - creating transactions, 293–295
  - error checking, 295–296
  - explicit transactions, 293
  - FULL OUTER JOIN, 304
  - full-text search, 296–301
  - implicit transactions, 293
  - INNER JOIN, 302
  - LEFT OUTER JOIN, 303–304
  - outer joins, 301–304
  - protecting data, 291–296
  - querying XML data, 304–311
  - RIGHT OUTER JOIN, 302–303
  - ROLLBACK TRANSACTION, 292
  - TRY . . . CATCH block, 295
- Advanced Server properties, 613–614
- Advanced settings, query options, 215–219
- AdventureWorks2008
  - about, 231
  - adding Boolean logic to query, 252–255
  - building queries with Query Designer, 238–239

## AdventureWorks2008 (continued)

- building queries with `SELECT` statement, 237–238
- CodePlex, 233
- comparing values, 249–250
- filtering information, 248–256
- installing, 233–234
- join variations, 244
- joining two tables, 242–244
- looking for strings, 250–252
- obtaining, 233
- retrieving data from multiple tables, 240–248
- retrieving data from single table, 235–239
- running query in SSMS, 236
- searching for `NULL` values, 255–256
- searching ranges of data, 255–256
- troubleshooting, 712
- using, 231–234
- using aliases in column list, 238
- using IntelliSense, 235
- using table aliases, 243

agents, replication, 689

`ALTER` view, 278

altering tables via `SQLCMD`, 153–154

Analysis Services objects

- data mining, 526–528
- maintaining, 517–528

Analysis Services Scripting Language (ASSL), 495–497

ANSI parameters, query options, 219–223

application development

- relational databases, 19
- SQL Server, 19
- user profile, 652

application user profile

- about, 651
- power, 652

Applications tab, Windows Task Manager, 543

architecture

- policy-based management, 52
- Resource Governor, 560–561
- SQL Server Integration Services (SSIS), 663–664

archival information partitioning, 694

articles

- about, 715
- replication, 678

ascending order query results, 258–259

assembly

- about, 715
- T-SQL, 322–323

associating connections with data flow, SSIS, 669–672

atomic values, normalization, 181–182

attaching databases, 629–631

attributes, 715

auditing, 12

Autogrowth Settings, Files

- properties, 93

automate operations, troubleshooting, 709–710

Automatic Options, database

- parameters, 95

automating administration, SQL Server Management Objects, 408–412

availability, replication, 691

`AVG` query results, 260

---

## **B**

---

backup

- about, 715
- data, 637–642
- devices, 715
- General properties, 91

`BEGIN TRANSACTION` advanced query, 291

`BINARY` data type, 107

BizTalk Server, 16

books (resources), 705

Boolean logic, 252

building  
 new tables, 121–129  
 project, SSIS, 672–673  
 queries with Query Designer,  
 238–239  
 queries with `SELECT` statement,  
 237–238  
`BULK INSERT` statement, 583  
 business intelligence  
 about, 493–495  
 relational databases, 19–20  
 SQL Server, 19–20  
 tools, 2  
 Business Intelligence Development  
 Studio (BIDS)  
 about, 2, 519–523  
 data mining, 519–523  
 integrating reports, 471  
 SQL Server Analysis Services  
 (SSAS), 490–491

## C

changing  
 columns properties, 149–150  
 data, 582–586  
 data type for column, tables, 149  
 database parameters, 90–97  
 one variable, 542  
`CHAR` data type, 105  
`CHECK` constraint violation, 172  
 checkpoint, 715  
 classifications, Resource Governor, 561  
 client statistics, SQL Server Optimizer,  
 196–200  
 clustered indexes, 577  
 clustering, 536  
 Codd, Edgar F, 177  
 columns  
 about, 716  
 options, tables, 129–135  
`COMMIT TRANSACTION` query, 291–292

Common Language Runtime (CLR)  
 about, 716  
 integrated stored functions, 344–347  
 integrated stored procedures,  
 323–324  
 SQL Server 2008, 11  
 communication protocols  
 about, 43  
 named pipes, 44  
 shared memory, 44  
 TCP/IP, 44  
 Virtual Interface Adapter (VIA), 44  
 communication settings  
 network speed, 598–599  
 network traffic, 598–599  
 protocol, 599  
 SQL Server Query Optimizer,  
 533–538  
 SQL Server tuning, 598–599  
 subnets, 599  
 community menus, Management  
 Studio, 60  
 compact edition, SQL Server 2008, 14  
 comparing values,  
 AdventureWorks2008, 249–250  
 composite index, 716  
 conditions, policy-based management,  
 54–56  
 Configuration Manager  
 about, 44–45  
 configuring SQL Server, 604  
 SQL Server Native Client  
 Configuration, 45  
 SQL Server Network Configuration, 45  
 SQL Server Services, 44  
 configuration scripts, generating,  
 615–617  
 configurations  
 creating, 43–47  
 maintaining, 43–47  
 configuring  
 about, 603  
 adjusting server properties, 605–614

configuring (*continued*)

- Configuration Manager, 604
  - grid output, 226–227
  - Management Studio, 605
  - multiserver output, 229
  - publisher and distributor
    - replication, 684–686
  - replication, 683–689
  - SP\_CONFIGURE, 604–605
  - Surface Area Configuration Tool, 604
  - text output, 227–228
  - tools, 603–605
- Connect to Server dialog box, 77
- connecting to server, databases, 76–78
- Connection Server properties, 610–611
- Connection Time Out, 78
- constraints
  - about, 716
  - relationships, 158–160
  - tables, 121
- constructing new tables, 121–140
- content, 716
- control parameters, query options, 213–223
- converting
  - from different database, 27–29
  - to SQL Server 2008, 25–29
  - upgrading from earlier versions, 25–27
- copying databases, 631–633
- COUNT query results, 260
- CPU
  - requirements, 24
  - Resource Governor, 560
- CREATE TYPE statement, 115
- CREATE view, 278
- credentials, Security folder, 654
- cryptographic providers, Security folder, 654
- CSV files, 473–474
- cube, 480, 716
- Cursor Options, database parameters, 95

## D

---

- data
  - about, 265, 582
  - adding to database, 266–268
  - backup, 637–642
  - BULK INSERT statement, 583
  - capture, 12
  - changing, 582–586
  - Data Manipulation Language (DML)
    - commands, 265–266
  - database, 268–270
  - delete optimization, 586
  - DELETE statement, 586
  - distribution, Web services, 375–379
  - dropping tables, 586
  - errors, troubleshooting, 709
  - file details, 81
  - format file, 584
  - formats, 27–28
  - generation tools, 706
  - insert optimization, 582–583
  - interaction, Server tuning, 588
  - loading tools for volume, 573
  - modifying, 265–272
  - partitioning large amount, 694
  - relationships, 155–156
  - removing data from database, 270–272
  - simplification troubleshooting, 710
  - TRUNCATE TABLE statement, 586
  - types, 11, 123–124
  - update optimization, 586
  - XML Bulk Load COM object, 585
- data access strategies
  - about, 569
  - changing data, 582–586
  - data loading tools for volume, 573
  - database design for performance, 570
  - efficient queries, 578–582
  - foundation, 569–574

- graphical tools for monitoring, 570–571
- indexes for performance, 574–578
- Microsoft Virtual PC, 572
- Microsoft Virtual Server, 572
- query execution plans, 579–580
- replication to spread workload, 574
- stored procedures and functions, 581
- testing tools for image, 573
- TOP clause, 581–582
- views, 581
- virtual machines, 572
- VMWare Server, 572
- wildcards, 579
- data compression
  - about, 12
  - disk settings, 595–597
- Data Definition Language (DDL)
  - T-SQL, 316–317
  - trigger, 716–717
  - views, 278
- data directories, 40
- Data Manipulation Language (DML)
  - DELETE, 265
  - INSERT, 265
  - T-SQL, 317–319
  - trigger, 717
  - UPDATE, 265–266
- data mining
  - about, 517–518, 716
  - Analysis Services objects, 526–528
  - Business Intelligence Development Studio (BIDS), 519–523
  - creating scripts, 524–526
  - DMX language, 523–524
  - and maintaining analysis services objects, 517–528
  - SQL Server Analysis Services (SSAS), 486–487
- data types
  - about, 99
  - additional, SQL Server 2008, 11
  - assigning, 117–119
  - binary, 107–108
  - BIT, 102–103
  - character, 104–108
  - creating, 115–117
  - date, 106–107
  - DECIMAL, 103–104
  - enhanced, 110–115
  - FLOAT, 104
  - INTEGER, 102
  - MONEY, 104
  - numeric, 101
  - REAL, 104
  - SMALLMONEY, 104
  - spatial, 114–115
  - time, 106–107
  - traditional, 99–100
  - database-based principals, 650
- Database Console Command (DBCC), 30
- Database Engine Configuration
  - screen, 40
- Database Engine option, 77
- Database Engine Tuning Advisor
  - about, 31–32
  - performance monitoring tools, 547–552
- Database File Information, 93
- Database Ownership Files
  - properties, 92
- database parameters
  - about, 90
  - changing, 90–97
  - extended properties, 95–96
  - Filegroups, 93–94
  - Files properties, 92–93
  - General properties, 91–92
  - mirroring, 96
  - Options, 93–95
  - permissions, 95
  - transaction log shipping, 96–97

- database server, 716
- database server connection
  - Connect to Server dialog box, 77
  - Connection Time Out, 78
  - Database Engine option, 77
  - Encrypt Connection, 78
  - Execution Time Out, 78
  - Network Packet Size, 78
  - Network Protocol, 78
  - SQL Server Authentication, 77
  - Windows Authentication, 77
- Database Setting Server properties, 611–612
- Databased Advisor*, 704
- databases
  - about, 10
  - companies, 10
  - connecting to server, 76–78
  - converting from different, 27–29
  - creating new, 80–86
  - data file details, 81
  - deleting, 97
  - design for performance, 570
  - design tools, 705
  - existing, 78–79
  - file parameters, 81
  - Filegroups page, 84–85
  - full-text indexing, 81
  - General properties, 91
  - General settings, 81
  - log file details, 81
  - logs, 622–624
  - major objects, 79–80
  - names, 81
  - Object Explorer, Management Studio, 61
  - objects, 80
  - owner, 81
  - renaming, 89–90
  - Reporting Services Configuration Manager, 46
  - scripting, 87–88
  - securables, 648–649
  - setup, 75–88
  - SQL Server tuning, 588
  - SQLCMD to create, 86–87
  - state, 621–624
  - system databases, 75–76
  - troubleshooting, 708
  - user profile, 652
- default resource pools, Resource Governor, 560
- defragmentation, disk, 594–595
- DELETE statement, 265, 270, 586, 716
- deleting
  - databases, 97
  - optimization, 586
  - tables, 153
  - views, 288–289
- demoralizing database, 184–186
- dependencies, tables, 143–145
- dependent on whole key, normalization, 182–183
- deployment mode, SQL Server Reporting Services, 427–428
- deprecated, 717
- descending order query results, 258–259
- detaching databases, 628–629
- developer edition, SQL Server 2008, 14
- dimension, 481, 717
- disk settings
  - about, 593–594
  - data compression, 595–597
  - defragmentation, 594–595
  - encryption, 597–598
  - partitioning, 598
  - RAID, 593–594
  - SQL Server tuning, 593–598
- disk space
  - managing, 624–627
  - requirements, 24
- distributors
  - about, 717
  - replication, 677–678
- DML triggers, 349–353

DMX extensions, 526  
 DMX language, 523–524  
 Document Type Definition (DTD), 717  
 domain accounts, installing, 39  
 downtime tolerance partitioning, 695  
 DROP view, 278  
 dropping  
   tables, 586  
   views with T-SQL, 289  
 DTM Data Generator, 573, 706  
 duplicate indexes, 577–578  
 duplication of data normalization,  
   178  
 dynamic data partitioning, 694  
 dynamic databases, 265

---

## **E**

E-mail Settings, Reporting Services  
   Configuration Manager, 46  
 edit menus, Management Studio, 60  
 editing query, 207–209  
 effectiveness, SQL Server Query  
   Optimizer, 538–540  
 efficient queries, data access  
   strategies, 578–582  
 element, 717  
 Embarcadero Technologies, 705  
 enabling  
   processors parameters, 593  
   Resource Governor, 561–563  
 Encrypt Connection, 78  
 encryption  
   about, 12  
   disk settings, 597–598  
 Encryption Keys, Reporting Services  
   Configuration Manager, 47  
 enterprise edition, SQL Server 2008, 13  
 environment, setup in partitioning,  
   696–699

error checking advanced queries,  
   295–296  
 evaluation, policy-based management,  
   56–57  
 Excel, 473–474  
 exchanging data with mobile users, 690  
 Execution Account, Reporting Services  
   Configuration Manager, 46  
 execution modes, policy-based  
   management, 52  
 execution plans  
   queries, 534–535  
   SQL Server Optimizer, 193–196  
 Execution Time Out, 78  
 explicit administration, policy-based  
   management, 52  
 explicit transactions, advanced  
   queries, 293  
 exported reports, viewing, 474  
 exporting  
   data, 633–637  
   query or results, 209–212  
   reports, 473  
 exposing report information with  
   Report Server Web services,  
   474–476  
 express edition, SQL Server 2008, 14  
 extended properties, database  
   parameters, 95–96

---

## **F**

facets, policy-based management,  
   52–53  
 Feature Selection screen, installing,  
   38–39  
 filegroup, 717  
 Filegroups database parameters, 93–94  
 Filegroups page databases, 84–85  
 filegroups partitioning, 695

- files
  - backup, 717
  - menus, Management Studio, 60
  - parameters, 81
- Files properties
  - Autogrowth Settings, 93
  - Database File Information, 93
  - Database Ownership, 92
- FILESTREAM, 40, 41, 113
- filtered queries, 535–537
- filtering information,
  - AdventureWorks2008, 248–256
- first normal form
  - about, 717
  - normalization, 179–181
- fixed database roles, 650
- fixed server roles, 650
- flat files, 28
- flexibility
  - relational databases, 17
  - SQL Server, 17
- foreign keys
  - about, 718
  - constraints, 158–159
  - indexes for performance, 576
  - violation, 171–172
- format files, 584
- foundation, data access strategies,
  - 569–574
- full backup, 718
- full differential backup, 718
- FULL OUTER JOIN advanced queries,
  - 304
- full-text indexing, databases, 81
- full-text search queries, 296–301
- functions
  - about, 335–338, 718
  - built-in, 336–337
  - CLR integrated stored, 344–347
  - scalar, 341–343
  - table-valued, 343–344
  - user-defined, 337–338

---

## G

---

- General properties
  - about, 607
  - backup, 91
  - database, 91
  - maintenance, 91–92
- General settings
  - databases, 81
  - query options, 214–215
- generating configuration scripts,
  - 615–617
- GEOGRAPHY data type, 115
- GEOMETRY data type, 115
- Google Groups, 704
- Google newsgroups, 704
- granting access, 654–657
- graphical performance information,
  - 552–559
- graphical tools
  - data access strategies, 570–571
  - performance monitoring tools, 542
- grouping query results, 260–263

---

## H

---

- hardware requirements, 23–24
- help menus, Management Studio, 60
- hosts, replication, 689–691
- HTTP endpoints, Web service, 380–383

---

## I

---

- icons, 66–67
- IMAGE data type, 108
- implementing security, 653–659
- implicit transactions, 293
- importing data, 633–637

- indexes
  - about, 574, 718
  - access, 578
  - clustered, 577
  - data access strategies, 574–578
  - density, 197–198
  - duplicate, 577–578
  - filter columns, 576–577
  - foreign key, 576
  - index filter columns, 576–577
  - index-only access, 578
  - join columns, 577
  - Optimizer, 578
  - primary key, 574–576
  - queries, 536
  - selectivity, 198
  - Server tuning, 588
  - SQL Server Query Optimizer, 538
  - temporary tables, 577
- Informix, 10
- INNER JOIN advanced query, 302
- INSERT command, 265–268
- insert optimization, 582–583
- insolation level, 718–719
- installation CD, 36
- installing
  - about, 35
  - AdventureWorks2008, 233–234
  - Database Engine Configuration screen, 40–41
  - directory, 39
  - domain accounts, 39
  - Feature Selection screen, 38–39
  - installation CD, 36
  - installation directory, 39
  - Instance Configuration screen, 38–39
  - license, 36–37
  - local accounts, 39
  - multiple machine installations, 23
  - .NET Framework, 36
  - options, 37
  - passwords, 40
  - Server Configuration screen, 39
  - Setup Report Rules check, 38
  - SQL Server Installation Center, 36–37
  - SQL Server Reporting Services, 428–433
  - startup options, 40
  - system configuration check, 37
  - usernames, 40
- Instance Configuration screen, 38–39
- integrated application development, .NET language, 413–417
- Integrated mode, SharePoint, 471
- integrating data from multiple sites, 690
- integrating reports
  - about, 469
  - Business Intelligence Development Studio (BIDS), 471
  - exporting reports, 473
  - Report Builder 2.0, 471
  - report file formats, 473
  - SharePoint, 469–471
- integration
  - about, 661
  - adding connections for data sources, 665–667
  - adding connections to database, 666–667
  - adding connections to Excel, 665–666
  - architecture, 663–664
  - associating connections with data flow, 669–672
  - building project, 672–673
  - challenges, 661–662
  - creating data flow task, 668–669
  - creating project, 665
  - running project, 673–675
  - Server platform and, 662–663
  - SQL Server 2008, 11–12
  - technology, 2
  - using, 664–667

IntelliSense queries, 67–68  
internal resource pools, Resource Governor, 560  
Internet Explorer SP1, 24  
Is Clustered, Server property, 607

---

## *J*

---

joining  
  columns, 577  
  tables, AdventureWorks2008, 242–244  
  variations, AdventureWorks2008, 244  
joins, 302–304

---

## *K*

---

key management, 12  
Key Performance Indicator (KPI), 482

---

## *L*

---

language integrated query (LINQ), 11  
launching Visual Studio, 364–365  
LEFT OUTER JOIN advanced query, 303–304  
license, installing, 36–37  
linked servers  
  about, 719  
  logins, 396–399  
  querying data, 399  
list, table, 141–143  
loading information trouble-shooting, 710  
local accounts, installing, 39  
log compression, 13  
log files  
  about, 719  
  details, 81  
logical design, 719

logical disk, Windows System Monitor, 546  
logical operators, 254  
logins  
  creating, 654–656  
  linked servers, 396–399  
  security, 653  
  Security folder, 654  
logon triggers, 353–354  
looking for strings,  
  AdventureWorks2008, 250–252

---

## *M*

---

magazines, Web sites, 704  
maintenance  
  analysis services objects, 517–528  
  configurations, 43–47  
  General properties, 91–92  
  plans, 643–646  
  policy-based management, 53–57  
  triggers, 359–360  
  views, 284288  
Maintenance Plan Wizard, 47–51  
managed target, policy-based management, 52  
management  
  Object Explorer, Management Studio, 62  
  policy, 53  
  relationships, 170–173  
Management Studio, 47  
  about, 59  
  configuring SQL Server, 605  
  icons, 60  
  menu structure, 60  
  Object Explorer, 61–62  
  running queries, 65–72  
  Solution Explorer, 64–65  
  system databases, 76  
  Template Explorer, 62–64  
many-to-many relationships, 157

- master data file (MDF), 719
- master system databases, 75
- MAX query result, 260
- MDX extensions, 526
- measure, 482, 719
- memory
  - about, 589
  - adjusting parameters, 591–592
  - paging, 590
  - performance, 590
  - problems, 589–591
  - processes, 589
  - requirements, 24
  - Resource Governor, 560
  - SQL Server properties, 607–608
  - SQL Server tuning, 589–592
  - Windows System Monitor MMC snap-in, 590–591
  - Windows Task Manager, 589
- menus, Management Studio
  - community, 60
  - edit, 60
  - file, 60
  - help, 60
  - tools, 60
  - view, 60
  - window, 60
- merge replication, publishing, 680, 683
- messaging through service broker, 401–407
- MHTML, 473–474
- Microsoft
  - database market, 10
  - relational databases, 16–17
- Microsoft Access, 28
- Microsoft Data Access Components (MDAC) 2.8 SP1, 24
- Microsoft Developer Network (MSDN), 703
- Microsoft Excel, 28, 473–474
- Microsoft Office, 16
- Microsoft Office SharePoint Server (MOSS), 470
- Microsoft SQL Server Developer Center, 703
- Microsoft SQL Server Web sites, 703
- Microsoft Virtual PC, 572
- Microsoft Virtual Server, 572
- Microsoft Visual Studio.
  - See* Visual Studio
- MIN query result, 260
- mirroring
  - about, 12
  - database parameters, 96
- Miscellaneous Options, database parameters, 95
- Model Designer, 719
- model system databases, 76
- modifying
  - data, 265–272
  - data in database, 268–270
  - data SSMS views, 282
  - data T-SQL views, 282–283
  - data views, 282–283
  - permissions, 658–659
  - scripts, T-SQL, 328–330
  - tables, 146–147
  - View Designer, 285–287
  - views with T-SQL, 287–288
- MOLAP (Multidimensional OLAP), 527–528. *See also* OLAP
- monitoring installation process, 43
- moving databases, 627–637
- Msdb, system database, 76
- multiple machine installations, 23

---

## N

- named pipes
  - about, 599, 719
  - communication protocols, 44
- names, databases, 81
- namespace, 719–720
- Native Client Configuration, 45
- Native mode, SharePoint, 471

- navigating Visual Studio, 365–374
  - .NET Framework
    - about, 16
    - installing, 36
  - .NET Framework 2.0, 24
  - .NET language, 413–417
  - Network Packet Size, 78
  - Network Protocol, 78
  - Networking tab, Windows Task Manager, 544
  - networks
    - speed, 598–599
    - traffic, 598–599
  - newsgroups, 704
  - no repeating groups, normalization, 179–181
  - normalization
    - about, 177, 720
    - atomic values, 181–182
    - demoralizing database, 184–186
    - dependent on whole key, 182–183
    - duplication of data, 178
    - first normal form, 179–181
    - no repeating groups, 179–181
    - query problems, 178
    - second normal form, 182–183
    - third normal form, 183–184
    - update problems, 178
  - NOT NULL
    - constraints, 159–160
    - violation, 172–173
  - NULL, 255–256
- 
- ## O
- 
- Object Explorer, Management Studio
    - about, 61
    - databases, 61
    - management, 62
    - replication, 62
    - security, 62
    - server objects, 62
    - SQL Server Agent, 62
  - ODBC, 28
  - off-line database, 621–622
  - offloading processing, 691
  - OLAP (Online Analytical Processing), 480–482
  - OLTP (Online Transaction Processing), 480–482
  - one-to-many relationships, 157
  - one-to-one relationships, 157
  - online database, 622
  - OPENDATASOURCE remote applications, 388–389
  - opening traces, SQL Server Profiler, 559
  - OPENROWSET, remote application, 389–390
  - operating system
    - based principals, 649
    - requirements, 24
  - operation, Resource Governor, 563–565
  - operator user profile, 652
  - Optimizer, 531–540, 578, 720. *See also* SQL Server Query Optimizer
  - Options, database parameters
    - about, 93–95
    - Automatic, 95
    - Cursor, 95
    - Miscellaneous, 95
    - Recovery, 95
    - State, 95
  - Oracle, 10, 28
  - organizing query results, 257–263
  - outer joins advanced query, 301–304
  - output queries, 534
  - owner, databases, 81

---

**p**

---

- paging, memory settings, 590
- partial backup, 720
- partial differential backup, 720
- partition function, 695
- partition key, 695
- partition schemes, 695
- partition type, 695
- partitioning
  - about, 693
  - archival information, 694
  - disk settings, 598
  - downtime tolerance, 695
  - dynamic data, 694
  - environment, setup in, 696–699
  - filegroups, 695
  - large amount of data, 694
  - partition function, 695
  - partition key, 695
  - partition schemes, 695
  - partition type, 695
  - predictable distribution of data, 694
  - supporting hardware, 694
- passwords, installing, 40
- pdfs, 473–474
- peer-to-peer transactional replication,
  - publishing, 679, 682
- performance
  - about, 541
  - changing one variable, 542
  - Database Engine Tuning Advisor, 547–552
  - graphical performance information, 552–559
  - graphical tools, 542
  - memory settings, 590
  - objects, Windows System Monitor, 546–547
  - parameters query options, 213–223
  - policies, 542–543
  - Resource Governor, 559–567
  - SQL Server Profiler, 552–559
  - statistics, 542
  - supporting tools, 30–32
  - tips, 541–543
  - Windows System Monitor, 544–547, 546–547
  - Windows Task Manager, 543–544
- Performance tab, Windows Task Manager, 544
- Permission, Server properties, 614
- permissions
  - about, 720
  - database parameters, 95
  - menu, 652
  - modifying or revoking, 658–659
  - setting by securable, 657–658
- physical design, 720
- physical disk, Windows System Monitor, 546
- point-of-sale applications replication, 690
- policies
  - category, 53
  - management, 52
- policy-based management
  - about, 13, 51
  - architecture, 52
  - conditions, 54–56
  - evaluation, 56–57
  - execution modes, 52
  - explicit administration, 52
  - facets, 52–53
  - key terms, 52
  - maintenance, 53–57
  - managed target, 52
  - management policy, 53
  - policy category, 53
  - policy management, 52
  - setup, 53–57
- pre-packaged permissions
  - concept, 650
- predictable distribution of data
  - partitioning, 694

- primary keys
  - about, 720
  - constraints, 158
  - indexes, 574–576
  - violations, 170–171
- principals
  - about, 720
  - security, 649–651
- problems, memory settings, 589–591
- procedural language, 720–721
- processes, memory settings, 589
- Processes tab, Windows Task Manager, 543–544
- processors
  - enabling, 593
  - parameters, 592–593
  - settings, 592–593
  - SQL Server properties, 607
  - threads, 593
  - Windows System Monitor, 545
- Processors, Server properties, 608–609
- Professional Association for SQL Server, 705
- Programmability, 80
- projects, creating, SSIS, 665
- properties
  - tables, 151–152
  - viewing, 135–136
- protecting data advanced queries, 291–296
- protocol
  - about, 721
  - communication settings, 599
- public database role, 651
- publications
  - about, 721
  - creating, 686–687
  - replication, 678
- publish-and-subscribe, 721
- publisher, 721
- publishing
  - replication, 677–679
  - reports, 459–464

- publishing model
  - defining, 679–683
  - merge replication, 680, 683
  - peer-to-peer transactional replication, 679, 682
  - snapshot replication, 679, 680–681
  - transactional replication, 679, 681–682
- pull subscription replication, 679
- push subscription replication, 679

---

## Q

---

- queries
  - about, 65
  - creating, 67–69
  - design, 538
  - execution plans, 534–535, 579–580
  - filtered, 535–537
  - icons, 66–67
  - indexes, 536
  - IntelliSense, 67–68
  - new, 201–207
  - normalization, 178
  - output, 534
  - plans, 533
  - Query Designer, 69–71
  - query results, 69
  - query-specific user interface
    - features, 65–67
- Query Designer
  - about, 69–71, 201
  - creating new query, 201–207
  - editing query, 207–209
  - exporting query or results, 209–212
  - saving queries, 210–211
  - saving results, 211–212
- query optimizers, 513. *See also* SQL Server Query Optimizer
- query options
  - about, 213
  - Advanced settings, 215–219

- ANSI parameters, 219–223
  - configuring grid output, 226–227
  - configuring multiserver output, 229
  - configuring text output, 227–228
  - control parameters, 213–223
  - General settings, 214–215
  - performance parameters, 213–223
  - selecting results formatting options, 223–229
  - query results
    - ascending order, 258–259
    - AVG, 260
    - COUNT, 260
    - descending order, 258–259
    - grouping results into summary rows, 261–262
    - grouping results with `GROUP BY`, 260–263
    - MAX, 260
    - MIN, 260
    - organizing, 257–263
    - SUM, 260
    - using `HAVING` clause to filter results, 262–263
    - using `ORDER BY` for sorting, 257–260
    - using `TOP` to limit number of rows, 259–260
  - querying data
    - advanced queries, 304–311
    - linked servers, 399
    - remote applications, 386–388
  - Quest Software, 705
- 
- R*
- 
- RAID (Redundant Array of Inexpensive Disks), 594
  - Ready to Upgrade page, 27
  - record, 721
  - recovery model, 721
  - Recovery Options, database parameters, 95
  - Redundant Array of Inexpensive Disks (RAID), 594
  - referential integrity, 721
  - relational database design theory, 2
  - relational database management systems (RDBMS), 1
  - relational databases
    - about, 10, 15–16
    - administration, 18
    - application development, 19
    - business intelligence, 19–20
    - flexibility, 17
    - integration, 20–22
    - Microsoft, 16–17
    - reliability, 17
    - reporting, 20
    - security, 17
  - relationships
    - about, 155
    - CHECK constraint violation, 172
    - constraints, 158–160
    - data and, 155–156
    - foreign key violation, 171–172
    - managing, 170–173
    - many-to-many, 157
    - NOT NULL violation, 172–173
    - one-to-many, 157
    - one-to-one, 157
    - primary key violations, 170–171
    - SQL and, 169
    - types, 156–160
  - reliability
    - relational databases, 17
    - SQL Server, 17
  - remote applications
    - about, 385
    - ad hoc queries, 388
    - decision to remote access, 390–391
    - linked servers, 391–399
    - OPENDATASOURCE, 388–389
    - OPENROWSET, 389–390
    - querying data, 386–388

- removing
  - columns, 150–151
  - data from database, 270–272
  - disk storage, 626–627
- renaming
  - columns, 147
  - databases, 89–90
  - tables, 147
- replaying traces, 559
- replication
  - about, 677, 721
  - agents, 689
  - articles, 678
  - availability, 691
  - configuring, 683–689
  - configuring publisher and distributor, 684–686
  - creating publication, 686–687
  - creating subscriber, 687–689
  - defining publishing model, 679–683
  - distributors, 677–678
  - exchanging data with mobile users, 690
  - between hosts, 689–691
  - integrating data from multiple sites, 690
  - Object Explorer, Management Studio, 62
  - offloading processing, 691
  - point-of-sale applications, 690
  - publication, 678
  - publishers, 677–678
  - publishing and, 677–679
  - pull subscription, 679
  - push subscription, 679
  - reporting and data analysis, 691
  - scalability, 691
  - between servers and clients, 690
  - between servers and servers, 690–691
  - to spread workload, 574
  - subscribers, 677–678
- Report Builder, 721
- Report Builder 2.0
  - about, 456–459, 464–468
  - integrating reports, 471
- Report Definition Language (RDL), 459
- report definition (RDL) files, 471
- Report Designer
  - about, 721
  - creating reports, 449–468
- report file formats, 473
- Report Manager, 722
- Report Manager URL, 46
- report models, 722
- reporting
  - relational databases, 20
  - replication, 691
  - SQL Server, 20
- Reporting Services configuration, 41–42, 45–47
- Reporting Services Configuration Manager
  - Database, 46
  - E-mail Settings, 46
  - Encryption Keys, 47
  - Execution Account, 46
  - options, 46–47
  - Report Manager URL, 46
  - Scale-out Deployment, 47
  - Service Account, 46
  - Web Service URL, 46
- Reporting Services Report Manager, 472
- Reporting Services report server, 472
- reporting tools, 2
- reporting user profile, 651
- reports
  - creation with Report Builder, 435–448
  - publishing, 459–464
  - Report Builder 2.0, 464–468
  - troubleshooting, 713

- requirements
  - memory requirements, 24
  - operating system, 24
  - supporting software, 24
- Resource Governor
  - about, 12, 559–560
  - architecture, 560–561
  - classifications, 561
  - CPU, 560
  - default resource pools, 560
  - enabling, 561–563
  - internal resource pools, 560
  - memory, 560
  - operation, 563–565
  - performance monitoring tools, 559–567
  - resource pools, 560
  - tracking activity, 565–567
  - workload groups, 561
- resource pools, Resource Governor, 560
- restore, 722
- restoring data, 641–643
- retrieving
  - data, 279–281
  - data from multiple tables, 240–248
  - data from single table, 235–239
- RIGHT OUTER JOIN advanced queries, 302–303
- ROLLBACK TRANSACTION advanced queries, 292
- row, 722
- running
  - projects, 673–675
  - queries, 65–72
  - query in SSMS, 236
- scalar functions, 341–343
- Scale-out Deployment, Reporting Services Configuration Manager, 47
- schema
  - about, 722
  - securables, 649
- Script Wizard, 616–617
- scripts
  - creating, data mining, 524–526
  - databases, 87–88
  - T-SQL, 324–328
- searching
  - NULL data, 255–256
  - ranges of data, 255–256
  - second normal form
    - about, 722
    - normalization, 182–183
- securables
  - about, 648–649, 722
  - database, 648–649
  - schema, 649
  - server, 648
- security
  - about, 80, 647
  - granting access, 654–657
  - implementing, 653–659
  - login list, 653
  - logins, 654–656
  - modifying or revoking permissions, 658–659
  - need for, 647–648
  - Object Explorer, Management Studio, 62
  - permissions menu, 652
  - principals, 649–651
  - relational databases, 17
  - securables, 648–649
  - setting permissions by securable, 657–658
  - SQL Server, 12, 17
  - user list, 653
  - user permissions, 651–652
  - users, 656–657
- saving
  - queries, 210–211
  - results, 211–212
- scalability replication, 691

---

## S

- Security folder
  - credentials, 654
  - cryptographic providers, 654
  - logins, 654
  - server roles, 654
- Security Server properties, 609–610
- SELECT statement, 722
- selecting results formatting options, 223–229
- Service Account, Reporting Services Configuration Manager, 46
- Service Broker
  - about, 80, 401, 722
  - better messaging through, 401–407
  - conversation, 722
- setting permissions by securable, 657–658
- setup, policy-based management, 53–57
- Setup Report Rules check, 38
- shared memory
  - about, 599
  - communication protocols, 44
- SharePoint
  - about, 469–471
  - Integrated mode, 471
  - integrating SQL Server and, 470–471
  - Native mode, 471
  - Reporting Services Report Manager, 472
  - Reporting Services report server, 472
  - Web Parts, 470
- slow server troubleshooting, 711–712
- snapshot replication, publishing, 679, 680–681
- SOAP (Simple Object Access Protocol), 383–384, 474–476
- software
  - development tools, 2, 33
  - installation troubleshooting, 707–708
  - requirements, 23–24
  - supporting software requirements, 24
- Solution Explorer, Management Studio, 64–65
- SP\_CONFIGURE, 604–605
- SQL Server
  - about, 9
  - administration, 12–13, 18
  - ADO.NET object services, 11
  - application development, 19
  - business intelligence, 19–20
  - collation, 607
  - Common Language Runtime (CLR), 11
  - compact edition, 14
  - data format, 28
  - data types, 11
  - developer edition, 14
  - developers, 10–11
  - development, 9–10
  - editions, 13–14
  - enterprise edition, 13
  - express edition, 14
  - features, 47
  - flexibility, 17
  - integration, 11–12, 20–22
  - language integrated query (LINQ), 11
  - Microsoft, 16–17
  - objects, 62
  - platforms, 24
  - principals, 649
  - relationships, 169
  - reliability, 17
  - replication, 690–691
  - reporting, 20
  - roles, 654
  - securables, 648
  - security, 12, 17
  - standard edition, 13
  - Web services, 379–384
  - Windows System Monitor, 546
  - workgroup edition, 14
- SQL Server 2000, 25–27
- SQL Server 2005, 25–27

- SQL Server Agent, 62
- SQL Server Analysis Services (SSAS), 479–491
  - about, 479–480, 722–723
  - Business Intelligence Development Studio (BIDS), 490–491
  - cube, 480–482, 502–503
  - data mining, 486–487
  - data source view, 500–502
  - Excel and, 483
  - Key Performance Indicator (KPI), 482
  - projects, 497–503
  - SharePoint and, 483
  - unifying data, 483–489
  - Visio and, 483
  - Word and, 483
- SQL Server Authentication, 77
- SQL Server Configuration screen, 39
- SQL Server Import and Export Wizard, 27–28
- SQL Server Installation Center, 36–37, 47
- SQL Server Integration Services (SSIS)
  - about, 28–29, 662, 723
  - adding connections for data sources, 665–667
  - adding connections to database, 666–667
  - adding connections to Excel, 665–666
  - architecture, 663–664
  - associating connections with data flow, 669–672
  - building project, 672–673
  - challenges, 661–662
  - creating data flow task, 668–669
  - creating project, 665
  - running project, 673–675
  - SQL Server platform and, 662–663
  - using, 664–667
- SQL Server Magazine*, 704
- SQL Server Management Objects (SMO), 408–412, 723
- SQL Server Management Studio, 10, 18, 29–30, 47, 723
- SQL Server Native Client, 24
- SQL Server Network Configuration, 45
- SQL Server platform, 662–663
- SQL Server Profiler
  - about, 31–32
  - opening traces, 559
  - performance monitoring tools, 552–559
  - replaying traces, 559
  - trace information gathering, 553–558
- SQL Server properties
  - Advanced, 613–614
  - Connection, 610–611
  - Database Setting, 611–612
  - General, 607
  - Is Clustered, 607
  - Memory, 607–608
  - Permission, 614
  - Processors, 608–609
  - of processors, 607
  - Security, 609–610
  - server collation, 607
- SQL Server Query Optimizer
  - about, 187, 531
  - client statistics, 196–200
  - communicating with, 533–538
  - execution plans, 193–196
  - how it works, 188–193, 531–532
  - index density, 197–198
  - index selectivity, 198
  - indexes, 538
  - making more effective, 538–540
  - need for, 187–188
  - query design, 538
  - statistical information, 539–540
  - statistics, 198–200

- SQL Server Reporting Services (SSRS)
  - about, 421, 723
  - components, 423–426
  - deployment mode, 427–428
  - installing, 428–433
  - troubleshooting, 713
- SQL Server Resource Governor, 31
- SQL Server Roles page, 655
- SQL Server Services, Configuration Manager, 44
- SQL Server Setup support files, 24
- SQL Server Solutions*, 704
- SQL Server tuning
  - about, 587
  - communication settings, 598–599
  - data interaction, 588
  - database design, 588
  - disk settings, 593–598
  - indexing strategy, 588
  - memory settings, 589–592
  - processor settings, 592–593
- SQL Server Worldwide User Group, 705
- SQL\_VARIANT, 114
- SQLCMD
  - about, 30
  - to create databases, 86
  - parameters, 140
  - tables, 140
- SSMS retrieval views, 280
- standard edition, SQL Server 2008, 13
- startup options, installing, 40
- State Options, database parameters, 95
- statistical information, 539–540
- statistics, 198–200
- Storage, 80
- stored procedures
  - about, 331–335, 723
  - creating, 338–341
  - data access strategies, 581
- Structured Query Language (SQL), 2, 723
- subnets, 599
- subquery, 723
- subscribers
  - about, 723
  - creating, 687–689
  - replication, 677–678
- subscription, 723
- SUM query results, 260
- supporting hardware, 694
- supporting tools
  - about, 29
  - administration, 29–30
  - Database Engine Tuning Advisor, 31–32
  - performance, 30–32
  - software development, 33
  - SQL Server Management Studio, 29–30
  - SQL Server Profiler, 31–32
  - SQL Server Resource Governor, 31
  - Visual Studio .NET, 33
  - Windows System Monitor, 30–31
- Surface Area Configuration Tool, 604
- Sybase, 10
- Synonyms, 80
- system, Windows System Monitor, 545
- system administrator user profile, 652
- system configuration check, 37
- system databases
  - Management Studio, 76
  - master, 75
  - model, 76
  - MsdB, 76
  - Tempdb, 76

---

## **T**

- T-SQL (Transact-SQL), 278–279, 724
  - about, 315
  - assembly, 322–323
  - CLR integrated stored procedure, 323–324
  - Data Definition Language (DDL), 316–317

- Data Manipulation Language
  - statements, 317–319
  - modifying scripts, 328–330
  - retrieval, 281
  - scripts, 324–328
- table-valued functions, 343–344
- tables
  - about, 121, 723–724
  - abpbit, 80
  - adding columns, 148
  - altering via SQLCMD, 153–154
  - building new, 121–129
  - care of, 141
  - changing columns properties, 149–150
  - changing data type for column, 149
  - column options, 129–135
  - constraints, 121
  - constructing, 121–140
  - creating via SQLCMD, 140
  - creating views, 136–139
  - data types, 123–124
  - deleting, 153
  - dependencies, 143–145
  - list, 141–143
  - modifying, 146–147
  - properties, 151–152
  - removing columns, 150–151
  - renaming, 147
  - renaming columns, 147
  - SQLCMD parameters, 140
  - viewing contents, 145
  - viewing properties, 135–136
  - viewing scripts, 146–147
  - Visual Studio, 366–369
- TCP/IP, 44, 599, 724
- Tempdb, 76
- Template Explorer, Management Studio, 62–64
- temporary tables, indexes, 577
- testing tools for image, 573
- TEXT data type, 106
- third normal form, 183–184, 724
- threads, processors parameters, 593
- TIFF files, 473–474
- TIMESTAMP data type, 109
- Toad for SQL Server, 705
- tools
  - configuring SQL Server, 603–605
  - menus, Management Studio, 60
- TOP clause, 581–582
- trace information gathering, 553–558
- tracking activity, 565–567
- transaction log shipping, 96–97
- transactional replication, 679, 681–682
- transactions
  - about, 724
  - creating, 293–295
- trial edition, Visual Studio, 363
- triggers
  - about, 349, 724
  - creating, 354–359
  - DML triggers, 349–353
  - logon triggers, 353–354
  - maintaining, 359–360
- troubleshooting
  - about, 707
  - AdventureWorks2008, 712
  - automate operations, 709–710
  - data errors, 709
  - data simplification, 710
  - database administration, 708
  - loading information, 710
  - reports, 713
  - slow server, 711–712
  - software installation, 707–708
  - SQL Server Reporting Services (SSRS), 713
  - unprotected data, 711
- TRUNCATE TABLE statement, 586
- TRY . . . CATCH block, 295
- tuning options, Database Engine
  - Tuning Advisor, 547–552
- tuning SQL Server, 587–599

## U

---

UNIQUE constraints, 159  
unique index, 724  
UNIQUEIDENTIFIER data type, 108  
unprotected data troubleshooting, 711  
update optimization, 586  
update problems, 178  
UPDATE statement, 265–266, 724  
Upgrade Rules Check Wizard, 27  
user-defined functions, 341–344  
user groups, 704–705  
User Mapping page, 655  
user profiles  
    application developer, 652  
    application power user, 652  
    application user, 651  
    database user, 652  
    operator, 652  
    reporting user, 651  
    system administrator, 652  
usernames, 40  
users  
    creating, 656–657  
    lists, 653  
    permissions, 651–652  
Users tab, Windows Task Manager, 544

## V

---

VARBINARY data type, 108  
VARCHAR data type, 105  
View Designer, 275–278  
viewing  
    contents, tables, 145  
    exported reports, 474  
    properties, tables, 135–136  
    query plans, 533  
    scripts, tables, 146–147

views  
    about, 80, 273, 724  
    ALTER, 278  
    CREATE, 278  
    creating, 275–279  
    creating, in tables, 136–139  
    data access strategies, 581  
    Data Definition Language (DDL), 278  
    deleting, 288–289  
    DROP, 278  
    dropping with T-SQL, 289  
    maintaining, 284–288  
    menus, Management Studio, 60  
    modifying, T-SQL, 287–288  
    modifying data, 282–283  
    modifying data, SSMS, 282  
    modifying data, T-SQL, 282–283  
    modifying with View Designer,  
        285–287  
    retrieving data, 279–281  
    SSMS retrieval, 280  
    T-SQL, 278–279  
    T-SQL retrieval, 281  
    tying info together, 273–274  
    using, 279–283  
    View Designer, 275–278  
    Visual Studio, 366–369  
Virtual Interface Adapter (VIA), 44, 599  
virtual machines, data access  
    strategies, 572  
Visual Studio  
    about, 16, 361–363, 476  
    launching, 364–365  
    navigating, 365–374  
    tables, 366–369  
    trial edition, 363  
    views, 366–369  
Visual Studio .NET, 33  
VMWare Server data access  
    strategies, 572

---

**W**

---

- Web Parts, SharePoint, 470
- Web Service URL, 46
- Web services
  - about, 375
  - data distribution, 375–379
  - HTTP endpoints, 380–383
  - SOAP, 383–384
  - with SQL Server, 379–384
- Web sites
  - administrative tools, 705
  - AdventureWorks2008, 712
  - CodePlex, 233
  - data generation tools, 706
  - database design tools, 705
  - DTM Data Generator, 573
  - Google Groups, 704
  - magazines, 704
  - Microsoft SQL Server, 703
  - Microsoft SQL Server Developer Center, 703
  - newsgroups, 704
  - Reporting Services Report Manager, 472
  - Reporting Services report server, 472
  - SQL Server Reporting Services (SSRS), 713
  - user groups, 704–705
  - Wikipedia, 704
- WHERE clause, 265
- Wikipedia, 704
- wildcards, data access strategies, 579
- window menus, Management Studio, 60
- Windows Authentication, 77
- Windows Installer 3.1, 24
- Windows Server 2008, 2003, 24
- Windows SharePoint Services (WSS), 470
- Windows System Monitor
  - about, 30–31, 544–545
  - logical disk, 546
  - MMC snap-in, 590–591
  - performance counters, 546–547
  - performance monitoring tools, 544–547
  - performance objects, 546–547
  - physical disk, 546
  - processor, 545
  - SQL Server, 546
  - system, 545
- Windows Task Manager
  - Applications tab, 543
  - memory settings, 589
  - Networking tab, 544
  - performance monitoring tools, 543–544
  - Performance tab, 544
  - Processes tab, 543–544
  - Users tab, 544
- Windows Vista, 24
- Windows XP Professional Edition, 24
- wizards
  - about, 47
  - activity schedule, 51
  - backup options, 50
  - Maintenance Plan Wizard, 47–51
  - policy-based management, 51–57
  - Script Wizard, 616–617
  - SQL Server Import and Export Wizard, 27–28
  - SQL Server Management Studio, 47
  - Upgrade Rules Check wizard, 27
- Word files, 473–474
- workload groups, Resource Governor, 561

---

**X**

---

- XML, 473–474
- XML Bulk Load COM object, 585
- XMLA extensions, 526

