

# Index

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

- a:active pseudo class selector, 51, 80
- absolute positioning
  - for boxes, 61, 166, 170–171, 171
  - for columns, 182
- absolute units, 265
- absolute value
  - for box position, 167
  - for column position, 182
- accessibility, 13
  - in CSS, 33
  - in Wired News, 255–258, 255–257
- active links, 51, 80
- :active pseudo class selector, 53
- additive synthesis, 124–125
- adjacent selectors, 55
- a:footer pseudo class, 51
- :after pseudo element selector, 52
- a:hover pseudo class selector, 51, 80, 215
- AIfIA (Asilomar Institute for Information Architecture), 232
- aligning text, 109, 111–112, 113
- a:link pseudo class selector, 51, 78, 215
- alt attribute, 204, 257
- alternate color schemes, 262, 263
- Alternate Media file, 258
- a:main pseudo class, 51
- anchors
  - for pseudo classes, 51
  - titles in, 204

- Asilomar Institute for Information Architecture (AIfIA), 232
- asterisks (\*) for comments, 59
- a:subnav pseudo class selector, 51
- [att] attribute matching, 56
- attribute minimization, 23
- attribute selectors, 55–56
- attributes
  - defined, 34
  - in DTDs, 16
  - in XHTML, 23
- aural applications, 34
- aural properties, 56
- Author style sheets, 35
- auto value for z-axis, 179
- a:visited pseudo class selector, 51, 79–80, 215

## B

- background property, 57, 155
  - for a:active selector, 80
  - for a:visited selector, 80
- background-attachment property, 140, 153–154
- background-color property, 72, 135
  - for a:active selector, 80
  - for a:hover selector, 80
  - for a:visited selector, 80
  - for headers, 73
  - for links, 78
- background-image property, 137–139
- background-position property, 140, 147
- background-repeat property, 140
- backgrounds, 135
  - color for, 72, 135–136, 136
  - images for, 137–139, 138–139
  - positioning, 140, 143–153, 145–146, 148, 150, 152
  - in presentation, 10, 11
  - repeating, 140–143, 141–143
  - in WOW site, 237, 237
- in reconstructed site, 210
- scrolling, 140, 153–154
- shorthand properties for, 154–155
- bandwidth, 223
- Baron, David, 96
- baselines for fonts, 96
- :before pseudo element selector, 52
- binding, 33
- blink tag, 12
- blink value, 113
- block-level elements, 60
- blockquote element, 159–160
- BlueRobot home page, 242, 242
- blurs for shadows, 114
- body elements
  - in document trees, 9, 9
  - in HTML, 24
  - in inheritance, 46
  - styling, 69–72, 70, 72
  - in XHTML, 27
- body selector, 48
- bold style, 105
- Bold value, 106–107
- Bolder value, 106
- boldness of fonts, 95
- border property, 57, 163
- border-bottom property, 57, 74, 163
- border-bottom-color property, 159
- border-bottom-style property, 156
- border-bottom-width property, 157
- border-collapse property, 162
- border-left property, 57, 163
- border-left-color property, 159
- border-left-style property, 156
- border-left-width property, 157
- border-right property, 57, 163
- border-right-color property, 159
- border-right-style property, 156
- border-right-width property, 157



- border-spacing property, 162
  - border-top property, 57, 163
  - border-top-color property, 159
  - border-top-style property, 156
  - border-top-width property, 157
  - borders, 155–156
    - in boxes, 61
    - for headers, 74
    - around images, 78
    - in presentation, 10, 11
    - properties for
      - color, 159–161, 161
      - individual, 162
      - shorthand, 163
      - style, 156, 157
      - width, 157–158, 159
  - Both value for clear, 178
  - Bottom property, 168, 169
  - bottom value for images, 144
    - bottom center value, 150–151, 152
    - bottom left value, 150–151, 152
    - bottom right value, 150–152, 152
  - Bowman, Douglas, 243–244, 243–245, 247, 253
  - box model, 59–61, 60, 188–190, 189
  - box offsets, 167–171, 168–169, 171
  - box property, 167
  - Braille applications, 34
  - Briggs, Owen, 61
  - browser exceptions in inheritance, 46
  - browser wars, 5–6
  - bullets
    - styling, 212–214, 213
    - in WOW site, 237, 238
  - Business and Law page, 240, 241
  - Business and Legal Section Style, 238–240
- C**
- canvas, 34
  - capitalization, 110
    - substitutions for, 95
    - variants for, 94, 105–106
  - capitalize property, 116
  - Carter, Sebastian, 91
  - cascade, 43–46, 44
  - case sensitivity, 21
  - Celik, Tantek, 188, 190
  - center value
    - for background image positioning, 144
    - for text alignment, 111–112, 113
  - center center value, 150–151, 152
  - character spacing, 110, 114–116
  - children
    - defined, 34
    - in document trees, 9, 9
    - in inheritance, 46, 47
    - selectors for, 54–55
  - chunking paragraphs, 231, 237
  - class attribute, 49, 83
  - classes
    - names for, 83
    - in reconstructed site, 209–210
    - selectors for, 49–50
      - pseudo, 51–54
      - style rules for, 83–86, 84, 86
  - clear property, 178
  - CMY (Cyan, Magenta, Yellow) color model, 124
  - CMYK color model, 124, 125
  - collapse method for borders, 162
  - colons (:) for link pseudo class selectors, 51
  - color, 123–124
    - applying, 128–135, 130–134
    - for backgrounds, 72, 135–136, 136
    - for borders, 159–161, 161
    - color models, 124–126, 124–125
    - for headings, 215
    - for links, 78, 215
    - in presentation, 10, 10
    - resources for, 127
    - for shadows, 114
    - in stopdesign site, 244, 244
    - for text, 71, 73, 75
    - values for, 266
    - Web-safe, 126–127, 126
    - in Wired News, 257, 259–262, 260–263
    - in WOW site, 237
  - color property
    - for a:active selector, 80
    - for a:hover selector, 80
    - for a:visited selector, 79
    - for foreground, 128
    - for headers, 73, 75
    - for links, 78
    - for smallColor class, 83
  - color value, 114
  - color wheel, 124, 124
  - commas (,)
    - for properties, 59
    - for RGB values, 132
  - comments
    - for background images, 138
    - in CSS, 59
  - compatibility in CSS, 32
  - complex spirals, 248, 248
  - compliance to DTDs, 15–16
  - condensing fonts, 95, 109
  - conflicts, 43–46, 44
  - containment hierarchy, 46
  - content
    - in boxes, 61
    - defined, 34
    - in reconstructed site, 214–216, 216
    - in Wired News, 255, 255
  - contextual selectors, 51
  - contrast
    - for readability, 231
    - in Wired News, 257
  - converting to XHTML, 204
  - core attributes, 16
  - CSS, 31
    - applications of, 34–35
    - cascade in, 43–46, 44
    - comments in, 59
    - declarations in, 56–57
    - inheritance in, 46, 47
    - principles of, 32–34
    - properties in, 56–59
    - selectors in. *See* selectors
    - specificity in, 47
    - status of, 31–32
    - style integration in. *See* style integration
    - terminology in, 33–34
    - visual models in, 59–61, 60
  - CSS Edge site, 247–251, 248–251
  - cue property, 57
  - curly braces ({} for declarations, 49, 56
  - current ID, 210
  - Cyan, Magenta, Yellow (CMY) color model, 124
- D**
- dashed value for borders, 156
  - declarations, 49, 56–57
  - decorating text, 109, 113–114
  - default font face, 71–72
  - descenders, 96
  - Design and Usability page, 241
  - design examples
    - information and readability, 231–241, 237–238, 241–242
    - visual design, 242–247, 242–247
    - visual effects, 247–251, 248–251
  - device independence, 32
  - DHTML, 179



directories for images, 137  
 display property, 171  
 dithering, 126  
 div element  
   for expert speakers list, 217  
   with floats, 224–225  
   from tables, 223–224  
   for three-column layout, 183  
 DOCTYPE declarations, 8  
   in HTML, 24  
   in XHTML, 18–19, 27  
 DOCTYPE Switching, 19  
 document languages, 34  
 document trees  
   defined, 34  
   for inheritance, 9, 9, 46  
 document type definitions (DTDs),  
   14, 14  
   comparing, 16  
   compliance to, 15–16  
   in SGML, 5  
   types of, 15  
 documents  
   accessibility and rendering of,  
     12–13, 12  
   preparing, 63–68, 67–68  
   presentation of, 10–12, 10–11  
   rendering, 12–13, 12  
   structured. *See* structure and  
     structured documents  
   validating, 15–16, 28–29,  
     87–88, 87–88  
 dots (.)  
   for class selectors, 49  
   for pseudo class, 51  
 dotted value for borders, 156  
 double value for borders, 156  
 drop shadows, 114  
 DTDs (document type definitions),  
   14, 14  
   comparing, 16  
   compliance to, 15–16  
   in SGML, 5  
   types of, 15  
 dynamic pseudo class selectors, 53

## E

element selectors, 48–49, 69  
   body, 69–72, 70, 72  
   headers, 72–77, 74, 76–77  
   images, 78  
   links, 78–79  
   paragraphs, 77  
 elements, 34  
 em elements, 68  
 embedded style sheets, 37–39, 39  
 embossed Braille applications, 34

emotion, color for, 123  
 empty-cells property, 162  
 empty elements, 22–23  
 ems unit for font size, 102  
 escaping in XHTML, 23  
 event attributes, 16  
 expansion of fonts, 95, 109  
 expert speakers list, 217–219, 218  
 Extensible Markup Language (XML)  
   case sensitivity of, 21  
   development of, 6  
 Extensible Style Language with  
   Transformations (XSLT), 32  
 external style sheet, 39–41

## F

families, font, 96–101, 98–99, 101  
 fantasy font family, 97, 100  
 first child selectors, 55  
 :first-letter pseudo element selector, 52  
 :first-line pseudo element selector, 52  
 fixed value  
   for background scrolling,  
     153–154  
   for positioning, 167  
 flexibility in CSS, 33  
 float boxes, 61  
 float property, 185  
 floats, 166, 171–173, 172  
   for flowing content, 173–178,  
     174–175, 177–178  
   in reconstructed site, 224–226,  
     226  
   for two-column layouts,  
     185–187, 187  
 flowing content, 173–178, 174–175,  
   177–178  
 :focus pseudo class selector, 53  
 font property, 58, 71, 120  
   for headers, 73, 75  
   for lists, 79  
   for small class, 83  
   for smallColor class, 83  
 font-family property, 71, 93–94, 99  
 font-size property, 71, 96, 96,  
   102–104  
 font-stretch property, 95, 96, 109  
 font-style property, 71, 94, 94, 105  
 font-variant property, 94–95, 94,  
   105–106  
 font-weight property, 95, 95,  
   106–108  
 fonts, 93–96, 94–96. *See also* text  
   families, 96–101, 98–99, 101  
   for headings, 73, 75, 100–104,  
     101, 104, 215  
   for lists, 79

for paragraphs, 77  
 for readability, 232  
 removing, 197, 198  
 size, 102–104, 104  
 stretch, 109  
 style, 105  
 type faces, 98–101, 99, 101  
 variants, 105–106, 106  
 weight, 106–108  
   in WOW site, 237  
 footers, 220–221, 220–221  
 foreground color, 128  
 Frameset DTDs  
   in HTML, 15  
   in XHTML, 18–19  
 Friday scheme in Wired News, 262,  
   262

## G

Gamma, 126  
 generated content, 52  
 generic font families, 96–97  
 global layout for WOW site,  
   235–236  
 global styling in reconstructed site,  
   210–211  
 graphics. *See* images  
 grayscale base in Wired News, 260,  
   260  
 groove value for borders, 156  
 grouping properties, 57–59  
   for backgrounds, 154–155  
   for borders, 163  
   for fonts, 71  
   for margins, 71  
 groups, selector, 53  
 Gutfeldt, Matthias, 19

## H

h1 header  
   font size for, 103–104  
   in reconstructed site, 214  
   styling, 73–75  
 h1 selector, 48  
 h2 header  
   font size for, 103–104  
   in reconstructed site, 214  
   styling, 75–76, 76  
 h3 header, 103–104  
 hacks, 188  
   box model, 188–190, 189  
   @import, 190–191, 191–192  
 handheld applications, 34  
 hash marks (#)  
   for color, 131  
   for ID selectors, 50



## 270 ■ Index

- head elements
  - in HTML, 24
  - in XHTML, 27
- headings
  - fonts for, 73, 75, 100–104, 101, 104, 215
  - in reconstructed site, 214–215
  - with span, 198
  - style for, 72–77, 74, 76–77
  - in WOW site, 237, 237
  - in XHTML, 20–21, 21
- height
  - with floats, 225
  - of fonts, 96
  - of text lines, 118–119, 120
- hexadecimal values for color, 126, 130–131, 266
- hidden value for borders, 156
- history of standards, 5–6
- :hover pseudo class selector, 53, 250–251, 251
- hovering
  - for bullet images, 212–213, 213
  - for expert speakers list, 219
  - for menus, 250–251, 251
  - styling, 80, 81
- HTML
  - case sensitivity of, 21
  - concepts in, 7–8
  - document accessibility and rendering in, 12–13, 12
  - DTDs in. *See* DTDs (document type definitions)
  - history of, 5–6
  - international issues in, 13–14
  - separation of structure and style in, 8–12, 9–11
  - structured documents in, 24–26, 26
  - vs. XHTML, 17–19
- I**
  - id attribute, 50
  - ID names, 209–210
  - ID selectors, 50, 185–186
  - images
    - for backgrounds, 137–139, 138–139
      - positioning, 140, 143–153, 145–146, 148, 150, 152
    - in presentation, 10, 11
    - repeating, 140–143, 141–143
    - in WOW site, 237, 237
  - design examples for, 242–247, 242–247
    - in presentation, 10, 11
    - style for, 78
    - text equivalents for, 257
  - img element, 78
  - @import rule, 42, 190–191, 191–192
  - imported styles, 42, 43
  - inches for font size, 102
  - indenting text, 109–110, 111
  - independence in CSS, 32
  - information, design examples for, 231–241, 237–238, 241–242
  - Information Architecture, 232
  - inheritance
    - in CSS, 46, 47
    - document trees for, 9, 9
  - inline elements, 60
  - inline style sheets, 35–36, 36
  - inset value for borders, 156
  - integer values
    - list of for, 265
    - for z-axis, 179
  - integration, style. *See* style integration
  - internal section page in WOW site, 237, 238
  - internationalization
    - attributes for, 16
    - in HTML, 13–14
    - pseudo class selectors for, 54
  - interpretations, DTD, 15
  - italic font, 94, 105
- J**
  - justified text, 111–112, 113, 176, 177
  - justify value, 111–112, 113
- K**
  - keywords
    - for image positioning, 148–150, 150, 152
    - values for, 265–266
- L**
  - language pseudo class selectors, 53–54
  - Large Text Size file, 258
  - Larger Text Size file, 258
  - layouts
    - in presentation, 10, 11
    - three-column, 181–185, 183
    - two-column, 185–187, 187
    - in Wired News, 257
    - workarounds for, 188–191, 189, 191–192
    - for WOW site, 235–236
  - leading, 118
  - leaf nodes, 9
  - left property for box offsets, 168, 169
  - left value
    - for background image positioning, 144
    - for clear, 178
    - for text alignment, 111–112, 113
  - length value
    - for background image positioning, 143, 147, 148
    - for borders, 157
    - for text shadow, 114
    - for text spacing, 114
  - lengths
    - for borders, 162
    - of pages, 232
    - units and values for, 265
  - letter and word spacing, 110, 114–116, 116
  - letter-spacing property, 110
  - li element, 79
  - li selector, 49
  - Lighter value for font-weight, 106
  - line boxes, 61
  - line breaks, suppressing, 118
  - line-height property, 71, 110, 118–119, 120
  - line length in WOW site, 237
  - line-through value, 113
  - link element, 39–41
  - linked style sheets, 39–41
  - links
    - color for, 78, 215
    - for expert speakers list, 217–219, 218
    - with pseudo class selectors, 51–52, 79–82, 81
    - style for, 78–79
  - List Apart Magazine, 102
  - list-item element, 60
  - list-style property, 58
  - lists
    - fonts for, 79
    - styling, 213–214
  - logical content, 255
  - logical markup, 20–21, 21
  - logical structure, 258
  - logos, 237, 237
  - lowercase property, 116
- M**
  - main ID, 210
  - maintenance, 33
  - margin property, 58, 70, 73, 75
  - margin-bottom property, 69
  - margin-left property, 69



margin-right property, 69  
margin-top property, 69  
margins  
  for body element, 69–70  
  in boxes, 61  
  negative values for, 73  
  for paragraphs, 77  
  shorthand properties for, 71  
marquee tag, 12, 12  
master font families, 96  
medium value for borders, 157  
menus, 250–251, 250–251  
meta-languages, 5  
Meyer, Eric A., 19, 247  
modes in DOCTYPE Switching, 19  
modularization, 17  
Monday scheme in Wired News,  
  260, 260  
monospace font family, 97  
multiple link styles, 83  
multiple linked sheets, 41, 46

**N**

names  
  for classes, 83  
  for color, 126, 130–131  
  for properties, 56  
  quotation marks for, 71  
namespace in XHTML, 19, 27  
nav ID, 210, 212  
navigation bar, 211–212, 212–213  
negative values for margins, 73  
nesting  
  with span, 198  
  in XHTML, 22  
no-repeat value, 140, 142  
non-empty elements, 22–23  
none value  
  for borders, 156  
  for clear, 178  
  for text decoration, 113  
nonstandard markup, removing, 200  
normal flow, 166  
normal font, 94, 105  
normal value  
  for font-weight, 106–107  
  for text spacing, 114  
  for white space, 117  
nowrap property, 118  
numeric values for RGB values,  
  132–133

**O**

oblique font, 94, 105  
octothorpes (#)  
  for color, 131  
  for ID selectors, 50  
offsets, box, 167–171, 168–169, 171  
online validation, 29, 87  
outline property, 58  
outset value for borders, 156  
overline value for text decoration, 113

**P**

p selector, 49  
padding  
  in boxes, 61  
  for bullet images, 212  
  for headers, 73, 75  
  in presentation, 10, 11  
padding property, 58, 73, 75  
page length, 232  
paged properties, 56  
paragraphs  
  chunking, 231, 237  
  fonts for, 100–101, 101,  
    103–104, 104  
  style for, 77  
  in WOW site, 237, 238  
  in XHTML, 20  
parentheses () for RGB values, 132  
parents in inheritance, 46, 47  
pause property, 58  
PDAs, Wired News for, 263, 264  
percentages  
  for font size, 102  
  for image positioning, 143,  
    146–147, 147  
  for indentation, 110  
  for RGB values, 133–135  
  values for, 265  
perception, color in, 123  
performance, 33  
Pirouz, Raymond, 245–247, 246–247  
pixels  
  for font size, 102, 104  
  for position, 182  
platform independence, 32  
points for font size, 102  
pop-ups, 248–250, 249–250  
portfolio section in stopdesign site,  
  244  
position property, 166–167, 182  
positioning, 165–167  
  background images, 140,  
    143–153, 145–146, 148,  
    150, 152

box offsets, 167–171, 168–169,  
  171  
floats, 171–178, 172, 174–175,  
  177–178  
in reconstructed site, 227–228,  
  229  
for three-column layouts,  
  181–185, 183  
  along z-axis, 179–180, 180  
pre value, 117  
presentation, 10–12, 10–11  
principal boxes, 60  
print applications, 34  
Print Media file, 258  
Programming section, 242  
projection applications, 34  
properties, 56–59  
pseudo class selectors, 51–54,  
  79–82, 81  
pseudo element selectors, 52–53

**Q**

quirks mode, 19  
quotation marks (“)  
  for names, 71  
  in XHTML, 23

**R**

ragged right margin, 176, 177  
readability  
  design examples for, 231–241,  
    237–238, 241–242  
  in Wired News, 257  
real numbers, values for, 265  
reconstructing sites, 195  
  bullets, 212–214, 213  
  class and ID names in, 209–210  
  content, 214–216, 216  
  converted document, 222–223,  
    222  
  divs from tables, 223–224  
  expert speakers list, 217–219,  
    218  
  float for, 224–226, 226  
  font elements, 197, 198  
  footers, 220–221, 220–221  
  global styling in, 210–211  
  navigation bar, 211–212,  
    212–213  
  nonstandard markup, 200  
  original document, 196–197, 196  
  positioning, 227–228, 229  
  preparing for, 202–204, 203  
  span elements, 190, 198–199,  
    199



- specialty areas, 215–216, 216
    - visualizing structure in, 205–209, 206, 208
    - waste removal, 200, 201–202
  - relative positioning, 61, 166–167
  - relative text sizing, 256, 256–257
  - relative units, 265
  - Relative value, 167
  - removing
    - font elements, 197, 198
    - nonstandard markup, 200
    - span elements, 198–199, 199
    - waste, 200, 201–202
  - rendering of documents, 12–13, 12
  - repeat value, 140
  - repeat-x value, 140–141
  - repeat-y value, 140, 142
  - repeating background images, 140–143, 141–143
  - RGB color model, 125–126, 125
    - values for, 266
      - numeric, 132–133
      - percentage, 133–135
  - richness in CSS, 33
  - ridge value for borders, 156
  - right property for box offsets, 168, 169
  - right value
    - for background image positioning, 144
    - for clear, 178
    - for text alignment, 111–112, 113
  - right center value, 150–151, 152
  - root elements
    - in document trees, 9, 9
    - in HTML, 24
    - in XHTML, 27
  - rules, 56–57
    - for class selectors, 83–86, 84, 86
    - creating, 68–69
    - for element selectors. *See* element selectors
    - for links with pseudo class selectors, 79–82, 81
- S**
- sans-serif font family, 97
  - screen
    - styling documents for, 34
    - type measurement for, 102
  - Screen Media file, 258
  - script font family, 97
  - scroll value, 153
  - scrolling backgrounds, 140, 153–154
  - search engines and comments, 59
  - Section 508 legislation, 13
  - selectors, 48
    - adjacent, 55
    - attribute, 55–56
    - child, 54–55
    - class, 49–50
    - contextual, 51
    - element, 48–49
    - groups, 53
    - ID, 50
    - pseudo class, 51–54
    - pseudo element, 52–53
    - for specificity, 47
  - semicolons (;)
    - for declarations, 49, 56
    - for properties, 59
  - separate method for borders, 162
  - separation of structure and style, 8–12, 9–11
  - serif font family, 97
  - serif property, 71
  - SGML (Standardized General Markup Language), 5
  - shadowing text, 114
  - shorthand properties, 57–59
    - for backgrounds, 154–155
    - for borders, 163
    - for fonts, 71
    - for margins, 71
  - siblings
    - adjacent selectors for, 55
    - defined, 34
  - simplicity
    - in CSS, 33
    - in visual design, 243
  - sites, reconstructing. *See* reconstructing sites
  - size, font, 102–104, 104, 256, 256–257
  - skip links, 257
  - slant of typefaces, 105
  - slashes (/)
    - for comments, 59
    - in XHTML, 23
  - small capitals
    - substitutions for, 95
    - variants for, 94, 105–106
  - small-caps value, 105
  - small class, 83
  - Small Text Size file, 258
  - smallcolor class, 83
  - solid value for borders, 156
  - source documents, 34
  - spacer GIFs, 215
  - spacing
    - for borders, 162
    - for letters and words, 110, 114–116, 116
    - in presentation, 10, 11
  - span element
    - in class selectors 83
    - removing, 198–199, 199
  - specialty areas in reconstructed site, 215–216, 216
  - specificity in CSS, 47
  - spirals, complex, 248, 248
  - stacking order, 179
  - stacking typefaces, 98–100
  - Standardized General Markup Language (SGML), 5
  - standards, 3–4
    - history of, 5–6, 5
    - purpose of, 6–7
  - static boxes, 61
  - Static value for positioning, 167
  - stopdesign site, 243–244, 243–245
  - stretching fonts, 95, 109
  - Strict DTDs
    - in HTML, 15
    - in XHTML, 18
  - strict rendering mode in DOCTYPE Switching, 19
  - strong element
    - in reconstructed site, 218
    - as structural, 68
  - structure and structured documents, 8–9, 9, 24
    - in CSS, 32
    - HTML, 24–26, 26
    - validating, 28–29
    - visualizing, 205–209, 206, 208
    - in Wired News, 258
    - XHTML, 26–28
  - style attribute, 35
  - style element, 37–39
  - style integration, 35
    - embedded style sheets, 37–39, 39
    - imported styles, 42, 43
    - inline style sheets, 35–36, 36
    - linked styles, 39–41
    - user-defined style sheets, 43
  - style languages, 31
  - style rules, 56–57
    - for class selectors, 83–86, 84, 86
    - creating, 68–69
    - for element selectors. *See* element selectors
    - for links with pseudo class selectors, 79–82, 81
  - style sheets, 33
  - subtractive synthesis, 124
  - summaries, table, 204

**T**

table-based sites, reconstructing.  
*See* reconstructing sites

tables  
 divs from, 223–224  
 in HTML, 5, 5  
 width of, 210  
 in Wired News, 257

technical exceptions in inheritance, 46

text, 93, 109–110. *See also* fonts  
 aligning, 111–112, 113  
 color for, 71, 73, 75  
 decorating, 113–114  
 for headers, 73, 75  
 for images, 257  
 indenting, 109–110, 111  
 letter and word spacing,  
 114–116, 116  
 line height for, 118–119, 120  
 in presentation, 10, 10  
 transforming, 110, 116–117, 117  
 white space in, 117–118  
 width of, 232  
 in Wired News, 256, 256–257

text-align property, 109, 112, 113

text-decoration property, 78, 109,  
 113–114  
 for a:active selector, 80  
 for a:hover selector, 80  
 for a:visited selector, 80

text-indent property, 109–110, 111

text-shadow property, 113–114

text-transform property, 110, 116,  
 117

thick value for borders, 157

thickness of typefaces, 106

thin value for borders, 157

three-column layouts, 181–185, 183

Thursday Scheme in Wired News,  
 260, 261

titles in anchors, 204

Top property for box offsets, 168

top value for images, 144  
 top center value, 150  
 top left value, 150–151, 152  
 top right value, 150–151, 152

trailing slashes in XHTML, 23

transforming text, 110, 116–117, 117

Transitional DTDs  
 in HTML, 15  
 in XHTML, 18–19

transparent property, 135

TTY applications, 35

Tuesday Scheme in Wired News,  
 260, 261

TV applications, 35

two-column layouts, 185–187, 187

type attribute, 38

type size  
 measurement units for, 102  
 for readability, 232

typography, 91. *See also* fonts  
 in presentation, 10, 10  
 text, 93  
 type, 91–92, 92–93  
 type faces, 98–101, 99, 101

**U**

ul element, 79

ul selector, 49

underline value, 113

upload validation, 29, 87

uppercase property, 116

URLs for document validation, 87

URLs, values for, 266

useful content, 255

user agents, 34–35

user-defined style sheets, 35, 43

**V**

valid style sheets, 33

validating documents, 15–16,  
 28–29, 87–88, 87–88

values for properties, 56

variants for fonts, 94, 94, 105–106,  
 106

vendor independence, 32

visited links, 51, 79–80

visual design example, 242–247,  
 242–247

visual effects, 247  
 complex spirals, 248, 248  
 menus, 250–251, 250–251  
 pop-ups, 248–250, 249–250

visual models, 59–61, 60

visual properties, 56

visualizing structure, 205–209, 206,  
 208

**W**

W3C (World Wide Web Consortium)  
 CSS recommendation by, 31–32  
 standards by, 4

W3C validator, 15, 28–29, 87–88

WAI (Web Accessibility Initiative), 13

warnings in validation, 29

waste removal, 200, 201–202

Web Accessibility Initiative (WAI), 13

Web-safe color, 126–127, 126

Web Standards Project, 7

Wednesday Scheme in Wired News,  
 260, 261

Weekend scheme in Wired News,  
 262, 262

weight  
 of fonts, 95, 95, 106–108  
 of rules, 47

well-formed syntax, 22

white space  
 for readability, 231  
 in text, 117–118  
 in WOW site, 237, 238

white-space property, 110, 117–118

width  
 of borders, 157–158, 159  
 of tables, 210  
 of text, 232

Wired News site, 253–255  
 accessibility initiatives in,  
 255–258, 255–257  
 color in, 259–262, 260–263  
 for PDAs, 263, 264  
 style information in, 258–259,  
 259

word spacing, 110, 114–116, 116

word-spacing property, 110

workarounds for layouts, 188  
 box model, 188–190, 189  
 @import, 190–191, 191–192

World Organization of Webmasters  
 Learning Center, 232

World Wide Web Consortium (W3C)  
 CSS recommendation by, 31–32  
 standards by, 4

WOW (World Organization of  
 Webmasters), 232  
 global CSS layout for, 235–236  
 information management in,  
 237–241, 237–238i, 241–242

XHTML for, 233–235

WOW Learning Center site  
 Business and Legal Section Style  
 for, 238–240, 241  
 global layout for, 235–236

**X**

x-axis, background images for,  
 140–141

XHTML, 17  
 case sensitivity in, 21  
 concepts in, 17  
 concerns in, 23–24  
 converting to, 204  
 DOCTYPE declarations in,  
 18–19, 27



274 ■ Index

- empty elements in, 22–23
- vs. HTML, 17–19
- logical markup in, 20–21, 21
- quotation marks in, 23
- structured documents in, 26–28
- syntax of, 19–24, 21
- in Wired News, 258
- for WOW site, 233–235
- XML namespace for, 19
- XML Prologs in, 18
- XML (Extensible Markup Language)
  - case sensitivity of, 21
  - development of, 6
- XML namespace, 19, 27
- XML Prologs, 18, 27
- XSLT (Extensible Style Language with Transformations), 32

## Y

- y-axis, background images for, 140–142

## Z

- z-axis, positioning along, 179–180, 180
- z-index property, 179
- Zeldman, Jeffrey, 102, 185