

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- A.Pack, **165–168**, *167–168*
- absolute paths for item description files, 364
- AC-3 sound, **165–168**, *167–168*
- access
 - to button numbers, **329–330**, *330*
 - to streams, 178
- action safe zones, 45, 111–112, *111*
- activated art, 100–101
- Activated button state, 66
- activated colors
 - for anti-aliased text highlights, 93
 - for subtitles, 264
- activated levels, 96
- add buttons, 42
- Add Chapter To Clip End option, 215
- Add Command button, 299
- Add Layered Menu button, 42
- Add Marker To Clip End option, 215
- ADD operator, 306
- Add/Remove Marker button, 130
- Additional Remote Controls property, 356
- Adobe Photoshop
 - for drop zones, 58
 - for highlights, 55
 - safe colors with, **109–110**
- Advanced configuration, 3
- Advanced tab
 - for Button Inspector, 326, *326*
 - for Easter eggs, 347
- AIFF format, converting WAV files to, 171
- aligning
 - menu text, 48
 - subtitles, 259
- Alpha setting for drop shadows, 331
- alternate audio, **198–200**, *199–200*
- alternate languages, 85
- always-on power for Viewer, 197
- Amray cases, 364–365
- AND operator, 306
- Angle Change user operation, 342
- Angle Menu user operation, 342
- angles
 - for drop shadows, 331
 - for mixed-angle tracks, 201
 - for streams, 178
 - in tracks, **193–195**, *194–195*
- animated subtitles, 240, **266–271**, *267–271*
- anti-aliased highlights, 74, **91–94**, *91–94*
- Apple DVD Player
 - for stories, 224, *224*
 - for subtitles, 265
- AppleScript, **241–242**, *241–242*
- Apply To Stories option, 337
- arguments in scripting, 308
- arrangement controls for menus, 41, *41*
- arrows
 - for menu navigation, **343–345**, *344–345*
 - for slides, 282
 - for slideshows, **285–286**, *285–286*
- arrowsubs.txt file, 285
- art
 - for animated subtitles, 269
 - for layered menus, 78–79
 - for rollover menus, 98–102
- aspect ratios, 114, 116
 - for MPEG-2, 154
 - for slideshows, 274
- assets
 - examining, 24–26, 26
 - importing, 24, 24
 - loading, 22
 - for outline elements, 185
 - relinking, 27–28, 28
 - removing, 26
 - renaming, 26–27
 - sorting, 23
 - status of, 25
 - for tracks, 178–179
 - video. *See* video and video assets
- Assets tab, 22–23, 23, 40, 178
- Assets window, 14, 14
- At End pop-Up, 334–335
- audio
 - AC-3 sound, **165–168**, *167–168*
 - file types for, 22
 - formats for
 - converting MPEG, **135–136**, *136*
 - QuickTime Pro for, **134–135**, *135*
 - selecting, **132–134**
 - in layered menus, 75

- for menus, 45, 171–173, 171–173
- multiangle tracks for, 198–200, 199–200
- resolution requirements for, 22
- in slideshows, 34, 133, 274, 281–282
- in streams, 133, 176–177, 205–207, 206–207
- in tracks, 205–207, 206–207, 281
- audio-editing pane, 188–189, 188–189
- Audio Language condition type, 337
- Audio Menu user operation, 342
- Audio palette, 28, 28
- Audio Player Config condition type, 337
- Audio Stream Change user operation, 342
- Audio Stream Number condition type, 337
- Audio_TS folder, 360
- Audio Well button, 276
- Auto Action buttons, 326–327, 326
- average bit rate, 149–150, 152

B

- background
 - for anti-aliased text highlights, 92
 - audio
 - for menus, 171–173, 171–173
 - for slideshows, 281
 - for Easter eggs, 346
 - for loop points, 348
 - for menus, 39
 - layered, 79
 - overlay, 64, 64, 66–67
 - rollover, 98–100, 102
 - for motion buttons, 169
 - for pop-out buttons, 94
 - for slideshows, 275
 - for stories, 231
 - for virtual tracks, 233
 - background encoding, 25, 26
 - backups, 363
 - Basic layout, 2
 - Batch Monitor, 157
 - batch operations
 - GraphicConverter for, 117
 - for safe zones, 119–121, 119–121
 - bbDemux utility, 135
 - BG1.psd file, 321
 - bids for replicators, 366
 - bit budgets, 148–152, 149–151
 - bit rates
 - in compression, 146–152, 149–151
 - for Dolby, 166
 - black-and-white overlays, 65, 65
 - blank layers, 56
 - \$Bold command, 252
 - bold fonts for menu text, 48
 - borders with safe colors, 110
 - bottom control lines, 189–190, 189
 - Break Point property, 357
 - brightness levels, scanning for, 108
 - Broadcast Safe command, 108
 - broadcasts, layers for, 77
 - build folders, 34
 - building DVDs, 353–354
 - backups, 363
 - burning with Toast, 360–363, 361–362
 - disc properties in, 354–357, 355
 - DVD-ROM data for, 367–369
 - formatting in, 358–359, 358–359
 - help for, 367
 - item description files in, 363–364, 364
 - replicators in, 365–366
 - Burn option, 359
 - burning
 - looping DVDs, 33–34, 33–34
 - slideshows, 34–35
 - with Toast, 360–363, 361–362
 - button art, 79
 - Button control, 341
 - button highlight markers, 210
 - Button Inspector, 67
 - for Auto Action and Invisible buttons, 326, 326
 - for color, 69, 72–73
 - for Easter eggs, 347
 - for highlights, 53
 - for linking, 52
 - Button Offset field, 330
 - Button Outline feature, 44
 - button sets, selecting, 73
 - button state controls, 42
 - buttons, 39
 - Auto Action and Invisible, 326–327, 326
 - default, 327–328, 327
 - for highlight sets, 68
 - highlights for, 53, 55–57, 55–57, 170
 - for layered menus, 77
 - adding, 78
 - art for, 79
 - order of, 81–83, 81–82
 - positioning, 80
 - linking, 52, 69, 69
 - for loop points, 348
 - motion, 168–170, 169–170
 - number access to, 329–330, 330
 - for overlay menus, 65–67, 67
 - pop-out, 94–98, 94–98
 - populating, 48–50, 49–50
 - roles of, 65–66
 - in scripts, 296
 - selecting, 328–329, 328
 - for streams, 207
 - styles for, 83
 - for subtitles, 240, 262–265, 262–264

- targeting, 328
- text for, 50–53, 51
- for tracks, 204–205, 205
- for user interactions, 341
- for virtual tracks, 233
- for widescreen menus, 90

buttons over video, 262–265, 262–264

C

captions, closed, vs. subtitles, 177

capturing styles and templates, 83

CDs, writing DVD data onto, 362–363

cell markers, 210

cells for tracks, 284

channels

- for AC-3 sound, 167
- for background audio, 172

chapter markers, 121–122

- for arrows, 343
- in Compressor, 129–131, 130–131
- in Final Cut, 122–123, 122–123
- in iMovie, 124–126, 125
- for pauses, 283
- in QuickTime Pro, 126–129, 126–129
- role of, 210
- for subtitles, 261

chapter menus, 140–143, 140–142

check discs, 366

Check For Unique Name option, 213

CheckButton.psd file, 52

ChefDesign.txt file, 199

Choose Application Configuration dialog, 2, 2

Choose Build Folder dialog, 358

Choose Marker File dialog, 216

Choose Subtitle File option, 249

chroma crawl, 110

chroma for overlay menus, 69–74, 70–74

Cinderella.dsptemplate file, 140

cinderella.jpg file, 136

clip ends

- markers for, 213, 213, 215
- for tracks, 192

Clip Inspector, 192

clip starts for tracks, 192

closed captions vs. subtitles, 177

closing

- floating windows, 9
- tab windows, 7

color

- for animated subtitles, 270
- for anti-aliased text highlights, 93
- for buttons, 56, 68
- for menu text, 48
- for overlay menus, 69–75, 70–74
- safe. *See* safe colors
- for slideshows, 275, 286
- for subtitles, 257–258, 257, 264

color levels, scanning for, 108

Color Settings tab

- for anti-aliased text highlights, 93
- for overlay menus, 72
- for subtitles, 257–258, 257

columns for assets, 23–24

Command Customization area, 301

command errors for subtitles, 257

command lines in subtitles, 250–254, 253–254

Command List for Script Editor, 300

Command Selection pop-up, 301

commands in scripting, 303–304

Commands Remaining indicator, 301

Commands Used indicator, 301

comments

- for markers, 215
- in scripting, 301, 308

compare conditions, 306–307

Comparison Configuration area, 301

compression, 145–146

- for AC-3 sound, 165–168, 167–168
- for background audio, 171–173, 171–173
- bit rates in, 146–152, 149–151
- Compressor for, 155–157, 156–157
- destinations for, 165, 165
- droplets for, 164–165, 164
- motion buttons for, 168–170, 169–170
- playback with, 146–147
- presets for, 158–165, 158–165
- with QuickTime MPEG-2 Encoder, 152–155, 152–154
- for transitions, 289

compression markers, 121–123

Compressor

- chapter markers in, 129–131, 130–131
- encoding with, 155–157, 156–157

conditional relationships, 336–337

configuration, 2–3, 2

- first time running, 3
- within programs, 3, 4
- saving, 11–12, 11

Configuration Manager, 11–12

Connect/Disconnect button, 225

connections

- making, 227, 227
- managing, 228
- menu buttons to tracks, 204–205, 205
- removing, 228
- replacing, 227
- sources and targets for, 227–229

Connections Editor, 225–226, 226

Connections tab, 40, 54–55, 55, 225–226, 226

Connections window, 14, 14

contextual menus, 52

- controls in subtitles, 252–254, 253–254
- Convert To Track button, 275
- converting
 - bytes to bits, 148
 - MPEG, 135–136, 136
 - slideshows to tracks, 278, 285
 - titles, 127
 - between video standards, 156
 - WAV files to AIFF, 171
- copying
 - buttons, 52
 - clips, 191
 - DVDs, 362–363, 362
 - elements, 182
 - language-specific menu styles, 86
 - menu items, 46
 - menus, 43
 - pop-out button styles, 96–97
 - project files, 363
 - shapes, 56
 - slides, 282
 - subtitle images, 266
 - title tracks, 128
- Copyright Management property, 357
- copyright notice screens, 349–351, 350–351
- copyrights
 - for AC-3 sound, 168
 - waivers, 366
- counting menu timeouts, 319–321, 319–320
- Create Button-Set Shape option, 52
- Create Log File option, 154
- cropping for presets, 162
- cursor time indicator, 187

D

- datatypes in scripting, 304–305
- defaults
 - menu buttons, 327–328, 327
 - menus, 83, 137
 - toolbar items, 10
- delays from prescripts, 338
- deleting
 - assets, 26
 - background audio tracks, 281
 - clips, 192
 - configurations, 12
 - connections, 228
 - elements, 184
 - folders, 27, 30
 - markers, 123, 124, 218
 - menu items, 46
 - menus, 43
 - slides, 279
 - slideshows, 277
 - story items, 221

- toolbar items, 10
- Design-Angle1.m2v file, 204, 206
- design features for menus, 44–45, 44
- Design.txt file, 199
- Design.wav file, 202, 204, 206
- designing layered menus, 76–78, 77
- destinations for compression, 157, 164–165, 165
- Detail pop-up, 225
- details
 - for building DVDs, 354
 - for stories, 225
- Diffusion setting for drop shadows, 331
- dimensions
 - in Compressor, 130
 - requirements for, 22
 - of safe zones, 112
 - for widescreen menus, 89
- disc image, 368
- Disc Inspector, 54, 354–357, 355, 367
- Disc Media property, 357
- disc setup
 - for looping DVDs, 32–33, 32–33
 - for looping slideshows, 35, 35
- Disc Size property, 357
- disc space and bit rates, 147
- Disc tab, 88
- discussion resources, 367
- disk capacities, 146
- Display Conditions, 335–338, 336
- display mode
 - for mixed-angle tracks, 203
 - for slideshows, 287
 - for tracks, 180
- Distance Setting for drop shadows, 332
- DIV operator, 306
- documentation, 367
- Dolby Digital AC-3 Audio format, 132
- Dolby tips, 166
- dragging
 - audio, 173
 - for connections, 227
 - for menus, 45, 45–46
 - movies, 31
 - tabs, 7
- drop-down menu buttons, 98–103
- drop frames for MPEG-2, 153
- drop palettes, 52
- drop shadows, 48, 331–332, 331
- Drop Zone Inspector, 49
- drop zones, 39
 - for menus, 48–50, 49–50
 - patches for, 60–61, 60–61
 - shapes for, 58–59, 58–59
- droplets, 164–165, 164
- dropping movies, 32
- .dspconfig extensions, 12

- dual-layer break projects, 211
- duplicating. *See* copying
- duration
 - of slides, 280, 282
 - of subtitles, 245, 259
- DVD-9 format, 146
- DVD @ccess, 338–339
 - for markers, 235–237, 235–237
 - for Simulator, 339
 - for slides, 280
 - valid URLs with, 339
- DVD Demystified FAQs, 367
- DVD-ROM property, 356
- DVD-ROM (UDF) option, 360
- DVD Studio Pro Support site, 367
- dynamic guides for menus, 44

E

- Easter eggs, 345–347, 346–347
- Edit Marker window, 122, 123
- editing
 - button text, 52
 - button titles, 97
 - clip start and end times, 192
 - clips for animated subtitles, 268
 - command text, 307
 - language-specific menu styles, 86
 - menu text, 48
 - names, 184
 - slideshow, 277
 - story properties, 221–222, 222
 - subtitles, 244, 255
 - titles, 127
- effects
 - for Dolby, 166
 - for subtitles, 240
- Egg.psd file, 346
- EggMenu.dspMenu file, 346
- electronic documentation, 367
- Element Identifier field, 225
- Element Types in scripting, 304
- Embed Text Data property, 356
- embedded controls, 252–254, 253–254
- embedded markers, 212, 212
- empty layers for rollover menus, 100
- emulation
 - for animated subtitles, 267, 270
 - for slideshows, 293
 - for transitions, 291
- Enable DVD @ccess Web Links, 237
- Enable Tracks dialog, 128
- enabling background encoding, 25, 26
- encoding options
 - for AC-3 sound, 168
 - for MPEG-2, 154

- End indicators in Track Editor, 186
- end jumps
 - in scripts, 296, 319, 321
 - setting, 33
 - for stories, 222
 - for virtual tracks, 234
- end markers, 195, 201
- end of clips
 - markers for, 213, 213, 215
 - for tracks, 192
- end time for subtitles, 242
- entry list for stories, 220, 220
- Exit command, 304
- Exit Prescript command, 304
- exploring elements, 184, 184
- Export Audio option, 154
- Export dialog 134, 135
- exporting
 - audio, 134, 135
 - Final Cut Pro video, 152, 152
 - MPEG files, 193
 - QuickTime and iMovie, 153–155, 153–154
- Extensible Markup Language (XML), 12

F

- fade effects for subtitles, 240, 259
- Fade In times, 259
- Fade Out times, 259
- \$Fadein command, 252
- \$FadeOut command, 252
- FAQs, 367
- field order for MPEG-2, 154
- file references for subtitles, 255
- file tokens for subtitles, 255
- file types for video and audio, 22
- filters
 - NTSC, 109
 - for presets, 161–162
- Final Cut
 - chapter markers in, 122–123, 122–123
 - compression markers in, 123
 - exporting video to MPEG-2 in, 152, 152
 - safe colors with, 107–108, 108
- final markers for transitions, 291
- finding
 - files, 30
 - MPEG folders, 25
 - replicators, 365–366
- First Play
 - menus for, 54, 54
 - in scripts, 296, 319, 321
 - for slideshows, 293
- First Play option, 32
- First Play property, 356
- Fit To Audio option, 34, 281

- Fit To Slides option, 281
- fitting audio for slideshows, 281
- Fix Invalid Markers On Build option, 213
- flags for Dolby, 166
- floating Palette, 19, 19
- floating windows, 5, 8–9
- folders, 27
- \$FontName command, 251
- fonts
 - for menu text, 48
 - for subtitles, 244, 250–251, 256
- \$FontSize command, 251
- Force Display for subtitles, 259, 264
- \$ForceDisplay command, 251–252
- Format dialog, 358, 359
- formats
 - for audio
 - converting MPEG, 135–136, 136
 - QuickTime Pro for, 134–135, 135
 - selecting, 132–134
 - of subtitles, 250–257, 253–256
- formatted text for subtitles, 240
- formatting projects, 358–360, 358–359
- Forwards/Backwards Scan user operation, 342
- 4:3 displays
 - for subtitles, 265
 - for widescreen menus, 90
- frame rate requirements, 22
- frames for drop zones, 58
- Fruits.m2v file, 289–290, 349
- Futura36.dspstyle file, 229, 231

G

- general markers, 210
- General properties
 - for slideshows, 275
 - for subtitles, 248, 258–260, 258, 260
- General Purpose Register Memories (GPRMs), 304–305
- Generate Marker Names option, 213
- Go Up user operation, 342
- GOP structure
 - for motion menu loops, 333
 - for presets, 160–161
- Goto command, 303
- GPRM Hide/Show option, 311
- GPRM Mode command, 304
- GPRM Variable Names property
 - in Disc Inspector, 356
 - in Script Inspector, 301
- GPRMs (General Purpose Register Memories), 304–305
- GraphicConverter, 116–121, 117–121
- graphics for subtitles, 246–249, 247–248, 254–257, 255–256

- gray markers, 210
- grayscale
 - for overlay menus, 69–74, 70–74
 - for subtitles, 258
- green markers, 210
- grouping toolbar items, 10
- Guides button, 42

H

- HandShape.psd file, 52
- help, 367
- hexadecimal notation
 - for Script Editor, 299
 - for Simulator, 311
- hiding
 - quadrants, 8–9
 - text, 128
- highlight colors
 - for animated subtitles, 270
 - for buttons, 68
 - for subtitles, 264
- Highlight Condition, 328–329, 328
- highlight menus, 72
- highlight sets, 68
- highlights
 - for anti-aliased text, 91–94, 91–94
 - for buttons, 53, 55–57, 55–57, 170
 - for overlay menus, 70–74
- history, Compressor, 163
- \$HorzAlign command, 252
- hotspots for rollover menus, 102

I

- I-frames, 124
- icons
 - for drop zones, 59
 - for outlines, 182
 - for toolbar items, 10
- iDVD, drop zone patches for, 60–61, 60–61
- images
 - for animation, 266
 - copying DVDs from, 362, 362
 - for drop zones, 49
 - scaling, 118–119, 118
 - for subtitles, 243
- .img files, 362
- immediate values, 305
- iMovie
 - chapter markers in, 124–126, 125
 - exporting to MPEG-2, 153–155, 153–154
 - safe colors with, 108–109, 109
- ImpatMenu.m2v file, 320
- Import Assets dialog, 24, 24
- Import Item Description dialog, 364, 364

- Import Marker List option, 216
 - Import Subtitle File option, 249
 - importing
 - assets, 24, 24
 - iDVD projects, 40
 - images for subtitles, 243, 246–249, 247–248, 254–256, 255–256
 - scripts, 319
 - shape files, 57
 - subtitles, 260
 - text files for subtitles, 249
 - for transitions, 290
 - In points with chapter markers, 130
 - incremental building techniques, 354
 - Infinite pause option, 283
 - Info button, 311
 - Info Drawer, 312–314, 313–314
 - Init GPRM 0 script, 320
 - input channels for background audio, 172
 - Insert Command button, 299
 - insets, 162
 - Inspectors, 5, 19, 19
 - for buttons. *See* Button Inspector
 - Disc Inspector, 54, 354–357, 355, 367
 - Drop Zone Inspector, 49
 - Language Inspector, 84
 - for markers. *See* Marker Inspector
 - Menu Inspector, 330, 330
 - moving, 9
 - for names, 184
 - purpose of, 25, 40
 - Script Command Inspector, 300–301, 300, 308
 - Subtitle Inspector, 248, 248, 257–258
 - for tracks, 179–180
 - for trimming clips, 192
 - Instant Encoder, 166, 167
 - interface, 5
 - Assets window, 14, 14
 - Connections window, 14, 14
 - floating windows, 8–9
 - Inspector, 19, 19
 - Log window, 15, 15
 - Menu Editor, 15, 15
 - Outline, 16, 16
 - Palette, 19, 19
 - quadrants, 8–9
 - Script Editor, 16, 16
 - Simulator, 20, 20
 - Slideshow Editor, 17, 17
 - Story Editor, 17, 17
 - tabs, 5–7, 6–7
 - toolbars, 10, 10
 - Track Editor, 18, 18
 - Viewer window, 18, 18
 - windows, 13
 - interface controls for Simulator, 312
 - introductory menus and tracks for motion menu
 - loops, 334
 - Invert Dimensions For Vertical Images option, 119
 - Invisible buttons, 326–327, 326
 - \$Italic command, 252
 - italic fonts for menu text, 48
 - item description files
 - as backups, 363
 - creating, 363–364, 364
 - Item Properties list, 311
- ## J
- Jump command, 303
 - Jump Indirect command, 303
 - jump targets, 305
- ## K
- keyboard shortcuts
 - for connections, 228
 - for floating windows, 9
 - for viewing, 72
- ## L
- labels for pop-out buttons, 96
 - Language control, 41, 41
 - Language Inspector, 84
 - Language property, 356
 - languages
 - in Disc Inspector, 356
 - for menus, 41, 41, 84–89, 84–88
 - selecting, 32
 - for slideshows, 274
 - for streams, 177
 - for subtitles, 245, 259
 - for tracks, 180, 192
 - Last Button Selected condition type, 337
 - Last Track condition type, 337
 - layer break markers, 210
 - layer breaks, 211
 - Layer Options property, 357
 - layered menus, 38
 - adding, 75–76, 76
 - button order on, 81–83, 81–82
 - creating, 78–81, 78–81
 - designing, 76–78, 77
 - layers
 - creating, 56
 - for drop zones, 58
 - for rollover menus, 100–102
 - layout aids for menus, 45
 - layout selector, 225
 - left input channels for background audio, 172

- length
 - of movies, 149
 - of slideshows, 275
- LetOverlay.psd file, 91
- LetOverlayBG.psd file, 91
- licensing replicators, 365
- linking
 - assets, 27–28, 28
 - buttons, 52, 69, 69
- loading
 - assets, 22
 - scripts, 311
- locks in Track Editor, 188
- Log window, 15, 15, 358, 358
- loop points, 348–349, 348–349
- looping
 - DVDs
 - adding movies for, 31–32, 31–32
 - disc setup for, 32–33, 32–33
 - testing and burning, 33–34, 33–34
 - slideshows
 - building, 34, 34
 - disc setup for, 35, 35
 - finishing, 35
- loops, motion menu, 332–335, 333
- Lossless Linking option, 359
- low frequency Dolby effects, 166

M

- main window, 5
- MainBG.psd file, 343
- Make Plain Text option, 215
- mandatory audio formats, 132–133
- Manual Advance for slides, 274, 276, 280, 285
- Marker Inspector
 - items in, 218
 - for moving markers, 217
 - for pauses, 283
- MarkerList.txt file, 229
- markers
 - for animated subtitles, 268
 - for arrows, 343
 - chapter. *See* chapter markers
 - for clip ends, 213, 213, 215
 - compression, 121–123
 - creating, 211–212
 - deleting, 218
 - DVD @access for, 235–237, 235–237
 - embedded, 212, 212
 - key points in, 124
 - for mixed-angle tracks, 194–195, 201
 - moving, 126, 217–218, 217–218
 - names for, 213, 215, 218
 - navigating, 218–219, 218
 - for pauses, 283

- removing, 123, 124
- roles of, 210–211
- for slideshows, 293
- for stories, 230
- for subtitles, 261
- text files for, 213–214, 213–214
- Track Editor for, 212–219, 213–218
- for tracks, 180
- for transitions, 291
- types of, 218
- for virtual tracks, 232–235, 233–235

masks

- for drop zones, 58
- merging, 57

matching audio, 182

material for streams, 190–193, 192

Max Size batch operation, 119–120

maximum bit rate, 150, 152, 154

media tabs, 30–31

Menu Call controls, 341

Menu Display property, 356

Menu Editor, 15, 15, 40

- controls in, 41–42, 41
- for languages, 84

Menu Inspector, 330, 330

Menu Language condition type, 337

menu loops, 332–335, 333, 335

Menu Motion button, 42

Menu tab, 330, 330

Menu1.dspMenu file, 343

menus, 37

- arrows for, 343–345, 344–345
- for audio formats, 133
- background audio for, 171–173, 171–173
- building, 43–44
- buttons for. *See* buttons
- chapter, 140–143, 140–142
- checking, 54–55
- counting timeouts for, 319–321, 319–320
- customizing items for, 46, 47
- design features for, 44–45, 44
- drag and drop for, 45, 45–46
- drop shadows for, 48, 331–332, 331
- drop zones for, 48–50, 49–50, 58–59, 58–59
- elements of, 38–39, 39
- for First Play, 54, 54
- languages for, 41, 41, 84–89, 84–88
- layered. *See* layered menus
- Menu editor for, 41–42, 41
- Outline tab for, 42–43, 43
- overlay. *See* overlay menus
- templates for, 83
- text for, 38, 47–48, 47
- tools for, 40
- types of, 38
- widescreen, 38, 89–90, 89–90

merging masks, 57
microprocessors, on-board, 302
Missing Files dialog, 27, 28
missing fonts for subtitles, 256
missing graphics for subtitles, 257
mixed-angle tracks, 193–195, 194, 200–202, 200–201
mixed menus, 38
MOD operator, 306
ModuleDataB files, 21
moire effects, 110
monitoring registers, 312–314, 313–314
MoreMissingTools utility, 135–136, 136
motion
 for drop zones, 61
 in layered menus, 75
motion buttons, 168–170, 169–170
Motion Estimation setting for MPEG-2, 155
motion menu loops, 332–335, 333, 335
motion menus, 38
MOV operator, 305
Move Command Down button, 299
Move Command To Bottom button, 299
Move Command To Top button, 299
Move Command Up button, 299
movie buttons for streams, 178
Movie Info window, 241, 241
Movie Properties dialog, 128
movies
 adding, 31–32, 31–32
 buttons from, 53
 length of, 149
moving
 clips, 191
 Inspector and Palette, 9
 markers, 126, 217–218, 217–218
 playhead, 192
 tabs, 6
MPEG
 converting, 135–136, 136
 exporting, 193
 finding folders for, 25
 presets for, 158–165, 158–165
MPEG-1 Layer 2 audio, 132
MPEG-2 Encoder, 152–155, 152–154
MUL operator, 306
multiangle tracks, 193, 194
 for audio, 198–200, 199–200
 markers for, 124
music loops, 171–173, 171–173

N

Name field
 for markers, 218
 in Script Inspector, 301

Name Marker button, 130–131
Name property, 356
names

 assets, 26–27
 destinations, 165
 discs, 32, 361
 droplets, 164
 elements, 183–184
 markers, 123, 213, 215, 218
 menu items, 46
 menus, 43
 presets, 158
 story items, 221
 in Track Editor, 188
National Television Standards Committee (NTSC), 3–4
 aspect ratios in, 114
 saturated colors in, 106
navigating
 markers, 218–219, 218
 menus
 arrows for, 343–345, 344–345
 rollover, 103
new projects, 20
Next Program/Previous Program user operation, 342
NOP command, 303
Normal button levels, 96
Normal button state, 66
notifications for presets, 162
NTSC (National Television Standards Committee), 3–4
 aspect ratios in, 114
 saturated colors in, 106
NTSC Safe Colors filter, 109
number access to buttons, 329–330, 330
Number of sides property, 357

O

ObjectDataB files, 21
odd-sized images, scaling, 118–119, 118
offset numbers for buttons, 330
Offset X text fields, 248
Offset Y text fields, 248
on-board microprocessors, 302
opacity
 for anti-aliased text highlights, 93
 for buttons, 68
operators in scripting, 305–306
optional audio format, 132
OR operator, 306
orange markers, 210
Out points with chapter markers, 130
Outline tab, 32–33, 40
 for buttons, 53

- for First Play, 54
- for menus, 42–43, 43
- populating, 181–182, 181
- for tracks, 178, 181–185, 181–184
- Outline window, 16, 16
- \$Outline1Contrast command, 252
- Outlines button, 42
- output devices and format for DVD projects, 359
- overhead in bit rate, 148
- overlay buttons, 333
- overlay colors for subtitles, 258, 267
- overlay menus, 38, 63–64, 64
 - anti-aliased text highlights for, 91–94, 91–94
 - black-and-white, 65, 65
 - creating, 66–69, 67–68
 - design tips for, 72
 - grayscale and chroma, 69–75, 70–74
 - pop-out buttons for, 94–98, 94–98
 - rollover, 98–103, 99–103
- overlays
 - for Easter eggs, 346
 - for loop points, 348
 - for safe zone templates, 115
 - for subtitles, 246–248, 254, 259, 265
- overscanning, 110, 111

P

- PAL (Phase Alternating Line) video, 3–4
 - aspect ratios in, 114
 - saturated colors in, 106
- Palettes, 5, 19, 19
 - Audio, 28, 28
 - drop, 52
 - media tabs, 30–31
 - Stills, 29, 29
 - Video, 29, 29
- Parental Level condition type, 337
- Part of Title user operation, 341
- patches for drop zones, 60–61, 60–61
- paths for item description files, 364
- Pause On/Off user operation, 342
- pauses
 - in tracks, 282–284, 283
 - for transitions, 291
- PCM (Pulse Coded Modulation), 133
- Phase Alternating Line (PAL) video, 3–4
 - aspect ratios in, 114
 - saturated colors in, 106
- Photoshop
 - for drop zones, 58
 - for highlights, 55
 - safe colors with, 109–110
- pictures for subtitles, 240
- pixel shape, 114–116
- placeholders for text, 52
- plain text
 - for item description files, 364
 - for markers, 215
- planning DVDs, 354
- Playable Region Codes property, 357
- playback
 - and bit rates, 147
 - with compression, 146–147
 - for stories, 224
- Playback controls, 341
- Player Aspect Ratio condition type, 337
- Player Region Code condition type, 337
- Playhead control, 186
- playheads
 - in Compressor, 131
 - moving, 192
 - in Track Editor, 186
- PlayRandom.dspMenu file, 315
- .plist extension, 310
- pop-out buttons, 94–98, 94–98
- populating
 - drop zones and buttons, 48–50, 49–50
 - Outline tab, 181–182, 181
- position of subtitles, 245, 250
- POX files, 60–61, 60–61
- preferences, 4
 - for DVD @ccess, 237, 237, 339
 - for multilanguage menus, 86–89
 - for slideshows, 275, 275
- preprocessing for AC-3 sound, 168
- prescripts, 319
 - adding to project elements, 297
 - delays from, 338
 - for subtitles, 316–318, 317–318
- presets
 - with chapter markers, 130
 - for compression, 155, 158–165, 158–165
- previewing
 - sound, 30
 - tracks, 196–197, 196
- primary video angles, 31
- progress for Compressor, 157
- project target lists for stories, 226
- projects, 20–21, 21
 - adding data to, 367–369, 368–369
 - adding scripts to, 296–298, 297–298
 - building and formatting, 358–360, 358–359
 - importing, 40
- properties for stories, 221–222, 222
- Property List Editor, 310
- PTT Menu user operation, 342
- Pulse Coded Modulation (PCM), 133
- purple markers, 210

Q

- QT Margins option, 113
- quadrants, 8–9
- quality
 - and bit rates, 147
 - for Dolby, 166
 - for MPEG-2, 154
 - for presets, 160
- Quality tab, 154
- QuickTime
 - audio format, 134–135, 135
 - chapter markers in, 126–129, 126–129
 - exporting to MPEG-2, 153–155, 153–154
- QuickTime MPEG-2 Encoder, 152–155, 152–154

R

- RAN operator, 306
- random tracks, playing, 314–316, 315–316
- recordable discs, 146
- recording discs, 361–362
- rectangular art for highlights, 74
- rectilinear overlays, 65
- references for replicators, 365
- register based data from scripts, 302
- registers, monitoring, 312–314, 313–314
- relinking assets, 27–28, 28
- Remote Control property, 356
- Remove Command button, 299
- removing. *See* deleting
- renaming
 - assets, 26–27
 - configurations, 12
 - discs, 32, 361
 - folders, 27
 - markers, 218
 - slideshowes, 277
- reordering
 - configurations, 12
 - elements, 184, 184
 - layered menu buttons, 81–83, 81–82
 - menus, 43, 43
 - slides, 280
 - story items, 221
 - tabs, 5
 - toolbar items, 10
- reparenting folders, 27
- replacing connections, 227
- replicators, 365
 - finding, 365–366
 - submitting work to, 366
- repositioning columns, 23
- resizing
 - column width, 23
 - layered menus, 77

- menu items, 46
 - Palette, 9
 - panes, 30
 - safe zones, 112, 114
- resolution, audio, 22
- restoring tabs, 7
- Resume command, 304
- Resume user operation, 342
- reusable templates, 136–140, 137–140
- reusing styles and templates, 83
- reverting projects, 20
- right input channels for background audio, 172
- RoadsBG.psd file, 229, 231
- RoadstoRomance.m2v file, 229
- RoadstoRomance.wav file, 229
- rollover menus, 98–103, 99–103
- RolloverArt.psd file, 102
- Root Menu user operation, 342
- Rotary Angle control, 331
- rotating menu items, 46
- Running Time column for stories, 220

S

- safe colors, 106
 - with Final Cut, 107–108, 108
 - with iMovie, 108–109, 109
 - with Photoshop, 109–110
 - saturated colors in, 106
 - text and borders with, 110
- safe zones, 110–112, 111
 - batch operations for, 119–121, 119–121
 - dimensions of, 112
 - staying within, 112–114, 112–114
- sampling
 - for audio, 136
 - for Dolby, 166
- saturated colors, 106
- Save Exported Files As dialog, 127
- Save Selection As Droplet option, 164
- saving
 - configuration, 11–12, 11
 - drop zone shapes, 59
 - projects, 20
 - scripts, 309–310, 310–311
- scaling
 - GraphicConverter for, 117–118, 117
 - odd-sized images, 118–119, 118
- Script Command Inspector, 300–301, 300, 308
- Script Editor, 16, 16, 298–300, 298
- Script Inspector, 301, 302
- scripts and scripting, 295
 - adding to projects, 296–298, 297–298
 - building, 307–309
 - commands in, 303–304
 - compare conditions in, 306–307

- datatypes in, 304–305
- elements of, 302–303
- importing, 319
- loading, 311
- for menu timeouts, 319–321, 319–320
- monitoring registers, 312–314, 313–314
- operators in, 305–306
- for random tracks, 314–316, 315–316
- saving, 309–310, 310–311
- for shuffle play, 321–323, 322–323
- Simulator features for, 311–312, 312, 323
- for subtitles, 316–318, 317–318
- scrollbars in Track Editor, 190
- Scrubber bar, 130
- Search/PTT Play user operation, 341
- searching
 - for files, 30
 - for MPEG folders, 25
- selected art for rollover menus, 100
- Selected button levels, 96
- Selected button state, 57, 65
- selecting
 - buttons, 328–329, 328
 - clips for tracks, 191
 - languages for tracks, 192
 - menu items, 46
 - slides, 279
 - story items, 226
 - tabs, 5
- Selection/Activation user operation, 342
- separator bar, 220, 220
- service bureaus, 365
 - finding, 365–366
 - submitting work to, 366
- Set GPRM command, 303, 305–306
- Set System Stream command, 304
- Settings control, 41, 41
- Shadow Color control, 332
- shadows for menus, 48, 331–332, 331
- shapes
 - for buttons, 50, 56
 - for drop zones, 49, 50, 58–59, 58–59
 - for highlights, 55–57, 55–57
 - for menus, 51–52
 - for pixels, 114–116
- Show Guides option, 45
- Show/Hide Toolbar Control, 42
- Show Rulers option, 45
- shuffle play, 321–323, 322–323
- silence for Dolby, 166
- simulating and Simulator, 20, 20
 - anti-aliased text highlights, 94
 - arrows, 345
 - copyright notice screens, 351
 - DVD @ccess for, 339
 - Easter eggs, 347
 - loop points, 349
 - menu buttons, 207
 - mixed-angle tracks, 202–204
 - motion buttons, 170
 - multiangle tracks, 199
 - multilanguage menus, 87
 - pop-out buttons, 98
 - rollover menus, 103
 - scripts, 311–313, 312, 323
 - slideshows, 286, 288
 - stories, 222, 223, 232
 - subtitles, 265
 - templates, 139
 - tracks, 197–198, 198, 235
- Simulator window, 33, 40
- 16:9 displays
 - art for, 89–90
 - slideshows, 287–288, 287–288
 - for subtitles, 265
- size
 - column width, 23
 - layered menus, 77
 - menu items, 46
 - Palette, 9
 - panes, 30
 - safe zones, 112, 114
 - slideshow thumbnails, 275
 - streams, 148
 - subtitles, 244, 250
- Slide Duration button, 276
- Slide List button, 276
- Slideshow/Audio Duration controls, 275
- Slideshow Editor, 17, 17, 275–276, 276
- Slideshow tab, 275–276, 276
- slideshows, 273
 - 16:9, 287–288, 287–288
 - adding, 277
 - arrows for, 285–286, 285–286
 - audio in, 34, 133, 274, 281–282
 - building and burning, 34–35
 - characteristics of, 282
 - converting to tracks, 278, 285
 - editing, 277
 - on menus, 45
 - options for, 278
 - pauses in, 282–284, 283
 - preferences for, 275, 275
 - pros and cons of, 274
 - removing, 277
 - renaming, 277
 - slide management in, 279–280
 - Slideshow tab for, 275–276, 276
 - testing, 278
 - with transitions, 274, 289–292, 289–292

- video, 292–293, 293
- VOBU, 284
- SMPTE timecode, 166
- sorting
 - assets, 23
 - markers, 126
- sound. *See* audio
- Sound Settings dialog, 134–135
- sound tracks for slideshows, 287
- source data
 - for Compressor, 155
 - for DVD projects, 359
- source lists for stories, 220, 220, 220, 226
- sources for connections, 228–229
- space between markers, 124–125
- specials in scripting, 305
- SpecialTrack.m2v file, 319
- speed in previewing tracks, 197
- Split Handle, 130
- SPRM Hide/Show option, 311
- SPRMs (System Parameter Register Memories), 305
- standard menus, 38
- standards for video, 22
 - converting between, 156
 - selecting, 3
- start frames for drop zones, 49
- Start indicators in Track Editor, 186
- start of clip, moving playhead to, 192
- start timecode for MPEG-2, 153
- start times for subtitles, 242, 259
- status of assets, 25
- stereo output, 171
- Still Off user operation, 342
- stills
 - GraphicConverter for, 116–121, 117–121
 - on menus, 45
 - for motion menu loops, 334
 - for overlay menus, 64
 - for safe zones, 113
 - with slideshows, 274
- Stills palette, 29, 29
- Stop user operation, 341
- stories, 219
 - adding, 182
 - Apple DVD Player for, 224, 224
 - creating, 229–232, 230–232
 - on menus, 45
 - properties for, 221–222, 222
 - Story Editor for, 219–221, 219–221
 - testing, 222, 223
- Story Editor, 17, 17, 219–221, 219–221, 230
- Stream Editor, 189
- stream languages for subtitles, 245
- Stream Selection controls
 - in Track Editor, 188
 - for user interactions, 341
- streams
 - buttons for, 207
 - material for, 190–193, 192
 - for multiangle tracks, 199
 - in previewing tracks, 197
 - for stories, 222
 - for subtitles, 176, 261
 - in Track Editor, 187–189
 - types of, 176
- streams hide/view buttons, 187
- Streams property, 356
- stretching subtitles, 261
- styles
 - capturing, 83
 - for motion buttons, 169–170
 - for pop-up buttons, 96–97
 - for text buttons, 83
- SUB operator, 306
- Subpicture Menu user operation, 342
- Subpicture Stream Change user operation, 342
- Subtitle Inspector, 248, 248, 257–258
- Subtitle Language condition type, 337
- Subtitle Stream Number condition type, 337
- subtitles, 239
 - animated, 266–271, 267–271
 - AppleScript for, 241–242, 241–242
 - buttons over video for, 262–265, 262–264
 - capabilities of, 240
 - characteristics of, 261
 - vs. closed captions, 177
 - color of, 257–258, 257
 - command lines in, 250–254, 253–254
 - creating, 243–245, 244–245
 - data rates for, 149
 - editing
 - in previewing tracks, 197
 - in Track Editor, 188–189, 188–189
 - embedded controls in, 252–254, 253–254
 - format of, 250–257, 253–256
 - General properties for, 258–260, 258, 260
 - graphics for, 246–249, 247–248, 254–257, 255–256
 - for multiangle tracks, 199
 - prescripts for, 316–318, 317–318
 - for slideshows, 274
 - streams for, 176, 261
 - testing, 265–266
 - text for, 240–241, 241, 249, 259, 260, 265
 - for tracks, 180
 - troubleshooting, 256–257
- SWP operator, 305
- System Parameter Register Memories (SPRMs), 305

T

- tabs, 5–7, 6–7
- target pop-ups, 227
- targeting buttons, 328
- targets
 - for connections, 227–229
 - for Display Conditions, 337
 - for jumps, 305
 - for linking buttons, 52
 - for MPEG-2, 154
 - for subtitle buttons, 265
- tearing off tabs, 6
- templates
 - building, 136–140, 137–140
 - working with, 83
- testing
 - arrows, 345
 - in building DVDs, 354
 - layered menus, 81
 - looping DVDs, 33–34, 33–34
 - multilanguage menus, 86–89, 87–88
 - scripts, 318
 - shapes, 57
 - slideshows, 278
 - stories, 222, 223
 - subtitles, 247, 265–266
 - tracks, 180
- text
 - anti-aliased, 91–94, 91–94
 - for buttons, 50–53, 51
 - for chapters, 128
 - for markers, 213–214, 213–214
 - for menus, 38, 47–48, 47
 - for overlays, 65
 - for rollover menus, 98
 - with safe colors, 110
 - safe zones for, 110
 - styles for, 83
 - for subtitles, 240–241, 241, 249, 259, 260, 265
 - for toolbar items, 10
- \$TextContrast command, 252
- thumbnails for slideshows, 275
- 3-D buttons, 95
- 3Buttons.psd file, 95
- 3tones.psd file, 74
- time for markers, 215, 218
- Time/PTT Search user operation, 342
- Time Search/Time Play user operation, 341
- time slider for markers, 218
- timecodes
 - for Dolby, 166
 - for subtitles, 256
- Timeline Zoom control, 190
- timelines
 - for markers, 212–213, 213
 - in Track Editor, 187
- timeouts
 - counting, 319–321, 319–320
 - for motion menu loops, 334–335
- Title Menu user operation, 342
- Title Play user operation, 341
- Title Safe Area option, 45
- title safe zones, 111–112, 111
- titles
 - converting, 127
 - for pop-out buttons, 97
 - subtitles. *See* subtitles
- Toast Titanium, burning with, 360–363, 361–362
- tool bar, 5
- top control lines, 186, 186
- Track Direction property, 357
- Track Editor, 18, 18, 178–179, 185
 - bottom control lines in, 189–190, 189
 - for markers, 212–219, 213–218
 - for mixed-angle tracks, 200
 - for multiangle tracks, 199
 - for streams, 176
 - timeline in, 187
 - top control lines in, 186, 186
 - for video-, audio-, and subtitle-editing, 188–189, 188–189
- Track tab, 31
- Track1.m2v file, 319, 321
- tracks, 175–178, 176
 - angles in, 193–195, 194–195
 - for animated subtitles, 266
 - audio in, 205–207, 206–207, 281
 - building, 179–180
 - cells for, 284
 - converting slideshows to, 278, 285
 - creation tools for, 178–179, 179
 - material for streams in, 190–193, 192
 - menu buttons for, 204–205, 205
 - on menus, 45
 - mixed-angle footage in, 200–202, 200–201
 - multiangle, 198–200, 199–200
 - navigating, 197
 - Outline tab for, 181–185, 181–184
 - pauses in, 282–284, 283
 - previewing, 196–197, 196
 - shuffle play for, 321–323, 322–323
 - simulating from, 197–198, 198
 - for slides, 282
 - Track Editor for. *See* Track Editor
 - wide-angle, 202–204, 202–204
 - for widescreen menus, 90
- transcribing text for subtitles, 240–241, 241
- transfer control from scripts, 302

transitions for slideshows, 274, 289–292, 289–292
 trimming clips, 192, 192
 TV System property, 356
 types for markers, 218

U

UDF (Universal Disc Format) option, 360
 UDF-formatted data discs, 360–361, 361
 underline fonts, 48
 \$Underlined command, 252
 universal access for streams, 178
 Universal Disc Format (UDF) option, 360
 URLs with DVD @ccess, 339
 user interactions, 340–342, 340

V

V1 streams, 190–191
 valid URLs with DVD @ccess, 339
 \$VertAlign command, 252
 video and video assets, 105

- chapter and compression markers, 121–131, 121–131
- chapter menus, 140–143, 140–142
 - on menus, 45
 - for MPEG-2, 153
 - for multiangle tracks, 199
 - pixel shape, 114–116
 - for presets, 159–160
 - safe colors, 106–110, 107, 109
 - safe zones, 110–114, 111–114
 - standards and file types for, 22
 - converting between, 156
 - selecting, 3
 - stills, 116–121, 117–120
 - templates for, 136–140, 137–140
 - in Track Editor, 188–189, 188–189
- Video palette, 29, 29
- Video Player Config condition type, 337
- Video Presentation Mode Change user operation, 342
- video slideshows, 292–293, 293
- video streams, 176
- Video_TS folder, 360
- View control for menus, 41, 41
- View menu, 31
- View pop-up
 - for Script Editor, 299
 - for slideshows, 275

- for stories, 220, 220, 225
 - in Track Editor, 186
- Viewer, 18, 18
 - for markers, 214, 214
 - purpose of, 25
 - for stories, 222, 223
 - for subtitles, 265
 - for tracks, 178–179, 196–197, 196
- viewing
 - configurations, 12
 - encoding, 25
 - folder contents, 30
 - presets, 158–159
 - scripts, 317
 - slides, 279
- virtual tracks, 232–235, 233–235
- VOBU slideshows, 284

W

Warning.psd file, 349
 WAV files, converting to AIFF, 171
 wide-angle tracks, 202–204, 202–204
 widescreen menus, 38, 89–90, 89–90
 windows, 13

- Assets, 14, 14
- Connections, 14, 14
- floating, 5, 8–9
- Log, 15, 15
- Outline, 16, 16
- Viewer, 18, 18

 workspace

- arranging, 11
- for menus, 43

 Write Parsing Info option, 154
 writing DVD data onto CDs, 362–363

X

XML (Extensible Markup Language), 12
 \$Xoffset command, 252
 XOR operator, 306

Y

\$YOffset command, 252

Z

zone overlays, 113
 zooming in Compressor, 130