

INDEX

- AA, 472
abdominal pain, research, 516
abuse, physical, 317–38
abuse, sexual, 339–60
Ackerman, N., 155, 164
ADHD, research, 504–6
adolescence, 18–20
advocacy, 308–9
agenda setting, 218–9
alcohol abuse, research, 529–31
alcohol problems, 456–77
Alexander, J., 77, 96–9, 109, 384
alliance building, 233–5
ambivalence, 291–3, 421–2
anorexia nervosa, research, 517–8
anxiety, 431–55; anxiety in adults,
research, 523–5; in childhood
and adolescence, research,
511–14
assessment in family therapy,
attachment based therapy,
169–73; cognitive-behavioural
marital and family therapy,
94; constructivist family
therapy, 121–3; functional
family therapy, 97–8; Milan
systemic family therapy,
124–8; MRI brief therapy, 81–2;
multisystemic family therapy,
180–2; narrative therapy, 137–8;
psychoanalytic family therapy,
164–6; psychoeducational
family therapy, 182–3; social
constructionism, 128–32;
solution focused therapy,
133–5; strategic family therapy,
88; structural family therapy,
92–3; transgenerational family
therapy, 161–4
assessment instruments, 539–43
assessment, stage of, 219–35, 248
asthma, research, 517
attachment, 13–14, 167–73, 188, 196
attributional style, 105
autopoiesis, 140
Bateson, G., 56–9, 110
battle for initiative, 190
battle for structure, 190
behaviour management, 286–90
behaviour patterns, theories that
focus on, 68–70, 76–109
behaviour-focused interventions,
276–91
belief systems, theories that focus on,
68–70, 110–53
belief-focused interventions, 291–9
bereavement, 23–9; ritual for, 305–6
bipolar disorder, research, 526–7
Boszormenyi-Nagy, I., 155, 163–4
boundaries, 101
Bowen, M., 155, 161–3
Bowlby, J., 167–9
Breunlin, D., 199
brief integrative marital therapy,
205–7
Byng-Hall, J., 170–2
case examples, alcohol problems in
adulthood, 457–60; behaviour
problems, 230; child sexual
abuse, 340–3; conduct
problems in adolescence, 362–5;
depression 432–4; drug abuse
in adolescence, 387–9; marital
distress, 406–8;
physical abuse, 318–22;
schizophrenia, 479–81

- Cecchin, G., 111, 124–8
- child abuse and neglect, research, 501–2
- child guidance, 49–50
- child protection, 308
- child sexual abuse, 339–60
- chronic pain, research, 531
- circular causality, 142
- circular questioning, 142
- circularity, 143
- clinical psychology, 51, 209
- coalition, 101
- coercion, 103
- cognitive-behavioural marital and family therapy, 93–6, 108–9
- common factors in psychotherapy, 532–3
- communication skills training, 103, 283–4, 379, 417–18, 492–3
- communication, levels of, 58–9, 71–2
- complainants, 147
- complementary behaviour patterns, 72
- conditioning, 103–4
- conduct problems, 361–85; research, 506–9
- consent form, 212–3
- constructivism, 115–17, 119–124, 140, 148–9
- context-focused interventions, 299–312
- contexts, theories that focus on, 68–70, 154–98
- contracts, behavioural, 103–4
- contracting for assessment, 219–22; for treatment, 236–8
- coping skills training, 450
- coping strategies, 193
- counterparadox, 143
- countertransference, 188, 241
- couple therapy, 405–30
- couples, types of, 9–11
- criteria for selecting interventions, 273–5
- cue, 103
- curiosity, 144
- customers, 100, 147
- cybernetics, 59–68, 72
- death, 23–9
- depression, 431–55; attachment based treatment of adolescents, 172, 196; research on adults, 525–6; research on children and adolescents, 514–15
- deShazer, S., 111, 132–5
- detouring, 101
- diabetes, research, 516–7
- diathesis-stress model, 193
- differentiation of self disengagement, stage of, 242–7
- distressed couples, 405–30
- diversity, 45
- domestic violence, 11–12, 427–8
- double bind theory, 57–8, 72
- drug abuse, adolescent, 386–402; research, 509–11
- DSM IV TR, ADHD, 504; alcohol problems, 456; anxiety, 432–4; conduct problems, 361; depression, 432–3; marital and family therapy research, 499–500; schizophrenia, 478; sexual problems, 521
- emotional cut-off, 185
- emotional system, 185
- emotionally focused couples therapy, 169–70, 196, 425
- enactment, 101
- encounter groups, 52
- engagement challenges, 222–4
- enmeshment, 101
- epistemology, 110, 140
- equifinality, 72
- equipotentiality, 72
- Erickson, E., 59, 76
- ethics, 538–9
- evidence based practice, 499–536
- exception formulation, 260–4
- exception formulation diagrams, alcohol problems in adulthood, 460; behaviour problems 252; child sexual abuse, 343; conduct problems in adolescence, 365; depression 434; drug abuse in adolescence, 389; marital

- distress, 408; physical child abuse, 322; schizophrenia, 481
 exceptions, 146
 experiential family therapy, 173–80, 196–7
 exposure and response prevention, 103
 expressed emotion, 193
 externalizing problems, 147, 297–9, 424

 fading out sessions, 243
 failure analysis, 246–7
 family games, 143
 family of origin, 185
 family projection process, 185
 family reconstruction, 191
 family therapy associations, 537–8
 family-characterization, 141
 feedback, definition, 72
 Fifth province, 129–30
 first order change, 72
 first order cybernetics, 72
 fixed role therapy, 141
 formulation, 235; three column model, 249–72
 foster-care, treatment, 383
 functional family therapy, 96–9, 109
 functionalism, 54–5

 gay and lesbian life cycles, 43–4
 genogram construction, 224–31, 248
 genogram, 186
 genograms, alcohol problems in adulthood, 457; behaviour problems, 230; child sexual abuse, 340; conduct problems in adolescence, 362; depression, 432; drug abuse in adolescence, 387; marital distress, 406; physical child abuse, 318; schizophrenia, 479
 Gestalt therapy, 53
 Global Assessment of Relational Functioning, 232–3
 goals, goal setting, 236–8; family therapy goals, 3–47; formulation goals, 265–6

 Gould's false assumptions, 21–3
 graded task assignment, 104, 282
 grandparenting, 16
 grief, 23–9; grief rituals, 305–6
 group analysis, 52
 group therapy, 52–3
 Gurman, A., 205

 Haley, J., 59, 77, 85–90, 107
 healthy and unhealthy families, attachment based family therapy, 167–9; cognitive-behavioural marital and family therapy, 94; experiential family therapy, 174–5; strategic family therapy, 86–7; structural family therapy, 91–2
 Henggeler, S., 155, 180–2, 384
 hermeneutics, 144
 hierarchy, 100
 hierarchy, 101
 history of family therapy, 79–75
 homeostasis, 72
 home-school liaison, 307, 381
 hypothesizing, 143

 ICD 10, ADHD, 504; alcohol problems, 456; anxiety, 432–4; conduct problems, 361; depression, 432–3; marital and family therapy research, 499–500
 schizophrenia, 478; sexual problems, 521
 infidelity, 428–9
 institutes and associations for specific types of family therapy, 546–7
 integrative models of family therapy, 199–212
 integrative problem-centred therapy, 202–5
 internal working models, 189
 interventions in family therapy, 273–313
 interventive interviewing, 128–9, 144
 invariant prescription, 143
 invisible loyalties, 186
 ironic processes, 100

- irreverence, 144
- isomorphism, 72

- Johnson, S., 155, 169–170
- joining, 102
- journals in family therapy, 545–6

- Karpman's triangle, 241
- Kelly, G., 116, 119

- ledger, 186
- legacy, 186
- lifecycle 3–47; family lifecycle, 5–29, 185; gay and lesbian lifecycles, 43–4; individual lifecycle, 35–41
- loss, 23–9; loss rituals 305–6
- lunch, family, 101

- marital distress, research, 518–21
- marital satisfaction, 8–9, 409–13
- marital therapy, 405–30
- marriage counselling, 50
- medical family therapy, 209
- medical regime, adherence, 312
- meta-analysis, 535
- metacommunication, 100
- metaframeworks, 199–202
- Milan systemic family therapy, 124–128, 149–50
- Minuchin, S., 77, 90–3, 107–8
- miracle question, 146
- modelling, 104
- modernism, 118–19, 140
- monitoring, 279–81
- morphogenesis, 73
- morphostasis, 73
- MRI brief therapy, 76–85, 106
- multidisciplinary practice, 210
- multigenerational transmission process, 186
- multiple family therapy, 210
- multiple perspectives, 295–7, 423
- multisystemic family therapy, 180–2, 197–8
- myths, 189

- narrative therapy, 135–8, 153
- network analysis, 216–8
- network meetings, 307, 382

- neurologically impaired adults, research, 531–2
- neutrality, 143
- not-knowing approach, 145

- object relations based family therapy, 164–7, 188, 194–5
- oppositional defiant disorder, research, 502–4
- ordeal, 100

- paradoxical intervention, 100
- parental child, 102
- parenting, 13–14
- parts party, 191
- pathological triangle, 100
- Patterson, G., 77, 93
- peer groups, 16
- personal-construct psychology, 119–20, 141
- physical child abuse, 317–38
- Pinsof, W., 202
- planning family therapy, stage of, 215–19
- pleasant event scheduling, 104
- pluralistic couples therapy, 207–8
- positive connotation, 144
- positivism, 115, 140
- postmodernism, 118–19, 140
- practicing symptoms, 282
- presenting problem, inquiring about 224
- problem formulation, 253–60
- problem formulation diagrams, alcohol problems in adulthood, 459; behaviour problems, 250; child sexual abuse, 342; conduct problems in adolescence, 364; depression, 433; drug abuse in adolescence, 388; marital distress, 407; physical child abuse, 321; schizophrenia, 480
- problem-determined system, 131–2
- problem-solving skills training, 104, 285–6, 379, 417–18, 492–3
- projective identification, 188
- proximity, 102
- psychiatry, 51, 209

- psychoanalytic family therapy, 164–7,
 194–5
 psychodrama, 52–3
 psychoeducation, 311–12; for
 depression, 444; for panic
 disorder with agoraphobia,
 448–9; for schizophrenia, 487–81
 psychoeducational family therapy,
 182–3, 198
 psychosis, attachment based
 treatment of, 172–3, 196
 punctuation, 100

 questionnaires, 231–3
 questions for formulation
 construction, 264–70

 race, 45
 randomized controlled trial, 536
 rating scales, 231–3
 re-authoring, 147
 reconnecting, 303
 recontracting, stage of, 242–7
 re-experiencing, 302–3
 reflecting team, 130–1
 reformulation, 270–2
 reframing, 100, 294, 423
 reinforcement, 104
 relabelling, 100
 relapse prevention, 243
 relaxation skills training, 105, 451–3
 religion, 45
 Repertory Grid Test, 141
 research in marital and family
 therapy, 499–536
 research on family therapy of
 child-focused problems, 500–18;
 abdominal pain, 516; ADHD,
 504–6; anorexia nervosa,
 517–8; anxiety, 511–14; asthma,
 517; child abuse and neglect,
 501–2; conduct problems, 506–9;
 depression, 514–15; diabetes,
 516–7; drug abuse, 509–11;
 oppositional defiant disorder,
 502–4; stomach aches, 516;
 toileting problems, 515–16
 research on marital and family
 therapy of adult-focused
 problems, 518–32; alcohol abuse,
 529–31; anxiety disorders,
 523–5; bipolar disorder, 526–7;
 chronic pain, 531; depression,
 525–6; marital distress, 518–21;
 neurologically impaired adults,
 531–2; schizophrenia, 527–9;
 sexual problems, 521–3
 resistance, 239–42
 restraint, 281
 rituals, 144, 305–6
 role changing, 304
 role theory, 54–5

 Satir, V., 155, 177–80
 scaling questions, 147
 scapegoat, 191
 schemas, 105
 schizogenesis, 73
 schizophrenia, 55–6, 478–96; research,
 527–9
 scripts, 189–90
 sculpting, 191
 second order change, 72
 second order cybernetics, 72
 secrets, 309–10, 425–6
 self-actualisation, 191
 self-characterization, 141
 self-esteem, 192
 Selvini-Palazzoli, M., 111, 124–8
 separation and divorce, lifecycle
 stages, 29–35
 sex therapy, 50
 sex-offenders, 357–60
 sex-role development, 41–3
 sexual problems, 420–1; research,
 521–3
 shaping, 105
 skills training, 282–90
 Snyder, D., 207
 social class, 45
 social constructionism, 117–18,
 128–132, 140, 150–2
 social support, 193
 social work, 50–1, 210
 solution focused therapy, 132–5, 152–3
 stages of change, 464–5
 stages of the consultation process,
 215–48

- star chart, 105
- stepfamilies, 34–5
- stomach aches, research, 516
- strategic family therapy, 85–90, 106–7
- strategizing, 145
- strengths, 293–4, 423
- stressful life events, 193
- structural determinism, 142
- structural family therapy, 90–3, 107–8
- supervision, 538
- support building, 304–5
- symmetrical behaviour patterns, 73
- system, definition, 73
- systematic desensitisation, 105
- systems theory, 59–68

- tasks between sessions, 279–81
- terminal illness, 23–9
- therapeutic double-bind, 101
- time-out from reinforcement, 105
- toileting problems, research, 515–16
- Tomm, K., 111, 128–9, 144
- training exercises in family therapy, 555–80
- training, 538
- transference, 188, 241
- transgenerational family therapy, 154–64, 193–4
- treatment in family therapy, attachment based therapy, 169–73; cognitive-behavioural marital and family therapy, 95–6; constructivism, 123–4; experiential family therapy, 175–80; functional family therapy, 97–8; Milan systemic family therapy, 124–8; MRI brief therapy, 83–5; multisystemic family therapy, 180–2; narrative therapy, 137–8; psychoanalytic family therapy, 164–6; psychoeducational family therapy, 182–3; social constructionism, 128–32; solution focused therapy, 133–5; strategic family therapy, 88–90; structural family therapy, 92–3; transgenerational family therapy, 161–4
- treatment, stage of, 235–42
- triangulation, 102
- Twelve steps, 472

- unbalancing, 102
- unconscious, 188
- undifferentiated ego mass, 186
- unique outcomes, 148

- videotapes, training, 543
- visitors, 147

- web resources, 544–5
- White, M., 111, 135–8
- Whittaker, C., 155, 176–7
- window-shoppers, 100
- work group dynamics, 53–4
- written communication, 549–54