




Index

COPYRIGHTED MATERIAL



Index

A

Acrobat Reader 8.1, PDF support, 255–257

ActionScript 3

- AIR use of, 21
- ASdocs, MXML documentation, 23–26
- elements of, 22–23
- file, example of, 23
- Flash CS3 capabilities, 46–47
- with MXML, 3, 16, 22–23

ActionScript Message Format (AMF)

- and ColdFusion, 89–95
- functions of, 89

Actions window, Flash CS3, 46–47

activate method, NativeWindow, 136

addChild function, paste function, 205

addImage function

- drag-and-drop, 199–200
- paste, 205–206

addItem function, native menus, creating, 211, 270–271

adl command, syntax of, 5

Adobe Acrobat Reader 8.1, PDF files support, 255–257

Adobe Flash

- development of, 15
- and Rich Internet Applications, 15

Adobe Flex

- development of, 16
- and Rich Internet Applications, 16

Adobe Integrated Runtime (AIR). *See* AIR

adt command, syntax of, 5

AIR

- .air file, 4
- configuration file. *See* AIR configuration file
- development tools. *See* Dreamweaver CS3; Flash CS3; Flex Builder 3
- free library. *See* AIR SDK
- HTML content. *See* HTML component
- installing on Windows, 8–10
- languages supported, 3
- packaging to, 76–86
- runtime environment, 4
- SQLite database, 169–196

AIR applications

- file system, 113–134
- first application, steps in, 10–14
- with Flash. *See* Flash/AIR applications
- with Flex. *See* Flex/AIR applications
- with HTML. *See* HTML/AIR applications
- Internet, connecting to, 217–220
- operating system interaction, 153–167
- updating, 220–227

AIR configuration file, 65–75

- <allowBrowserInvocation> tag, 74
- <application tag>, 65
- <content> tag, 71
- <copyright> tag, 68
- <customUpdateUI> tag, 74
- <description> tag, 67–68
- <filename> tag, 67
- <fileTypes> tag, 74–75
- <icon> tag, 68–70
- <id> tag, 65

AIR configuration file (*continued*)

AIR configuration file (*continued*)

<initialWindow> tag, 71
 <installFolder> tag, 73–74
 <minimizable>, <maximizable>,
 <resizable> tags, 72
 <minSize> and <maxSize> tags, 73
 <name> tag, 66–67
 <programMenuFolder> tag, 74
 <systemChrome> tag, 71
 <title> tag, 71
 <transparent> tag, 71
 <version> tag, 66
 <visible> tag, 72
 <width> and <height> tags, 72
 <x> and <y> tags, 73

.air file, 4

AIR SDK

adl command, 5
 adt command, 5
 AIRSDK folder, 6
 Flex/AIR applications, testing/debugging,
 55–56
 functions of, 5
 location of, 6
 packaging to AIR with, 85–86

AJAX (Asynchronous JavaScript and XML), elements of, 17, 34

<allowBrowserInvocation> tag, 74

Alphabetical view, Flex Builder 3, 41

append to, files, 123, 126

<application> tag, 65

applicationComplete function, 224

Internet connection, testing for, 218–219

application id, 10, 12

<id> tag, 65

components of, 65

application programming interface (API)

copy and paste, 204–210

directories, 113–120

drag-and-drop support, 197–204

files, 120–127

native menus, 210–215

operating system interaction, 153–167

SQLite database, 169–196

windows, 135–152

applicationResourceDirectory, 115

applicationStorageDirectory, 115

arrays

clipboardFiles array, 205

ColdFusion, 94

dropfiles array, 198

JSON, 97

ASdocs, MXML documentation, 23–26

asynchronous methods

defined, 127

for directories, 127

for files, 127–128

for FileStream, 127–130

**ATOM (Atom Syndication Format), functions
 of, 98**

B

bounce

AIR options, 156

dock icons, 156–159

**Breakpoints view, Flex debugger, 41–42,
 44–45**

browse

for files/directories, 132–134

native browse dialog, 132–134

browsers

<allowBrowserInvocation> tag, 74

SQLite Database Browser, 173

button controls

mx:Window, 145

NativeWindow, 137–139

paste, 204–205

C

- Category property-view, Flex Builder 3, 40**
- C/C++, development of, 19**
- changeFonts function, 255**
- changeImage function, 254**
- checkForUpdate function, 224–225, 229, 276**
- click handler, 237**
- clipboard**
 - clipboardFiles array, 205
 - ClipboardFormats property, 205, 208
 - copy and paste, 205–209
 - copyToClipboard, 208–209
- Code view, Dreamweaver CS3, 49**
- ColdFusion**
 - AIR application, updating, 92–95
 - arrays, returning, 94
 - backend files, creating, 89–90
 - new AIR project, creating, 90–91
 - server, downloading, 89
 - value object, 91–92
- common section, Flex Builder 3, 38–39**
- Components panel, Flex Builder 3, 36**
- Components window, Flash CS3, 46**
- configuration file. See AIR configuration file**
- ConnectionManager, 261–262**
- connectionStatusChanged function, 276**
- connection variable, SQLite database, 170**
- Console view, Flex debugger, 42**
- <content> tag, 71**
- context menus, 163–167**
 - assigning to objects, 164
 - creating, 164–167
 - Flex/AIR application, adding menu, 272
 - functions of, 163
 - functions required for, 165
 - images used for, 165–166
 - on root of application, 165
- copy, 207–210**
 - copyToClipboard, 208–209
 - Image components, 208
 - import statements, 208

- copy and paste. See copy; paste**
- copying**
 - directories, 116, 119
 - files, 124, 126
- <copyright> tag, 68**
- copyToAsync, 127**
- create directories, 114–115, 118**
- create files, 121–122, 125**
- createHandler, SQLite database, 170–171**
- createImageMenu, 164–165**
- createMainMenu function, 163–164**
- createMenu function, 155–156, 161**
- createTable, SQLite database, 172–174**
- createTransferableData function, drag-and-drop, 202–203**
- CSS (Cascading Style Sheets)**
 - development of, 28
 - elements of, 28–30
 - files example of, 29–30
 - within HTML file, example of, 29
 - withing MXML file, example of, 29–30
- <customUpdateUI> tag, 74**

D

- database. See SQLite database**
- data exchange**
 - ActionScript Message Format (AMF), 89
 - ColdFusion, 89–95
 - database. See SQLite database
 - JSON (JavaScript Object Notation), 96–97
 - MashUp, 104–107
 - REST (Representational State Transfer), 96
 - SOAP (Simple Object Access Protocol), 100
 - web services, 99–104
 - WSDL (Web Services Description Language), 100–104
 - XML (Extensible Markup Language), 98–99
- DataManager, SQLite database integration, 265–267, 276–277**

debugging

debugging, Flash CS3

Output window, 47
trace statement, 47

debugging, Flex Builder 3

Breakpoints view, 41–42, 44–45
Console view, 42
debugging perspective, 36
Expressions view, 44–45
Flex Builder 3, 41–45
HelloWorld.mxml, 55
SDK, debugging with, 56
steps in, 41–42
Variables view, 42–44

debugging, HTML, SDK, testing/debugging with, 59–60

delete

data, from SQL database, 190–195
directories, 116–117, 119
files, 124–125, 126
See *also* trash

deleteDirectoryAsync, 127–128

deleteFileAsync, 127

deleteUser function, SQLite database, 190–195

<description> tag, 67–68

Design mode, Flex Builder 3, 36–41

Design view, Dreamweaver CS3, 49

desktop applications

and AIR, 18
and C/C++, 19
Google Gears, 18
and Java, 19

desktopDirectory, 115

development perspective, Flex Builder 3, 36

digital certificates

AIR SDK, 85
Dreamweaver, 81
Flash, 82–84
Flex, 78

directory(ies), 113–120

applicationResourceDirectory, 115
applicationStorageDirectory, 115

asynchronous methods for, 127

browse for, 132–134

contents, listing, 117–120

copying, 116, 119

creating, 114–115, 118

deleting, 116, 119

desktopDirectory, 115

documentsDirectory, 115

listing, 117–119

moving, 115, 119

moving to trash, 117, 119

temporary, creating, 130–132

userDirectory, 115

dividers, adding to NativeMenu, 212

dock icons, 153–159

bounce, 156–159

creating, 153–159

Flex/AIR application, customizing icons, 269–270

functions of, 153

images used for, 154–155

menu added to, 155–156

Document Object Model (DOM), 251–255

dot notation, 32

elements of

getElementById, 32–33, 255

getElementsByTagName, 253–254

innerHTML, 252–253

objects, adding to, 33–34

documentsDirectory, 115

doDrag method, 203

dot notation, DOM access with, 32

drag-and-drop support, 197–204

createTransferableData function, 202–203

DragIn file, from file system to AIR, 197–201

DragOut file, from AIR to file system, 202–204

dropfiles array, 198

event listeners, 198

handler functions, 198–199

images, 199–200, 202

import statements, 197–198, 202

onMouseDown function, 202–203

Dreamweaver CS3, 49–51

- and AIR, 6
- AIR extension, 51
- Code view, 49
- Design view, 49
- File window, 50
- HTML/AIR applications, testing with, 57–58
- new features, 49
- packaging to AIR with, 79–82
- Properties window, 50
- Split view, 49
- system requirements, 51
- toolbar/tools, 50

dropfiles array, 198**DTD, transitions, with XHTML file, 31****dynamic user interface, Spry framework for, 49****E****Editor panel, Flex Builder 3, 36****enumerationMode, 238****Environmental Variables, installing AIR, 8–9****errorHandler function, logging errors, 268–269****event handler, Internet connection/update check, 228–229****event listeners**

- adding to NativeMenus, 212–213
- browse for files, 132
- drag-and-drop support, 198
- Internet connection, testing for, 218–219
- SQLite database, 170
- Weather AIR project, 269–270

Export Release Build, Flex, packaging AIR with, 76–79**Expressions view, Flex debugger, 44–45****F****file(s), 120–127**

- append to, 123, 126
- asynchronous methods for, 127–128

- browse for, 132–134
- copying, 124, 126
- creating, 121, 125
- deleting, 124, 126
- DragIn file, from file system to AIR, 197–201
- DragOut file, from AIR to file system, 202–204
- information on, 235–236
- moving, 124, 126
- moving to trash, 125–127
- open for read only, 120
- open with append access, 120
- open with read/write access, 120
- open with Write permissions, 120
- reading, 121–122, 125
- temporary, creating, 130–132
- updating, 122–123, 125–126

file extensions

- .air file, 4
- .jpg extension, 208

FileMode.APPEND, 120, 123**FileMode.READ, 120, 121****FileMode.UPDATE, 120, 122****FileMode.WRITE, 120****filename**

- for AIR application, 10, 12
- <filename> tag, 67

FileStream

- asynchronous methods for, 127–130
- create files, 121
- logging errors, 268–269

file system (AIR), 113–134

- directories, 113–120
- files, 120–127
- FileSystemComboBox, 242–243
- FileSystemDataGrid, 235–236
- FileSystemEnumerationMode, 238
- FileSystemHistoryButton, 237–238
- FileSystemList, 238–240
- FileSystemTree, 240–241
- security, 113

FileSystemComboBox, 242–243

FileSystemDataGrid

FileSystemDataGrid

functions of, 235–236
 updating, 237–238

FileSystemHistoryButton, 237–238

FileSystemList, 238–240

FileSystemTree, 240–241

<fileTypes> tag, 74–75

File window, Dreamweaver CS3, 50

Flash/AIR applications, 61–63

Publish Settings, updating, 62
 steps in, 61

Flash CS3, 45–48

ActionScript capabilities, 46–47
 and AIR, 6
 AIR updater, 48
 debugging, 47
 NativeWindow, 135
 packaging to AIR with, 82–84
 stage, windows of, 45–48
 system requirements, 48

Flex/AIR applications, 53–56

AIR application, steps in, 10–14
 context menu, adding, 272
 debugging, 55
 dock icons, 269–270
 file API, logging with, 268–269
 Flex application, downloading, 259–261
 history window, adding, 276–279
 HTML control, use of, 263–264
 Internet connection, testing for, 261–263
 NativeMenu, adding, 270–271
 project, testing, 54
 SDK, testing/debugging with, 55–56
 self-updating, instituting, 272–276
 SQLite database integration, 265–268,
 276–279
 system tray icons, 269–270
 Window component, use of, 264–265

Flex Builder 3, 35–45

Breakpoints view, 44–45
 Console view, 42

debugging perspective, 36, 41–45
 Design mode, 36–41
 Expressions view, 44–45
 introspection wizard, 107–110
 mx:Window, 143
 new features, 5, 35
 Outline view, 36–37
 packaging to AIR with, 76–79
 perspectives, 36
 Source mode, 36–37
 stand-alone/plug-in versions, 36
 system requirements, 35–36
 Variables view, 42–44

flex chrome, 149–151

FLVPlayback, Flash, 47

folders

<installfolder> tag, 73–74
 <programMenuFolder> tag, 74
 AIRSDK folder, 6
 source folder, 10, 12

fonts, changeFonts function, 255

G

getData function, 198

getDirectoryListing, 117

getDirectoryListingAsync, 127

getElementById, DOM example, 32–33, 255

getElementsByTagName function, 253–254

getHistory function, 277

Google Gears, functions of, 18

goToURL, 247

H

handleMenuClick function, 155–156, 161, 163, 164, 213

handler functions, drag-and-drop, 198–199

<height> tag, 72

history

- browser, navigating, 247–249
- FileSystemHistoryButton, 237–238
- Flex/AIR applications, history window, adding, 276–279
- historyBack method, 249
- historyData, 276
- historyForward method, 249
- historyGo method, 249

HTML (Hypertext Markup Language)

- AIR component. See HTML component
- CSS with, example of, 29
- development of, 26–27
- file, example of, 27
- JavaScript blocks in, example of, 28
- MXML with, example of, 29–30

HTML/AIR applications, 56–60

- Dreamweaver, testing application with, 57–58
- SDK, testing/debugging with, 59–60

HTML component, 245–257

- basic HTML, loading, 245–246
- Document Object Model (DOM), 251–255
- history, navigating, 247–249
- HTMLHistoryItem, 249–250
- location property, 246–247
- PDF support, 255–257

HTMLHistoryItem, 249–250**htmlString, 245–246****htmlText, 245–246****HTTPService**

- newest version, checking for, 222–223
- stock data service, connecting to, 106–107

I**icons**

- bounce, 156–157
- dock icons, 153–159
- Dreamweaver icon-selection tool, 81
- Flash icon images window, 84
- <icon> tag, 68–70

mx:Window, 149

PNG format, 68

sizes in AIR applications, 68–69, 153

system tray icons, 159–163

visibility and systemChrome, 149

id. See application id**<id> tag, 65****image(s)**

- for context menus, 165–166
- copy function, 208
- for dock icons, 154–155
- drag-and-drop, 199–200, 202
- icons, 69–70
- icon sizes in AIR applications, 68–69, 153
- paste function, 205–206
- system tray icons, 159–160

import statements

- copy, 208
- creating files, 122
- drag-and-drop, 197–198, 202
- FileSystemTree, 240
- Internet connection/update check, 228
- Internet connection, testing for, 218
- NativeMenus, 210
- paste, 204
- updating applications, 223–224, 226

init function

- Internet connection/update check, 228
- Internet connection, testing for, 218
- native menus, creating, 210–215

<initialWindow> tag, 71**innerHTML, 252–253****insertRecord function, SQLite database, 175–179****insertResult function, SQLite database, 176****<installFolder> tag, 73–74****installing AIR**

- AIR configuration file, 65–75
- on Mac, 6–8
- on Windows, 8–10

Internet, application updates, checking for, 228–231

Internet connection

Internet connection, testing for, 217–220

- event listener, 218–219
- import statements, 218
- visual components of, 219
- Weather AIR project, 261–263

isConnected, Internet connection, testing for, 218, 263

J

Java, Java Virtual Machine (JVM), 19

JavaFX

- features of, 17
- and Rich Internet Applications (RIA), 17

JavaScript

- blocks in HTML, example of, 28
- development of, 27
- elements of, 27–28
- file, example of, 28

JPEGEncoder, .jpg extension, 208

JSON (JavaScript Object Notation)

- arrays, 97
- as data source, 96–97
- elements of, 96

K

keyboard shortcuts, NativeMenus, 214–215

L

launching application, at specified x and y positions, 73

Layout section, Flex Builder 3, 39–40

library assets, for AIR application, 10

Library window, Flash CS3, 47–48

listing directories, 117–119

localhost, 222

location property, HTML component, 246–247

M

Mac

- dock icons, 153–159
- installing AIR, 6–8

MashUp, 104–107

- functions of, 104
- stock data service, connecting to, 105–107

maximize

- <maximizable> tag, 72
- NativeWindow, 137

<maxSize> tag, 73

menu(s)

- context menus, 163–167
- createImageMenu, 164–165
- createMainMenu function, 163–164
- createMenu function, 155–156, 161
- dock icons, adding menu to, 155–156
- handleMenuClick function, 155–156, 161, 163, 164, 213
- mx:Window, 147
- NativeMenus, 140, 210–215
- system tray icons, adding menu to, 161–163
- See also specific types of menus

Microsoft Windows

- installing AIR, 8–10
- system tray icons, 159–163

minimize

- <minimizable> tag, 72
- NativeWindow, 137

<minSize> tag, 73

moveToAsync, 128

moveToTrashAsync, 127, 128

moving

- directories, 115, 119
- files, 124, 126

MXML

- with ActionScript 3, 16, 22–23
- documentation, example of, 23–26
- elements of, 21–22
- file, example of, 22
- writing, tools for, 22

mx:Window, 143–152

creating, 143–144
 icons, 149
 location of, 143
 NativeMenus, 147
 resize settings, 146
 system chrome, 149–151
 titlebar buttons, 145
 transparency, 151–152
 type property, 148

MyFirstAIR, steps in, 10–14**N****<name> tag, 66–67****NativeApplication, 221, 270****native browse dialog, browse for files,
132–134****NativeMenus, 210–215**

creating basic menu, 210–211
 dividers, adding, 212
 event listener, adding, 212–213
 Flex/AIR application, adding menu, 270–271
 import statements, 210
 keyboard shortcuts, 214–215
 mx:Window, 147
 NativeWindow, 140
 submenus, adding to, 211

nativePath, paste function, 205**NativeWindow, 135–143**

button controls, 137–139
 closing with application, 142
 controls, disabling, 138–139
 creating, 135–136
 in front of application, 137
 NativeMenus, 140
 NativeWindowInitOptions, 138–143
 resize settings, 138–140
 system chrome, removing, 142–143
 text field, 136–138
 titlebar buttons, 138–140

transparency, 143

type property, 140–142, 148

navigateBack function, 237, 239**navigateDown function, 239****navigateForward function, 237, 239****navigateUp function, 239****network connections, testing for. See Internet
connection, testing for****O****object(s), context menus assigned to, 164****object oriented language, C++, 19****onDragIn function, 198****onDrop function, 198****onMouseDown function, drag-and-drop,
202–203****openAsync, 128, 129****openHandler, SQLite database, 171****OpenLaszlo**

features of, 15–16

pros/cons of, 16

and Rich Internet Applications, 16

operating system interaction, 153–167

context menus, 163–167

copy and paste, 204–210

dock icons, 153–159

drag-and-drop support, 197–204

system tray icons, 159–163

Outline view, Flex Builder 3, 36–37**Output window, Flash CS3, 47****P****packaging to AIR, 76–86**

with AIR SDK, 85–86

with Dreamweaver, 79–82

with Flash, 82–84

with Flex, 76–79

icon image files, including, 69–70

paste

paste, 204–207

- addImage function, 205–206
- button controls, 204–205
- import statements, 204

PDF files

- Acrobat Reader 8.1 support, 255–257
- pdfCapability property, 256

perspectives, Flex Builder 3, 36

PNG format, icons, 68

<programMenuFolder> tag, 74

programming languages

- ActionScript 3, 22–26
- AJAX (Asynchronous JavaScript and XML), 34
- CSS (Cascading Style Sheets), 28–30
- DOM (Document Object Model), 31–34
- HTML (Hypertext Markup Language), 26–27
- JavaScript, 27–28
- MXML, 21–22
- XHTML (Extensible Hypertext Markup Language), 30–31

Properties view, Flex Builder 3, 38–41

Properties window

- Dreamweaver CS3, 50
- Flash CS3, 47

Publish Settings, Flash application, 62

R

Read File Asynchronously, 129

reading files, 121–122, 125

remote data, working with. *See* data exchange

<resizable> tag, 72

resize settings

- mx:Window, 146
- NativeWindow, 138–140

REST (Representational State Transfer)

- functions of, 96
- JSON (JavaScript Object Notation), 96–97
- RESTful data service, 96

restore, NativeWindow, 137

Rich Internet Applications (RIA)

- and Adobe Flash, 15
- and Adobe Flex, 16
- and Ajax, 17
- benefits of, 18
- defined, 15
- development of, 17–18
- and JavaFX, 17
- and OpenLaszlo, 16
- and Windows Presentation Foundation/Silverlight, 17
- and XUL (XML User Interface Language), 16

RPC (Remote Procedure Calls), and

ColdFusion, 89

RSS (Really Simple Syndication), functions of, 98

runtime environment, elements of, 4

S

Safari, WebKit, 245

SDK. *See* AIR SDK

searchForUser function, SQLite database, 180–184

searchForUserResult function, SQLite database, 181

selectAllUsers, SQLite database, 179–180, 182–184

selectAllUsersResult function, SQLite database, 180

selectUser function, SQLite database, 181

self-signed digital certification

- AIR SDK, 85
- Dreamweaver, 82
- Flash, 83–84
- Flex, 78

SelfUpdater.mxml, 221–227

self-updating. *See* updating applications

setData function, 208

setDockIcon method, 269

shortcuts, NativeMenus, 214–215

showFileDetails method, 240
showHTML function, 252–253
Silverlight. See Windows Presentation Foundation/Silverlight
SOAP (Simple Object Access Protocol), 100
 functions of, 100
 request/response, examples of, 100
Software Development Kit (SDK). See AIR SDK
source folder, for AIR application, 10, 12
Source mode, Flex Builder 3, 36–37
Split view, Dreamweaver CS3, 49
Spry tools, Dreamweaver CS3, 49, 50
sqlconnection, 172
SQLite database, 169–196
 connection variable, 170
 creating, 170–171
 data, saving to table, 175–179
 data retrieval, 179–185
 deleting data, 190–195
 errors, logging, 268–269
 Flex/AIR application, integration with,
 265–268, 276–279
 functions of, 169
 SQLite Database Browser, 173
 SQLResult, 276
 tables, 172–175
 updating, 185–190
stage, Flash CS3, 45–48
standard property-view, Flex Builder 3, 38
States panel, Flex Builder 3, 36
**statusChanged function, Internet connection,
 testing for, 218**
Style section, Flex Builder 3, 39
submenus, NativeMenus, creating, 211
synchronous methods, defined, 127
syndication feeds
 ATOM (Atom Syndication Format), 98
 RSS (Really Simple Syndication), 98
system chrome
 flex chrome, 149–151
 and icon visibility, 149
 mx:Window, 149–151

NativeWindow, removing, 142–143
 no chrome window, 150–151
 <systemChrome> tag, 71
 systemChrome setting, 72
system tray icons, 159–163
 creating, 159–163
 Flex/AIR application, customizing icons,
 269–270
 images used for, 159–160
 menu added to, 161–163
 tool tips, 160
System Variables, installing AIR, 8–9

T

table(s)
 creating, SQLite database, 172–175
 data, saving to, 175–179
 sqlConnection, 172
tag name, getElementByTagName, 253–254
temporary directories, creating, 130–132
temporary files, creating, 130–132
testVersion function, 223
text field, NativeWindow, 133–138
TextInput, 247
<title> tag, 71
titlebar buttons
 mx:Window, 145
NativeWindow, 138–140
tool tips, system tray icons, 160
trace statement
 Flash debugging, 47
 Flex debugging, 55
transparency
 mx:Window, 151–152
 NativeWindow, 143
 and systemChrome setting, 72, 151–152
 <transparent> tag, 71
trash
 directories, moving to, 117, 119
 files, moving to, 125, 126–127
tree layout, FileSystemTree, 240–241

update(s)

U

update(s)

- <customUpdateUI> tag, 74
- AIR applications. See updating applications files, 122–123, 125–126
- SQLite database, 185–190

updateResult function, SQLite database, 185

updateUser function, SQLite database, 185–190

updating applications, 220–227

- checkForUpdate function, 224–225
- current version, determining, 221–222
- Flex/AIR application, self-updating, instituting, 272–276
- functions needed, 224, 226–227
- import statements, 223–224, 226
- Internet connection/update check, 228–231
- newest version, checking for, 222–223
- SelfUpdater.mxml, 221–227
- UpdateManager ActionScript class, 272–276
- Updater class, 220–221
- updating, determining need for, 221
- variables needed, 223–224, 226

URLMonitor, Internet connection, testing for, 218–219

URLRequest, Internet connection, testing for, 218, 264

userDirectory, 115

V

value object, ColdFusion, 91–92

Variables view

- Flex debugger, 42–44
- symbols/icons of, 44

Variable Values, installing AIR, 8

version(s)

- current version, determining, 221–222
- newest version, checking for, 222–223

testVersion function, 223

updating. See updating applications

<version> tag, 66

<visible> tag, 72

W

Weather AIR project

- dock icons, 269–270
- event listeners, 269–270
- file API, logging with, 268–269
- Flex application, downloading, 259–261
- history window, adding, 276–279
- Internet connection, testing for, 261–263
- NativeMenu, adding, 270–271
- self-updating, instituting, 272–276
- SQLite database integration, 265–268, 276–279
- system tray icons, 269–270
- Window component, use of, 264–265

WebKit, speed of, 245

web services

- calling, 99, 103–104
- Flex introspection wizard, 107–110
- functions of, 99
- SOAP (Simple Object Access Protocol), 100
- WSDL (Web Services Description Language), 100–104

<width> tag, 72

windows, 135–152

- <initialWindow> tag, 71
- mx:Window, 143–152
- NativeWindow, 135–143
- <WindowedApplication> tag, 224
- See also specific types of windows

Windows Presentation Foundation/Silverlight

- features of, 15, 17
- and Rich Internet Applications (RIA), 17
- and XAML, 17

Write permissions, open files with, 120

WSDL (Web Services Description Language),**100–104**

- calling, 103–104
- file, example of, 101–103
- Flex introspection wizard, 107–110
- functions of, 100

X**<x> tag, 73****XAML, features of, 17****XHTML (Extensible Hypertext Markup Language)**

- DTD, examples of, 31
- elements of, 30–31

XML (Extensible Markup Language), 98–99

- as data source, 99
- file, example of, 98
- functions of, 98

XUL (XML User Interface Language),**elements of, 16****Y****<y> tag, 73**