

Index

COPYRIGHTED MATERIAL

Index

SYMBOLS AND NUMERICS

- & (ampersand character)**
 - on page widget, 56
 - XML encoding, 13, 14
- ' (apostrophe character), 13, 14**
- * (asterisk), 41**
- \ (backslash), replacing in URL, 51**
- ^ (carat), 41**
- { } (curly braces), 41**
- " (double quotes character), 13, 14**
- ... (ellipses), 37**
- 503 error, 282**
- } (final closing brace), 279**
- / (forward slash)**
 - image links, retrieving, 40
 - links beginning with, 38
 - paths ending with, 36
- > (greater than character), 13, 14**
- < (less than character), 13, 14**
- () (parentheses), 41**
- . (period)**
 - links starting with, 37, 38
 - regex search, single-character matching, 41
- + (plus sign), 41**
- ? (question mark), 41**
- \s (white space search), 41**

A

- absolute URL, image, 43**
- Accept header, Google transactions, 114**

- AccountNumber, 180**
- Ad Type auction, 205**
- admin page, blog**
 - simple without security, 75–76
 - trackbacks, 79–81
- adult sites, removing from Google searches, 116**
- advertisements, paid Google, 135**
- Adwords, Google, imitating, 135–137**
- aggregators, 8, 328**
- Amazon API**
 - authors, parsing, 166
 - described, 4
 - interface, choosing, 150
 - limitations, 150
 - personal store
 - creating, 170–171
 - keywords, populating by, 173–175
 - list, populating by, 171–172
 - possibilities, 150
 - reasons to use, 149
 - registering, 150
 - REST search, sample, 151–152
 - SOAP interface
 - author, searching by, 162–165
 - described, 152–153
 - prices, monitoring, 168–169
 - product, examining in depth, 165–168
 - product sales rank, monitoring, 169–170
 - results, presenting, 155–156
 - search page, usable, 156–162
 - simple search request, 153–155
- Amazon Standard Identification Number. See ASIN**
- amp entity name, 14**

ampersand character (&)

ampersand character (&)

- on page widget, 56
- XML encoding, 13, 14

Apache

- feed pre-generation, saving file, 74
- phpinfo() development system, 334–335

apos entity name, 14

apostrophe character ('), 13, 14

application data, eBay, 234

array, paths ending with / (forward slash), 36

ASIN (Amazon Standard Identification Number)

- personal store, 170
- prices, monitoring, 169
- results query, 167
- simple search, 151

AsinSearchRequest method, Amazon products, examining in depth, 165–166

associate ID, Amazon, 151

asterisk (*), 41

Atom

- Content-Type header, 66
- described, 9
- support, adding, 32–33
- tips feed example, 88
- XML template feed specifications, 321–322
- 0.3 specification, 20

attacks

- IPN, defending against, 240
- login information, 40
- single-click purchases, 40
- XSS, 9–10

attribute, XML, 11

auction, online. See eBay API

auction types, eBay, 205–206

authentication tokens, eBay API, 201–202

Authorization header, Del.icio.us API, 278

authors

- Amazon search
 - parsing, 166
 - sample, 162–165
 - simple, 151–152
- Atom feed specifications, 330

auto discovery declaration, 83

B

backslash s (\s) white space search, 41

backslashes (\), replacing in URL, 51

bandwidth

- corporate environments, 54
- feeds, concerns over, 10

baseCall() function, Del.icio.us, 280–282

BBC feed address, 59

benchmarking cache, 71

bid prices, eBay elements, 205

BillPointRegistered, eBay, 205

BINPrice, eBay, 205

blank space

- HTML, 15
- regex search, 41

blog

- admin page, trackbacks, 79–81
- relative URLs, replacing with absolute URLs, 36–38
- simple
 - database, 75
 - index file, 76–77
- XML feeds, prevalence of, 5

boldface titles in eBay listings, 234

book categories, Amazon search, 166

bookmarks, social. See Del.icio.us API

borders, eBay listings, 234

boxes, FedEx, 182

brace, final closing (}), 279

braces, curly ({}), 41

break; statement, Google keywords, monitoring, 140

broken HTML, handling with Tidy

- configuration options, 50–51
- described, 47–48
- sample output, 48–50
- Web feeds, configuration options table, 51–52

browser, sending image tags to, 273–275

browsing site, 28

BUSINESSSERVICECENTER, FedEx, 182

Buy It Now, eBay

- category, 206
- price, displaying, 208

C

CA (certificate authority), setting up, 294–296

cache

- benchmarking, 71
- copies, noting, 69
- Del.icio.us API layer, 280–283
- Google API results, enhancing, 130–132
- performance, 300
- portal page, improving, 58

callDelicious function, 281

canceling FedEx shipments, 192

capitalization, HTML, 15

carat (^), 41

CarrierCode element, FedEx API, 182

categories

- Amazon search, parsing, 166–167
- eBay API
 - detail level, 215
 - displaying, 218–219
 - ID, 228
 - items for sale, retrieving, 219–221
 - organizing, 214–215
 - retrieving, 216–218
 - searches within, 223–225
 - secondary, 233
 - site ID, 215–216
- Google search matches, listed, 119
- RSS feed, 327

CategoryID, **eBay, 228**

CBC feed address, 59

cc namespace (Creative Commons license), 19–20, 65

certificate authority (CA), setting up, 294–296

certification process, FedEx API, 178

characters, XML encoding, 13–14

CharityListing, **eBay, 206**

child element, XML, 11

Chinese auction, 205

class

- character, defining, 41
- first character negating anything within, 41

client

- certificate
 - NuSOAP, 293
 - PayPal, 250
- fault
 - Amazon, 161
 - Google, 125, 126
- objects, NuSOAP, 121

comments

- cached copies, noting, 69
- printing, 51
- RSS feed, 328

community considerations

- developer chats, 298–299
- development forums, 298
- development sandbox, 299
- sample code, 298

competitive usefulness, 302

complex data types, 313–314

confirming orders, PayPal, 243–244

connection

- closing during Google transaction, 113

ID, database function (`common_db.php`), 316

consuming Web feeds

- browsing site, 28
- copying feed structure, 28–29

content

- Atom feed specification, 331
- XML namespace, 91

Content-Length header, **Google, 114**

Content-Type header

- Atom specification, 66
- directory, using to ensure correct setting, 74
- feed with basic content, producing, 67
- Google transactions, 114
- HTTP header, 68

contributors, Atom feed specification, 330

copying feed structure, 28–29

copyright restrictions, RSS, 322

corporate environments, 54

country eBay listing, 228

creating Web APIs. See producing Web APIs

Creative Commons license

- cc namespace, 19–20, 65
- Flickr images, 276

cross-site scripting attack (XSS), 9–10

css classes, 51

cURL

- dependencies, building development system, 337
- eBay official time, obtaining, 210–211
- FedEx API support, 178–179
- PayPal transaction details request, 248, 250
- `phpinfo()` development system, 335

curly braces ({}), 41

currency, eBay listing, 204–205, 228

CustomerTransactionIdentifier, **FedEx**

- canceling shipments, 192–193
- described, 180
- services available for each, 185

D

data types, complex, 313–314

database

- access functions (`common_db.php`)
 - connection ID, returning, 316
 - dates, adjusting to new format, 318
 - error information, 316–317
 - query, running and returning results in associative array, 317–318
 - username, password, and other default values, 315–316

database (continued)

- blog, simple, 75
- checking PayPal against product, 244
- NWS, 264
- queries, smarter use of, 300

date

- Atom feed specification, 331
- format, changing when dealing with databases (common_db.php), 318
- NWS information, 265
- PayPay transactions, searching for, 257–258
- processing (strtotime() function), 31–32
- RSS feed, 326

dc namespace, 35

default values, 315–316

Del.icio.us API

- adding tags, 284–285
- caching layer, adding, 280–283
- described, 276
- HTTP authentication, 277
- list of used tags, retrieving, 283–284
- obtaining your own bookmarks, 277–280
- restrictions on use, 276

DeliveryDate, FedEx, 190

dependencies, development system

- cURL, 337
- Freetype, 337
- GD, 337
- Jpeg, 336
- OpenSSL, 337
- ZLib, 336

\$depth parameter, eBay function, 227

description, eBay

- image, adding, 233
- listing, 228

detail levels, retrieving eBay categories, 216–217

developer chats, 298–299

developer sandbox, PayPal, 236–237

developer's kit, Google, 112

development account, eBay API, 200–201

development forums, 298

development sandbox, 299

development system

- dependencies, building
 - Apache, 338
 - cURL, 337
 - Freetype, 337
 - GD, 337
 - Jpeg, 336

mod_ssl, 338

OpenSSL, 337

PHP, 338

ZLib, 336

phpinfo()

Apache, 334–335

cURL, 335

GD, 335

OpenSSL, 335

PHP Version 5.0.4, 333–334

SimpleXML, 336

Tidy, 336

ZLib, 336

directory, using to ensure correct setting, 74

directoryCategories element, Google, 119

Document Type Definition (DTD), valid XML, 14–15

document, URL and XML, 322

documentation, URL, 323

documentFiltering element, Google searches, 119

double quotes character (“), 13, 14

DROPBOX, FedEx, 182

DropOffType, FedEx, 182

dry ice, shipping, 189

DTD (Document Type Definition), valid XML, 14–15

Dutch auction, 205

E

eBay API

authentication tokens, 201–202

categories

detail level, 215

displaying, 218–219

items for sale, retrieving, 219–221

organizing, 214–215

retrieving, 216–218

secondary, 233

site ID, 215–216

development account, 200–201

GET request, 210–211

listing items

adding first item, 228–232

application data, adding, 234

described, 225–226

enhancements, 234

image, adding, 232–233

nested elements, handling with generateBody(), 226–227

official time, obtaining, HTTPS, 210–211

Picture Services system, 232

registering, 199–200
 reserve price, 233
REST
 basic search access, 202–206
 choosing, 199
 prices, displaying, 208–209
 quick search, creating, 207–210
 results, skipping, 208
 search in human-readable format, 206–207
 Sandbox account, 201
 searches
 basic, 222–223
 within category, 223–225
SOAP
 body of request, generating, 213
 completing request, 213–214
 general caller, 210–211
 getTime request, simplified, 214
eBay Stores Inventory, 205
elements
 choosing, 27
 plain text versus HTML encoded data, 27
 repeating, 27
 use of, 26
 UTF-8 encoding, 27
 XML, 11
ellipses (...), 37
email
 address
 PayPal transaction search by, 257–258
 RSS feed, 322
 FedEx notification, 189
 headers, 55–56
 mailing list, 54–56
employees, paying by PayPal, 258–260
empty space
 HTML, 15
 regex search, 41
enclosures, Web feeds, retrieving and storing, 33–34
encoded data, plain text versus, HTML, 27
 encodingStyle namespace, Google, 118–119
encrypting, PayPal, 239–240
entities, XML, 13–14
 &entity identifier, 13
errors
 Amazon, 161
 database access functions (common_db.php),
 316–317
 Del.icio.us, 282
 Google, SOAP protocol, checking, 125–126

responses
 messages, 301–302
 numbers, 301
 Tidy
 displaying with output, 51
 saving to file, 52
escape function, Google, 131
 estimateIsExact element, Google, 119
 Explode function, 135–136
Express, FedEx, 182
eXtensible Markup Language. See XML

F

FDXRateAvailableServicesRequest call,
 181–182
 FDSubscriptionsRequest call, **178**
Featured Plus item, eBay, 234
FedEx API
 canceling shipment, 192–193
 certification process, 178
 described, 4, 177
 first call, 178–180
 rate request, making, 186–187
 registering, 177–178
 returns, accepting, 196–198
 shipping package, 188–192
 shipping services, available, 181–185
 test environment, 178
 tracking package, 193–196
 XML, 178
Feed Aggregator, 8, 328
feed pre-generation, saving file, 74
feed specifications
 Atom
 definitions, 329–331
 XML template, 321–322
 RSS 0.91
 definitions, 322–324
 XML template, 319–320
 RSS 1.0
 definitions, 324–325
 XML template, 320
 RSS 2.0
 definitions, 326–329
 XML template, 320–321
feeds, Web
 broken HTML, handling with Tidy
 configuration options, 50–51
 configuration options table, 51–52

feeds, Web (continued)

- installing, 47–48
- sample output, 48–50
- consuming
 - browsing site, 28
 - copying feed structure, 28–29
 - elements, 26–27
 - first, 23–26
- described, 8–9
- legal issues, 10
- providers, list of, 59
- recording and retrieving, 52–54
- security issues, 9–10
- storing
 - Atom support, adding, 32–33
 - basic script, 30–32
 - enclosures, 33–34
- update frequency, 10–11
- using
 - email mailing list, 54–56
 - on page widget, 56–57
 - portal page, customizable, 57–58
- utility functions
 - combining URLs, 36–38
 - examining and retrieving images, 44–45
 - formatting tags, 46–47
 - IFrames, 46
 - image links, retrieving all within string, 40–42
 - image tags, 38–40
 - inline images, replacing with links, 42
 - link tags, 45–46
 - retrieving and serving image, 43–44
 - stripping URLs of filenames, 35–36
- XML namespaces, 34–35
- ZDNet sample, 15–16
- file**
 - eBay images, restricting, 232
 - Tidy errors, saving, 52
 - URL, enclosure element, 33–34
- filename**
 - links, 38
 - retrieving and serving image, 43
 - stripping URLs, 35–36
- filesize, retrieving enclosure element, 33–34**
- filtering Google searches, 115, 119**
- final closing brace (}), 279**
- Firefox Web browser (Mozilla), 23**
- 503 error, 282**

Fixed-Price item, 206

Flickr API

- finding images by tag, 275
- key, obtaining, 271
- restricting search by license, 276
- retrieving images from particular user
 - browser, sending image tags to, 273–275
 - request, 272
 - response, 272–273
 - URL, turning image information into, 273
- usefulness, 271
- user id, determining, 271–272

foreach() loop

- Amazon search
 - book categories, 166
 - iterating, 156
- Google search, iterating, 131

formatting Web feed tags, 46–47

forward slash (/)

- image links, retrieving, 40
- links beginning with, 38
- paths ending with, 36

framework limitations and notes, REST, 307

Freetype, dependencies, building development system, 337

full endpoint URL, Del.icio.us, 281

functions, plugging in, REST, 307–309

G

GD

- dependencies, building development system, 337
- phpinfo() development system, 335
- generateBody(), handling nested elements with, 226–227

generator, RSS feed, 327

GET request

- Amazon request, 151
- attacks, 40
- eBay
 - official auction time, 210–211
 - requests, simplifying, 213–214
- Google search, 125
- SQL query, 77

getCategories request, eBay

- basic information, 216
- subcategories, 221

getTime request, simplified, eBay API, 214

GetTransactionDetails, PayPal, 252

Google API

- Beta limitations, 112
- Blog, 32–33, 59
- keyword monitoring case study, 137–141
- monitoring search usage
 - data, using, 133
 - options, 133
 - useful results, 133–134
- multiple domain search sample application, 141–146
- NuSOAP, 121–123
- reasons to use, 111
- registration, 112
- results, enhancing
 - caching, 130–132
 - described, 127–129
- results, fudging
 - Adwords, imitating, 135–137
 - described, 134–135
- sample transaction
 - request body, 114–116
 - request headers, 113–114
 - response body, 117–120
 - response header, 116
- search interface, simple, 124–127
- total result count, 131

greater than character (>), 13, 14

Ground shipments, FedEx, 182

gt **entity name, 14**

GUID, primary key, 31

H

hazardous materials, shipping, 189

headers

- Del.icio.us API, 279
- email, 55–56

height, image, 43–44

Heredoc syntax, 248

highlighting eBay listings, 234

homepage, eBay featured listing, 234

hostName **element, Google, 119–120**

hours, RSS feed, skipping, 324

HTML (Hypertext Markup Language)

- broken, handling with Tidy
 - configuration options, 50–52
 - described, 47–48
 - sample output, 48–50
- capitalization, 15
- conversion to XHTML, 11
- encoded data, plain text versus, 27

image tags

- eBay, 233
 - processing, 40
- NWS output, 269–270
- output, specifying, 51
- page URL, 322
- text, enclosing, 51
- white space, 15

HTTP

- authentication, 289–291
- Content-Type header tag, 68
- Del.icio.us API authentication, 277
- Google transaction, 112–114
- PayPal Instant Payment Notification, 240
- Web feed transfers, 8

HTTPS

- eBay official time, obtaining, 210–211
- PayPal Instant Payment Notification, 240

Hypertext Markup Language. See HTML

I**ID**

- Amazon, 150, 151, 171
- Atom feed specification, 331
- database connection (`common_db.php`), 316
- eBay, 204, 215–216, 228
- Flickr `nsid`
 - recording, 272
 - retrieving images from user, 272–273

IFrames, 46

image hosting site. See Flickr API

image tags

- HTML
 - eBay, 233
 - processing, 40
 - utility functions, 38–40

images

- absolute URL, retrieving and serving, 43
- eBay
 - listing, 232–233
 - restricting, 232
- links, retrieving, 40–42
- size, 327
- title, RSS, 323

indenting code, 51**index**

- blog file, 76–77
- Google searches, 115

information sales, desirability of using feed, 10

inline images, links, replacing with, 42

input processing script, 328

Instant Messenger (Trillian), 23

interface, Amazon API, choosing, 150

international issues, eBay

CurrencyID, 204–205

listing, 228

site IDs, 215–216

IPN (Instant Payment Notification) PayPal API

attacks, defending against, 240

combining code, 245–248

regular order system, passing off to, 244–245

server, contact from, 236

`is_array()`, **eBay check, 227**

item

eBay listing

application data, adding, 234

described, 225–226

enhancements, 234

image, adding, 232–233

nested elements, handling with `generateBody()`,
226–227

Google searches, 119

J

Join Associates link, Amazon, 150

Jpeg, dependencies, building development system, 336

K

key element, Google, 112, 115

key, Flickr API, obtaining, 271

keywords

monitoring case study, 137–141

populating personal store, 173–175

L

labels, FedEx

creating initial, 189–192

returns, 196–197

language, RSS feed, 326

latitude, NWS request, 264–265

legal issues, 10

length and content string, predictability of, 53

less than character (<), 13, 14

license

Creative Commons

cc namespace, 19–20, 65

Flickr images, 276

Flickr, restricting search by, 276

Google searches, 112, 115

lines, maximum length and wrapping, 51

links

blogger trackbacks, 74

Web feed tags, 45–46

Linux

distributions, building OpenSSL from, 337

Tidy, installing, 48

list id, Amazon, 171

list of used tags, Del.icio.us API, 283–284

listing items, eBay API

application data, adding, 234

described, 225–226

enhancements, 234

image, adding, 232–233

nested elements, handling with `generateBody()`,
226–227

`ListingDuration`, **eBay, 228**

`ListRate`, **FedEx, 183**

Live auction, 205

loading data

caching to improve, 58

SQLite database, 71

`LocalizedCurrentPrice`, **eBay, 205**

location

eBay, 228

weather information, obtaining through NWS, 264

login information

attacks using remembered, 40

Password Safe tool, 200

longitude, NWS request, 264–265

loops, monitoring keywords, 137–141

`lt entity name, 14`

M

mail() function, 55

mailing list, 87–88

Make Money tab, Amazon, 150

`makeAPICall()` **function, PayPal, 257–258, 259**

management, convincing about Web services, 5

manual parsing, 109–110

MassPay, 258–260

MD5 hash (Message-Digest Algorithm 5)

basic script, 30, 31

Google total result count, 131

length and content string, predictability of, 53

message-based authentication, 291–292

meter number, FedEx API, 180

MiniXML, 25–26**MotorsGermanySearchable** auction type, 206**Mozilla Firefox Web browser, 23****MTA, transporting to, 56****multiple domain search sample application, 141–146****multiple versus single page output, 161–162****MustUnderstand** fault code, 126**My Personal Blog API, 4****MySQL, 32, 131****mysql table, populating, 30****N****namespaces**

SimpleXML, 212–213

XML, 34–35

National Weather Service. See NWS**NDFD (National Digital Forecast Database), 264****nested elements, handling with `generateBody()`, 226–227****Netscape, 9****New York Times feed address, 59****note, PayPal, refusing to allow, 239****nsid, Flickr**

recording, 272

retrieving images from user, 272–273

NuSOAP

Amazon request, 161

client

certificates, 293

objects, creating, 121

documentation pages, 310–311

eBay minimal support, 210

Google API, 121–123

NWS request, 268

sample structure, 310, 313

SOAP

requests, generating, 109

response handling, 110

WSDL format, checking against, 297

NWS (National Weather Service) API

database access, 264

described, 263

generating SOAP request, 267–268

handling SOAP response, 268–270

SOAP request, 264–265

SOAP response, 265–267

usefulness, 270

O**official auction time, eBay, 210–211****online auction. See eBay API****online payments. See PayPal API****online store. See Amazon API; Buy It Now, eBay****online stores. See eBay Stores Inventory****Open Directory Project, 119****opening and closing tags, XML, 12–13****OpenSSL**

dependencies, building development system, 337

`phpinfo()` development system, 335**Order Management Integration Guide (PayPal), 249****output**

Amazon, multiple versus single page, 161–162

Del.icio.us API, 280

Google

NuSOAP script, 122–123

simple search, 126–127

Tidy, forcing, 52

P**packages, shipping**

canceling, 192–193

described, 4, 177

first call, 178–180

process, 188–192

rate request, making, 186–187

registering, 177–178

returns, accepting, 196–198

services, available, 181–185

test environment, 178

tracking, 193–196

XML, 178

packaging, FedEx, 182–183**page widget, 56****parent element, XML, 11****parentheses (()), 41****`parse_url()` function, 35–36, 86****password, 315–316****Password Safe tool, 200****paths, ending with / (forward slash), 36****pattern grouping, 41****payment badge, PayPal, 237–239****`PaymentMethods`, eBay, 228****PayPal API**

developer sandbox, 236–237

encrypting, 239–240

IPN

PayPal API (continued)

- combining code, 245–248
- enabling, 240
- hold shipment while pending, 241–242
- POST request, 240–241
- product information, confirming, 243–244
- regular order system, passing off to, 244–245
- validating, 242–243
- MassPay, 258–260
- payment badge, 237–239
- server, contact from, 236
- transaction details request
 - cURL object, 250
 - modular approach, improving code, 255–256
 - NuSOAP, inability to use, 248
 - refund, sending, 253–255
 - response, 250–253
 - SOAP query, 248–249
- transaction search request (by email address), 257–258
- PayPalEmailAddress, **eBay, 228**
- Pending **status, PayPal orders, 247**
- performance**
 - caching data, 300
 - database queries, smarter use of, 300
 - described, 299
 - PHP accelerators, 301
 - response caching, 300
- period (.)**
 - links starting with, 37, 38
 - regex search, single-character matching, 41
- Perl, 20, 65**
- Permanent URL, Perl, 20, 65**
- Personal Offer auction, 206**
- personal store**
 - Amazon API
 - keywords, populating by, 173–175
 - list, populating by, 171–172
 - ASIN, 170
- PHP**
 - accelerators, 301
 - basic HTTP authentication, 277
 - database access function (`common_db.php`), 315–318
 - image library, 232
- PHP4**
 - Tidy, installing, 47–48
 - web feed, 25
- PHP5**
 - `phpinfo()` development system, 333–334
 - Tidy, enabling, 47–48
 - web feed, consuming, 24

`phpinfo()` development system

- Apache, 334–335
- cURL, 335
- GD, 335
- OpenSSL, 335
- PHP Version 5.0.4, 333–334
- SimpleXML, 336
- Tidy, 336
- ZLib, 336
- pickups, FedEx return packages, 197–198**
- PICS rating, RSS feed, 327**
- Picture Services system, eBay, 232**
- plain text versus HTML encoded data, 27**
- plus sign (+), 41**
- portal page, customizable, 57–58**
- POST request**
 - Google transaction, 113
 - PayPal Instant Payment Notification, 240–243
- pre-generation, feed, 74**
- `preg_replace()`, **40**
- presenting feeds, restrictions on, 10**
- previous character matching, regex search, 41**
- prices**
 - displaying, REST, 208–209
 - eBay elements, 205
 - monitoring, Amazon API, 168–169
- primary key, 31**
- PrimaryCategory, **eBay, 228**
- printing**
 - comments, 51
 - FedEx labels, 189, 190–191
- `print_r()`, **28**
- process, self-registration with RSS, 327**
- processing date (`strtotime()` function), 31–32**
- processor load, 302**
- `ProcessRSSFeed()`, **30**
- producing Web APIs**
 - community considerations
 - described, 297
 - developer chats, 298–299
 - development forums, 298
 - development sandbox, 299
 - public documentation, 297
 - registrations, automating, 297
 - sample code, 298
 - described, 287
 - error responses
 - messages, 301–302
 - numbers, 301

performance

- caching data, 300
- database queries, smarter use of, 300
- described, 299
- PHP accelerators, 301
- response caching, 300

REST

- described, 296–297
- framework limitations and notes, 307
- functions, plugging in, 307–309
- query limits, 303–304
- request validity, 304–306
- sequential steps, 302
- SOAP versus, 310
- user authentication, 303

security

- CA (certificate authority), setting up, 294–296
- client-side certificates, 293–294
- HTTP authentication, 289–291
- message-based authentication, 291–292
- open, 288–289
- SSL endpoint, 292–293

services to include

- competitive usefulness, 302
- processor load, 302

SOAP

- complex data types, 313–314
- described, 296, 297
- NuSOAP documentation pages, 310–311
- request functions, creating, 310
- server, creating and registering methods, 310
- wsdl link, clicking, 311–313

product

- Amazon
 - examining in depth, 165–168
 - search types, 157–158
- PayPal, confirming information, 243–244
- sales rank, monitoring, Amazon API, 169–170
- Smarty Templating System feed example, 92–94
- table, retail store example, 86–87

productID, PayPal, 244

program, RSS feed generator, 327

ProPackBundle, eBay, 234

providers, list of Web feed, 59

publication date, RSS feed, 323

Q

quantity, eBay items, 228

query

- Google, simple search interface, 124
- limits, 303–304
- running and returning results in associative array,
 - database access functions (`common_db.php`), 317–318
- updates, 54–55

question mark (?), 41

quick dump, Yahoo! feed, 28–29

quot **entity name, 14**

quotes, double (“), 13, 14

quotes, Heredoc syntax, 248

R

ranking, Google

- adwords, imitating, 135–137
- need to alter, 134–135

rate requests, FedEx, 183–185, 186–187

RDF Site Summary. See RSS; RSS 0.91; RSS 1.0; RSS 2.0

readability, code, 67

recording Web feeds, 52–54

records, checking for existing, 32

redistribution of feeds, restrictions on, 10

reduced prices, Amazon, monitoring for, 168–169

ReferenceInfo, printing on shipping label, 189

refund, PayPal API, sending, 253–255

regex search, performing, 40–41

registering

- Amazon API, 150
- eBay API, 199–200
- FedEx API, 177–178
- Google API, 112

REGULARPICKUP, FedEx, 182

related query, Google searches, 120

relative URLs, bloggers replacing with absolute URLs, 36–38

repeating elements, 27

REPLACE_INTRO syntax, MySQL, 32, 131

Representational State Transfer. See REST

request

- Google API
 - body, 114–116
 - headers, 113–114
- REST, generating, 100–102

request (continued)

SOAP
 functions, 310
 NWS (National Weather Service) API, 264–265
string, defining, 24
validity, checking, 304–306

REQUESTCOURIER, **FedEx, 182**

RequesterCredentials **section, PayPal, 249**

reserve price, eBay, 233

response
 caching, 300
 REST handling, 102–104
 SOAP handling
 manual parsing, 109–110
 with NuSOAP, 110
 NWS (National Weather Service) API, 265–267

REST (Representational State Transfer)
 Amazon search, sample, 151–152
 choosing, 199
 Del.icio.us API full endpoint URL, 281
 eBay API
 basic search access, 202–206
 choosing, 199
 keys, generating, 201–202
 prices, displaying, 208–209
 quick search, creating, 207–210
 results, skipping, 208
 search in human-readable format, 206–207
 framework limitations and notes, 307
 functions, plugging in, 307–309
 mechanics, 99–100
 origins, 98
 producing Web APIs, 296–297
 query limits, 303–304
 requests
 generating, 100–102
 validity, 304–306
 response handling, 102–104
 sequential steps, 302
 SOAP versus, 98
 user authentication, 303

resultElements **element, Google searches, 119**

results of query
 Amazon API, 155–156
 eBay, skipping, 208
 Google, 119

return labels, 196–197

Reuters feed
 address, 59
 terms of use, 28

Rich Site Summary. *See* **RSS; RSS 0.91; RSS 1.0; RSS 2.0**

root element

 eBay categories, 214–215
 XML, 11

root **page, Atom feed specification, 329**

RSS (Rich Site Summary or RDF Site Summary)

 described, 9, 17
 expanding, 19–20, 65
 Netscape, 9
 Reuters terms of use, 28
 tips feed example, 90–91

RSS (Rich Site Summary or RDF Site Summary) 0.91

 described, 17
 XML template, 319–320

RSS (Rich Site Summary or RDF Site Summary) 1.0

 described, 18
 XML template, 320

RSS (Rich Site Summary or RDF Site Summary) 2.0

 described, 18–19
 XML template, 320–321

rsscache bandwidth load reducer, 10

S

\s (**white space search**), **41**

safeSearch on, **Google, 116**

sale table, retail store example, 87

sales rank, Amazon API, 169–170

sample code, 298

Sandbox account, eBay API, 201

scheduling

 reading RSS feed, 324
 updates, 10

search engine. *See* **Google API**

searches

 Amazon API page, 156–162
 eBay API
 basic, 222–223
 within a category, 223–225
 in human-readable format, 206–207
 quick, creating, 207–210
 Flickr images
 restricting by license, 276
 by tag, 275
 regex, performing, 40–41

Second Chance offer, 206

secondary categories, eBay, 233

security issues

 HTTP authentication, 289–291
 message-based authentication, 291–292

- open, 288–289
- SQL query, 77
- SSL endpoint, 292–293
- Web feeds, 9–10
- `sendTrackBackfunction`, **79–81**
- server**
 - creating and registering methods, 310
 - PayPal, contact from, 236
- Server **fault code, Google, 125**
- services to include**
 - competitive usefulness, 302
 - processor load, 302
- shipping packages**
 - FedEx API
 - available services, 181–185
 - canceling, 192–193
 - described, 4, 177
 - first call, 178–180
 - process, 188–192
 - rate request, making, 186–187
 - registering, 177–178
 - returns, accepting, 196–198
 - services, available, 181–185
 - test environment, 178
 - tracking, 193–196
 - XML, 178
 - PayPal, holding while pending, 241–242
- signing up**
 - Amazon API, 150
 - eBay API, 199–200
 - FedEx API, 177–178
 - Google API, 112
- signon information**
 - attacks using remembered, 40
 - Password Safe tool, 200
- Simple Object Access Protocol. See SOAP**
- SimpleXML**
 - Del.icio.us API
 - headers, 279
 - output, 280
 - eBay
 - detail levels, 217–218
 - official time, requesting, 211–213
 - FedEx API response, 179–180
 - namespaces, 212–213
 - NWS, 268–269
 - PayPal, 252–253
 - `phpinfo()` development system, 336
 - URL feed, processing, 30
- single root-level tag, XML, 12**
- single versus multiple page output, 161–162**
- single-character matching, regex search, 41**
- single-click purchases, 40**
- site ID, categories, eBay API, 215–216**
- size**
 - FedEx packaging, 183
 - Flickr images, 273
 - images, RSS feed, 323, 327
- Slashdot feed address, 59**
- Smarty Templating System product feed example, 92–94**
- SOAP (Simple Object Access Protocol)**
 - Amazon API
 - author, searching by, 162–165
 - prices, monitoring, 168–169
 - product, examining in depth, 165–168
 - results, presenting, 155–156
 - search page, usable, 156–162
 - Amazon simple search request, 153–155
 - eBay API
 - body of request, generating, 213
 - choosing, 199
 - completing request, 213–214
 - `getTime` request, simplified, 214
 - Google
 - errors, checking, 125–126
 - query results, 119
 - transaction request body, 114–115
 - mechanics, 105–106
 - NWS
 - request, 264–265
 - response, 265–267
 - origins, 104–105
 - PayPal
 - query, generating, 248–249
 - refunds, issuing, 254
 - response, 252
 - producing Web APIs
 - complex data types, 313–314
 - described, 296, 297
 - NuSOAP documentation pages, 310–311
 - request functions, creating, 310
 - server, creating and registering methods, 310
 - `wsdl` link, clicking, 311–313
 - requests, generating, 107–109
 - response handling
 - manual parsing, 109–110
 - with NuSOAP, 110
 - REST versus, 98
- social bookmarking tool. See Del.icio.us API**

socket, URI, opening, 80

source URL, 36–37

SpecialServices- EMailNotification, **FedEx API, 189**

SpecialServices- Other, **FedEx API, 189**

SQL query security issues, 77

SQLite database

- creating, 70
- loading data, 71
- retrieving data, 71

SSL endpoint security, 292–293

start **element, Google searches, 115**

StartPrice, **eBay items, 228**

STATION, **FedEx, 182**

strtotime() **function (processing date), 31–32**

subcategories, **getCategories request, eBay, 221**

Submit **button, RSS feed, 328**

Success, **transaction, 255**

summary

- Atom feed specification, 331
- Google searches, 120

T

tagline, Atom feed specification, 330

tags

- adding to RSS document, 65
- Flickr images by, 275

template, XML

- Atom, 321–322
- RSS 0.91, 319–320
- RSS 2.0, 320–321

test environment, FedEx API, 178

text

- enclosing in HTML, 51
- RSS feed input button, 328

textual message, end user, Google searches, 120

Tidy

- enabling, 47–48
- errors, displaying with output, 51
- installing, 47–48
- phpinfo() development system, 336

time

- Atom feed specifications, 330, 331
- eBay auctions
 - obtaining official, 210–211
 - searching by, 209
- FedEx return packages available, 197–198
- RSS feed modification, 323

Time to Live (ttl) tag

- encoding, 27
- tips feed, 91

tips table, retail store example, 87

title

- Atom feed specification, 329, 330
- eBay listing, 228, 234
- RSS
 - feed, 328
 - image, 323

trackbacks

- admin page, 79–81
- blogger, 74

tracking number, FedEx

- canceling shipments, 192
- printing shipping label, 190, 191
- tracking packages, 193–195

transaction details request, PayPal API

- cURL object, 250
- refund, sending, 253–255
- response, 250–253

Trillian (Instant Messenger), 23

troubleshooting

- Amazon, 161
- database access functions (common_db.php), 316–317
- Del.icio.us, 282
- Google, SOAP protocol, checking, 125–126
- responses
 - messages, 301–302
 - numbers, 301
- Tidy
 - displaying with output, 51
 - saving to file, 52

ttl (Time to Live) tag

- encoding, 27
- tips feed, 91

type, enclosure element, retrieving, 33–34

U

update schedules, 10

updates, query, selecting, 54–55

URI socket, opening, 80

URL

- Amazon
 - API call, performing, 151
 - list id, 171
- Atom feed specification, 330

- backslashes, replacing, 51
- combining, 36–38
- component parts, splitting into, 113
- Del.icio.us API, 281
- document, defining, 322
- documentation, RSS feed, 323
- eBay, encoding, 203
- exact, making sure you have, 26
- file, `enclosure` element, 33–34
- Google, target for link, 134
- HTML page, 322
- keywords, monitoring, 139, 140–141
- link, Atom feed specification, 330
- PayPal
 - Instant Payment Notification, 240
 - sandbox, 238
- Permanent URL in Perl, 20, 65
- relative, replacing with absolute, 36–38
- request string for feed, 24
- SimpleXML, 30
- source, 36–37

user

- Flickr API
 - id, 271–272
 - retrieving images from particular, 272
- REST authentication, 303

User-Agent, Del.icio.us, 276**username, password, and other default values, 315–316****UTF-8**

- encoding, 27
- Google transactions, 114, 115, 121

utility functions, Web feeds

- combining URLs, 36–38
- examining and retrieving images, 44–45
- formatting tags, 46–47
- IFrames, 46
- images
 - links, retrieving all within string, 40–42
 - retrieving and serving, 43–44
 - tags, 38–40
- link tags, 45–46
- stripping URLs of filenames, 35–36

V**validating PayPal IPN, 242–243**

`VersionMismatch` fault code, Google, 126

versions

- eBay API, 228
- RSS 0.91

- described, 17
- XML template, 319–320

RSS 1.0

- described, 18
- XML template, 320

RSS 2.0

- described, 18–19
- XML template, 320–321

volume discount shipping, FedEx, 183**W****warnings, Tidy, displaying with output, 51****watermarking eBay images, 232****weather forecasts. See NWS API****weather information, obtaining through NWS, 264****Web feeds. See also Atom; RSS**

- broken HTML, handling with Tidy
 - configuration options, 50–51
 - configuration options table, 51–52
 - installing, 47–48
 - sample output, 48–50
- consuming
 - browsing site, 28
 - copying feed structure, 28–29
 - elements, 26–27
 - first, 23–26
- described, 8–9
- legal issues, 10
- providers, list of, 59
- recording and retrieving, 52–54
- security issues, 9–10
- storing
 - Atom support, adding, 32–33
 - basic script, 30–32
 - enclosures, 33–34
- update frequency, 10–11
- using
 - email mailing list, 54–56
 - on page widget, 56–57
 - portal page, customizable, 57–58
- utility functions
 - combining URLs, 36–38
 - examining and retrieving images, 44–45
 - formatting tags, 46–47
 - IFrames, 46
 - image links, retrieving all within string, 40–42
 - image tags, 38–40
 - inline images, replacing with links, 42
 - link tags, 45–46

Web feeds (continued)

Web feeds (continued)

retrieving and serving image, 43–44

stripping URLs of filenames, 35–36

XML namespaces, 34–35

ZDNet sample, 15–16

Web Server, 8

Web services

how they're used, 4

management, convincing, 5

who uses them, 5

why they're used, 4

weblog. *See* **blog**

webmaster, RSS feed, 323

weight, FedEx shipping, 183

while loop, Google keywords, monitoring, 140

white space

HTML, 15

regex search, 41

width, images, retrieving, 43–44

wrapping lines, 51

WSDL

format, checking against, 297

NWS, 264–265

wsdl link, clicking, 311–313

X

XHTML

HTML conversion, 11

output, specifying, 51

XML

Atom feed specification, 329

case sensitivity, 15

content namespace, 91

Del.icio.us, 282–283

document, defining, 322

DTD, valid referencing, 14–15

eBay API, 203–204

entities, 13–14

FedEx API

accepting returns, 196–198

canceling shipments, 192–193

limitations, 178

requesting rates, 183–185

shipping a package, 188–189

tracking packages, 193–196

feeds, prevalence of, 5

legal concerns, 10

namespaces, 34–35

opening and closing tags, 12–13

output, specifying, 51

security issues, 9–10

single root-level tag, 12

template

Atom, 321–322

RSS 0.91, 319–320

RSS 2.0, 320–321

terminology, 11–12

update frequency, 10–11

white space, remaining, 15

XML namespaces (XMLNS), 35

XMLNS (XML namespaces), 35

xpath, 252–253

XSS (cross-site scripting attack), 9–10

Y

Yahoo! feed

described, 23–24

plain text versus HTML encoded data, 27

quick dump, 28–29

terms of use, 28

UTF-8 encoding, 27

Z

ZDNet Web Services channel

address, 59

example, 15–16

ZLib

dependencies, building development system, 336

`phpinfo()` development system, 336

