

# Index

## • A •

- absolute references
  - defined, 214
  - in in-cell charting, 146
  - recording macros with, 214–217
- .accdb file format, 253, 258–259
- Access
  - importing data to Excel
    - directly, 252–254
    - refreshing data, 254, 262
    - saving imported data to pivot caches, 254
    - using MS Query, 258–263
  - refreshing data imported to Excel from, 254, 262
  - saving imported data to pivot caches, 254
- accessing
  - Form controls on Developer tab, 228–229
  - MS Query Wizard, 258–263
- Active X controls compared with Form controls, 220, 228
- adding
  - Button controls to worksheets, 231–232
  - Camera tool to Quick Access toolbar, 139–140
  - Check Box controls to worksheets, 232
  - Combo Box controls to worksheets, 239
  - controls, Form, to worksheets, 230
  - cumulative percent series to histograms, 185–188
  - drop-down lists, 37
  - fields to drop zones, 56–58
  - Form controls to worksheets, 230
  - further measures to bullet graphs, 203–204
  - layers of analysis to dynamic labels, 137–139
  - List Box controls to worksheets, 244
  - Option Button controls to worksheets, 235–236
  - worksheet controls
    - Button, 231–232
    - Check Box, 232
    - Combo Box, 239
    - Form, 230
    - List Box, 244
    - Option Button, 235–236
- analysis layer
  - data layer, compared with, 25–26, 36
  - drop-down lists, relationship to, 36–37
  - multiple, 36–37, 137–139
  - pivot tables, relationship to, 51–52
  - role of dynamic labels, 137–139
- area charts
  - defined, 88
  - illustrated, 89
  - preparing data for, 89–90
  - problem of too much data, 290–291
  - trending with, 154
- arguments
  - CHOOSE function
    - Index\_num argument, 43
    - Value argument, 43
  - Col\_index\_num argument, 35
  - HLOOKUP function
    - Lookup\_value argument, 38
    - Range\_lookup argument, 38–39
    - Row\_index\_num argument, 38
    - Table\_array argument, 38
  - Lookup\_value argument
    - HLOOKUP function, 38
    - VLOOKUP function, 34
  - Range\_lookup argument
    - HLOOKUP function, 38–39
    - VLOOKUP function, 35

arguments (*continued*)

- Row\_index\_num argument
  - HLOOKUP function, 38
- Table\_array argument
  - HLOOKUP function, 38
  - VLOOKUP function, 34–35
- VLOOKUP function
  - Col\_index\_num argument, 35
  - Lookup\_value argument, 34
  - Range\_lookup argument, 35
  - Table\_array argument, 34–35

## array formulas, 184

## aspect ratios, chart, 291–292

## Assign Macro dialog box, 220, 231, 243

## author assumptions, book, 3

## AVERAGE function, 65

## axes

## pivot charts

- x-axis, 105–107

- y-axis, 105–107

## secondary, trending with, 164–167

## starting vertical axis at zero in trending charts, 155–157

## when to avoid showing, 285

- x-axis in pivot charts, 105–107

- y-axis in pivot charts, 105–107

## • B •

## backgrounds, when to avoid showing, 282–283

## bar charts

- as alternative to pie charts, 289–290

- check box for toggling series on and off, 233–235

- defined, 87

- illustrated, 88

- multiple, controlling with List Box, 245–247

- multiple views on single chart, 237–238

- preparing data for, 89–90

- stacked, 88–90

- using vertically in trending, 160–161

## BI (business intelligence), role of dashboards, 1

## Bin tables, 183–184

## book

- author assumptions, 3

- business intelligence (BI) explained, 1–2

- goal of, 2–3

- icons used in, 6

- organization of, 3–5

- reasons to use Excel, 1–2

- sample file downloads, 5

- where to go from here, 6

## borders, when to avoid showing, 283–284, 296

## bottom views

- creating using pivot tables, 74–77

- highlighting in charts, 192–193

- incorporating into dashboards, 178–179

- interactive, using pivot tables, 179–182

- Top/Bottom Rules predefined scenario, conditional formatting, 113–116

## bullet graphs

- adding further measures, 203–204

- creating, 200–202

- defined, 199

- horizontal, 205–206

- illustrated, 199

- overview, 199

- parts of, 199

- qualitative bands for, 204–205

- rotating, 205–206

- when to use, 199

## business cycles, 172–174

## business intelligence (BI), role of dashboards, 1

## Button controls

- adding to worksheets, 231–232

- assigning macros to, 219–220, 231

- changing macros assigned to, 232

- configuring on worksheets, 232

- customizing, 232

- defined, 229, 231

- naming, 220, 232

**Option Buttons**

- adding to worksheets, 235–236
- configuring on worksheets, 236
- copying and pasting, 236
- customizing, 236
- defined, 229, 235
- multiple views on single chart example, 237–238
- naming, 236

**Camera tool**

- adding to Quick Access toolbar, 139–140
- consolidating linked pictures, 142
- creating small charts, 144
- example of use, 140–141
- finding, 139–140
- manually mimicking, 142
- overview, 140–142
- role in creating horizontal bullet graphs, 206
- rotating objects, 143, 206
- uses for, 142–144

**cell references**

- absolute, 146, 214–217
- relative, 217–219

**chart feeder table, 184–185, 187, 191****chart junk**

- defined, 283
- examples, 283–284
- illustrated, 284
- ways to avoid, 284–285

**chart titles, effective, 285, 288****Chart Tools context tabs, 95, 97, 100–102****charts, Excel**

- alternative to pie charts, 289–290
- applying formatting using Chart Tools context tabs, 100–102
- appropriate aspect ratios for, 291–292
- area charts, 88–90
- attaching data tables to, 286–287
- bar charts, 87–90

**bullet graphs, 199–206**

- changing type, 96–97
- charting disparate table data, 93–94
- column charts, 87, 89–90, 163
- combination, 97–99
- construction overview, 85–94
- creating from scratch, 92–93
- dynamic labels for, 135–137
- effective titles for, 285, 288
- formatting specific elements, 99–102
- highlighting
  - bottom values, 192–193
  - specific time periods, 167–171
  - top values, 190–192
- line charts, 86, 89–90, 92–93, 162
- linking to PowerPoint, 273–274
- most-commonly-used types, 86–89
- moving, 94–96
- multiple, controlling with List Box, 245–247
- multiple views on single chart, 237–238
- pie charts, 86, 90–91, 289–290
- pivot charts, 102–107
- preparing data for different types, 89–91
- problem of too much data, 290–291
- resizing, 94–96
- selecting specific elements, 99–100
- sorting source data, 288
- sparklines, 174–176
- stacked bar charts, 88–90
- stacked column charts, 87, 89–90, 163
- thermometer-style, 198
- toggling series on and off, 233–235
- for trending, 153–155
- using tables instead, 297
- when not to use, 292
- x-axis, 105–107
- XY scatter plot charts, 88–89, 91
- y-axis, 105–107, 155–157

**Check Box controls**

- adding to worksheets, 232
- chart series on-off example, 233–235
- configuring on worksheets, 232–233

- Check Box controls (*continued*)
    - customizing, 232–233
    - defined, 229, 232
    - renaming, 233
  - checking reports, Excel
    - accuracy, 298
    - printing capability, 298
    - user-friendliness, 297–298
  - checkmarks, using visualizations to
    - incorporate, 1493
  - Choose Data Source dialog box, 258–260
  - CHOOSE function
    - applying formula in data models, 43–44
    - defined, 42
    - Index\_num argument, 43
    - overview, 42–43
    - syntax, 42–43
    - Value argument, 43
  - clip art, avoiding, 282, 296
  - Col\_index\_num argument, VLOOKUP function, 35
  - Color Scales predefined scenario,
    - conditional formatting, 116–118, 122
  - colors
    - limiting on charts, 282, 296
    - using to identify ranges in data models, 296
  - column area, pivot tables, 54, 105–106
  - column charts
    - defined, 87
    - illustrated, 87
    - preparing data for, 89–90
    - for side-by-side time comparisons, 163
    - stacked, 87, 89–90
    - for stacked time comparisons, 164
    - trending with, 155
  - columns, table
    - as dashboard dimensions, 15
    - filtering data, 15
    - preparing data for different chart types, 89–91
  - combination charts, 97–99
  - Combo Box controls
    - adding to worksheets, 239
    - assigning macro to, 243
    - configuring on worksheets, 239
    - controlling multiple pivot tables example, 240–244
    - customizing, 239
    - defined, 229, 238
  - comments, for documenting dashboards
    - and data models, 33, 295–296
  - Compact Form pivot table layout, 62
  - comparative trending
    - defined, 161
    - role of secondary axis, 164–167
    - side-by-side time comparisons, 161–163
    - stacked time comparisons, 163–164
  - components, dashboard
    - charts. *See* charts, Excel
    - conditional formatting. *See* conditional formatting
      - defined, 13
      - illustrated, 14
    - pivot tables. *See* pivot tables
    - placement on page, 19–20
    - questions, 13–14
    - trending. *See* trending
  - conditional formatting
    - basic, applying, 109–119
    - building legends, 131–132
  - Color Scales predefined scenario,
    - 116–118, 122
    - creating formatting rules manually, 119–123
  - Data Bars predefined scenario, 116–117, 122, 126–129, 145
  - defined, 109
  - Highlight Cell Rules predefined scenario, 110–113
  - Icon Sets predefined scenario, 118–119, 120–122, 124–126, 129–131, 148
  - pivot tables, relationship to, 132–133
  - Top/Bottom Rules predefined scenario, 113–116
- configuring controls on worksheets
  - Button, 232
  - Check Box, 232–233
  - Combo Box, 239
  - controls, Form, 230–231

- Form controls, 230–231
- List Box, 244–245
- Option Button, 236
- controls, Form
  - Active X controls, compared with, 220
  - adding to worksheets, 230
  - configuring on worksheets, 230–231
  - creating buttons for macros, 219–220
  - customizing, 230–231
  - defined, 227
  - list of types, 229
  - overview, 227–229
  - properties options, 230–231
  - protection options, 230
  - size and scale options, 230
  - variables and settings, 231
  - Web options, 231
- COUNT function, 65
- COUNT NUMS function, 65
- COUNTA function, 215
- Create New Data Source dialog box, 258–259
- Create Table dialog box, 45
- creating
  - bottom views, using pivot tables, 74–77
  - bullet graphs, 200–202
  - Camera tool
    - role in creating horizontal bullet graphs, 206
    - small charts with, 144
  - charts in Excel from scratch, 92–93
  - conditional formatting rules manually, 119–123
  - dynamic labels, 135–137
  - Form controls
    - buttons for macros, 219–220
    - creating buttons for macros, 219–220
  - Format Data Series dialog box
    - bullet graphs, 200–202, 204
    - thermometer-style charts, 198
  - formulas
    - labels from, 144
    - visualizations from, 144–149
  - frequency distribution
    - in formula-driven histograms, 183–185
    - in histograms from pivot tables, 188–189
    - graphs in Excel, from scratch, 92–93
    - histograms from pivot tables, 188–189
    - line charts, from scratch, 92–93
    - model maps for data models, 31–32, 296
    - pivot charts
      - dynamic labels for, 135–137
      - on pivot tables, 102–105
      - from raw data, 105
    - pivot tables
      - histograms from, 188–189
      - interactive top and bottom displays, 179–182
      - month-over-month variance view, 82–83
      - percent distribution view, 80–81
      - pivot charts on, 102–105
      - top and bottom views, 74–77
      - using PivotTable dialog box, 55–56
      - views, 74–83
      - YTD totals view, 81–82
    - reports, pivot table
      - filters for, 59–60
      - month-over-month variance view, 82–83
      - percent distribution view, 80–81
      - top and bottom views, 74–77
      - views, 74–83
      - YTD totals view, 81–82
    - tables
      - histograms from, 183–185
      - line charts from, 92–93
    - text boxes
      - for dynamic labels, 136–137
    - top views
      - interactive, using pivot tables, 179–182
      - using pivot tables, 74–77
    - views, pivot tables, 74–83
    - visualization with Wingdings, formula-driven, 148–149
  - cumulative percent series, 185–189
  - Customize button, Excel Options dialog box, 139–140
  - customizing
    - button, Excel Options dialog box, 139–140
    - Button controls, 232
    - Check Box controls, 232–233
    - Combo Box controls, 239
    - controls

customizing (*continued*)

- Button, 232
- Button controls, 232
- Check Box, 232–233
- Combo Box, 239
- Form, 230–231
- List Box, 244–245
- Option Button, 236
- Form controls, 230–231
- formatting numbers, 20–21
- List Box controls, 244–245
- names fields in pivot table, 63–64
- number formatting, 20–21
- Option Button controls, 236
- pivot table
  - names fields, 63–64
  - reports, 62–74
- reports in pivot table, 62–74
- cycles, business, 172–174



## dashboards

- avoiding fancy graphics, 282–283
- cataloging data sources for, 14–15
- chart component. *See* charts, Excel
- checking accuracy, 298
- checklist before distribution, 293–298
- clarifying purpose, 294
- comments and labels for, 22, 33, 295–296
- components defined, 13
- components illustrated, 14
- conditional formatting component. *See* conditional formatting
- considering tables instead of charts, 297
- defined, 1, 11
- defining dimensions, 15
- defining filters, 15
- delineating measures, 13–14
- determining user requirements, 12–13
- distributing via PDF, 278
- documenting, 31–33, 295–296
- drill-down features, 16

- establishing refresh schedule, 16
- example, 11
- formatting numbers, 20–21
- illustrated, 11
- key attributes, 11
- limiting
  - formatting, 296–297
  - graphics, 296–297
- linking into PowerPoint, 273–277
- maintenance question, 295
- one-page goal, 18
- overview, 11
- pivot table component. *See* pivot tables
- placement of components on page, 19–20
- problem of too much behind-the-scenes data, 30–31
- protecting, 265–273
- questions, 13–14
- reports, compared with, 10–11
- role in business intelligence, 1
- table-driven analyses, compared with, 9
- trending component. *See* trending
- use-friendliness, 297–298
- visual design aspect, 16–22
- ways to simplify, 17–18
- when not to use charts, 292
- Data Bars predefined scenario, conditional formatting, 116–117, 122, 126–129, 145
- Data Connection Wizard, 255–257
- data delivery formulas, 33. *See also* functions, Excel
- data labels
  - attaching data tables to charts instead, 286–287
  - for documenting dashboards and data models, 22, 33, 295–296
  - implying, 159–160
  - placing vertically, 160–161
  - trending component considerations, 159–161
  - as type of Form control, 229
  - when to abbreviate, 159
  - when to avoid showing, 283–285

- data layer
  - analysis layer, compared with, 25–26, 36
  - pivot tables, relationship to, 51, 52
  - separating from analysis and presentation layers, 25–26
  - VLOOKUP formulas in, 36
- data models
  - analysis limitations, 31
  - applying CHOOSE formulas in, 43–44
  - applying HLOOKUP formulas in, 39
  - applying SUMPRODUCT formulas in, 41–42
  - applying VLOOKUP formulas in, 35–36
  - best practices, 23–33
  - comments and labels for, 22, 33, 295–296
  - creating model maps for, 31–32, 296
  - defined, 23
  - documenting, 31–33, 295–296
  - identifying ranges by using colors, 296
  - ineffectiveness of worksheet reports as, 27–28
  - limitations
    - analysis, 31
    - single-tab, 31–32
  - problem of too much data, 30–31
  - separating
    - analysis from data and presentation, 24–26
    - data, analysis, and presentation into layers, 25–26
    - data from analysis and presentation, 24–26
    - presentation from data and analysis, 24–26
  - single-tab limitations, 31–32
  - testing, 32
- data tables, attaching to charts, 286–287
- data to ink ratio, 283
- databases
  - importing Access data to Excel
    - directly, 252–254
    - with MS Query, 258–263
  - keeping out of data models, 30–31
- datasets
  - finding largest number in, 190–191
  - flat data file type, 27–28
  - relationship to pivot tables, 52
  - smoothing, 172–174
  - structuring for dashboarding, 27–29
  - tabular type, 27, 29
  - when to check, 32
  - worksheet report type, 27–28
- Design context tab, Chart Tools, 101
- Developer tab, Excel
  - accessing Form controls on, 228–229
  - assigning macros to buttons, 219–220
  - enabling, 212–213
  - Macros command, 215–216, 218
  - Record Macro command, 213, 215, 217
  - Stop Recording command, 215, 217
  - Use Relative References option, 217
- dimensions
  - defined, 15
  - defining for dashboards, 15
  - examples, 15
  - fields, compared with, 15
- directional trending, 171–172
- displays
  - performance against target on line charts, 195–196
  - pivot tables with interactive top and bottom, 179–182
- documenting dashboards and data models, 31–33, 295–296
- dollar sign (\$)
  - denoting absolute references, 146
  - when to use in charts and tables, 20
- Dresner, Howard, 1
- drill-down features, 16
- drop-down lists
  - adding, 37
  - analysis layer, relationship to, 36–37
  - in data models, 36–37
  - VLOOKUP formulas, relationship to, 36–37
- drop zones, 56

dynamic labels  
 adding layers of analysis, 137–139  
 creating, 135–137  
 defined, 135  
 pivot chart example, 138–139

dynamic links  
 automatically refreshing to capture updates, 276–277  
 for connecting Excel dashboards to PowerPoint, 273–277  
 manually refreshing, 275–276  
 updating, 275–276

## ● E ●

editing  
 common chart cleanup tasks, 94–102  
 macros, 216–218, 242–243  
 unlocked worksheet ranges, 269–270

end users, gathering requirements, 12–13

Excel. *See also specific topics*  
 as business intelligence tool, 1–2  
 enabling Developer tab, 212–213  
 file extensions .xlsx and .xlsm, 223  
 File Sharing options, 266–268  
 getting data from external sources into, 251–264  
 Hyperlink feature, 224  
 new graphics engine, 282  
 protection capabilities, 265–273  
 Publish as PDF or XPS add-in, 278  
 reasons to use, 1–2

Excel Options dialog box  
 Customize button, 139–140  
 Show Developer Tab in the Ribbon option, 212–213, 228

extensions, file format  
 .accdb file extension, 253, 258–259  
 .mdb file extension, 253, 259  
 .pdf file extension, 278  
 .xlsm file extension, 223  
 .xlsx file extension, 223  
 .xps file extension, 278

External Data Properties dialog box, 263–264

external data sources  
 accessing MS Query Wizard, 258–263  
 adjustable properties, 263–264  
 examples, 251  
 getting data into Excel, 251–264  
 importing data  
 from Access, 252–254  
 refreshing, 254, 262  
 from SQL Server, 255–257  
 refreshing imported data, 254, 262

## ● F ●

Few, Stephen, 17, 199

Field Settings dialog box, 68, 72

fields, pivot table  
 adding to drop zones, 56–58  
 aggregating time dimension, 78–80  
 changing summary calculations, 65–66  
 customizing names, 63–64  
 removing  
 all subtotals at once, 67–68  
 grand totals, 69  
 single subtotals, 68  
 suppressing subtotals, 66–69

fields compared with dimensions, 15

file formats  
 .accdb file extension, 253, 258–259  
 .mdb file extension, 253, 259  
 .pdf file extension, 278  
 .xlsm file extension, 223  
 .xlsx file extension, 223  
 .xps file extension, 278

file sample downloads Web site, 5

files (Excel workbook)  
 impact of pivot cache on memory usage and file size, 61  
 macro for ease of navigating, 223–224  
 macro switchboard example, 223–224  
 protecting  
 overview, 266–268

- passwords, 273
- structure, 272–273
- worksheets, 270–271
- separate worksheets for data, analysis, and presentation, 25–26
- fill patterns, avoiding, 282, 296
- filters and filtering
  - creating report filters for pivot tables, 59–60
  - defined, 15
  - defining for dashboards, 15
  - examples, 15
  - finding top and bottom records, 74–77
  - macro for one-touch changing of pivot table view, 225–226
  - pivot table filter area, 54–55
- finding
  - Camera tool, 139–140
  - Get External Data group on Ribbon via Data tab, 252
  - largest number in datasets, 190–191
  - top and bottom records, filtering, 74–77
- flat data files, as data models, 27–28
- forecasts, representing in trending components, 170–171
- Form controls
  - Active X controls, compared with, 220
  - adding to worksheets, 230
  - configuring on worksheets, 230–231
  - creating buttons for macros, 219–220
  - customizing, 230–231
  - defined, 227
  - list of types, 229
  - overview, 227–229
  - properties options, 230–231
  - protection options, 230
  - size and scale options, 230
  - variables and settings, 231
  - Web options, 231
- Format Axis dialog box, 156–157
- Format Cells dialog box
  - applying numeric formats to data fields, 65
  - formatting large numbers, 20, 21, 285–286
  - illustrated, 21, 286
  - specifying custom number formats, 20–21
- Format context tab, Chart Tools, 101–102
- Format Control dialog box, 241
- Format Data Point dialog box, 168–169
- Format Data Series dialog box
  - adjusting data series properties, 171
  - creating
    - bullet graphs, 200–202, 204
    - thermometer-style charts, 198
  - formatting histograms, 185–186
  - illustrated, 166, 186
  - placing data series on secondary axis, 165–166, 188
  - tracking range of target values, 208
- formatting. *See also* conditional formatting
  - applying to source data compared with data labels, 286
  - of bullet graphs, 200–202, 204
  - of histograms, 185
  - of large numbers, 20, 21, 285–286
  - limitations on pivot charts, 107
  - of numbers
    - in dashboards and reports, 20–21
    - to data sources compared with labels, 286
    - large numbers, 20, 21, 285–286
    - in pivot tables, 65
  - of rogue zeros in charts, 191–192
  - role of Chart Tools context tabs, 100–102
  - simplifying on dashboards, 17–18, 296–297
  - of specific chart elements, 99–102
  - of stacked column charts, 191–192
  - of time periods, 167–169
  - what to avoid, 282–283
  - when to check, 32
  - where to apply, 286
- formulas. *See also* functions, Excel
  - creating
    - labels from, 144
    - visualizations from, 144–149

formulas (*continued*)

- danger of using too many, 30
  - functions for data delivery, 33–44
  - for in-cell charting, 145–147
  - role in histograms, 182–185
  - when to test, 32
- frequency distribution
- creating
    - in formula-driven histograms, 183–185
    - in histograms from pivot tables, 188–189
  - defined, 182
- FREQUENCY function, 183–184
- functions, Excel
- AVERAGE function, 65
  - CHOOSE function, 42–44
  - COUNT function, 65
  - COUNT NUMS function, 65
  - COUNTA function, 215
  - for data delivery formulas, 33–44
  - FREQUENCY function, 183–184
  - HLOOKUP function
    - applying formulas in data models, 39
    - defined, 37
    - Lookup\_value argument, 38
    - overview, 38–39
    - Range\_lookup argument, 38–39
    - Row\_index\_num argument, 38
    - Table\_array argument, 38
    - VLOOKUP function, compared with, 37
  - INDEX function, 241
  - LARGE function, 190–191
  - MAX function, 65, 146
  - MEDIAN function, 197
  - MIN function, 65
  - overview, 33
  - PPRODUCT function, 65
  - REPT function, 145–147
  - SMALL function, 193
  - STDDEV function, 65
  - STDDEVP function, 65
  - SUMPRODUCT function
    - applying formulas in data models, 41–42
    - defined, 39

- overview, 39–40
  - syntax, 40
  - typical scenario, 39–40
  - using to filter out values, 41
- VAR function, 66
- VARP function, 66
- VLOOKUP function
- applying formulas in data models, 35–36
  - Col\_index\_num argument, 35
  - defined, 33–34
  - HLOOKUP function, compared with, 37
  - Lookup\_value argument, 34
  - overview, 34–35
  - Range\_lookup argument, 35
  - syntax, 34–35
  - Table\_array argument, 34–35

## • G •

- Gartner Group, 1
- General Options dialog box, 266–268
- Get External Data group
  - accessing MS Query Wizard, 258–263
  - finding on Ribbon via Data tab, 252
  - importing data
    - from Access, 252–254
    - from SQL Server, 255–257
- glow effect, avoiding, 282, 296
- goal of book, 2–3
- gradients, avoiding, 282, 296
- grand totals, removing from pivot tables, 69
- graphs, Excel
  - alternative to pie charts, 289–290
  - applying formatting using Chart Tools context tabs, 100–102
  - appropriate aspect ratios for, 291–292
  - area charts, 88–90
  - attaching data tables to, 286–287
  - bar charts, 87–90
  - bullet graphs, 199–206
  - changing type, 96–97
  - charting disparate table data, 93–94

column charts, 87, 89–90, 163  
 combination, 97–99  
 construction overview, 85–94  
 creating from scratch, 92–93  
 dynamic labels for, 135–137  
 effective titles for, 285, 288  
 formatting specific elements, 99–102  
 highlighting  
   bottom values, 192–193  
   specific time periods, 167–171  
   top values, 190–192  
 line charts, 86, 89–90, 92–93, 162  
 linking to PowerPoint, 273–274  
 most-commonly-used types, 86–89  
 moving, 94–96  
 multiple, controlling with List Box, 245–247  
 multiple views on single chart, 237–238  
 pie charts, 86, 90–91, 289–290  
 pivot charts, 102–107  
 preparing data for different types, 89–91  
 problem of too much data, 290–291  
 resizing, 94–96  
 selecting specific elements, 99–100  
 sorting source data, 288  
 sparklines, 174–176  
 stacked bar charts, 88–90  
 stacked column charts, 87, 89–90, 163  
 thermometer-style, 198  
 toggling series on and off, 233–235  
 for trending, 153–155  
 using tables instead, 297  
 when not to use, 292  
 x-axis, 105–107  
 XY scatter plot charts, 88–89, 91  
 y-axis, 105–107, 155–157  
 gridlines, when to avoid showing, 283–284  
 Group Box Form control, 229  
 grouping data  
   benefits, 177  
   by time dimension, 78–79  
   into top and bottom displays, 178–179  
   on user interface, 229

## • H •

hiding/showing  
   axes, 285  
   backgrounds, 282–283  
   borders, 283–284, 296  
   data labels, 283–285  
   gridlines, 283–284  
   labels, 283–285  
   pivot table reports  
     certain data items, 69–71  
     items without data, 71–73  
   trend lines, 283–284  
   variance, performance against target, 196  
 Highlight Cell Rules predefined scenario,  
   conditional formatting, 110–113  
 highlighting  
   charts  
     bottom values, 192–193  
     specific time periods, 167–171  
     top values, 190–192  
   conditional formatting in predefined  
     scenario, 110–113  
   graphs  
     bottom values, 192–193  
     specific time periods, 167–171  
     top values, 190–192  
   time periods, 167–171  
 histograms  
   adding cumulative percent series,  
     185–188  
   creating from pivot tables, 188–189  
   formatting, 185  
   formula-driven, 183–185  
   overview, 182  
   role of Bin tables, 183–184  
 HLOOKUP function  
   applying formulas in data models, 39  
   defined, 37  
   Lookup\_value argument, 38  
   overview, 38–39  
   Range\_lookup argument, 38–39

HLOOKUP function (*continued*)

Row\_index\_num argument, 38

Table\_array argument, 38

VLOOKUP function, compared with, 37

horizontal axis, in pivot charts, 105–107

Hyperlink feature, 224

## • I •

Icon Sets predefined scenario, conditional formatting, 118–122, 124–126, 129–131, 148

icons used in book, 6

importing data to Excel

from Access

directly, 252–254

using MS Query, 258–263

Get External Data group, 252–257

with Microsoft Query, 258–263

refreshing data, 254, 262

saving imported data to pivot caches, 254

from SQL Server, 255–257

in-cell charting, 145–147

INDEX function, 241

inserting dividing lines for time periods, 169–170

## • J •

junk, chart

defined, 283

examples, 283, 284

illustrated, 284

ways to avoid, 284–285

## • K •

KPIs (key performance indicators), 13–14

## • L •

labels

attaching data tables to charts instead, 286–287

for documenting dashboards and data models, 22, 33, 295–296

implying, 159–160

placing vertically, 160–161

trending component considerations, 159–161

as type of Form control, 229

when to abbreviate, 159

when to avoid showing, 283–285

LARGE function, 190–191

large numbers, formatting, 20, 21, 285–286

layers

analysis layer, 25–26, 36–37, 137–139

data layer, 25–26, 36, 51–52

pivot tables, relationship to, 51–52

presentation layer, 25–26, 31–33, 51, 52, 142, 296

separating data models into, 25–26

Layout context tab, Chart Tools, 101

legends

building for conditional formatting, 131–132

when to avoid, 285

limit tables, 207

limitations

colors on charts, 282, 296

dashboards

formatting, 296–297

graphics, 296–297

data models

analysis, 31

single-tab, 31–32

formatting on pivot charts, 107

pie charts, 289–290

pivot chart formatting, 107

single-tab spreadsheets and worksheets, 31–32

line charts

creating from scratch, 92–93

defined, 86

displaying performance against target, 195–196

illustrated, 86

- preparing data for, 89–90
  - problem of too much data, 290
  - for side-by-side time comparisons, 162
  - trending with, 154
  - linking
    - charts to tables, 44–47
    - dynamic links, 273–277
    - to PowerPoint
      - charts, 273–274
      - dashboards, 273–277
      - graphs, 273–274
    - text boxes to cells containing formulas, 137–139
  - List Box controls
    - 3-D, 244
    - adding to worksheets, 244
    - configuring on worksheets, 244–245
    - customizing, 244–245
    - defined, 229, 244
    - example, controlling multiple charts, 245–247
  - logarithmic scale, 157–159
  - Lookup\_value argument
    - HLOOKUP function, 38
    - VLOOKUP function, 34
- M •**
- Macro dialog box, editing macros, 216–218, 242–243
  - Macro Recorder
    - enabling Developer tab, 212–213
    - Record Macro dialog box, 185–186
    - recording macros with absolute references, 214–217
    - recording macros with relative references, 217–219
    - user interface, 185–186
  - macros
    - assigning
      - to buttons, 219–220
      - shortcut keys to, 213
    - defined, 211
    - disabled, long-term solution, 222–223
    - disabled, short-term solution, 221–222
    - editing, 216–218, 242–243
    - entering description, 213
    - examples of ideas for, 212
    - naming, 213, 215
    - one-touch reporting example, 225–226
    - playing back, 215–216
    - rearranging pivot table data example, 224–225
    - reasons to use, 211–212
    - recording with absolute references, 214–217
    - recording with relative references, 217–219
    - row-counting example, 214–215
    - running, 215–216, 218
    - running from files in trusted locations, 222–223
    - security issues, 221–223
    - temporarily enabling when disabled, 221–222
    - usage examples, 223–226
    - where to store, 214
    - workbook navigation button example, 223–224
    - workbook switchboard example, 223–224
  - MAX function, 65, 146
  - .mdb file format, 253, 259
  - MEDIAN function, 197
  - MicroCharts, 175–176
  - Microsoft Access
    - importing data to Excel
      - directly, 252–254
      - refreshing data, 254, 262
      - saving imported data to pivot caches, 254
      - using MSQuery, 258–263
    - refreshing data imported to Excel from, 254, 262
    - saving imported data to pivot caches, 254

Microsoft Excel. *See also specific topics*

- as business intelligence tool, 1–2
- enabling Developer tab, 212–213
- file extensions .xlsx and .xlsm, 223
- File Sharing options, 266–268
- getting data from external sources into, 251–264
- Hyperlink feature, 224
- new graphics engine, 282
- protection capabilities, 265–273
- Publish as PDF or XPS add-in, 278
- reasons to use, 1–2

Microsoft Query

- importing data to Excel, 258–263
- installing, 358
- reasons to use, 258, 261

MIN function, 65

model maps, 31–32, 296

models, data

- analysis limitations, 31
- applying CHOOSE formulas in, 43–44
- applying HLOOKUP formulas in, 39
- applying SUMPRODUCT formulas in, 41–42
- applying VLOOKUP formulas in, 35–36
- best practices, 23–33
- comments and labels for, 22, 33, 295–296
- creating model maps for, 31–32, 296
- defined, 23
- documenting, 31–32, 33, 295–296
- identifying ranges by using colors, 296
- ineffectiveness of worksheet reports as, 27–28
- limitations
  - analysis, 31
  - single-tab, 31–32
- problem of too much data, 30–31
- separating
  - analysis from data and presentation, 24–26
  - data, analysis, and presentation into layers, 25–26
  - data from analysis and presentation, 24–26

- presentation from data and analysis, 24–26
- single-tab limitations, 31–32
- testing, 32

month

- aggregating pivot table data by, 78–80
- month-over-month variance view, pivot table report, 82–83

MS Query wizard, 258–263

## • N •

naming

- Button controls, 220, 232
- Check Box controls, 233
- macros, 213, 215
- Option Button controls, 236

New Formatting Rules dialog box, 120–122

numbers

- customizing format, 20–21
- in dashboards and reports, 20–21
- to data sources compared with labels, 286
- finding largest in dataset, 190–191
- large numbers, 20–21, 285–286
- in pivot tables, 65

## • O •

ODBC Microsoft Access Setup dialog box, 259–260

Option Button controls

- adding to worksheets, 235–236
- configuring on worksheets, 236
- copying and pasting, 236
- customizing, 236
- defined, 229, 235
- multiple views on single chart example, 237–238
- naming, 236

organization of book, 3–5

Outline Form pivot table layout, 62

● *p* ●

- Parmenter, David, 13
- Password to Modify option, 266, 268
- Password to Open option, 268
- passwords
  - clearing, 268
  - for protecting
    - workbook structure, 273
    - worksheets, 270–271
  - requiring
    - to open Excel workbooks, 266–267
    - for workbook access beyond Read Only, 266–267
- Paste Special dialog box, 274
- pattern fills, avoiding, 282, 296
- PDF files, distributing dashboards as, 278
- percent distribution view
  - in histograms, 185–188, 189
  - pivot-driven, 80–81
- performance against target
  - defined, 195
  - displaying on line charts, 195–196
  - measuring divisional sales performance
    - against median sales, 197
  - organizational trends as targets, 196–197
  - role of bullet graphs, 199–206
  - role of thermometer-style charts, 198
  - showing variance, 196
  - when target is range of values, 206–208
- performance indicators, key (KPIs), 13–14
- pictures, avoiding, 282, 296
- pie charts
  - defined, 86
  - illustrated, 86
  - limiting use, 289–290
  - preparing data for, 90–91
- pivot caches
  - defined, 61
  - saving imported Access data to, 254
- pivot charts
  - chart type limitations, 107
  - creating
    - dynamic labels for, 135–137
    - on pivot tables, 102–105
    - from raw data, 105
  - dynamic label example, 138–139
  - formatting limitations, 107
  - limitations
    - chart type, 107
    - formatting, 107
  - overview, 102–105
  - x-axis in, 105–107
  - y-axis in, 105–107
- pivot tables
  - adding fields to drop zones, 56–58
  - aggregating time dimension, 78–80
  - cache size considerations, 61
  - changing layout, 59, 62–63
  - changing summary calculations, 65–66
  - column area, 54, 105–106
  - Compact Form layout, 62
  - conditional formatting, relationship to, 132–133
  - copying and pasting, 61
  - creating
    - histograms from, 188–189
    - interactive top and bottom displays, 179–182
    - month-over-month variance view, 82–83
    - percent distribution view, 80–81
    - pivot charts on, 102–105
    - top and bottom views, 74–77
    - using PivotTable dialog box, 55–56
    - views, 74–83
    - YTD totals view, 81–82
  - customizing
    - field names, 63–64
    - reports, 62–74
  - defined, 52

pivot tables (*continued*)

- deselecting Autofit Column Widths On Update, 244
- ease of changing, 58–59
- filter area, 54–55
- filtering top and bottom records, 74–77
- formatting numbers in, 65
- four areas, 52–55
- grouping date fields, 78–80
- layers and, 51–52
- macro for one-touch filter changing, 225–226
- macros for dynamically rearranging data, 224–225
- multiple, controlling with Combo Box, 240–244
- Outline Form layout, 62
- overview, 52
- rearranging, 58–59
- refreshing, 60–62
- removing
  - all subtotals at once, 67–68
  - single field subtotals, 68
- row area, 53–54, 106
- showing/hiding
  - certain data items, 69–71
  - items without data, 71–73
- sorting, 73–74
- suppressing subtotals, 66–69
- tabular datasets as sources for, 29
- Tabular Form layout, 62
- values area, 52–53
- PivotTable dialog box, 55–56
- PivotTable Field List dialog box, 56–60
- PivotTable Options dialog box, 244
- PowerPoint, linking Excel dashboards into, 273–277
- presentation layer, 25–26, 31–33, 51–52, 142, 296
- printing, checking capability, 298
- priority zones, 19–20
- PRODUCT function, 65
- Publish as PDF or XPS add-in, 278

## • Q •

- quarters, aggregating pivot table data by, 78–80
- Query
  - importing data to Excel, 258–263
  - installing, 358
  - reasons to use, 258, 261
- Quick Access toolbar, adding Camera tool to, 139–140

## • R •

- Range\_lookup argument
  - HLOOKUP function, 38–39
  - VLOOKUP function, 35
- Read Only mode, 266–267
- Record Macro dialog box, 185–186
- references, cell
  - absolute, 146, 214–217
  - relative, 217–219
- refresh schedule, 16
- refreshing
  - dashboards based on refresh schedule, 16
  - data imported to Excel from Microsoft Access, 254, 262
  - dynamic links automatically between Excel files and PowerPoint, 276–277
  - dynamic links manually between Excel files and PowerPoint, 275–276
  - pivot tables, 60–62
- relative cell references, 217–219
- removing
  - fields, pivot table
    - all subtotals at once, 67–68
    - grand totals, 69
    - single subtotals, 68
  - protection
    - spreadsheet, 271–272
    - worksheet, 271–272
- report filters, for pivot tables, 59–60

- reports, Excel
    - checking
      - accuracy, 298
      - printing capability, 298
      - user-friendliness, 297–298
    - dashboards, compared with, 10–11
    - defined, 10
    - example, 10
    - illustrated, 10
    - key attribute, 10
    - macro for generating with one-touch, 225–226
    - overview, 10
    - protecting, 265–273
  - reports, pivot table
    - aggregating time dimension, 78–80
    - changing field names, 63–64
    - changing layout, 59, 62–63
    - changing summary calculations, 65–66
    - Compact Form layout, 62
    - creating
      - month-over-month variance view, 82–83
      - percent distribution view, 80–81
      - top and bottom views, 74–77
      - views, 74–83
      - YTD totals view, 81–82
    - customizing, 62–74
    - filtering top and bottom records, 74–77
    - formatting numbers in, 65
    - grouping date fields, 78–80
    - Outline Form layout, 62
    - refreshing, 60–62
    - removing
      - all subtotals at once, 67–68
      - single field subtotals, 68
    - showing/hiding
      - certain data items, 69–71
      - items without data, 71–73
    - sorting, 73–74
    - suppressing subtotals, 66–69
    - Tabular Form layout, 62
  - REPT function, 145–147
  - requirements, end user, 12–13
  - row area, pivot tables, 53–54, 106
  - Row\_index\_num argument, HLOOKUP function, 38
  - running macros, 215–216, 218
- S •**
- sample file downloads Web site, 5
  - Save As dialog box, 266–267
  - scale
    - Form control options, 230
    - large dataset problem, 31
    - logarithmic, 157–159
    - starting vertical axis at zero, 155–157
  - Scroll Bar controls, 229
  - seasonality, 172–174
  - secondary axis, 164–167, 188
  - separating data models into layers, 25–26
  - shadow datasets, 233–235, 238, 246
  - shadows, avoiding, 282, 296
  - showing/hiding
    - axes, 285
    - backgrounds, 282–283
    - borders, 283–284, 296
    - data labels, 283–285
    - gridlines, 283–284
    - labels, 283–285
    - pivot table reports
      - certain data items, 69–71
      - items without data, 71–73
    - trend lines, 283–284
    - variance, performance against target, 196
  - side-by-side time comparisons, 161–163
  - SMALL function, 193
  - smoothing data, 172–174
  - sorting pivot tables, 73–74
  - sparklines
    - defined, 174
    - trending, 174
  - Spin Button controls, 229

- spreadsheets, Excel. *See also* workbooks, Excel
    - problem of too much data, 30–31
    - protection
      - applying, 270–271
      - removing, 271–272
      - ways to, 268–272
    - reports as data models, 27–28
    - separate ones for data, analysis, and presentation, 25–26
    - single-tab limitations, 31–32
    - sorting data, 288
    - unlocking editable ranges, 269–270
  - SQL Server, importing data using Data Connection Wizard, 255–257
  - stacked bar charts
    - defined, 88
    - illustrated, 88
    - preparing data for, 89–90
  - stacked column charts
    - defined, 87
    - formatting, 191–192
    - illustrated, 87
    - preparing data for, 89–90
    - for side-by-side time comparisons, 163
  - stacked time comparisons, 163–164
  - starting vertical axis at zero in trending charts, 155–157
  - STDDEV function, 65
  - STDDEVP function, 65
  - SUM function, 65
  - SUMPRODUCT function
    - applying formulas in data models, 41–42
    - defined, 39
    - overview, 39–40
    - syntax, 40
    - typical scenario, 39–40
    - using to filter out values, 41
  - switchboard macro example, 223–224
- **T** ●
- Table feature, 44–45
  - Table\_array argument
    - HLOOKUP function, 38
    - VLOOKUP function, 34–35
  - tables, Excel
    - charting disparate data, 93–94
    - columns in, 15, 89–91
    - converting
      - back to data ranges, 47–48
      - data ranges to, 45–47
    - creating
      - histograms from, 183–185
      - line charts from, 92–93
    - expanding data ranges over time, 44–45, 47
    - linking charts to, 44–47
    - preparing data for different chart types, 89–91
    - using instead of charts, 297
  - tabular datasets
    - attributes of, 29
    - as data models, 27, 29
    - flat data files, compared with, 29
    - as sources for pivot tables, 29
  - Tabular Form pivot table layout, 62, 74–75
  - target
    - performance against target, displaying, 195–196
    - as range of values, 206–208
  - text boxes
    - creating for dynamic labels, 136–137
    - linking to cells containing formulas, 137–139
  - thermometer-style charts, 198
  - 3-D display
    - avoiding on dashboards, 282
    - for List Box controls, 244
  - time periods
    - formatting, 167–169
    - highlighting, 167–171
    - inserting dividing lines, 169–170
    - side-by-side comparisons, 161–163
    - stacked comparisons, 163–164
  - timestamps, 21
  - titles, chart, effective, 285, 288
  - Top 10 Filter dialog box, 75–76
  - top views
    - creating
      - interactive, using pivot tables, 179–182
      - using pivot tables, 74–77

- highlighting in charts, 190–192
- incorporating into dashboards, 178–179
- interactive, creating using pivot tables, 179–182
- Top/Bottom Rules predefined scenario, conditional formatting, 113–116
- trend lines, when to avoid showing, 283, 284
- trending
  - chart types for, 153–155
  - comparative, 161–167
  - directional, 171–172
  - dos and don'ts, 153–161
  - highlighting specific time periods, 167–171
  - inserting dividing lines, 169–170
  - label management, 159–161
  - overview, 153
  - representing forecasts in components, 170–171
  - secondary axis, 164–167
  - side-by-side time comparisons, 161–163
  - stacked time comparisons, 163–164
  - starting vertical chart axis at zero, 155–157
  - when to use logarithmic scale, 157–159
- trends, defined, 153
- trusted locations, macros and, 222–223
- Tufte, Edward, 174, 283

## • U •

- Update Links command, 275
- user requirements, gathering, 12–13

## • V •

- Value Field Settings dialog box, 64–66, 80–83
- values area, pivot tables, 52–53
- VAR function, 66
- VARP function, 66
- vertical axis
  - in pivot charts, 105–107
  - as primary axis, 165
  - starting at zero in trending charts, 155–157

- views, pivot tables
  - creating, 74–83
  - highlighting in charts, 190–192
  - incorporating into dashboards, 178–179
  - interactive, 179–182
  - month-over-month variance, 82–83
  - percent distribution, 80–81
  - top and bottom, 74–77
  - YTD totals, 81–82
- visualization, formula-driven
  - creating with Wingdings, 148–149
  - in-cell charting, 145–147
  - overview, 144
- VLOOKUP function
  - applying formulas in data models, 35–36
  - Col\_index\_num argument, 35
  - defined, 33–34
  - HLOOKUP function, compared with, 37
  - Lookup\_value argument, 34
  - overview, 34–35
  - Range\_lookup argument, 35
  - syntax, 34–35
  - Table\_array argument, 34–35

## • W •


- Wiley Web site, 5
- Wingdings, 148
- wizards
  - Data Connection Wizard, 255–257
  - MS Query wizard, 258–263
- workbooks, Excel
  - impact of pivot cache on memory usage and file size, 61
  - macro for ease of navigating, 223–224
  - macro switchboard example, 223–224
  - protecting
    - overview, 266–268
    - passwords, 273
    - structure, 272–273
    - worksheets, 270–271
  - separate worksheets for data, analysis, and presentation, 25–26
- worksheets, Excel
  - problem of too much data, 30–31
  - protection

- applying, 270–271
  - for passwords, 270–271
  - removing, 271–272
  - ways to, 268–272
- reports as data models, 27–28
- separate ones for data, analysis, and presentation, 25–26
- single-tab limitations, 31–32
- sorting data, 288
- unlocking editable ranges, 269–270



- x-axis, in pivot charts, 105–107
- .xlsm file extension, 223
- .xlsx file extension, 223
- XPS (XML Paper Specification) files, 278

- XY scatter plot charts
  - defined, 88
  - illustrated, 89
  - preparing data for, 91



- y-axis
  - in pivot charts, 105–107
  - as primary axis, 165
  - starting at zero in trending charts, 155–157
- year
  - aggregating pivot table data by, 78–80
  - year to date (YTD) totals, pivot table view, 81–82
- YTD (year to date) totals, pivot table view, 81–82