

Index

A

Accuracy

- analytical, 9, 11–2, 50, 185, 252, 290, 303, 353, 356, 361–3, 374, 376–7, 382, 393, 396
- mass spectral, 252, 254, 275, 278
- wavelength, 101–102, 222

Acetaminide *See* Procainamide, *N*-acetyl-

Acetaldehyde, 136–7, 333, 420, 472

Acetaminophen *See* Paracetamol

Acetic anhydride, 89, 165

Acetone, 6, 34–5, 53, 75, 86, 120, 138, 165, 170–1, 267, 269, 333, 343, 357, 480, 487

Acetonitrile, 53, 181

Acetylamfetamine, 256

Acetylation, 88, 165, 261, 264, 417–9, 469

- extractive, 165

N-Acetyl-*p*-benzoquinoneimine, 413, 419–20, 472

Acetylcholine, 115

N-Acetylcysteine, 214, 333, 403, 419, 460–1

N-Acetyltransferase, 418

α_1 -Acid glycoprotein, 51, 213–4, 245, 411, 470

Acidified iodoplatinate reagent, 135

S-Adenosylmethionine, 419

Adulterants / adulteration, 329, 341–2, 348–9, 476

Albendazole, 245

Albumin, 22, 51, 213–4, 310–1, 411, 435

Alcohol dehydrogenase, 3, 6, 333, 343, 413, 415, 468

Alcohol oxidase, 334, 343

Aldehyde dehydrogenase, 468

Alkali flame-ionization detection *See* Detection:
nitrogen-phosphorus

Alkaline phosphatase, 319, 326

Alkyl nitrites, 173

Aluminium, 7, 23, 179, 284, 288–9

- foil, 40, 477, 490

- oxide, 197

- phosphide, 35

- sulfate, 17

American Academy of Forensic Sciences
(AAFS), 353

American Board of Clinical Chemistry, 393

American Conference of Governmental Industrial
Hygienists (ACGIH), 17

Amfetamine, 6, 58, 65, 165, 167, 173, 211–2, 216, 239,
242, 261–4, 309, 312, 316, 330, 345, 412, 415,
427, 475

Amfetamines, 16, 44, 87, 133, 158, 317, 320, 323–5,
346, 486

5-Amino-2,3-dihydrophthalazine-1,4-dione

See Luminol

Aminoglycoside antibiotics, 402, 408

4-Aminophenol, 332–3, 381

Aminophylline, 98, 404

Amiodarone, 17, 43, 71, 309, 472

desethyl-, 485

Amitriptyline, 17, 33–4, 136, 219, 223, 323, 420,
476, 481

Ammonium perchlorate, 219, 221

Ammonium pyrrolidine dithiocarbamate,
284

Amoxicillin, 65, 435

Ampillicin, 402

Amylose, 167, 208–9

Analysis of variance, 364–5, 383

Anhydroecgonine methyl ester, 486

Aniline, 98

Anodic stripping voltammetry, 299–300

Anticoagulant(s), 23–4, 26, 31, 172, 282–4, 332,
475

Antifreeze *See* Ethylene glycol

Antigen, 205–6, 309–11, 319–20, 324, 326–7,
344

Antimony, 1, 295

APCI *See* Atmospheric-pressure chemical ionization

Apparent pH, 181, 192, 200, 220–1

APPI *See* Atmospheric-pressure photoionization

Arsenic, 1, 35, 41, 281–3, 295–6, 303

Arylsulfatase, 5, 83, 87

Ascorbate, 62

Aspirin, 43, 65, 98, 394, 407–8, 419, 426, 439, 441,
468–9, 475

Atenolol, 62

Atmospheric-pressure chemical ionization, 90, 177, 187,
266–8, 272–4

Atmospheric-pressure photoionization, 267, 269

Atomic absorption spectrometry, 2, 187–8, 281–2,
286–9, 292–3, 295, 297, 299, 303–4

Atomic fluorescence spectrometry, 286–7, 289, 293,
295, 303

Atracurium, 44, 403

Atropine, 2, 16–17, 272, 318

Avoparcin, 211

Azathioprine, 417, 463, 472

B

Baclofen, 215, 245
Band (zone) broadening, 121–4, 126, 185–6, 194–5, 197, 212, 234–5
Barbital, 105
Barbiturates, 2, 16, 67, 78, 105, 109, 150, 160, 165, 216, 312, 320, 323–5
Beclomethasone, 405
Beer-Lambert Law, 99, 109, 298, 370
Benorylate, 98
Benzene, 56, 59
Benzodiazepines, 14, 16, 82–3, 136–8, 153, 191, 217, 273, 317, 320, 323–5, 345–6, 394, 421, 486
Benzoic acid, 44
Benzoyllecgonine, 78, 272, 317, 320, 323–4, 342, 427, 485–6
Bias, 348, 362–3, 383–4, 395–6
 operator, 356
Bias index score, 395
Bioavailability, 401–3, 413, 416, 438, 445, 454, 458, 467–8, 472
Bismuth, 1, 137, 295
Bland-Altman plot, 383–4
Blood alcohol concentration, 343, 446
Blood-brain barrier, 79, 410
BMDMCS *See* Bromomethyldimethylchlorosilane
Boron trifluoride, 164
Botulinum toxin, 17, 406
Bratton-Marshall reaction, 108, 136, 465
Breath alcohol concentration, 340, 343
Bromazepam, 223
Bromochlorodifluoromethane, 171
Bromochloromethane, 424
Bromomethyldimethylchlorosilane, 165
Bromperidol, 326
BSA *See* *N,O*-bis(trimethylsilyl)acetamide
BSTFA *See* *N,O*-bis(trimethylsilyl)trifluoroacetamide
Bupivacaine, 85, 221
Buprenorphine, 16, 71, 315, 404–5, 443
Bupropion, 51
Butane, 171–2, 490
Butanone, 35, 62, 171–2, 343
Butyl acetate, 56–7, 61–2, 151, 169

C

Cadmium, 289
Caffeine, 44, 169, 217, 323, 470–1
Cahn-Ingold-Prelog notation, 10
Calibration
 curve, 205, 319–21, 357, 367–70, 373–4, 378
 external, 377–8
 for immunoassays, 327
 nonlinear, 370

 single point, 375
 standards, 51, 84, 87, 108, 356–8, 365, 481
Cannabidiol, 242
Cannabinoids, 196, 317, 320, 323–5, 345, 485
Cannabis (*See also* Δ^9 -THC), 16, 87, 339, 342, 346, 456–8, 472, 484–7
Canrenone, 331
Capacity factor *See* Retention factor
Carbamazepine, 17, 37, 323–4, 303, 348, 411, 415, 467, 471
Carbon disulfide, 59
Carbon loading, 68, 199–200
Carbon monoxide, 1, 14, 29, 32–3, 38, 43, 107, 146, 150, 157, 170, 309, 339, 341, 413, 424, 483–4
Carbon tetrachloride, 59, 171, 475
Carboxyhaemoglobin, 14, 39, 106–7, 170, 340, 424, 484
Carrier-mediated transport, 406
Catechol *O*-methyl transferase, 419
Center for Drug Evaluation and Research (CDER), 354, 376
CEDIA, 3–4, 310, 317, 324–5, 330
Cellulose, 81, 205, 208, 245
Cephaline, 44
Chain of custody, 42
Chelating agents, 284, 298, 302, 319, 419, 465
Chemical ionization, 6
 negative ion, 257, 260, 275
 positive ion, 257, 259–60, 268, 275
Chemiluminescence, 108, 112–5, 155, 187, 190, 321–2
Chiral, 9–11, 140, 166–7, 195, 199, 205, 207–11, 213–6, 224, 244–6, 249, 422–3
 eluent additives, 213
 ligand-exchange chromatography, 210
 stationary phases, 166, 207–11, 213, 215, 244
Chloral hydrate, 35, 98, 415
Chloramphenicol, 65, 323, 416, 418, 469
Chlordane, 17
Chlordiazepoxide, 85, 242, 421
Chloroform, 35, 59, 62, 67, 98, 134, 171, 475
Chloromethyldimethylchlorosilane, 165
Chlorophenol red, 325
Chlorophenoxyacid herbicides, 217–8, 426
4-(4-Chlorophenyl)-4-hydroxypiperidine, 483
Chloroquine, 16, 34, 44, 411
Chlorpromazine, 45, 85, 98, 140, 311, 316, 421, 424, 435, 437, 483
 7-hydroxy-, 419, 421
 7-methoxy-, 419
 N-oxide, 423
Chlortalidone, 25, 32, 411
Choline, 115, 409
Cholinesterase, 43, 51, 334, 467–8, 485
 acetyl-, 115, 411
 plasma- (butyryl-, pseudo-), 334, 417, 467, 472

INDEX

497

- Chromium, 7, 282–3, 288–9, 302, 349
Chromogenic reagents, 95, 104, 135, 137, 142, 333
Ciclosporin, 33, 71, 181, 323, 467, 471
Cimetidine, 415, 472
Ciprofloxacin, 415
Circular dichroism, 166, 187, 195
Citalopram, 21, 140, 224, 246, 261–2
 N-desmethyl-, 224
S-(+)-norcitalopram, 224
Clearance, 399, 427, 432–7, 451, 458, 461, 464, 467, 469–71
 organ, 436
 renal, 426, 437
 whole body (plasma), 436
CLIA, 321, 327
Clindamycin, 469
Clomipramine, 261–2
Clonazepam, 31, 42–3, 136–7, 273, 483, 486
Clorazepate dipotassium, 402, 421
Clozapine, 17, 65, 384, 415, 423–4, 470, 472, 484
CMDMCS *See* Chloromethyldimethylchlorosilane
Cobalt, 302
Cocaethylene, 87, 425, 485–6
Cocaine
 analysis, 78, 169, 242, 272, 317, 325, 339, 342, 345–6, 482–3, 485–7
 metabolites, 86–7, 317, 329, 427, 485–7
 p*K*_a, 65
 stability, 31, 42–3, 65, 86, 482–3, 485
 transesterification, 425, 485
Codeine, 16, 136, 168, 239, 242, 256, 312, 330, 345, 349, 354, 414, 416, 419, 421, 466–7, 488
 3-acetyl-, 488
Coefficient of variation *See* Relative standard deviation
Cold vapour generation, 297
Conway *See* Microdiffusion
Copper, 34, 36, 210, 214, 282, 290, 298, 302, 332–3
Coroner, 15, 31, 478
Cotinine, 37, 169–70
C-peptide, 43, 331–2, 489
Creatine, 28
Creatinine, 22, 25, 28, 348–9, 459, 469–70, 480
Critical micellar concentration, 234, 240
Cross-reactivity (in immunoassay), 4–5, 311–2, 316, 396
Crown ether, 208–9
Cryofocusing, 148
Cyanide, 17, 32, 35, 43, 54, 107–8, 170, 215, 299, 309, 411, 425, 482–4
Cyanopropyl, 68, 158, 199, 202, 216–7, 219, 222
Cyclodextrin, 37, 166, 190, 209, 213–4, 245
Cyclohexane, 56, 59
Cyclophosphamide, 415, 467, 475
 4-hydroxy-, 467
Cytochrome P450
 CYP1A2 415, 420, 472
 CYP2A6 415, 467
 CYP2B6 415, 467
 CYP2C9 415, 466–7, 472
 CYP2D6 356, 414–5, 466–7
 CYP2E1 415, 419–20, 424, 471
 CYP3A4 401, 403, 414–5, 423, 467, 470, 472
 CYP3A5 414–5, 467
 CYP3A7 414
- D**
- 2,4-D *See* 2,4-Dichlorophenoxyacetic acid
Dansyl chloride, 111, 238
Dapsone, 418, 465
Debrisoquine, 65, 414–5, 466
 4-hydroxy-, 466
Deferoxamine, 298
Demoxepam, 421
Derivative
 electroactive, 215
 fluorescent, 214
Derivatization, 6, 50, 53, 55, 57, 62, 73, 86–8, 105, 111, 165–6, 190, 211–6, 239, 260, 263, 266, 274, 276–8, 302, 377, 381
 post-column, 195, 215
Desipramine, 64, 98, 323, 420
 desmethyl, 420
Desmopressin, 405
Detection / detector
 atomic-emission, 155
 charged aerosol, 193, 194
 chemiluminescent, 187, 189–90
 chemiluminescent nitrogen, 187, 192–3
 diode-array, 4, 6, 101, 104, 115, 167, 178, 189, 222–5
 electron-capture, 3, 5, 6, 58, 62, 117, 145–6, 149–55, 162, 166, 170–3, 250, 260, 302, 365, 371, 379
 electrochemical, 4, 62, 178, 181–2, 187, 190–2, 195, 215, 221–2, 239, 325, 384
 evaporative light scattering, 187, 193–4
 flame-photometric, 142, 115, 150, 155
 flame-ionization, 3–6, 117, 128, 142, 145–6, 149–55, 157, 162, 164–6, 170–3, 178, 186, 224, 256, 278, 343
 fluorescence, 189, 215
 nitrogen-phosphorus, 3–5, 58, 62, 115, 118, 145, 149–152, 162, 168–70, 173, 261, 379
 photoionization, 150
 pulsed-discharge, 154
 radioactive, 194
 thermal conductivity, 150, 154, 170
Deutsche Forschungsgemeinschaft (DFG), 17, 140
Dexamethasone, 415

- Dexamfetamine, 9, 312
Dextromethorphan, 466
Dextropropoxyphene, 9, 16, 51
Dextrorphan, 380
Diamorphine *See* Heroin
Diastereoisomer(ic), 10–11, 140, 166, 207, 215–6, 422–3
Diazepam, 64–5, 71, 85, 136, 223, 318, 404,
413, 415, 420–2, 427, 454, 456, 469–71,
476, 486
Diazomethane, 165
Dibromomethane, 424
Dichlorodifluoromethane, 171
Dichloroethane, 170, 212
Dichloromethane, 56, 58–9, 62, 67–8, 72, 86–7, 89, 151,
203, 223, 415, 424
2,4-Dichlorophenoxyacetic acid, 65, 217–8,
458–60
Dieldrin, 17
Diethyl ether, 59, 62, 67, 86, 90, 96
Diethylpropion, 316
Digitoxin, 310, 330
Digoxin, 39, 312, 323–4, 327–32, 411, 435,
471–2, 485
Dihexyl ether, 75
Dihydrocodeine, 16
Di-isopropyl ether, 59
Dimethyl ether, 171
Dimethyl selenide, 426
Dimethylchlorosilane, 158
Dimethyloctylamine, 219
2,4-Dinitroaniline, 215
N-(3,5-Dinitrobenzoyl)phenylglycine, 211
2,4-Dinitrophenylhydrazine, 214–5
Dioxane, 56
Diphenhydramine, 85, 256, 345
Diphenylamine, 98
Dipipanone, 345
Diquat, 98
Discriminating power, 5, 240
Disopyramide, 323
Dithionite, 98, 103, 106–7
Diuretics, 16, 427
DMCS *See* Dimethylchlorosilane
Dodecyl acetate, 75
Doxycycline, 330
Dragendorff's reagent, 135
Drug facilitated sexual assault, 15, 40
Drugs of abuse, 2, 8, 13, 15, 29–30, 36, 38, 140, 168, 310,
312, 316–7, 323–4, 329, 334, 339–42, 344–5, 347,
349, 396, 405, 426, 487
- E**
Ecgonine, 345, 486
ethyl ester, 486
EDDP, 168, 396, 489
EDTA, 17, 22, 26, 29–30, 33, 172, 182, 282–4,
319, 332
EDXRF *See* Energy dispersive X-ray fluorescence
Electrochemical detection *See* Detection:
electrochemical
Electrochemical reduction, 191
Electrochemiluminescence, 114
Electron ionization, 6, 145–6, 173, 178, 224, 250–9,
261–4, 267–8, 271, 275, 277–8
Electrospray ionization, 177, 187, 239, 251, 256–7,
266–70, 272, 274
Electrothermal atomization, 289
ELISA, 3, 318–21, 326, 347
Ellman's reagent, 334
Emetine, 44
Emission spectrometry, 292
EMIT, 3–4, 310, 317–8, 321–5, 329, 340, 349, 370
Emission spectrometry, 7, 282, 286–7, 289, 292–3, 295,
298, 302–3
Enalapril, 402
Enantiomer(s), 9–11, 88, 129, 167, 195, 207–15, 224,
244–6, 249, 423, 474
Energy dispersive X-ray fluorescence, 297–8
Enilconazole, 245
Enzyme induction, 437, 471
Enzyme inhibition, 437, 472
Ephedrine, 168, 316, 330, 472
EQA *See* External quality assessment
Equilibrium dialysis, 51, 80–2, 331
Ergometrine, 111
Error, analytical
gross, 358
random, 358, 361–3, 367, 370, 374, 382
systematic, 11–12, 128, 358–9, 362, 376, 383, 392
Erythromycin, 415, 469–70, 472
Eserine *See* Physostigmine
Eseroline, 381
Esterases, 43, 413, 417, 485
Ethanol
analysis
enzymic, 6, 319, 332–4
gas chromatographic, 6, 51, 55–6, 145–6, 150,
170–3, 487–8
POCT, 339–41, 343–4
distribution, 410, 464, 470, 487
enzyme induction / inhibition, 415, 464, 471
metabolism, 415, 464, 468
pharmacokinetics, 431, 444–6
transesterification by, 425–6, 485
Ethyl acetate, 56, 58, 67, 71–2, 87, 89–90, 133, 172,
180
Ethyl glucuronide, 488
Ethylbenzene, 171–2
Ethylene glycol, 34, 165, 309, 333, 343, 415, 474–5

INDEX

499

- Ethylenediamine, 98, 264, 405
2-Ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine
 See EDDP
European Network of Forensic Science Institutes,
 395
Evans' Blue, 435
Extensive metabolizers, 466–7
External quality assessment, 13, 298, 303, 327, 334, 350,
 363, 376, 392–3, 395–6, 477
Extraction
 accelerated solvent, 78–9, 84
 ion-pair, 66–7, 92, 407
 liquid-liquid, 50–2, 59, 62, 67–9, 72, 74–5, 86,
 89–90, 119, 131, 202, 225, 260, 294, 296,
 358, 378
 micro- *See* Microextraction
 solid-phase, 50–52, 59, 66–72, 86, 89–90, 117, 202,
 214, 260, 263, 378
 supercritical fluid, 50, 77–8, 87
Extraction ratio, 436
- F**
- Facilitated diffusion, 406
Fast atom bombardment, 267, 271
FDA *See* US Food and Drug Administration
Fenfluramine, 345
Fentanyl, 16, 242, 312, 315, 320
Fexofenadine, 402–3, 409
FFAP *See* Free fatty-acid phase
FIA *See* Flow injection analysis
Fick's Law, 406
First-order kinetics, 75, 431, 433–4, 436–9, 443–6,
 453, 459
First-pass metabolism, 403–4, 454, 467–8
Fischer notation, 10
FITC *See* Fluorescein isothiocyanate
Flame atomization, 288
Flavin-containing monooxygenases, 414
Flecainide, 485
Flip-flop kinetics, 442
Florisil, 2, 67
Flow injection analysis, 115, 192
Flunitrazepam, 137, 320, 345, 483, 486–7
Fluorescamine, 111
Fluorescein isothiocyanate, 238–9
FPIA, 3, 310, 323–4, 330
Fluoride, 26, 29, 31, 33–4, 39, 43, 45, 54, 172, 276, 283,
 301, 333, 482, 485, 488
Fluoroacetate, 33
Fluorotrichloromethane, 171
Fluoxetine (*See also* SSRIs), 246, 261
Fluphenazine, 65, 139, 379, 404, 423, 442
 decanoate, 404, 442
Formaldehyde, 29, 420
- Forrest test, 97
Fourier-transform ion cyclotron resonance, 251–2
FPN reagent / test, 97, 136, 139
Free fatty-acid phase, 158, 192
FTIR, 115, 145, 155, 172, 187
- G**
- Gastric lavage, 25, 28–9, 35
Gentamicin, 323
GHB, 486–7
Glomerular filtration rate, 469–70
Glucose-6-phosphate dehydrogenase, 468
D-Glucuronic acid, 82, 413
D-Glucuronyl transferases, 418
 β -Glucuronidase(s), 5, 83–4, 87, 427
Glutathione-S-transferase, 419
Glyceryl trinitrate (GTN), 43, 403–5, 443
Golay equation, 124
Grapefruit juice, 472
Glutathione (reduced, GSH), 417, 419–20, 424, 460, 468,
 472
Glutathione (oxidized, GSSG), 468
- H**
- Haematocrit, 28, 51, 454
Haemolysis, 21–3, 25, 27, 283–4, 332, 464, 468, 479–81
Haloperidol, 256, 326, 415, 483
Halothane, 148, 167, 171, 204, 415–6, 423–4
Headspace
 analysis, 6, 50, 55–57, 62, 73, 75, 88, 127, 145, 148,
 165, 170–2, 355, 378
 in sample containers, 29, 33, 172, 355, 482, 490
Henderson–Hasselbalch equation, 63, 407
Heparin, 26, 29–31, 172, 272, 283, 435
Hepatotoxicity, 460, 465
Heptafluorobutyric anhydride, 153
Heptafluorobutyrylimidazole, 166
Heptane, 59, 64, 72, 183, 202
Heroin, 16, 40, 43, 87–8, 190, 242, 329, 396, 416–7, 483,
 486, 488–9
HETP, 119, 121–2, 124, 201
Hexamethyldisilazane, 158
Hexane, 56, 59, 86, 165, 171, 180, 208, 212, 475
Higher limit of quantitation (HLoQ), 12, 374
Hippuric acid, 6, 44–5
 methyl-, 6
Histamine, 409, 419
HLoQ *See* Higher limit of quantitation
HMDS *See* Hexamethyldisilazane
Homatropine, 245
Homogenous assays, 21, 97, 310, 320, 322
Horseradish peroxidase, 318, 320, 334
Human serum albumin, 213
Hybrid particle technology, 201

Hydralazine, 418, 465
Hydride generation, 7, 295
 γ -Hydroxybutyrate *See* GHB
(\pm)-Hyoscinamine, 9
Hyoscine, 9, 405, 443, 486

I

Ibuprofen, 245, 330
 R-($-$)-, 224
Identification power, 5–6
Imipramine, 33, 64, 85, 97–8, 192, 219, 245, 323,
 420–2, 476
 10-hydroxy-, 422
 2-hydroxy-, 64
 didesmethyl- (*See also* Desipramine), 64
Immunogen, 310–2, 320
Inductively coupled plasma(–MS), 7–8, 187–8, 249,
 281–2, 289, 292–5, 298, 302–4, 477
Insect larvae, 39
Insulin, 39, 43, 309, 315, 329, 331–2, 404–5, 443,
 482, 489
Intermediary metabolizers, 466
Internal quality control, 13, 45, 165, 285, 327, 356–7,
 375–6, 389–90, 392
Internal standard, 11, 49–52, 55, 84–8, 146, 167, 178,
 214, 239, 295, 358, 365, 372, 376–82, 488
 isotope-labelled, 75, 250, 263–4, 266, 274, 277–8
International Organization for Standardization (ISO), 353
Inulin, 435
Ion chromatography, 204, 302
Ionization (of electrolytes) *See* pK_a
Ion spray ionization, 267, 270
Ion suppression, 250, 266
Ion-exchange chromatography, 203
Ion-selective electrodes, 300
Ion-trapping, 408, 410
Ioxynil, 218
Ipecacuanha, 44
Ipratropium, 405
Iproniazid, 465
IQC *See* Internal quality control
Iron, 7, 22, 25, 36, 106–7, 113, 137, 282–4, 298,
 302, 340, 411, 414, 475
 (III) chloride, 137
 (III) nitrate, 106, 340
Isobutane, 171, 257, 259, 490
Isoniazid, 415, 418, 465
Isopropanol *See* 2-Propanol

K

Ketamine, 167, 486
Ketoconazole, 415, 472
KKG T, 395
Knox equation, 124

L

Labetalol, 316
Laser-induced fluorescence, 237
Lateral flow immunoassay, 344, 347
Latex agglutination tests, 3, 326
Laudanosine, 44
Laxatives, 16, 82
Lead, 7–8, 17, 32, 41, 282, 289–301, 411, 473, 475
Levodopa, 34, 330, 402, 406, 412
Levorphanol, 9
Lidocaine, 16, 40, 44, 65, 75, 84–5, 221, 323, 357,
 403, 471
Limit of detection, 9, 12, 372–3, 477
Linearity, 12, 99, 153, 193, 222, 278, 296, 298, 368–9,
 371, 373–4, 387, 472
Liquid scintillation, 80, 194, 285, 314–5
Lithium
 analysis, 7, 14, 26, 39, 95, 282–3, 309, 339,
 341–2, 348
 heparin, 26, 29–30, 39, 95, 172, 272, 282
 in milk, 426
 postmortem redistribution, 481–2
LLOQ *See* Lower limit of quantification
Loading dose, 440, 441
LoD *See* Limit of detection
Log *D* 67
Log *P* 67, 419
Lorazepam, 242
Lower limit of quantification, 9, 12, 277–8, 329,
 374, 394
LSD *See* Lysergic acid diethylamide
Luciferase, 112
Luminol, 113, 115, 302, 321
Lysergic acid diethylamide, 43, 111–2, 242, 315, 325

M

Magnesium oxide, 197
Malaoxon, 425
Malathion, 425
Mandelin's reagent, 135
Manganese, 7, 284, 302, 333
Mann–Whitney U-test, 385, 387
MAO *See* Monoamine oxidase
Marijuana (*See also* Cannabis and Δ^9 -THC), 346, 456
Matrix-assisted laser desorption ionization (MALDI),
 251
6-MAM *See* Morphine, 6-monoacetyl-
MDA *See* Methylenedioxyamfetamine
MDEA *See* Methylenedioxyethylamfetamine
MDMA *See* Methylenedioxyamfetamine
Mean list length, 5
Meconin, 488
Medazepam, 65, 371
MEIA, 3, 326, 330

INDEX

501

- Melatonin, 419
Meperidine *See* Pethidine
2-Mercaptoethanol, 214, 419
Mercaptopurine, 415, 417, 421, 472
Mercapturate, 400, 419
Mercury, 1, 34, 43, 188–9, 214, 239, 283–5, 293, 295–7, 299, 303, 411, 419, 475
Mercury(I) nitrate reagent, 135
Mercury vapour generation 296
Mesoridazine, 140, 422
Metamfepramone, 256
Metamfetamine, 16, 167, 242, 261–4, 316, 329, 345–6, 475–6
Methadone, 16, 40, 168, 317, 320, 323, 325, 342, 345, 348, 396, 475, 489
Methaemoglobin, 107, 411
Methanol
 analysis
 gas chromatographic, 6, 158, 170–1, 173, 487
 disruption of protein binding by, 52–3
 metabolism
 by alcohol dehydrogenase, 415
 by alcohol oxidase, 334, 343
 toxicity, 6, 34, 474–5
Methaqualone, 242, 256
Methdilazine, 219
Methicillin, 402
Methionine, 422, 460
Methotrexate, 323
Methoxyflurane, 416
Methylation, 165, 417, 419
Methyl *tert*-butyl ether, 57, 62, 85, 180, 221
Methyldopa, 34, 330
Methyl ethyl ketone, 62
Methyl isobutyl ketone, 67, 284
Methyl isocyanate, 17
Methylenedioxyamfetamine, 78
Methylenedioxyethylamfetamine, 78, 167, 316, 329, 490
Methylenedioxymetamfetamine, 16, 78, 167, 263–4, 316, 329, 345–6, 475, 490
6-Methylthiopurine, 417
N-Methylbis(trifluoroacetamide), 166
Methylsalicylate, 34, 98
Metronidazole, 45, 330, 472
Mexiletine, 71
Michaelis–Menten, 431, 443–6
Miconazole, 415
Microdiffusion, 50, 54, 104–5, 107–8
Microextraction, 60–1, 73, 75, 169
 liquid–liquid, 170
 liquid–phase, 50, 75–6
 single-drop, 75
 solid-phase, 50, 73–5, 80, 86, 88, 145
Microwave, 50, 79, 83, 89, 97, 155, 285
Midazolam, 415
Mirtazapine, 140, 246
Molecularly imprinted polymers, 72, 115
Monoamine oxidase, 415, 472, 475
 inhibitors, 14, 472, 475
Monodisperse aerosol generation ionization
 See Particle-beam ionization
Monolithic columns, 200, 244
Morphine, 9, 16, 44, 59, 65–8, 83, 88–9, 114–5, 173, 190–1, 220, 239, 242, 256, 312, 315, 329–30, 342, 345, 349–50, 354–355, 380, 396, 403, 414, 416–7, 419–21, 441, 467, 469–70, 475, 488–9
 diacetyl- *See* Heroin
 N-desmethyl- *See* Normorphine
 N-ethylnor-, 380
 3-glucuronide, 330, 345, 488–9
 6-glucuronide, 417, 488
 6-monoacetyl-, 43, 86, 88, 190, 239, 312, 329, 396, 416, 482, 488
MS-MS, 251, 254–5, 261, 271, 396
MTBE *See* Methyl *tert*-butyl ether
Mycophenolic acid, 323

N
Naphthalene-2,3-dicarboxaldehyde, 238
N-Naphthylethylenediamine, 108
NAPQI *See* *N*-Acetyl-*p*-benzoquinoneimine
Naproxen, 65
National Academy of Clinical Biochemistry, 317, 339
Neostigmine, 43, 403, 410-1
Neutron activation analysis, 2, 7, 282, 302
Nicotine, 1, 35, 43, 168–70, 321–2, 405, 415, 443, 467
Ninhydrin, 135, 137
Nitrazepam, 31, 42–3, 85, 136, 416, 418, 471, 483
4-Nitroaniline, diazotized, 137
Nitrobenzene, 34–5, 98
4-Nitrophenacyl bromide, 215
4-Nitrophenyl isocyanate, 215
Nonaqueous ionic eluent, 220, 222
Noradrenaline, 399, 409, 415, 419, 472
Norcocaine, 87
Norcodeine, 168, 416
Nordazepam, 40, 64–5, 136, 223, 318, 402, 420–2, 456, 476
Norfenfluramine, 211–2
Normal distribution, 359–60, 384
Normorphine, 416, 420
Norpethidine, 168
Norpropoxyphene, 51
Nortrimipramine, 223
Nortriptyline, 17, 41, 136, 219, 223, 323, 420, 466
Noscapine, 488
Nuclear magnetic resonance, 2, 254

O

- OATP *See* Organic anion transporter
Octanol, 67, 75, 407
OCT *See* Organic cation transporter
Olanzapine, 43, 62, 140, 483
Omeprazole, 415, 467
Opiate, 4, 16, 40, 44, 59, 78, 82, 196, 312, 316–7, 320, 323–5, 330, 342, 346, 488
Opioid, 16, 190, 394, 401, 460, 489
Organic anion transporter, 408, 427, 458
Organic cation transporter, 409, 427
Organic nitrites, 43, 173
Organochlorine pesticides, 17, 153, 169
Organophosphates, 43, 425
Orthogonality, 163, 244
Outliers, 372, 384–5, 389, 395
Oxalate, 26, 28–9, 31, 34, 113, 204
Oxaprozin, 317
Oxazepam, 40, 85, 136, 223, 413, 420–2, 427, 471, 476, 486
 glucuronide, 427
Oxyhaemoglobin, 107
Oxytocin, 402

P

- PAPS *See* 3'-Phosphoadenosine-5'-phosphosulfate
Paracetamol
 absorption, 469, 474
 analysis
 colour tests, 83, 97–8, 115
 electrochemical detection, 191, 381
 enzyme, 3–4, 332–3
 gas chromatographic/acetylation, 165
 immunoassay, 324–5, 330
 POCT, 339, 346–7
 spectrophotometric, 105
 metabolism, 413, 415, 418–21, 471
 p*K*_a, 65
 poisoning / treatment, 14, 33, 403, 413, 459–61, 474–5
 postmortem redistribution, 481
 stability, 43, 83
Paraquat, 23, 29, 67, 69, 97–8, 103, 115, 409, 412, 427, 474–5
Paraxanthine, 44, 217
Paroxetine, 246
Particle-beam ionization, 267, 271
Partition coefficient(s), 55, 57, 63–4, 67, 378, 406–7
Passive diffusion, 406–7, 409, 426–7
Pavampicillin, 402
PBA *See* Phenylboronic acid
PCP *See*: Phencyclidine
PDMS *See* Polyacrylate polydimethylsiloxane

- PDVB *See* Polydivinylbenzene, 74
Peak capacity, 124, 163
PEG *See* Polyethylene glycol
4-hydroxy-Penbutolol, 221
Penicillin G, 437
 benzathine, 427
 procaine, 427
Pentafluorobenzoyl chloride, 166
Pentafluorobenzyl bromide, 166
Pentafluoropropanylimidazole, 166
Pentafluoropropionic anhydride, 166
Perfluorokerosene, 275
Perfluorotributylamine, 275
Pethidine, 16, 43–4, 168
P-Glycoprotein, 401–3, 412–4, 427, 454, 458, 467, 470, 472
Phenacetin, 34, 98, 420–1, 485
Phenazone, 435
Phencyclidine, 16, 242, 317, 320, 325, 329
Phenelzine, 14, 36, 43, 418, 465, 472
Phenmetrazine, 316
Phenobarbital, 136, 242, 256, 323–4, 348, 415, 471
Phenolphthalein, 427
Phenothiazines, 34, 42, 97, 114, 137, 140, 317, 415, 421–2
Phentermine, 168, 316, 345
Phenylboronic acid, 70–1, 165
Phenylbutazone, 330, 412
Phenylpropanolamine, 168, 316, 472
Phenytoin, 34, 37, 65, 79–80, 323–4, 330, 348, 354, 411–2, 415, 431, 444–7, 471
Pholcodine, 16, 44, 345
Phosphine, 35
pH-Partition hypothesis, 407
3'-Phosphoadenosine-5'-phosphosulfate, 418, 420
Phosphorescence, 97, 108–9
pH-Partition hypothesis, 407
o-Phthaldialdehyde (OPA), 111, 189, 214–5, 238
Physostigmine, 9, 43, 51, 68, 71, 111–2, 191, 381, 417
Pindolol, 245
Pinocytosis, 406
p*K*_a, 63–65, 67, 407–8, 410, 419, 426–7, 459, 464, 477
Plasticizers, 44, 58, 357
Pneumatic nebulization, 289
Point-of-care testing, 239, 317–8, 321, 326, 329, 334, 339–42, 347–50, 397
Polyacrylate polydimethylsiloxane, 74–5, 158, 160, 167, 170
Polydivinylbenzene, 74
Polyethylene glycol, 74, 158–61, 170, 275
Poor metabolizers, 466–7
Porous-layer open tubular column, 162
Post-column, 195–6, 257

INDEX

503

- Postmortem
analysis, 51, 150, 170, 344, 376, 476, 480
changes in sample composition, 21, 39, 456, 465, 479,
480–3, 485–90
samples and sampling, 9, 21, 25, 28–33, 35–6,
39–45
- Prazepam, 137, 168–9, 421
- Precision, 9, 11–2, 89, 108, 168, 185, 314, 317, 324, 329,
348, 354, 362–3, 374, 376–7, 379–80, 382–4, 393,
396
- Preservative, 17, 28–31, 33–5, 39, 45
- Primidone, 34, 323–4, 411
- Probenecid, 427
- Procainamide, 17, 323, 418, 465
N-acetyl-, 418
- Prochlorperazine, 404
- Prodrug, 402, 412, 414, 467
- Proficiency testing, 13, 389
- Proguanil, 316
- Promazine, 424
- Promethazine, 85, 168
- Propane, 171, 490
- 2-Propanol, 6, 22, 34, 56, 59, 68, 87, 89, 170–1, 208,
343, 487–8
- Propofol, 34, 403
- Propoxyphene, 323
N-desmethyl-, 51
- Propranolol, 111–2, 213, 245, 403, 466
4-hydroxy-, 43
- Propylene glycol, 44
- Protein
binding, 26, 50, 51–2, 71–2, 75, 80–1, 357–8, 381,
407, 411–2, 464, 468
precipitation, 2, 51–2, 104–5, 108, 203, 272, 284,
324, 381
- Pseudoephedrine, 316
- Psilocin, 242
- Psilocybin, 242
- Putrescine, 409, 412
- Pyridostigmine, 43, 69, 402, 408, 410–1, 427
- Q**
- Quadrupole ion trap mass spectrometer, 250–1,
255, 275
- Quadrupole mass spectrometer, 253–5
- Quality control, 13, 83, 129, 145, 372–3, 390,
481
- Quality control chart
Cusum, 390
J-chart, 391
Shewhart, 390, 392
- Quantum yield, 109
- Quetiapine, 140, 317
- Quinacrine, 411, 435
- Quinidine, 111–2, 213, 323, 402, 415, 467
- Quinine, 16, 34, 44, 95, 111–2, 189, 213, 220, 256, 409,
427, 431, 470, 475
- R**
- Radioreceptor assay, 318
- Radioimmunoassay *See* RIA
- Ranitidine, 316
- RCF *See* Relative centrifugal force
- Reconstructed total ion chromatogram, 256
- Regression
linear, 366–8, 370, 374, 384, 387
linear, weighted, 370
non-parametric, 388
- Relative centrifugal force, 26–7, 58
- Relative standard deviation, 12, 170, 359–63, 370, 377,
380, 382, 395
- Reproducibility (*See also* Precision), 9, 317
- Restricted access media, 51–2, 203
- Retention factor, 120, 137, 240
hR_f, 138–9
R_f, 134, 137–40
- Retention index / indices, 5, 128, 151, 160, 168, 222
- Rhodanese, 425
- RIA, 3–4, 86, 310–1, 313–5, 328, 332, 360
- Rifampicin, 34, 43, 330, 415, 469, 471
- Rifamycin, 210
- RSD *See* Relative standard deviation
- Runs test, 387
- S**
- Salbutamol, 405
- Salicylamide, 469
- Salicylate(s), 36, 105–6, 191, 326, 339–40, 346–7, 410–2,
426, 444, 459, 468, 471
- Salicylic acid, 65, 106, 394, 418–20, 426, 471
- SAMHSA *See* US Substance Abuse and Mental Health
Services Administration
- Scopolamine *See* Hyoscine
- Selected ion monitoring, 187, 239, 249–50, 253, 255–6,
259, 272, 278
- Selective serotonin reuptake inhibitors *See* SSRIs
- Selectivity, 9, 12, 49, 126, 231, 266, 311, 474
- Selenium, 294–6, 299, 303, 414, 419
- Serotonin, 112
- Sertraline, 246
- Sevoflurane, 148, 172
- Sign test, 385–7
- Signal-to-noise, 100, 146, 150, 189, 191, 374
- Silica, chemically modified, 66–7, 70, 180, 202–204, 211,
216, 243, 245
- Sirolimus, 33, 257
- Size-exclusion chromatography, 118, 198, 204–5, 286
- Snake envenomation, 347

- Society of Forensic Toxicologists (SOFT), 353, 479
Sodium cromoglicate, 405
Sodium dodecylsulfate, 86, 242
Sodium nitroprusside, 137
Soft laser desorption ionization, 251
Sotalol, 485
Spearman rank correlation coefficient, 387
Speciation, 303
Spironolactone, 331
SSRIs, 246, 415, 466, 483
STA *See* Systematic toxicological analysis
Standard addition, 373
Standard error of the mean, 359
Strong anion exchange, 66, 70, 199, 204, 244
Strong cation exchange, 66, 70–1, 90, 118, 199, 204, 218, 221, 225, 243–4, 246
Strychnine, 16, 220, 256
Subtilisin, 84–5, 481
Sulfadimidine, 65, 108, 358, 418, 465–6
 N-acetyl-, 108, 465
Sulfamethazine *See* Sulfadimidine
Sulfamethoxazole, 34, 469–70
Sulfanilamide, 400, 416
Sulfaphenazole, 415
Sulforidazine, 422
Sulfosalicylic acid, 52
Support-coated open tubular column, 162
Surface enhanced laser desorption ionization, 251
Sustained-release, 441–3, 460
Suxamethonium, 43, 417, 467, 472
Systematic toxicological analysis, 4, 6, 13, 89, 115, 142, 145–6, 152, 162–3, 167–8, 173, 188, 222, 224–5, 239, 244, 250, 261, 263, 318, 396
- T**
- Tacrolimus, 33, 323
Talampicillin, 402
TDM *See* Therapeutic drug monitoring
Teicoplanin, 210–1, 245
Temazepam, 136, 413, 420, 422, 476, 486
Terbutaline, 405
Terfenadine, 403
Tetrachloroethylene, 56, 171
Tetrahydrofuran, 203, 217
Tetramethylammonium, 409
 hydroxide, 285
Tetramethylbenzidine, 318–20, 334, 343
Thalidomide, 43
Thallium, 475
 Δ^9 -THC (*See also* Cannabis), 242, 345–6, 349, 456–458, 476, 485
Theophylline, 44, 136, 217, 323–4, 330, 339, 341, 348, 405, 415, 470–1, 474–5
Therapeutic drug monitoring, 2, 8, 13, 16, 59, 79, 177, 312, 316, 323–4, 347–8, 395, 456, 461, 479–81, 490
Thermal desorption, 57, 145, 148
THF *See* Tetrahydrofuran
Thiomersal, 34
Thiopental, 43, 64, 400, 403, 412, 425, 448–9
Thioridazine, 136, 140, 379, 422–3
Thiouracil, 406, 419
Thyroxine, 17, 309–10
Time of flight mass spectrometry, 250–1, 278, 294
Timolol, 406
TMCS *See* Trimethylchlorosilane
Tobramycin, 323
Toluene, 6, 56, 59, 66, 112, 138, 157, 171–2, 198, 269, 380, 490
Toxi-Lab, 140
Tramadol, 223, 414, 466
Transesterification, 357, 425, 485
Tranylcypromine, 211–2, 316, 472, 483
Trapezoidal method, 439, 451–2
Trichloroacetic acid, 2, 7, 53, 108, 284, 354
 1,1,1-Trichloroethane, 171
 1,1,2-Trichloroethane, 171–2
 2,2,2-Trichloroethanol, 171
Trichloroethylene, 7, 59, 98, 171, 490
Trichlorotrifluoroethane, 171
Tricyclic antidepressants, 23, 33, 114, 320, 460
Triethylamine, 166, 181, 219
Trifluoroacetic acid, 181, 186, 198, 423
Trifluoroacetic anhydride, 166
Trifluoroacetylacetonate, 302
Trifluoroacetylimidazole, 166
(*S*)-(–)-*N*-Trifluoroacetylpropyl chloride, 166
Trimethoprim, 22, 470
Trimethylchlorosilane, 157, 164
Trimethylsilyl, 164, 260, 276, 379
 N,O-bis(trimethylsilyl)acetamide, 164
 N,O-bis(trimethylsilyltrifluoro)acetamide, 164
Trimipramine, 90, 98, 223
Trinder's reagent, 106, 394
Thermospray ionization, 267, 271–2, 274
Tubocurarine, 69, 402, 408, 410, 435
Turbidimetric immunoassays, 326
- U**
- UDPGA *See* Uridine diphosphate glucuronic acid
UK Medicines and Healthcare Products Regulatory Agency, 345
Ultrafiltration, 51, 53, 80, 331
Ultra-performance liquid chromatography, 201–2
Ultrarapid metabolizers, 466–7
United Kingdom National External Quality Assessment Scheme (UKNEQAS), 333, 395

INDEX

505

Uridine diphosphate glucuronic acid, 417–8, 420
US Food and Drug Administration (FDA), 327, 354, 376,
389–90, 438
US Substance Abuse and Mental Health Services
Administration (SAMHSA), 329, 342, 345–6
UV cut-off, 62, 101, 188, 203, 214

V

Valproate, 323–4, 412, 467
van Deemter equation, 119, 122–4, 242
Vancomycin, 210–1, 245
Vecuronium, 44
Venlafaxine, 245–6
 O-desmethyl-, 245
Verapamil, 245
Visualizing reagents *See* Chromogenic reagents
Volatile substance abuse, 6, 39, 172, 490
Volume of distribution, 399–412, 431–2, 434–6, 443, 447,
450, 452, 455–6, 461, 464, 470, 482

W

Wallcoated open tubular column, 162
Warfarin, 34, 65, 245, 339, 415, 467, 472, 475
Wavelength dispersive X-ray fluorescence, 297–8
Westgard rules, 392
Wilcoxon test, 386

X

Xanthine oxidase, 415, 417, 472
X-ray diffraction, 2
X-ray fluorescence, 282, 286, 297–8

Z

Zero-order kinetics, 431, 434, 444–6, 458
Zinc, 17, 52, 282, 284, 289–90, 298, 319
Zirconium oxide, 197
Zone broadening *See* Band broadening
Zopiclone, 43, 482

