

# Index

- AATCC Test Method 118–2002, surface-modified fibers, 224
- Absorption properties, optically variable pigments, 389
- ABS plastic strip, 2,4,6-Trinitrotoluene (TNT), fingerprint analysis, 180–181
- Accelerant analysis, multivariate statistical techniques, 359–360
- “Accelerated aging” approach, ink analysis, 67–69
- Accurate Arms 3100 smokeless powder: FTIR spectrum, 261–262 GS/MS spectrum, 263–264
- AccuTOF spectrometer, Direct Analysis in Real Time (DART) mass spectrometry, 176
- Achromatic colors, optically variable pigments, 388
- Active® Glass, surface-modified fibers, scanning electron microscopy/energy dispersive spectroscopy, 231–232
- Additive color theory, optically variable pigments, 383–385
- Additive mixing, optically variable pigments, color blending, 382–383
- Adhesives, pressure-sensitive tapes, 296–298 duct tape, 300–307 homicide case study, 327–329 masking tape, 315–316 polarized light microscopy analysis, 325–326
- Aggregate materials, cathodoluminescence, 168
- Alexander v. State*, glitter as evidence in, 24–31
- Alliant Powder Power Pistol characterization, 253–256
- Aluminum compounds, cathodoluminescence, feldspar group, 159–160
- 5-Aminotetrazole, automotive airbags, 35

- Amphetamines, multivariate statistical analysis, 362
- Analysis of variance (ANOVA):  
 multivariate statistical analysis, 354–359  
 optically variable pigments, 395
- Analyte target molecules:  
 fabric color analysis, 211–214  
 ink analysis, 63–64
- Anatase, cathodoluminescence, 168–171
- Animal products, stable isotope ratio analysis, 411–414
- Anionic dyes:  
 fabric color analysis, ESI-MS techniques, 204–207  
 ink analysis, 69–71
- Anthropogenic materials,  
 cathodoluminescence, 168–171  
 cement and concrete, 168  
 duct tape, 170–171  
 glass, 169  
 paint, 170  
 slag, fly ash, and bottom ash, 168–169
- Antimalaria mosquito nets, gas chromatography/mass spectrometry analysis, 234
- Antioxidants, condom trace evidence, 86  
 case studies, 108–111
- Apatite, cathodoluminescence, 163
- Aragonite, cathodoluminescence, 156–158
- Area measurement, optically variable pigments, 392
- Aromas, condom trace evidence, 87
- Arson accelerants, Direct Analysis in Real Time (DART) mass spectrometry, 188–189
- Art forgeries, ink analysis, 74–75
- Associative evidence, fibers as, 221–222
- Atmospheric pressure chemical ionization (APCI) techniques,  
 fabric color analysis, 203–204  
 liquid chromatography-mass spectrometry comparisons, 211–214  
 mass spectral analysis protocol, 216–217
- Attenuated total reflectance (ATR):  
 document examination and currency analysis, 360–362  
 glitter characterization:  
 criminal case studies of, 25–31  
 infrared spectroscopy (FTIR), 15–19  
 Raman microspectroscopy, 19–22  
 surface-modified fibers, 223
- Attenuated total reflectance/Fourier transform infrared spectroscopy (ATR/FTIR):  
 fiber analysis, 362–364  
 pressure-sensitive tapes, 320–324  
 smokless powder identification, 242  
 brand identification, 261–262
- Authentication procedures,  
 cathodoluminescence, 166
- Automotive accident investigations:  
 airbags forensic analysis and, 39–54  
 glitter as evidence in, 30–31  
 hit and run accidents, glass cuts in, 274–276
- Automotive airbags:  
 equipment and technology, 34–35  
 forensic analysis:  
 applications, 33–34  
 case reports and examples, 39–54  
 classification, 35–39  
 design and manufacturing changes, 54–55  
 future research issues, 55  
 history of, 34
- Autoscaling:  
 multivariate statistical analysis, 341–342  
 principal component analysis, 344–348
- Azo dyes:  
 fabric color analysis, 211–214  
 pepper spray detection, 133–138
- Background correction, multivariate statistical analysis, 338–342
- Background fluorescence, latent bloodstains, 118–125
- Backing materials:  
 masking tape, 315–316  
 pressure-sensitive tape, 296–297  
 electrical tape, 307–309

- pressure-sensitive tapes, polarized light microscopy analysis, 325–326
- Backscatter electron (BSE) imaging, cathodoluminescence, calcium carbonate, 158
- Backsize materials, pressure-sensitive tape, 294–295
- Ballistite, smokeless powder history, 245
- Ballpoint pens, ink analysis, 63–64
  - laser desorption mass spectrometry, 64–74
- Ball powder morphology, smokeless powder characterization, 248–249
- Band gap energy, cathodoluminescence, 144–147
- Baseline corrections, multivariate statistical analysis, 339–342
- Battle-dress uniforms (BDUs), gas chromatography/mass spectrometry analysis, 234
- Beam intensity, cathodoluminescence spectral collection, 154
- Beer's law, cathodoluminescence, 147
- Biaxially oriented polypropylene (BOPP), polypropylene packaging tape, 310–313
- Bis(carbocyanines), latent trace analysis, fingerprints, 127–130
- Bis(Heptamethine Cyanine) (BHmC), latent trace analysis, fingerprints, 129–130
- Blade characteristics, glass cut analysis, 280–281
- Bleached fabrics, pepper spray detection, 134–138
- Blending technology, optically variable pigments, 388
- Block copolymers, pressure-sensitive tapes, adhesive formulas, 297–299
- Bloodstains:
  - automotive airbag forensics, 39–54
  - latent detection, 117–125
  - tearing patterns in fabric, 278–279
- Body fluids, Direct Analysis in Real Time (DART) mass spectrometry, 181–182
- Bone materials, stable isotope ratios, 413–414
- Bottom ash, cathodoluminescence, 168–169
- Butylated hydroxytoluene (BHT), condom lubricant residue analysis, case studies, 108–111
- BUZZ OFF™ fabrics, gas chromatography/mass spectrometry, 232–234
- Calcite, cathodoluminescence, 156–158
- Calcium carbonates, cathodoluminescence, 156–158
- Calibration standards, optically variable pigment measurements, 392–393
- Camera equipment, cathodoluminescence, 149–150
- Canister powders:
  - brand identification, 243, 247–257
  - improvised explosive devices, 241–242
- Canonical variates (CVs):
  - drug analysis, 362
  - linear discriminant analysis, 349–354
- Capillary column gas chromatography, surface-modified fibers, 238
- Capillary electrophoresis (CE), fiber color analysis, 199–203
- Capsaicinoid* molecules, pepper spray detection, 130–138
- CAP-STUN pepper spray, latent trace evidence, 130–138
- Carbonate materials, cathodoluminescence, 156–158
- Carbon isotope ratios:
  - drugs of abuse, 408–411
  - food product authenticity and adulteration, 407–408
  - human bone, hair, and teeth, 413–414
- Carpet fibers:
  - arson accelerants, Direct Analysis in Real Time (DART) mass spectrometry, 188–189

- color analysis, capillary
  - electrophoresis, 199–203
- Car theft, automotive airbag forensics,
  - case studies, 39, 46–54
- Cathode configurations, 144
  - hot and cold configurations, 147–149
  - sample preparation and preservation, 152–153
  - spectral collection, 153–154
- Cathodoluminescence (CL):
  - anthropogenic materials, 168–171
    - cement and concrete, 168
    - duct tape, 170–171
    - glass, 169
    - paint, 170
    - slag, fly ash, and bottom ash, 168–169
  - camera equipment, 149–150
  - defined, 141–143
  - electron source, 143–144, 147–149
  - forensic applications, 164–166
    - authentication, 166
    - identification, 165
    - provenance, 166
    - screening and application, 165
  - future applications and research, 171
  - geological soil and sand samples, 167
  - instrumentation, 147–150
  - limitations, 147
  - mechanisms, 144–147
  - microscope selection, 149
  - mineral sources, 156–164
    - accessory minerals, 163–164
    - calcium carbonate group, 156–158
    - feldspar group, 159–160
    - quartz, 160–163
  - SEM-CL spectrometers, 150
  - spectrometer, 150
  - techniques and forensic analysis, 151–156
    - image collection, 153
    - instrumental conditions, 151–152
    - luminescence fading, 155
    - sample alteration, 155–156
    - sample preparation and preservation, 152–153
    - spectral collection, 154–155
  - terminology, 143
  - theory, 143
- Cationic dyes:
  - fabric color analysis, ESI-MS techniques, 204–207
  - ink analysis, 65–66, 69–71
- Cement, cathodoluminescence, 168
- Charge-coupled device (CCD) camera:
  - cathodoluminescence, 150
    - image collection, 153
  - latent trace analysis, fingerprints, 126–130
- Chemical characteristics:
  - condom trace evidence, 95–106
  - of glitter, 5
  - multivariate statistical analysis:
    - accelerants, 359–360
    - data patterns, 333–336
    - document examination and currency analysis, 360–362
    - drug analysis, 362
    - experimental design and preprocessing, 336–342
    - fibers, 362–364
    - glass, 364
    - group separation, classification
      - accuracy, and outlier detection, 354–359
    - linear discriminant analysis, 348–354
    - principal component analysis
      - visualization, 342–348
    - trace minerals, 364–366
  - pepper spray detection, 133–138
  - trace evidence visualization and imaging, 116–117
- Chemical warfare agents, Direct Analysis in Real Time (DART) mass spectrometry, 189–190
- Chi-squared analysis, optically variable pigments, 395
- Chlorine atoms, ink analysis, 72
- Chromatic absorbing pigments, optically variable pigment blending, 388
- Chromaticity values, optically variable pigments, color matching functions, 381–382
  - diagram for, 385–386
- Chromatographic separation protocol:
  - fiber color analysis, 216
  - multivariate statistical analysis, 334–336

- CIE 1931 Standard Colorimetric System,  
 optically variable pigments,  
 color measurement, 380  
 chromaticity diagram, 385–386
- Class evidence, glitter as, 3–8
- Classification accuracy, multivariate  
 statistical analysis, 354–359
- CL-20 compound, Direct Analysis in  
 Real Time (DART) mass  
 spectrometry, 188
- C18 liquid chromatography, fabric color  
 analysis, 211–214
- Coating materials:  
 lubricant coatings, condom trace  
 evidence:  
 Direct Analysis in Real Time  
 (DART) mass spectrometry,  
 182–184  
 forensic analysis, 104–105  
 materials characterization, 87  
 residue analysis, 92–96  
 pressure-sensitive tapes:  
 primer coat, 296  
 release coat, 293–294
- Cocaine, stable isotope ratio analysis,  
 408–411
- Codeine, Direct Analysis in Real Time  
 (DART) mass spectrometry,  
 178–179
- Collection techniques, glitter traces, 8–9
- Collision energy (CE), fiber color  
 analysis, 209–210
- Collision induced dissociation (CID),  
 fabric color analysis, 204–205  
 structural elucidation, 208–210  
 tandem mass spectrometry, 215–216
- Colorants:  
 ink analysis, 63–64  
 laser desorption mass spectrometry,  
 75–76  
 optically variable pigments, 376–379  
 blending technologies, 382–383  
 pressure-sensitive tapes:  
 backing materials, 296–297  
 duct tape, 299–307
- Color matching functions, optically  
 variable pigments, 380–382
- Color properties:  
 fiber dyes, 200–203  
 glitter, 5–6, 11–12  
 optically variable pigments:  
 additive color theory, 383–385  
 basic principles, 375–376  
 blending protocols, 388  
 color blending, 382–383  
 color gamut creation, 386–387  
 color measurement, 379–382  
 form, characteristics, and function,  
 376–379  
 future research issues, 395–396  
 geometric measurement, 390–391  
 graphical methods, 385–386  
 magnification switching, 391–392  
 measurement uncertainty, 392–393  
 microspectrophotometry, 389–390  
 sample preparation and  
 measurement, 393–394  
 sample size, 392  
 spectral profiling, 394–395  
 statistical analysis, 395  
 weighted color blending, 387  
 smokeless powder, 257–258
- Color shift pigments, peroperties,  
 378–379
- Concentration analysis, glitter traces,  
 8–9
- Concrete, cathodoluminescence, 168
- Condom trace evidence:  
 Direct Analysis in Real Time (DART)  
 mass spectrometry, 182–184  
 forensic evaluation, 96–105  
 forensic significance, 81–82  
 lubricant coating:  
 production, sale, and use, 87  
 residues, 92–96  
 packaging characteristics, 106–111  
 physical examination protocols, 96–105  
 powdering process:  
 production, sale, and use, 86–87  
 residues, 88–92  
 production, 85–86  
 residue traces, 88–96  
 rough condom vulcanization:  
 production, 85–86  
 residues, 88, 99–101  
 sales and market share and, 82–84  
 sexual crimes and usage patterns,  
 83–84

- silicone treatment, production, sale, and use, 86
- usage patterns and, 82–84
- Confirmatory analysis, pepper spray detection, 136–138
- Confiscated sample characteristics, drug/ pharmaceutical analysis, Direct Analysis in Real Time (DART) mass spectrometry, 178
- Confocal depth mapping, glitter characterization, 20–22
- ContactIR device, glitter characterization, 17–19
- Contact trace evidence:
  - automotive airbags:
    - applications, 33–34
    - case reports and examples, 39–54
    - classification, 35–39
    - future research issues, 55
    - manufacturing changes, 54–55
  - case studies, 105–111
  - glitter, 210
    - collection, separation and concentration, 8–9
    - color, 5–6
    - computerized database capability, 9–10
    - cutting machine characteristics, 6–8
    - film and particle manufacturers, 6
    - individual characteristics, 3–8
    - invisibility, 2–3
    - layer characteristics, 4–5
    - morphology, 4
    - particle analysis, 9
    - size properties, 3
    - specific gravity, 4
    - structural characteristics, 3
    - transfer and retention, 3
    - transport vehicles for, 8
- Copper isotopes, ink analysis, 72
- Cordite, smokeless powder history, 245
- Cornstarch:
  - condom trace evidence, 101–102
  - rough condom powdering, 86
  - residue analysis, 88–91
- Covariance matrix, principal component analysis, 343–348
- CRAIC 1000 microspectrophotometer, automotive airbag forensics, 46–54
- Criminal case studies, glitter as evidence in, 24–25
- Cross polarization techniques, condom powdering residue analysis, 88–91
- Cross sectioning techniques, glitter characterization, 15–16
- Cross-validation, multivariate statistical analysis, 357–359
- Crystal field strength, cathodoluminescence, 145–146
- Crystallina 321/421 systems, glitter characterization, 20–22
- Crystal violet, ink analysis, 66–69
- Currency analysis:
  - multivariate statistical analysis, 360–362
  - pack dyes, Direct Analysis in Real Time (DART) mass spectrometry, 185
- Cutting machine characteristics, glitter, 6–8
- Cyanoacrylate fuming, latent trace analysis, fingerprints, 126–130
- Data partitioning, multivariate statistical analysis, 357–359
- Data storage and analysis:
  - glitter traces, 9–10
  - principal component analysis, 343–348
- Daubert v. Merrill Dow Pharmaceuticals, Inc.*, 335
- Delta notation, stable isotope ratio analysis, 401
  - food product authenticity and adulteration, 408
- Derivatization reactions, pepper spray detection, 136–138
- “Designer pens,” ink analysis, 71–72
- Desorption/ionization methods:
  - condom lubricant residue analysis, 92–96
    - case studies, 106–111
    - ink analysis, 59–62, 65–69
- Diazo dyes, fabric color analysis, 211–214

- Diazonium reagents, pepper spray detection, 136–138
- Diethylene glycol dinitrate (DGDN), smokeless powder, 245
- Diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS), condom lubricant residue analysis, 92–96
- Dihydrocapsaicin, pepper spray detection, 136–138
- Dimensionality reduction, multivariate data, 342–348
- Dinitrotoluene (DNT), smokeless powder, 245
- Dioctyl phthalate (DOP), electrical tape, 307–309
- Diopside, cathodoluminescence, 163–164
- Direct Analysis in Real Time (DART) mass spectrometry:
- arson accelerants, 188–189
  - basic principles, 175–176
  - body fluids, 181–182
  - chemical warfare agents, 189–190
  - condom lubricants, 182–184
  - drug/pharmaceutical analysis, 177–180
    - confiscated samples, 178
    - endogenous drugs, 178–179
    - surface residues, 179–180
  - dyes, 184–185
  - experimental applications, 176
  - explosives, 185–188
  - fibers, 192–193
  - fingerprints, 180–181
  - future research, 194
  - glues, 191
  - ink analysis, 193
  - materials identification, elevated-temperature techniques, 190–191
  - plastics, 191–192
- “Dirty crystals,” ink analysis, 61–62
- Discontinuous cut patterns, glass cut analysis, 282–286
- Disc-shaped smokeless powders, 253–256
- Dithiocarbamates, condom residue analysis, 100
- DNA analysis:
- automotive airbag forensics, 35–36, 45–54
  - condom trace evidence, case studies, 106–111
  - glitter characterization, criminal case studies, 30–31
  - latent trace evidence, bloodstains, 124–125
- Document examination, multivariate statistical analysis, 360–362
- Dolomite, cathodoluminescence, 156–158
- Dopant materials:
- Direct Analysis in Real Time (DART) mass spectrometry, explosives, 187–188
  - stable isotope ratio analysis, 408–411
- Drug abuse evidence:
- automotive airbag forensics, 43–54
  - Direct Analysis in Real Time (DART) mass spectrometry, 177–180
    - confiscated samples, 178
    - endogenous drugs, 178–179
    - surface residues, 179–180
    - multivariate statistical analysis, 362
    - stable isotope ratio analysis, 408–411
- Drunk driving investigations, automotive airbag forensics, 39–54
- Duct tape:
- cathodoluminescence, 170–171
  - forensic analysis of, 299–307
  - variability in, 291–292
- DuPont IMR 4350 smokeless powder:
- FTIR spectrum, 261–262
  - GS/MS spectrum, 264–265
- Dyes. *See also* Pigments
- Direct Analysis in Real Time (DART) mass spectrometry, 184–185
- fabric analysis:
- basic principles, 197–198
  - conventional comparison techniques, 198–199
  - direct ESI-MS analysis, 204–207
  - direct infusion MS/MS protocol, 214–216
  - generalized LC-MS and LC-MS/MS protocol, 216–217
  - ionization techniques, 203–204
  - limitations of UV-VIS-based analysis, 199–203

- liquid chromatography-mass spectrometry analysis, 210–214
  - negative ESI-MS analysis, 207–208
  - tandem mass spectrometry, 208–210
  - linear discriminant analysis, 349–354
  - optically variable pigments, 388
  - pressure-sensitive tapes, backing materials, 296–297
- EA2192 agent, Direct Analysis in Real Time (DART) mass spectrometry, 189–190
- Ecstasy, drugs of abuse, 410–411
- Eigenvectors/eigenvalues:
  - linear discriminant analysis, 352–354
  - principal component analysis, 343–348
- Elastomers, pressure-sensitive tapes, adhesive formulas, 297–299
- Electrical tape, forensic analysis, 307–309
- Electron beam interaction,
  - cathodoluminescence, 143–144
  - sources, 147–149
- Electron capture detector (ECD), surface-modified fibers, 238
- Electron hole pairs,
  - cathodoluminescence, 144–147
- Electron impact mass spectrometry (EIMS):
  - ink analysis, 58–62
  - smokeless powder identification, GS/MS spectrum, 264–265
  - surface-modified fibers, pyrolysis gas chromatography/mass spectrometry, 237–238
- Electron source, cathodoluminescence, 143–144
- Electrospray ionization (ESI), fabric color analysis, 202–204
  - liquid chromatography-mass spectrometry comparisons, 211–214
  - mass spectral analysis protocol, 216–217
- Electrospray ionization mass spectrometry (ESI-MS):
  - fabric color analysis, 204–207
  - negative ion analysis, nylon windings, 207–208
  - quadrupole ion trap instrumentation, 211–214
  - structural elucidation, 208–210
  - pepper spray detection, 136–138
- Elemental analysis:
  - pressure-sensitive tapes, 320, 324–325
  - sampling protocols, 317
  - stable isotopes, 400–401
- Elevated-temperature Direct Analysis in Real Time (DART) mass spectrometry, material identification, 190–191
- End matching techniques, pressure-sensitive tapes, 318–319
- Energy dispersive spectroscopy (EDS). *See also* Scanning electron microscopy/energy dispersive spectroscopy (SEM/EDS)
  - surface-modified fibers, pyrolysis gas chromatography/mass spectrometry, 235–238
- Energy dispersive x-ray analysis (EDXA):
  - glitter analysis, 22–23
  - criminal case studies, 25–31
  - optically variable pigments, 395
- Enzyme-linked immunosorbent assay (ELISA), condom residue analysis, 88
  - latex proteins, 99–100
- Ethanol acetic acid, latent bloodstain analysis, 120–125
- Ethylene glycol dinitrate (EGDEN), Direct Analysis in Real Time (DART) mass spectrometry, 187–188
- Euclidean distance, multivariate statistical analysis, 355–359
- Explosives:
  - Direct Analysis in Real Time (DART) mass spectrometry, 185–188
  - smokeless powders:
    - ATR-FTIR spectroscopy, 261–262
    - basic properties and classification, 241–242
    - brand determination, 242–243, 246–257
    - ball-shaped powders, 248–249
    - disc shaped powders, 253–256

- flattened ball powders, 256–257
- lamella shaped powders, 258
- tubular powders, 249–253
- color, 257–258
- Fourier Transform infrared spectroscopy, 260–262
- gas chromatograph/mass spectrometry, 262–265
- historical background, 243–245
- identification, 242, 245–246
- kernel/dot configuration, 258
- liquid chromatography, 265–266
- luster, 258
- mass, 259–260
- micrometry, 258–259
- micromorphology, 247–257
- morphology, 246–247
- transmission micro-FTIR, 260–261
- stable isotope ratios, 414–416
- Extrinsic luminescence,
  - cathodoluminescence and, 145–147
- Fabric analysis. *See also* Fiber analysis
  - Direct Analysis in Real Time (DART)
    - mass spectrometry, carpet remnants, 188–189
  - dyes:
    - basic principles, 197–198
    - conventional comparison techniques, 198–199
    - direct infusion MS/MS protocol, 214–216
    - ESI-MS analysis, 204–207
    - generalized LC-MS and LC-MS/MS protocol, 216–217
    - ionization techniques, 203–204
    - limitations of UV-VIS-based analysis, 199–203
    - liquid chromatography-mass spectrometry analysis, 210–214
    - negative ESI-MS analysis, 207–208
    - tandem mass spectrometry, 208–210
    - pepper spray detection, 134–138
    - pressure-sensitive tapes, reinforcement materials, 296, 299–307
  - Fading phenomena,
    - cathodoluminescence, 154
  - Fast atom bombardment (FAB), ink analysis, 59–62
  - Feldspar group, cathodoluminescence, 159–160
  - Fiber analysis. *See also* Fabric analysis
    - automotive airbag forensics, 35–36, 47–54
    - Direct Analysis in Real Time (DART)
      - mass spectrometry, low-mass fragments, 192–193
    - duct tape reinforcement, 300–304
    - glass cuts in:
      - associated glass fragments, 280
      - basic principles, 269–270
      - blade characteristics, 280–281
      - direction changes, 286
      - discontinuous cuts, 282–286
      - fabric properties, 280
      - hit and run accident case study, 274–276
      - homicide case study, 270–271
      - leather cuts, 287
      - parallel cuts, 286
      - recent or worn damage, 286–287
      - robbery case study, 271–274
      - slash cuts, 279–280
      - tearing vs. cutting, 276–279, 281–282
    - linear discriminant analysis, 349–354
    - multivariate statistical analysis, 339–342, 362–364
    - principal component analysis,
      - dimensionality reduction, 343–348
    - surface-modified characterization:
      - distinguishing tests, 225
      - gas chromatography/mass spectrometry, 231–234
      - preliminary examinations, 222–224
      - pyrolysis gas chromatography/mass spectrometry, 234–238
      - research background, 221–222
      - scanning electron microscopy/energy dispersive spectroscopy, 225–231
      - structural properties, 222
  - Filament tape, forensic analysis, 313–315
  - “Fingerprint” electropherograms, fiber color analysis, 199–203
  - collision-induced dissociation, 209–210

- Fingerprints:
- Direct Analysis in Real Time (DART) mass spectrometry, 180–181
  - latent trace analysis:
    - fluorescein testing, 119–125
    - near-infrared dyes, 125–130
- Firearms, smokeless powder, history, 243–245
- Fisher ratio plot, linear discriminant analysis, 352–354
- Flake construction diagram, optically variable pigments, 376–379
- Flattened ball smokeless powder, 256–257
- Flavorings, condom trace evidence, 87, 95
- Fluorescein testing, latent trace evidence, bloodstains, 117–125
- Fluorescence. *See also* Luminescence
- defined, 143
  - latent trace evidence, fluorescein interference, 124–125
- Fluorescence microscopy:
  - masking tape forensics, 316
  - multivariate statistical analysis, fibers, 362–364
- Fly ash, cathodoluminescence, 168–169
- Food products, authenticity and adulteration, stable isotope ratio analysis, 406–408
- Fourier self-deconvolution (FSD), condom lubricant residue analysis, 104–105
- Fourier transform infrared spectroscopy (FTIR):
  - amphetamines, 362
  - condom lubricant residue analysis, 92–96, 104–105
    - case studies, 106–111
  - document examination and currency analysis, 360–362
  - fabric dye analysis, 214
  - glitter characterization:
    - criminal case studies, 30–31
    - cross sectioning techniques, 15–19
  - polypropylene packaging tape, 313
  - pressure-sensitive tapes, 320
  - duct tape, 305–307
  - electrical tape, 307–309
  - homicide case study, 327–329
  - masking tape, 316
  - sampling protocols, 317
  - smokeless powder characterization, 260–262
  - surface-modified fibers, 223–224k
- Fourier Transform mass spectrometry (FTMS), ink analysis, 60–62
- Fragment analysis, associated glass, with glass cuts, 280
- Franck-Condon absorption bands, fiber dye analysis, 202–203
- Fraud detection, ink analysis, 74–75
- Frye v. United States*, 335
- F* test, optically variable pigments, 395
- Gamut of colors, optically variable pigments, creation of, 386–387
- Gas chromatography (GC):
  - multivariate statistical analysis, 341–342
  - smokeless powder identification, 242
  - splittless injectors, 262–266
- Gas chromatography/mass spectrometry (GC/MS):
  - accelerant analysis, 359–360
  - amphetamines, 362
  - condom lubricant residue analysis, 93–96, 104–105
    - case studies, 108–111
  - document examination and currency analysis, 360–362
  - fiber analysis, 363–364
  - latent trace evidence, pepper spray analysis, 130–138
  - smokeless powder identification, 262–266
  - surface-modified fibers, 231–234
- Gas leakage, automotive airbags, 37–39, 52–54
- Geological samples,
  - cathodoluminescence:
    - provenance criteria, 166
    - quartz, 162–163
  - soil and sand characterization, 167
- Geometric measurements, optically variable pigments, 390–391

- Germany, condom market share in, 82–83
- Glass:
- cathodoluminescence, 169
  - cuts, as trace evidence:
    - associated glass fragments, 280
    - basic principles, 269–270
    - blade characteristics, 280–281
    - direction changes, 286
    - discontinuous cuts, 282–286
    - fabric properties, 280
    - hit and run accident case study, 274–276
    - homicide case study, 270–271
    - leather cuts, 287
    - parallel cuts, 286
    - recent or worn damage, 286–287
    - robbery case study, 271–274
    - slash cuts, 279–280
    - tearing vs. cutting, 276–279, 281–282
    - multivariate statistical analysis, 364
  - glass transition temperature,
    - polypropylene packaging tape, 310–313
- Glitter:
- characterization methods, 10–24
    - color, 11–12
    - cross sectioning, 15–16
    - infrared spectroscopy, 16–19
    - morphology, 12–13
    - Raman microspectroscopy, 19–22
    - scanning electron microscopy/energy dispersive spectroscopy, 22–24
  - shape, 13
  - size, 13–14
  - thickness, 14–1–5
  - components of, 1–2
  - contact trace properties, 210
    - collection, separation and concentration, 8–9
    - color, 5–6
    - computerized database capability, 9–10
    - cutting machine characteristics, 6–8
    - film and particle manufacturers, 6
    - individual characteristics, 3–8
    - invisibility, 2–3
    - layer characteristics, 4–5
    - morphology, 4
    - particle analysis, 9
    - size properties, 3
    - specific gravity, 4
    - structural characteristics, 3
    - transfer and retention, 3
    - transport vehicles for, 8
    - as criminal evidence, 24–31
    - ink analysis, 71–72
  - Glues, Direct Analysis in Real Time (DART) mass spectrometry, 191
  - Gonioappearance pigments,
    - characteristics and function, 377–379
  - Graphical methods, optically variable pigment formulation, 385–386
  - Group membership classification,
    - multivariate statistical analysis, 356–359
  - Guanidine nitrate (GuNi), automotive airbags, 35
  - Guncotton, smokeless powder history, 244–245
  - Gunpowder, history, 243–245
  - Guns. *See* Firearms
  - Gypsum, cathodoluminescence, 163–164
  - Hair analysis:
    - automotive airbag forensics, 45–54
    - stable isotope ratios, 413–414
  - Handling protocols, pressure-sensitive tape forensics, 316–317
  - Hematoxyline-eosine (HE) staining,
    - condom powdering residue analysis, 88–91
  - Hercules Red Dot smokeless powders, 253–255
  - Hercules Reloder 12 tubular smokeless powder, 249–250
  - Heroin analysis, stable isotope ratio analysis, 408–411
  - Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX), Direct Analysis in Real Time (DART) mass spectrometry, 187–188

- Hexamethylene triperoxide diamine (HMTD) explosive, Direct Analysis in Real Time (DART) mass spectrometry, 186–188
- High-performance liquid chromatography (HPLC):  
 document examination and currency analysis, 360–362  
 fiber color analysis, 198–199, 203–204  
 trace quantity extraction, 213–214  
 oligonucleotide analysis, 76–77
- Homicide cases:  
 glass cuts as evidence in, 270–271  
 glitter as evidence in, 24–31  
 pressure-sensitive tapes, 327–329
- Hotelling's  $T^2$  test, multivariate statistical analysis, 354–359
- Human products, stable isotope ratio analysis, 411–414
- Hydrocarbon contamination,  
 cathodoluminescence spectral collection, 154
- Hydrogen isotope ratios, animal and human products, 411–414
- 2-(4-Hydroxyphenylazo) benzoic acid (HABA), oligonucleotide analysis, 75–76
- Identification techniques,  
 cathodoluminescence, 165
- Illuminants, optically variable pigments,  
 color measurement, 380
- IlluminatIR Infrared Microspectrometer,  
 glitter characterization, 17–19
- Image collection, cathodoluminescence,  
 153
- Improvised explosive devices (IEDs):  
 Direct Analysis in Real Time (DART) mass spectrometry, 186–188  
 pressure sensitive tape for, 291  
 smokless powders, 241–242  
 brand identification, 242–243,  
 247–257
- IMR 4198 smokeless powder, 250–252
- Indigotin dyes, fiber color analysis, mass spectrometry analysis, 214
- Individualistic properties of evidence,  
 glitter, 3–8
- Inductively couple plasma (ICP):  
 glass analysis, 364  
 pressure-sensitive tapes, 324–325
- Infrared spectra:  
 glitter characterization, 16–19  
 surface-modified fibers, 223
- Ink analysis:  
 analyte target molecules, 63–64  
 Direct Analysis in Real Time (DART) mass spectrometry, 193  
 laser desorption mass spectrometry (LDMS), 58–62
- Inorganic pigments, ink analysis, 72–74
- Insecticide-treated clothing, gas chromatography/mass spectrometry analysis, 232–234
- Interference pigments, measurement of,  
 394
- Internal reflectance element (IRE),  
 pressure-sensitive tapes,  
 320–324
- International Atomic Energy Agency (IAEA) standard, stable isotope ratio analysis, 401
- Intrinsic luminescence,  
 cathodoluminescence and,  
 144–147
- Invisibility properties, glitter, 2–3
- Ionization techniques, fabric color analysis:  
 ESI-MS techniques, 204–207  
 liquid chromatography-mass spectrometry and, 211–214
- Iron compounds, cathodoluminescence:  
 calcium carbonates, 157–158  
 feldspar group, 159–160
- ISA/SPEX MiniCrime-Scope, latent trace analysis, fingerprints,  
 126–130
- Isotope rationing mass spectrometry (IRMS):  
 manufactured items, 414–416  
 stable isotope ratio analysis, 403  
 “Isotopic peaks,” ink analysis, 65–69
- JASCO NRS-3100 Raman system, glitter characterization, 20–22
- Kava starch grains, condom powdering residue analysis, 90–91

- Kevlar fibers, multivariate statistical analysis, 339–342
- Kidnapping cases, glitter as evidence in, 26–31
- Kinetic energy:  
ink analysis, 61–62  
stable isotope ratio analysis, 401–402
- Knife cuts, glass cuts compared with:  
homicide case studies, 270–271  
robbery case study, 271–274  
tearing patterns in fabric, 277–279
- Known sample (K):  
glitter characterization and, 10–24  
color analysis, 11–12  
particle size, 13  
surface-modified fibers, 222–224  
pyrolysis gas chromatography/mass spectrometry, 234–238
- Kumho Tire Co. v. Carmichael*, 335–336
- Lactones, latent bloodstain analysis, 118–125
- Lamella powders, smokeless powder characterization, 248
- Laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS),  
cathodoluminescence, glass materials, 169
- Laser desorption mass spectrometry (LDMS):  
basic principles, 57–58  
failures of, 75–76  
ink analysis, 58  
analyte target molecules, 63–64  
fraud applications, 74–75  
pen ink dyes, 64–74  
instrumentation, 59–62
- Latent invisible trace evidence:  
bloodstains, 117–125  
method overview, 123–125  
chemical detection principles, 115–117  
fingerprint detection, near-infrared dyes, 125–130  
pepper spray, 130–138  
chemical derivatization, 134–138  
near-infrared dyes, 131–133
- Latex proteins, condom trace evidence, 85  
forensic analysis, 99–101  
residue analysis, 88
- Layer thickness and numbers, of glitter, 4–5
- Leather, glass cut analysis on, 287
- Leave-one-out cross validation,  
multivariate statistical analysis, 357–359
- Length measurements, tubular smokeless powder identification, 252–253
- Leuco fluorescein:  
latent bloodstain analysis, 118–125  
latent trace evidence, disadvantages of, 124–125
- Light-emitting diode (LED) lamps:  
latent trace analysis:  
bloodstains, 120–125  
fingerprints, 126–130  
pepper spray, 132–138  
optically variable pigments, color blending, 382–383
- Light source stability, optically variable pigment measurements, 393
- Linear discriminant analysis (LDA):  
accelerant forensics, 359–360  
development and application, 336  
document examination and currency analysis, 360–362  
drug analysis, 362  
fibers, 362–364  
glass analysis, 364  
group difference visualization, 348–354  
mineral trace evidence, 365–366
- Linear measurements, smokeless powder, 259
- Liquid chromatography (LC):  
fabric dye analysis, 203–204  
smokeless powder identification, 242, 262–266
- Liquid chromatography/mass spectrometry (LC/MS):  
condom lubricant residue analysis, 93–96  
fabric color analysis, US-Vis spectrometry, 202–203  
fiber color analysis, 210–214  
generalized protocol, 216–217

- latent trace analysis, pepper spray analysis, 132–138
- Liquid chromatography-tandem mass spectrometry (LC-MS/MS), fiber color analysis, generalized protocol, 216–217
- Locard's Principle of Exchange, automotive airbags forensics, 33–34
- Location characteristics, glitter traces, 9
- Long tubular smokeless powders, identification, 250–252
- Low density polyethylene (LDPE), duct tape analysis, 299–307
- Lubricant coatings, condom trace evidence:
  - Direct Analysis in Real Time (DART) mass spectrometry, 182–184
  - forensic analysis, 104–105
  - materials characterization, 87
  - residue analysis, 92–96
- Lugol's solution, condom powdering residue analysis, 89–91
- Luminescence:
  - basic technology, 143
  - cathodoluminescence:
    - anthropogenic materials, 168–171
    - cement and concrete, 168
    - duct tape, 170–171
    - glass, 169
    - paint, 170
    - slag, fly ash, and bottom ash, 168–169
  - camera equipment, 149–150
  - defined, 141–143
  - electron source, 143–144, 147–149
  - fading phenomena, 154
  - forensic applications, 164–166
    - authentication, 166
    - identification, 165
    - provenance, 166
    - screening and application, 165
  - geological soil and sand samples, 167
  - instrumentation, 147–150
  - limitations, 147
  - mechanisms, 144–147
  - microscope selection, 149
  - minerals characterization, 156–164
  - accessory minerals, 163–164
  - calcium carbonate group, 156–158
  - feldspar group, 159–160
  - quartz, 160–163
  - SEM-CL spectrometers, 150
  - spectrometer, 150
  - techniques and forensic analysis, 151–156
    - image collection, 153
    - instrumental conditions, 151–152
    - luminescence fading, 155
    - sample alteration, 155–156
    - sample preparation and preservation, 152–153
    - spectral collection, 154–155
  - terminology, 143
  - theory, 143
  - gem authentication, 166
  - mechanisms, 144
- Luminol, latent trace evidence, bloodstains, 117–125
- Luminoscope ELM-3R instrumentation, cathodoluminescence, 151–152
- Luster properties:
  - optically variable pigments, 376–379
  - smokeless powder, 258
- Lycopodium spores, rough condom powdering:
  - forensic analysis, 103
  - materials characterization, 86
  - residue analysis, 91–92
- Machine edge characteristics, polypropylene packaging tape, 313
- Magnesium compounds, cathodoluminescence, 146–147
  - calcium carbonates, 157–158
- Magnification, optically variable pigments, 391–392
- Mahalanobis distance, multivariate statistical analysis, 355–359
- Manganese compounds, cathodoluminescence, 146–147
  - calcium carbonates, 157–158
  - feldspar group, 159–160
- Manufacturers' sources:
  - glitter, 6

- pressure-sensitive tapes:
  - equipment markings, 297
  - identification, 326–327
  - stable isotope ratios, 414–416
- Marijuana, Direct Analysis in Real Time (DART) mass spectrometry, 178–179
- Masking tape, forensic analysis, 315–316
- Mass measurements, smokeless powder, 259–260
- Mass spectrometry (MS):
  - fabric color analysis, 202–204
  - electrospray ionization and, 204–208
  - generalized protocol, 216–217
  - glass analysis, 364
  - instrumentation, 58–62
  - latent trace analysis, pepper spray analysis, 132–138
  - pepper spray detection, 133–138
  - smokeless powder identification, 242, 262–266
  - stable isotope ratio analysis, 402–403
- Material inhomogeneity, optically variable pigment measurements, 393–394
- Matrix-assisted laser desorption time-of-flight (MALDI-TOF) mass spectrometry:
  - condom trace evidence:
    - case studies, 108–111
    - spermicide residue analysis, 95–96
  - ink analysis, 57–62
  - oligonucleotide analysis, 75–76
- MCS-400 MiniCrimeScope light source,
  - latent trace analysis, 122–125
  - pepper spray analysis, 132–138
- Mean centering:
  - multivariate statistical analysis, 341–342
  - principal component analysis, 343–348
- Measurement techniques:
  - cathodoluminescence spectra, 153–154
  - color measurement, optically variable pigments, 379–382
  - optically variable pigments, uncertainty levels, 392–393
  - pressure-sensitive tape forensics, 319
  - smokless powder, 252–253, 259–260
- Mercury isotopes, ink analysis, 73–74
- Metallic colors, additive color theory, 383–385
- 1-Methylaminoanthraquinone (MAAQ), Direct Analysis in Real Time (DART) mass spectrometry, 185
- Methyl violet dyes, ink analysis, 66–69
- Mica-based pigments, characteristics and function, 376–379
- Micellar electrokinetic capillary chromatography (MECC), condom lubricant residue analysis, 93–96
- Micrometry techniques, smokeless powder, 258–259
- Micromorphology, smokeless powder, 247–257
- Microscopic equipment:
  - cathodoluminescence, 149
  - fabric dye analysis, 214
- Microspectrophotometry:
  - fiber color analysis, 198–199
  - multivariate statistical analysis, 334–336
  - optically variable pigments, 389–390
- Mineral sources:
  - luminescence, 156–164
    - accessory minerals, 163–164
    - calcium carbonate group, 156–158
    - feldspar group, 159–160
    - quartz, 160–163
  - multivariate statistical analysis, 364–366
- MK4 First Defense pepper spray,
  - detection and analysis, 130–138
- Molecular weights (MWs), laser desorption mass spectrometry, 60–62
- Monazite, cathodoluminescence, 163
- Monoaxially oriented polypropylene (MOPP), polypropylene packaging tape, 310–313
- Morphine, Direct Analysis in Real Time (DART) mass spectrometry, 178–179
- Morphology characteristics:
  - of glitter, 4, 12–13

- smokeless powder, 246–247
  - micrometry techniques, 258–259
- Multivariate analysis of variance (MANOVA), separation, classification, and outlier detection, 355–359
- Multivariate statistical analysis, chemical characteristics:
  - accelerants, 359–360
  - data patterns, 333–336
  - document examination and currency analysis, 360–362
  - drug analysis, 362
  - experimental design and preprocessing, 336–342
  - fibers, 362–364
  - glass, 364
  - group separation, classification
    - accuracy, and outlier detection, 354–359
  - linear discriminant analysis, 348–354
  - principal component analysis
    - visualization, 342–348
  - trace minerals, 364–366
- Muzzle-to-target distance, smokeless powder identification and, 245–246
- Nanotechnology, surface-modified fibers, 224
- Near-infrared fluorescent (NIRF) dyes, latent trace analysis, fingerprints, 126–130
- Near-infrared (NIR) dyes, latent trace evidence:
  - fingerprint detection, 125–130
  - pepper spray detection, 130–138
- Negative ion spectrum, ink analysis, 69
- Neutron activation analysis, mineral trace evidence, 364–366
- Night vision equipment, latent trace analysis, fingerprints, 126–130
- Nikon D1X camera, pepper spray detection, 133–138
- Nikon microscopes, cathodoluminescence, 151–152
- Nitroaromatic explosives, Direct Analysis in Real Time (DART) mass spectrometry, 186–188
- Nitrocellulose, smokeless powder, 243–245
- Nitrogen isotope ratios:
  - drugs of abuse, 408–411
  - human bone, hair, and teeth, 413–414
- Nitroglycerin (NG):
  - Direct Analysis in Real Time (DART) mass spectrometry, 187–188
  - smokeless powder history, 245
- Nitrosamines, condom trace evidence, 86
  - forensic protocols, 101
- Noise-free values, multivariate statistical analysis, 338–342
- Nonoxynol-9, condom trace evidence:
  - Direct Analysis in Real Time (DART) mass spectrometry, 182–184
  - forensics applications, 105
  - spermicide residue analysis, 95–96
- Nonparametric sampling, multivariate statistical analysis, 357–359
- Normalization:
  - multivariate statistical analysis, 338–342
  - principal component analysis, 346–348
- Norma 203 smokeless powder, 251–252
- Numerical aperture:
  - cathodoluminescence microscopy, 149
  - optically variable pigments, 390–391
  - interference measurements, 394
- Nylon windings, electrospray ionization-mass spectrometry analysis, 207–208
- Ocean Optics HR2000, cathodoluminescence, 152
- Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX), Direct Analysis in Real Time (DART) mass spectrometry, 187–188
- Oleoresin capiscum* (OC), pepper spray detection, 130–138
- Oligonucleotide analysis, laser desorption mass spectrometry, 75–76
- Opaque pigments, geometric measurements, 390–391
- Opiate alkaloids, Direct Analysis in Real Time (DART) mass spectrometry, 178–179

- Optically variable pigments (OPVs):  
 additive color theory, 383–385  
 basic principles, 375–376  
 blending protocols, 388  
 color blending, 382–383  
 color gamut creation, 386–387  
 color measurement, 379–382  
 form, characteristics, and function, 376–379  
 future research issues, 395–396  
 geometric measurement, 390–391  
 graphical methods, 385–386  
 magnification switching, 391–392  
 measurement uncertainty, 392–393  
 microspectrophotometry, 389–390  
 sample preparation and measurement, 393–394  
 sample size, 392  
 spectral profiling, 394–395  
 statistical analysis, 395  
 weighted color blending, 387
- Oriented film materials, polypropylene packaging tape, 310–313
- Outlier detection, multivariate statistical analysis, 354–359
- Oxygen isotope ratios, animal and human products, 411–414
- Packaging characteristics, condom trace evidence, case studies, 106–111
- Paint, cathodoluminescence, 170
- Parallel cut patterns, glass cut analysis, 286
- Particle beam techniques, fabric color analysis, 211–214
- Particle characterization:  
 automotive airbag forensics, 36–39  
 glitter, 9  
 size and shape, 13
- p*-dimensional patterns:  
 multivariate statistical analysis, 337–342  
 principal component analysis, 346–348
- Peak broadening, cathodoluminescence and, 145–147
- Peak wavelength, optically variable pigments, 378–379
- Pearl luster pigments, characteristics and functions, 376–379
- Peltier cooling, cathodoluminescence cameras, 150
- Pen inks:  
 analyte target molecules, 63–64  
 laser desorption mass spectrometry, 64–74
- 2,4,6-*N*-tetranitro-*N*-methylaniline (tetryl), Pentaerythritol tetranitrate (PETN), Direct Analysis in Real Time (DART) mass spectrometry, 187–188
- Pepper spray:  
 Direct Analysis in Real Time (DART) mass spectrometry, 184–185  
 latent invisible trace evidence, 130–138  
 chemical derivatization, 134–138  
 near-infrared dyes, 131–133
- Perception principles, color  
 characterization, glitter traces, 5–6, 11–12
- Perforation characteristics, tubular smokeless powders, 249–250
- Permethrin-treated fabrics, gas chromatography/mass spectrometry analysis, 232–234
- Phlegmatization, smokeless powder history, 244–245
- Phosphorescence, defined, 143
- Photoluminescence, defined, 143
- Photomultiplier tube (PMT),  
 cathodoluminescence, 150
- Photosynthetic pathways, stable isotope ratio analysis, 406–408
- Phthalates, pressure-sensitive tapes:  
 backing materials, 297  
 electrical tape, 307–309
- Pigments:  
 ink analysis, 72–74  
 optically variable pigments, color determination:  
 additive color theory, 383–385  
 basic principles, 375–376  
 blending protocols, 388  
 color blending, 382–383  
 color gamut creation, 386–387  
 color measurement, 379–382  
 form, characteristics, and function, 376–379  
 future research issues, 395–396

- geometric measurement, 390–391
- graphical methods, 385–386
- magnification switching, 391–392
- measurement uncertainty, 392–393
- microspectrophotometry, 389–390
- sample preparation and measurement, 393–394
- sample size, 392
- spectral profiling, 394–395
- statistical analysis, 395
- weighted color blending, 387
- Pipe bombs, smokless powders for, 241–242
- P2i plasma process, surface-modified fibers, scanning electron microscopy/energy dispersive spectroscopy, 225–228
- Plastics:
  - Direct Analysis in Real Time (DART) mass spectrometry, 191–192
  - pressure-sensitive tapes:
    - backing materials, 297
    - pyrolysis gas chromatography/mass spectrometry, 326
- Polarized cathodoluminescence microscopy, 149
- Polarized light microscopy (PLM):
  - automotive airbag forensics, 39–54
  - pressure-sensitive tapes:
    - component identification, 325–326
    - duct tape, 306–307
    - sampling protocols, 317
    - strapping/filament tape, 314–315
  - surface-modified fibers, 223
- Polyanionic dyes, laser desorption mass spectrometry, 75–76
- Polydimethylsiloxane (PDMS):
  - condom lubricant residue analysis, case studies, 106–111
  - condom trace evidence, 87
    - lubricant coating forensics, 104–105
    - residue analysis, 92–96
- Polyethylene, rough condom powdering, 86
  - forensic analysis, 102–103
- Polyethylene terephthalate (PET),
  - glitter from, characterization of, 18–24
- Polymers:
  - elevated-temperature Direct Analysis in Real Time (DART) mass spectrometry, 190–191
  - pressure-sensitive tapes:
    - adhesive formulas, 297–299
    - backing materials, 297–298
    - duct tape reinforcement, 303–307
    - Fourier transform infrared analysis, 320–324
  - Poly(methyl methacrylate) (PMMA), glitter from, 20–24
  - Polypropylene packaging tape, forensic analysis, 309–313
  - Poly(vinyl chloride) (PVC), pressure-sensitive tapes:
    - backing materials, 297
    - electrical tape, 307–309
- Pooled standard deviation, multivariate statistical analysis, 354–359
- Positive ion spectrum, ink analysis, 64–69
- Postburn powder characterization, smokeless powder identification, 246
- Post-it® notes, glass fragment analysis, 280
- Potassium Bromide, smokeless powder characterization, Transmission micro-Fourier transform infrared spectroscopy, 260–261
- Poudre B, smokeless powder history, 245
- Powder particles:
  - condom trace evidence:
    - forensic protocols, 101–104
    - materials characteristics, 86–87
    - residue analysis, 88–91
  - smokeless powders:
    - ATR-FTIR spectroscopy, 261–262
    - basic properties and classification, 241–242
    - brand determination, 242–243, 246–257
    - ball-shaped powders, 248–249
    - disc shaped powders, 253–256
    - flattened ball powders, 256–257
    - lamella shaped powders, 258
    - tubular powders, 249–253
    - color, 257–258

- Fourier Transform infrared spectroscopy, 260–262
- gas chromatograph/mass spectrometry, 262–265
- historical background, 243–245
- identification, 242, 245–246
- kernel/dot configuration, 258
- liquid chromatography, 265–266
- luster, 258
- mass, 259–260
- micrometry, 258–259
- micromorphology, 247–257
- morphology, 246–247
- transmission micro-FTIR, 260–261
- Preservatives, condom trace evidence, 86
- Pressure sensitive tape:
  - adhesive formulas, 297–299
  - backing, reinforcement and adhesive separation, 319
  - backing materials, 296–297
  - construction, 293–296
  - duct tape, 299–307
  - electrical tape, 307–309
  - elemental analysis, 320, 324–325
  - end matching techniques, 318–319
  - forensic analysis of, 291–292
    - case studies, 327–329
  - Fourier transform infrared analysis, 320–324
  - initial examination protocols, 316–317
  - interdepartmental protocols, 317
  - manufacturing source identification, 326–327
  - masking tape, 315–316
  - physical characterization, 319
  - polarized light microscopy, 325–326
  - polypropylene packaging tape, 309–313
    - machine edge offset, 313
    - orientation marks, 311
    - oriented films, 310
    - polarized light microscopy analysis, 310
    - thickness, 312
  - product variability, 292–293
  - pyrolysis gas chromatography/mass spectrometry, 326
  - reinforcement fabrics, 299
  - strapping/filament tapes, 313–315
    - trace evidence recovery and untangling of, 318
- Presumptive testing:
  - latent bloodstains, 117–125
  - pepper spray detection, 134–138
  - trace evidence, 116–117
- Primary colors, additive color theory, 383–385
- Principal component analysis (PCA):
  - accelerant applications, 359–360
  - development and application, 336
  - dimensionality reduction, 342–348
  - document examination and currency analysis, 360–362
  - drug analysis, 362
  - fibers, 362–364
  - glass analysis, 364
  - linear discriminant analysis, 349–354
  - mineral trace evidence, 364–366
- Property damage accidents, automotive
  - airbag forensics, 50–54
- Protonated molecules, drug/
  - pharmaceutical analysis, Direct Analysis in Real Time (DART) mass spectrometry, 177–180
- Protonation detection technique, pepper spray analysis, 131–138
- Proton nuclear magnetic resonance, condom lubricant residue analysis, 92–96
- Provenance, cathodoluminescence, 166
- Pulsed-discharge electron capture detector (PDECD), surface-modified fibers, 238
- Pyrolysis gas chromatography/mass spectrometry (PGC/MS):
  - condom lubricant residue analysis, 92–96
  - document examination and currency analysis, 360–362
  - pressure-sensitive tapes, 326
  - surface-modified fiber analysis, 234–238
- Pythagorean theorem, multivariate statistical analysis, 355–359
- Quartz, cathodoluminescence, 160–163
- Quencher atoms, cathodoluminescence, 146–147

- Questioned sample (Q):  
 glitter characterization and, 10–24  
 color analysis, 11–12  
 particle size, 13  
 surface-modified fibers, 222–224  
 pyrolysis gas chromatography/mass spectrometry, 234–238
- Raman microspectroscopy:  
 glitter characterization, 19–22  
 multivariate statistical analysis, 339–342  
 surface-modified fibers, 224
- Rare earth elements (REEs):  
 cathodoluminescence, 146–147  
 accessory minerals, 163–164  
 calcium carbonates, 158  
 feldspar group, 160  
 stable isotope ratios, 413–414
- Rayon fibers, duct tape reinforcement, 303–307
- Reflectance infrared spectroscopy:  
 ink analysis, 57–58  
 optically variable pigments, 376–379
- Reflecting pigments, geometric measurements, 390–391
- Reflection measurements, optically variable pigments, 389
- Refractive index (RI):  
 glass analysis, 364  
 pressure-sensitive tapes, 326
- Reinforcement materials, pressure-sensitive tapes, 299–307
- Release coats, pressure-sensitive tape, 293–294
- Retention properties, glitter, 3
- Rhodamine dyes:  
 ink analysis, 69–71  
 latent bloodstain analysis, 121–125
- Robbery cases, glass cuts as evidence in, 271–274
- Rubber materials, pressure-sensitive tapes:  
 adhesive formulas, 297–299  
 duct tape, 300–307
- Rutile, cathodoluminescence, 168–171
- Sample alteration, cathodoluminescence, 155
- Sample-electron interactions, cathodoluminescence, 141–142
- Sample preparation and preservation:  
 cathodoluminescence, 152–153  
 multivariate statistical analysis, 336–342  
 randomization and classification, 357–359  
 optically variable pigment measurements, 393–394
- Sample size, optically variable pigments, 392
- Savitzky-Golay algorithm, multivariate statistical analysis, 338–342
- Scanning electron microscopy/energy dispersive spectroscopy (SEM/EDS):  
 pressure-sensitive tapes, 324–325  
 surface-modified fibers, 225–231  
 low-voltage techniques, 230–231  
 3M protective finish, 229–230  
 P2i-treated samples, 225–228
- Scanning electron microscopy (SEM):  
 cathodoluminescence, 149  
 instrumentation, 150  
 quartz, 163  
 document examination and currency analysis, 360–362  
 glitter analysis, 22–23  
 glitter characterization, criminal case studies of, 25–31  
 optically variable pigments, 376–379, 395
- Scanning electron microscopy/  
 wavelength dispersive X-ray spectroscopy (SEM-WDS),  
 pressure-sensitive tapes, 324–325
- Scissors cuts, glass cuts compared with, tearing patterns in fabric, 277–279
- Screening techniques, cathodoluminescence, 165
- Scrim patterns, duct tapes, 300–307

- Selected ion monitoring (SIM), surface-modified fibers, pyrolysis gas chromatography/mass spectrometry, 235–238
- Self-defense sprays, Direct Analysis in Real Time (DART) mass spectrometry, 184–185
- Sensitizer atoms, cathodoluminescence, 146–147
- Separation techniques:
  - glitter traces, 8–9
  - multivariate statistical analysis, 354–359
  - pressure-sensitive tapes, 318–319
- Sexual assault crimes, glitter as evidence in, 26–31
- Shape properties, of glitter, 3, 13
- Shard glass, analysis of, 281–282
- “Shimmer” materials, 2
- Short tube smokeless powders, 252–253
- Silica particles:
  - cathodoluminescence, quartz, 160–163
  - condom trace evidence, 86–87
  - forensic analysis, 103–104
- Silicon compounds,
  - cathodoluminescence, feldspar group, 159–160
- Silicone, condom lubricants:
  - materials characterization, 86
  - residue analysis, 92–96
- Singe patterns, automotive airbags, 37–54
- Singular value decomposition, principal component analysis, 343–348
- Size properties, of glitter, 3, 13
- Slag, cathodoluminescence, 168–169
- Slash cut patterns, glass cuts and, 279–280
- Smiths Detection Application Brief, glitter thickness characterization, 14–15
- Smokeless powders:
  - ATR-FTIR spectroscopy, 261–262
  - basic properties and classification, 241–242
  - brand determination, 242–243, 246–257
    - ball-shaped powders, 248–249
    - disc shaped powders, 253–256
    - flattened ball powders, 256–257
    - lamella shaped powders, 258
    - tubular powders, 249–253
  - color, 257–258
  - Fourier Transform infrared spectroscopy, 260–262
  - gas chromatograph/mass spectrometry, 262–265
  - historical background, 243–245
  - identification, 242, 245–246
  - kernel/dot configuration, 258
  - liquid chromatography, 265–266
  - luster, 258
  - mass, 259–260
  - micrometry, 258–259
  - micromorphology, 247–257
  - morphology, 246–247
  - transmission micro-FTIR, 260–261
- Smoothing, multivariate statistical analysis, 338–342
- Sodium azide gas, automotive airbags, 34–35, 37–39
- Sodium hydroxide, automotive airbags, 35
- Soft independent modeling of class analogy (SIMCA):
  - amphetamines, 362
  - document examination and currency analysis, 360–362
  - multivariate statistical analysis, 356–359
- Soil and sand characterization, cathodoluminescence, 167
- Solid propellants, automotive airbags, 34–35
- Source locations, stable isotope ratio analysis, 404–405
- Specific gravity, of glitter, 4, 13–14
- Spectral data collection:
  - cathodoluminescence, 153–154
  - latent trace analysis, fingerprints, 126–130
  - multivariate statistical analysis, 334–336
  - optically variable pigments, 394–395
- Spectrometry equipment, cathodoluminescence, 150

- Spermicides, condom trace evidence:  
 forensics applications, 105  
 materials characterization, 87  
 residue analysis, 95–96
- Spherical® powders, smokeless powder  
 characterization, 249
- Spinel, cathodoluminescence, 163–164  
 glass materials, 169
- Sports doping, stable isotope ratio  
 analysis, 410–411
- Stable isotope ratio analysis:  
 abundance variations, 401–402  
 basic principles, 399–400  
 delta notation, 401  
 forensics applications, 404–416  
 bones, hair, and teeth, 413–414  
 doping and drug abuse cases,  
 408–411  
 food products, authenticity, and  
 adulteration, 406–408  
 human/animal products and  
 sourcing, 411–413  
 manufactured items, 414–416  
 instrumentation, 402–403  
 isotope distribution and properties,  
 400–401
- Standard Mean Ocean Water (SMOW),  
 stable isotope ratio analysis,  
 401
- Starch particles:  
 automotive airbag forensics, 36–37,  
 41–54  
 smokeless powder history, 244
- Statistical testing. *See also* Multivariate  
 statistical analysis  
 optically variable pigments, 395
- Stereo light microscope (SLM):  
 smokeless powder characterization,  
 246–247  
 smokeless powder identification, 242
- Strapping/filament tapes, forensic  
 analysis, 313–315
- Strontium, stable isotope ratios,  
 413–414
- Student's *t*-test:  
 multivariate statistical analysis,  
 354–359  
 optically variable pigments, 395
- Sulfur isotopes, ink analysis, 72–74
- Surface anesthetics, condom trace  
 evidence, 87
- Surface properties:  
 cathodoluminescence, calcium  
 carbonate, 158  
 drug/pharmaceutical analysis, Direct  
 Analysis in Real Time (DART)  
 mass spectrometry, 179–180  
 fiber analysis:  
 distinguishing tests, 225  
 gas chromatography/mass  
 spectrometry, 231–234  
 preliminary examinations, 222–224  
 pyrolysis gas chromatography/mass  
 spectrometry, 234–238  
 research background, 221–222  
 scanning electron microscopy/  
 energy dispersive spectroscopy,  
 225–231  
 structural properties, 222  
 latent trace analysis, bloodstains,  
 122–125
- Tackifiers, pressure-sensitive tapes,  
 297–299
- Talcum powder particles:  
 automotive airbag forensics, 37–39  
 cathodoluminescence, 168–171  
 condom trace evidence, 86  
 forensic analysis, 103
- Tandem mass spectrometry (MS/MS),  
 fabric dye analysis, 202–203  
 direct infusion protocol, 214–216  
 electrospray ionization and, 204–207  
 structural elucidation, 208–210  
 thermospray techniques and, 212–214
- Tape products. *See* Pressure sensitive  
 tape
- Tearing patterns in fabric, glass cuts vs.,  
 276–279, 281–282
- Teeth, stable isotope ratios, 413–414
- Tetrahydrofuran (THF), electrical tape,  
 307–309
- Thermospray interfaces, fabric color  
 analysis, 211–214
- Thickness properties:  
 of glitter, 4, 14–15  
 polypropylene packaging tape,  
 312–313

- Thin film interference, optically variable pigments, 378–379
- Thin-layer chromatography (TLC):  
 fiber color analysis, 198–199  
 ink analysis, 69
- 3M protective finish, surface-modified fibers, scanning electron microscopy/energy dispersive spectroscopy, 229–230
- Time-of-flight (ToF) mass spectrometry, ink analysis, 60–62
- Tin compounds, cathodoluminescence, 169
- Titanium dioxide, optically variable pigments, 376–379
- Total ion current (TIC) analysis:  
 BUZZ OFF™ fabrics, 232–234  
 fabric dyes, 202–203  
 trace quantity extraction, 213–214  
 pepper spray detection, 136–138
- Total reflection X-ray fluorescence spectrometry (TXRF), cathodoluminescence, 169
- Traffic violations, automotive airbag forensics, 50–54
- Transfer properties, glitter, 3
- Translucent pigments, geometric measurements, 390–391
- Transmission measurements:  
 cathodoluminescence spectral collection, 153–154  
 optically variable pigments, 389
- Transmission micro-Fourier transform infrared spectroscopy, smokeless powder characterization, 260–261
- Transparent/semitransparent pigment blending:  
 geometric measurements, 390–391  
 optically variable pigments, 388
- Transport medium, glitter, 8
- Trapezoid kernels, smokeless powder characterization, 248
- Triacetone triperoxide (TATP):  
 Direct Analysis in Real Time (DART) mass spectrometry, explosive materials, 186–188  
 fingerprint analysis, 181
- Triethylamine (TEA), fabric dye analysis, mass spectrometry analysis, 214
- 2,4,6-Trinitrotoluene (TNT), Direct Analysis in Real Time (DART) mass spectrometry:  
 explosives, 186–188  
 fingerprint analysis, 180–181
- Tristimulus values:  
 additive color theory, 384–385  
 optically variable pigments, color matching functions, 380–382
- Tubular powders, smokeless powder characterization, 249–253
- Ultraviolet-visible spectrum:  
 fiber color analysis, 199–203  
 ink analysis, 57–58  
 cationic dyes, 67–69  
 latent trace evidence, pepper spray analysis, 130–138  
 linear discriminant analysis, 351–354  
 multivariate statistical analysis, 337–342  
 dimensionality reduction, 342–348  
 fibers, 362–364  
 pepper spray detection, 133–138
- UMPLFL lens, glitter characterization, 20–22
- Univariate data analysis, group separation, classification accuracy, and outlier detection, 354–359
- Urine, Direct Analysis in Real Time (DART) mass spectrometry, 181–182
- Variable pressure (VP) scanning electron microscopy,  
 cathodoluminescence, 165
- Vehicle characteristics. *See also*  
 Automotive airbags  
 glitter traces, 8
- Video microscopy, glitter particle size and, 13
- Vilsmeier-Haack reagent, latent trace analysis, fingerprints, 129–130

- Visible spectrum, optically variable pigments, 379–382
- Visualization technology:
  - latent trace analysis:
    - chemical characterization, 116–117
    - fingerprints, 126–130
    - linear discriminant analysis, 348–354
    - masking tape forensics, 316
    - pepper spray detection, 134–138
- Vulcanization process, condom trace evidence, 86
- VX agent ([*O*-ethyl *S*-(2-diisopropylaminoethyl) methylphosphonothioate]), Direct Analysis in Real Time (DART) mass spectrometry, 189–190
- Wavelength accuracy,
  - cathodoluminescence spectral collection, 153–154
- Wearing and worn damage, glass cut analysis, 286–287
- Weight properties, optically variable pigment blending, 387
- Winding samples:
  - fiber color analysis, 200–203
  - negative ion ESI-MS analysis, nylon winding, 207–208
- Xlyoidine, smokeless powder history, 244
- X-ray fluorescence (XRF):
  - document examination and currency analysis, 360–362
  - pressure-sensitive tapes, 324–325
- X-ray powder diffraction (XRD),
  - pressure-sensitive tapes, 324–325
- ZAF-related corrections,
  - cathodoluminescence, 147
- Zincite, cathodoluminescence, 168–171
- Zinc oxide, pressure-sensitive tapes, duct tapes, 300–307
- Zircon, cathodoluminescence, 163
- Zoning, cathodoluminescence, calcium carbonates, 158