

# CONTENTS

<b>Preface</b>	<b>xv</b>
<b>Contributors</b>	<b>xix</b>
<b>Chapter 1 – Basic Theory of Distributed Point Source Method (DPSM) and Its Application to Some Simple Problems</b>	<b>1</b>
<i>D. Placko and T. Kundu</i>	
1.1 Introduction and Historical Development of DPSM,	1
1.2 Basic Principles of DPSM Modeling,	3
1.2.1 The fundamental idea,	3
1.2.1.1 Basic equations,	6
1.2.1.2 Boundary conditions,	8
1.2.2 Example in the case of a magnetic open core sensor,	9
1.2.2.1 Governing equations and solution,	9
1.2.2.2 Solution of coupling equations,	11
1.2.2.3 Results and discussion,	13
1.3 Examples From Ultrasonic Transducer Modeling,	16
1.3.1 Justification of modeling a finite plane source by a distribution of point sources,	17
1.3.2 Planar piston transducer in a fluid,	18
1.3.2.1 Conventional surface integral technique,	18
1.3.2.2 Alternative DPSM for computing the ultrasonic field,	20
1.3.2.3 Restrictions on $r_s$ for point source distribution,	29
1.3.3 Focused transducer in a homogeneous fluid,	31

- 1.3.4 Ultrasonic field in a nonhomogeneous fluid in the presence of an interface, 32
  - 1.3.4.1 Pressure field computation in fluid 1 at point P, 33
  - 1.3.4.2 Pressure field computation in fluid 2 at point Q, 35
- 1.3.5 DPSM technique for ultrasonic field modeling in nonhomogeneous fluid, 38
  - 1.3.5.1 Field computation in fluid 1, 38
  - 1.3.5.2 Field in fluid 2, 42
- 1.3.6 Ultrasonic field in the presence of a scatterer, 43
- 1.3.7 Numerical results, 45
  - 1.3.7.1 Ultrasonic field in a homogeneous fluid, 45
  - 1.3.7.2 Ultrasonic field in a nonhomogeneous fluid – DPSM technique, 50
  - 1.3.7.3 Ultrasonic field in a nonhomogeneous fluid – surface integral method, 52
  - 1.3.7.4 Ultrasonic field in the presence of a finite-size scatterer, 53
- References, 57

## **Chapter 2—Advanced Theory of DPSM—Modeling Multilayered Medium and Inclusions of Arbitrary Shape**

59

*T. Kundu and D. Placko*

- 2.1 Introduction, 59
- 2.2 Theory of Multilayered Medium Modeling, 60
  - 2.2.1 Transducer faces not coinciding with any interface, 60
    - 2.2.1.1 Source strength determination from boundary and interface conditions, 62
  - 2.2.2 Transducer faces coinciding with the interface – case 1: transducer faces modeled separately, 64
    - 2.2.2.1 Source strength determination from interface and boundary conditions, 65
    - 2.2.2.2 Counting number of equations and number of unknowns, 68
  - 2.2.3 Transducer faces coinciding with the interface – case 2: transducer faces are part of the interface, 68
    - 2.2.3.1 Source strength determination from interface and boundary conditions, 69
  - 2.2.4 Special case involving one interface and one transducer only, 71
- 2.3 Theory for Multilayered Medium Considering the Interaction Effect on the Transducer Surface, 76
  - 2.3.1 Source strength determination from interface conditions, 78
  - 2.3.2 Counting number of equations and number of unknowns, 80
- 2.4 Interference between Two Transducers: Step-by-Step Analysis of Multiple Reflection, 80
- 2.5 Scattering by an Inclusion of Arbitrary Shape, 83

- 2.6 Scattering by an Inclusion of Arbitrary Shape – An Alternative Approach, 85
- 2.7 Electric Field in a Multilayered Medium, 87
- 2.8 Ultrasonic Field in a Multilayered Fluid Medium, 91
  - 2.8.1 Ultrasonic field developed in a three-layered medium, 93
  - 2.8.2 Ultrasonic field developed in a four-layered fluid medium, 94
- Reference, 96

### **Chapter 3 – Ultrasonic Modeling in Fluid Media**

97

*T. Kundu, R. Ahmad, N. Alnauaimi, and D. Placko*

- 3.1 Introduction, 97
- 3.2 Primary (Active) and Secondary (Passive) Sources, 100
- 3.3 Modeling Ultrasonic Transducers of Finite Dimension Immersed in a Homogeneous Fluid, 100
  - 3.3.1 Numerical results—ultrasonic transducers of finite dimension immersed in fluid, 107
- 3.4 Modeling Ultrasonic Transducers of Finite Dimension Immersed in a Nonhomogeneous Fluid, 111
  - 3.4.1 Obtaining the strengths of active and passive source layers, 112
    - 3.4.1.1 Computation of the source strength vectors when multiple reflections between the transducer and the interface are ignored, 113
    - 3.4.1.2 Computation of the source strength vectors considering the interaction effects between the transducer and the interface, 114
  - 3.4.2 Numerical results—ultrasonic transducer immersed in nonhomogeneous fluid, 116
- 3.5 Reflection at a Fluid–Solid Interface—Ignoring Multiple Reflections Between the Transducer Surface and the Interface, 117
  - 3.5.1 Numerical results for fluid–solid interface, 118
- 3.6 Modeling Ultrasonic Field in Presence of a Thin Scatterer of Finite Dimension, 118
- 3.7 Modeling Ultrasonic Field inside a Multilayered Fluid Medium, 120
- 3.8 Modeling Phased Array Transducers Immersed in a Fluid, 121
  - 3.8.1 Description and use of phased array transducers, 121
  - 3.8.2 Theory of phased array transducer modeling, 122
  - 3.8.3 Dynamic focusing and time lag determination, 124
  - 3.8.4 Interaction between two transducers in a homogeneous fluid, 125
  - 3.8.5 Numerical results for phased array transducer modeling, 126
    - 3.8.5.1 Dynamic steering and focusing, 127
    - 3.8.5.2 Interaction between two phased array transducers placed face to face, 129
- 3.9 Summary, 140
- Reference, 141

**Chapter 4 – Advanced Applications of Distributed Point Source Method – Ultrasonic Field Modeling in Solid Media** **143**

*Sourav Banerjee and Tribikram Kundu*

- 4.1 Introduction, 143
- 4.2 Calculation of Displacement and Stress Green's Functions in Solids, 144
  - 4.2.1 Point source excitation in a solid, 145
  - 4.2.2 Calculation of displacement Green's function, 147
  - 4.2.3 Calculation of stress Green's function, 148
- 4.3 Elemental Point Source in a Solid, 149
  - 4.3.1 Displacement and stress Green's functions, 150
  - 4.3.2 Differentiation of displacement Green's function with respect to  $x_1, x_2, x_3$ , 151
  - 4.3.3 Computation of displacements and stresses in the solid for multiple point sources, 153
  - 4.3.4 Matrix representation, 155
- 4.4 Calculation of Pressure and Displacement Green's Functions in the Fluid Adjacent to the Solid Half Space, 157
  - 4.4.1 Displacement and potential Green's functions in the fluid, 158
  - 4.4.2 Computation of displacement and pressure in the fluid, 159
  - 4.4.3 Matrix representation, 161
- 4.5 Application 1: Ultrasonic Field Modeling Near Fluid–Solid Interface (Banerjee et al., 2007), 163
  - 4.5.1 Matrix formulation to calculate source strengths, 164
  - 4.5.2 Boundary conditions, 165
  - 4.5.3 Solution, 165
  - 4.5.4 Numerical results on ultrasonic field modeling near fluid–solid interface, 166
- 4.6 Application 2: Ultrasonic Field Modeling in a Solid Plate (Banerjee and Kundu, 2007), 180
  - 4.6.1 Ultrasonic field modeling in a homogeneous solid plate, 180
  - 4.6.2 Matrix formulation to calculate source strengths, 181
  - 4.6.3 Boundary and continuity conditions, 183
  - 4.6.4 Solution, 185
  - 4.6.5 Numerical results on ultrasonic field modeling in solid plates, 185
- 4.7 Application 3: Ultrasonic Fields in Solid Plates with Inclusion or Horizontal Cracks (Banerjee and Kundu, 2007a, b), 198
  - 4.7.1 Problem geometry, 198
  - 4.7.2 Matrix formulation, 200
  - 4.7.3 Boundary and continuity conditions, 201
  - 4.7.4 Solution, 202
  - 4.7.5 Numerical results on ultrasonic fields in solid plate with horizontal crack, 202
- 4.8 Application 4: Ultrasonic Field Modeling in Sinusoidally Corrugated Wave Guides (Banerjee and Kundu, 2006, 2006a), 204
  - 4.8.1 Theory, 204

- 4.8.2 Numerical results on ultrasonic fields in sinusoidal corrugated wave guides, 210
- 4.9 Calculation of Green's Functions in Transversely Isotropic and Anisotropic Solid, 218
  - 4.9.1 Governing differential equation for Green's function calculation, 218
  - 4.9.2 Radon transform, 222
  - 4.9.3 Basic properties of Radon transform, 223
  - 4.9.4 Displacement and stress Green's functions, 224
  - References, 225

## **Chapter 5 – DPSM Formulation for Basic Magnetic Problems** **231**

*N. Liebeaux and D. Placko*

- 5.1 Introduction, 231
- 5.2 DPSM Formulation for Magnetic Problems, 233
  - 5.2.1 The Biot–Savart law as a DPSM current source definition, 233
    - 5.2.1.1 Wire of infinite length, 233
    - 5.2.1.2 Current loop, 234
  - 5.2.2 Current loops above a semi-infinite conductive target, 235
  - 5.2.3 Current loops above a semi-infinite magnetic target, 236
  - 5.2.4 Current loop circling a magnetic core, 237
    - 5.2.4.1 Geometry, 237
    - 5.2.4.2 DPSM formulation, 238
    - 5.2.4.3 Results, 240
  - 5.2.5 Finite elements simulation—comparisons, 241
- 5.3 Conclusion, 243
- References, 244

## **Chapter 6 – Advanced Magnetodynamic and Electromagnetic Problems** **247**

*D. Placko and N. Liebeaux*

- 6.1 Introduction, 247
- 6.2 DPSM Formulation Using Green's Sources, 248
  - 6.2.1 Green's theory, 248
  - 6.2.2 Green's function in free homogeneous space, 249
- 6.3 Green's Functions and DPSM Formulation, 249
  - 6.3.1 Expressions of the magnetic and electric fields, 249
  - 6.3.2 Boundary conditions, 253
- 6.4 Example of Application, 256
  - 6.4.1 Target in aluminum ( $\sigma = 50 \text{ Ms/m}$ ), frequency = 1000 Hz, 256
  - 6.4.2 Target in aluminum ( $\sigma = 50 \text{ Ms/m}$ ), frequency = 100 Hz, inclined excitation loop, 260
  - 6.4.3 Dielectric target ( $\epsilon_r = 5$ ), frequency = 3 GHz,  $10^\circ$  tilted excitation loop, 263
- 6.5 Conclusion, 270
- References, 271

## **Chapter 7 – Electrostatic Modeling and Basic Applications** **273**

*G. Lissorgues, A. Cruau, and D. Placko*

- 7.1 Introduction, 273
- 7.2 Modeling by DPSM, 275
  - 7.2.1 Digitalization of the problem, 275
  - 7.2.2 DPSM meshing considerations, 276
  - 7.2.3 Matrix formulation, 276
- 7.3 Solving the System, 278
  - 7.3.1 Synthesizing electrostatic field and potential, 278
  - 7.3.2 Capacitance calculation, 279
- 7.4 Examples Based on Parallel-Plate Capacitors, 280
  - 7.4.1 Description, 280
  - 7.4.2 Equations, 281
  - 7.4.3 Results of simulation, 282
  - 7.4.4 Gap-tuning variable capacitor, 288
  - 7.4.5 Surface-tuning variable capacitor, 288
- 7.5 Summary, 293
  - Reference, 293

## **Chapter 8 – Advanced Electrostatic Problems: Multilayered Dielectric Medium and Masking Issues** **295**

*G. Lissorgues, A. Cruau, and D. Placko*

- 8.1 Introduction, 295
- 8.2 Multilayered Systems, 296
- 8.3 Examples of Multimaterial Electrostatic Structure, 299
  - 8.3.1 Parallel-plate capacitor with two dielectric layers, 299
  - 8.3.2 Permittivity-tuning varactors, 301
- 8.4 Multiconductor Systems: Masking Issues, 302
- 8.5 Example of multiconductor system, 304
  - References, 305

## **Chapter 9 – Basic Electromagnetic Problems** **307**

*M. Lemistre and D. Placko*

- 9.1 Introduction, 307
- 9.2 Theoretical Considerations, 308
  - 9.2.1 Maxwell's equations, 308
  - 9.2.2 Radiation of dipoles, 308
    - 9.2.2.1 Electromagnetic field radiated by a current distribution, 308
    - 9.2.2.2 Electric dipole, 309
    - 9.2.2.3 Magnetic dipole, 310
  - 9.2.3 The surface impedance, 311
  - 9.2.4 Diffraction by a circular aperture, 314

- 9.2.5 Eddy currents, 316
- 9.2.6 Polarization of dielectrics, 317
- 9.3 Principle of Electromagnetic Probe for NDE, 319
  - 9.3.1 Application of dielectric materials, 319
  - 9.3.2 Application to conductive materials, 320
    - 9.3.2.1 Magnetic method, 320
    - 9.3.2.2 Hybrid method, 323
- 9.4 Electromagnetic Method for Structural Health Monitoring (SHM) Applications, 327
  - 9.4.1 Generalities, 327
  - 9.4.2 Hybrid method, 327
  - 9.4.3 Electric method, 330
  - References, 331

## **Chapter 10 – Advanced Electromagnetic Problems With Industrial Applications**

333

*M. Lemistre and D. Placko*

- 10.1 Introduction, 333
- 10.2 Modeling the Sources, 334
  - 10.2.1 Generalities, 334
  - 10.2.2 Primary source, 335
  - 10.2.3 Boundary conditions, 335
- 10.3 Modeling a Defect Inside the Structure, 339
- 10.4 Solving the Inverse Problem, 345
- 10.5 Conclusion, 347
  - References, 347

## **Chapter 11 – DPSM Beta Program User’s Manual**

349

*A. Cruau and D. Placko*

- 11.1 Introduction, 349
- 11.2 Glossary, 350
  - 11.2.1 Medium, 350
  - 11.2.2 Object, 350
  - 11.2.3 Interface, 351
  - 11.2.4 Boundary conditions (BC), 351
  - 11.2.5 Frontier, 351
  - 11.2.6 Worksapce, 352
  - 11.2.7 Scalar and vector physical values, 352
- 11.3 Modeling Preparation, 352
- 11.4 Program Steps, 352
- 11.5 Conclusion, 368

## **Index**

369

