

# Contents

<b>Foreword by Keijo Palviainen</b>	<b>xiii</b>
<b>Foreword by Gerry Christensen</b>	<b>xv</b>
<b>Preface</b>	<b>xvii</b>
<b>1 Introduction to GSM Networks</b>	<b>1</b>
1.1 Signalling in GSM	3
1.2 GSM Mobility	3
1.3 Mobile Station	4
1.4 Identifiers in the GSM Network	4
1.4.1 <i>International Mobile Subscriber Identity</i>	4
1.4.2 <i>Mobile Station Integrated Services Digital Network Number (MSISDN Number)</i>	5
1.4.3 <i>International Mobile Equipment Identifier</i>	6
1.4.4 <i>Mobile Station Roaming Number</i>	6
1.5 Basic Services	6
1.5.1 <i>Tele Services</i>	7
1.5.2 <i>Bearer Services</i>	7
1.5.3 <i>Circuit Bearer Description</i>	7
1.6 Supplementary Services	9
<b>2 Introduction to Intelligent Networks</b>	<b>11</b>
2.1 History of Intelligent Networks	11
2.2 Principles of Intelligent Networks	12
2.3 Service Switching Function	14
2.4 Service Control Function	15
2.5 Basic Call State Model	15
2.6 Dialogue Handling	17
2.6.1 <i>DP Arming/Disarming Rules</i>	17
2.6.2 <i>Control vs Monitor Relationship</i>	18
2.7 Evolution of the CAMEL Standard	19
2.7.1 <i>Third-generation Partnership Project</i>	19
2.7.2 <i>CAMEL Standards and Specifications</i>	21
2.8 Principles of CAMEL	22
2.8.1 <i>Location Update Procedure</i>	22
2.8.2 <i>CAMEL Application Part</i>	24
2.8.3 <i>Abstract Syntax Notation</i>	26
2.8.4 <i>Application Context</i>	28
2.9 Signalling for CAMEL	28
2.9.1 <i>Message Transfer Part</i>	29

2.9.2	<i>Signalling Connection Control Part</i>	29
2.9.3	<i>Transaction Capabilities</i>	32
2.10	Dynamic Load Sharing	34
2.11	Using Signalling Point Code for Addressing in HPLMN	35
<b>3</b>	<b>CAMEL Phase 1</b>	<b>37</b>
3.1	Architecture for CAMEL Phase 1	37
3.1.1	<i>Functional Entities</i>	37
3.1.2	<i>Information Flows</i>	42
3.2	Feature Description	45
3.2.1	<i>Mobile-originated Calls</i>	46
3.2.2	<i>Mobile-terminated Calls</i>	49
3.2.3	<i>Mobile-forwarded Calls</i>	55
3.2.4	<i>Any-time Interrogation</i>	62
3.3	Subscription Data	65
3.3.1	<i>Originating CSI and Terminating CSI</i>	66
3.4	Basic Call State Model	69
3.4.1	<i>Originating Basic Call State Model</i>	69
3.4.2	<i>Terminating Basic Call State Model</i>	70
3.4.3	<i>Detection Points</i>	70
3.4.4	<i>Points in Call</i>	72
3.4.5	<i>BCSM State Transitions</i>	73
3.4.6	<i>gsmSSF Process</i>	73
3.4.7	<i>Tssf Timer</i>	74
3.5	CAMEL Application Part	75
3.5.1	<i>Initial DP</i>	75
3.5.2	<i>Request Report BCSM</i>	76
3.5.3	<i>Event Report BCSM</i>	76
3.5.4	<i>Continue</i>	76
3.5.5	<i>Connect</i>	77
3.5.6	<i>Release Call</i>	78
3.5.7	<i>Activity Test</i>	79
3.6	Service Examples	79
3.6.1	<i>Virtual Private Network</i>	79
3.6.2	<i>Pre-paid Route Home</i>	80
3.6.3	<i>Short Number Dialling with CLI Guarantee</i>	82
<b>4</b>	<b>CAMEL Phase 2</b>	<b>85</b>
4.1	Introduction	85
4.2	Architecture	87
4.2.1	<i>Functional Entities</i>	87
4.2.2	<i>Information Flows</i>	89
4.3	Feature Description	92
4.3.1	<i>On-line Charging Control</i>	92
4.3.2	<i>Call Forwarding Notifications</i>	112
4.3.3	<i>Follow-on Calls</i>	117
4.3.4	<i>User Interaction</i>	123
4.3.5	<i>Equal Access</i>	139
4.3.6	<i>Enhancement of Call Control</i>	141

---

4.3.7	<i>Supplementary Service Invocation Notification</i>	144
4.3.8	<i>Short Forwarded-to Numbers</i>	146
4.3.9	<i>Conditional Triggering</i>	149
4.3.10	<i>USSD control</i>	154
4.4	Subscription Data	160
4.4.1	<i>Originating CSI</i>	161
4.4.2	<i>Terminating CSI</i>	161
4.4.3	<i>Supplementary Service CSI</i>	161
4.4.4	<i>Translation Information Flag CSI</i>	162
4.4.5	<i>Unstructured Supplementary Service Data CSI</i>	162
4.4.6	<i>USSD Generic CSI</i>	162
4.5	Basic Call State Model	162
4.5.1	<i>Originating Basic Call State Model</i>	162
4.5.2	<i>Terminating Basic Call State Model</i>	169
4.6	CAMEL Phase 2 Relationship	173
4.6.1	<i>CAP v2 operations</i>	173
4.7	Interaction with GSM Supplementary Services	174
4.7.1	<i>Line Identification</i>	174
4.7.2	<i>Call Forwarding</i>	176
4.7.3	<i>Explicit Call Transfer</i>	177
4.7.4	<i>Call Waiting</i>	178
4.7.5	<i>Call Hold</i>	178
4.7.6	<i>Completion of Calls to Busy Subscribers</i>	179
4.7.7	<i>Multi-party</i>	179
4.7.8	<i>Closed User Group</i>	180
4.7.9	<i>Call Barring</i>	180
4.7.10	<i>User-to-user Signalling</i>	181
4.7.11	<i>Call Deflection</i>	181
4.8	Interaction with Network Services	182
4.8.1	<i>Basic Optimal Routing</i>	182
4.8.2	<i>Immediate Service Termination</i>	184
4.8.3	<i>Operator-determined Barring</i>	185
4.8.4	<i>High-speed Circuit-switched Data</i>	185
4.8.5	<i>Multiple Subscriber Profile</i>	186
<b>5</b>	<b>CAMEL Phase 3</b>	<b>187</b>
5.1	General Third-generation Networks	187
5.1.1	<i>UMTS Network Architecture</i>	187
5.1.2	<i>2G Cell Planning vs 3G Cell Planning</i>	188
5.1.3	<i>Location Information</i>	189
5.1.4	<i>Split-MSC Architecture</i>	194
5.1.5	<i>CAMEL Phase 3 Features</i>	196
5.2	Call Control	196
5.2.1	<i>Subscribed Dialed Services</i>	196
5.2.2	<i>Serving Network-based Dialed Services</i>	202
5.2.3	<i>CAMEL Control of Mobile Terminated Calls in VMSC</i>	203
5.2.4	<i>CAMEL Service Invocation at Call Failure</i>	206
5.2.5	<i>Service Interaction Control</i>	207
5.2.6	<i>Call Gapping</i>	211

5.2.7	<i>Support of Long Forwarded-to numbers</i>	213
5.2.8	<i>On-line Charging Enhancements</i>	215
5.2.9	<i>Multiple Subscriber Profile</i>	219
5.2.10	<i>Other Enhancements to CAP</i>	223
5.3	<b>CAMEL Control of GPRS</b>	224
5.3.1	<i>Network Architecture</i>	224
5.3.2	<i>Subscription Data</i>	228
5.3.3	<i>GPRS State Models</i>	229
5.3.4	<i>CAP v3 Operations for GPRS</i>	247
5.3.5	<i>On-line Charging for GPRS</i>	247
5.3.6	<i>Quality of Service</i>	252
5.3.7	<i>Routing Area Update</i>	254
5.3.8	<i>Network-initiated PDP Context Establishment</i>	256
5.3.9	<i>Secondary PDP Context</i>	256
5.3.10	<i>Impact on CDRs</i>	257
5.3.11	<i>Operator-determined Barring</i>	259
5.3.12	<i>GPRS Roaming Scenarios</i>	259
5.3.13	<i>Enhanced Data Rates for GSM Evolution</i>	260
5.4	<b>CAMEL Control of MO-SMS</b>	260
5.4.1	<i>Network Architecture</i>	261
5.4.2	<i>CAMEL Control of MO-SMS</i>	263
5.4.3	<i>Subscription Data</i>	265
5.4.4	<i>SMS State Model</i>	265
5.4.5	<i>Information Flows</i>	266
5.4.6	<i>Information Reporting and SMS Steering</i>	267
5.4.7	<i>Charging and Call Detail Records</i>	269
5.4.8	<i>Supplementary Services and Operator-determined Barring</i>	270
5.4.9	<i>Service Examples</i>	271
5.4.10	<i>International Roaming</i>	271
5.5	<b>Mobility Management</b>	273
5.5.1	<i>Description</i>	273
5.5.2	<i>Subscription Data</i>	274
5.5.3	<i>Information Flows</i>	275
5.5.4	<i>Service Examples</i>	275
5.6	<b>CAMEL Interaction with Location Services</b>	277
5.6.1	<i>Description</i>	277
5.7	<b>Active Location Retrieval</b>	278
5.8	<b>Subscription Data Control</b>	280
5.8.1	<i>Network Architecture</i>	281
5.8.2	<i>Any-time Subscription Interrogation</i>	281
5.8.3	<i>Any-time Modification</i>	281
5.8.4	<i>Notify Subscriber Data Change</i>	283
5.9	<b>Enhancement to USSD</b>	283
5.10	<b>Pre-paging</b>	284
<b>6</b>	<b>CAMEL Phase 4</b>	<b>285</b>
6.1	<b>General</b>	285
6.1.1	<i>Specifications Used for CAMEL Phase 4</i>	285
6.1.2	<i>Partial CAMEL Phase 4 Support</i>	286

---

6.2	Call Control	289
6.2.1	<i>Basic Call State Models</i>	290
6.2.2	<i>Call Party Handling</i>	290
6.2.3	<i>Network-initiated Call Establishment</i>	305
6.2.4	<i>Optimal Routing of Basic Mobile-to-mobile Calls</i>	309
6.2.5	<i>Alerting Detection Point</i>	310
6.2.6	<i>Mid-call Detection Point</i>	312
6.2.7	<i>Change of Position Detection Point</i>	314
6.2.8	<i>Flexible Warning Tone</i>	316
6.2.9	<i>Tone Injection</i>	317
6.2.10	<i>Enhancement to Call Forwarding Notification</i>	318
6.2.11	<i>Control of Video Telephony Calls</i>	319
6.2.12	<i>Control of SCUDIF Calls</i>	321
6.2.13	<i>Reporting IMEI and MS Classmark</i>	323
6.3	GPRS Control	324
6.4	SMS Control	325
6.4.1	<i>Mobile-originated SMS Control</i>	325
6.4.2	<i>Mobile-terminated SMS Control</i>	326
6.5	Mobility Management	331
6.5.1	<i>Subscription Data</i>	332
6.6	Any-time Interrogation	334
6.6.1	<i>ATI for CS Domain</i>	334
6.6.2	<i>ATI for PS Domain</i>	335
6.7	Subscription Data Control	336
6.8	Mobile Number Portability	336
6.8.1	<i>Call Routing</i>	337
6.8.2	<i>MNP SRF Query by gsmSCF</i>	340
6.8.3	<i>Non-standard MNP Solutions</i>	341
6.9	Control of IP Multimedia Calls	342
6.9.1	<i>Rationale of CAMEL Control of IMS</i>	345
6.9.2	<i>The IM-SSF</i>	346
6.9.3	<i>Registration</i>	347
6.9.4	<i>IMS Call Control</i>	348
6.9.5	<i>CAMEL Application Part for IMS Control</i>	350
6.9.6	<i>Supported Call Cases for IMS Control</i>	353
6.9.7	<i>Service Example</i>	353
<b>7</b>	<b>Charging and Accounting</b>	<b>355</b>
7.1	Architecture	355
7.2	Call Detail Records	355
7.2.1	<i>Overview of Call Detail Records</i>	356
7.2.2	<i>CAMEL-related Parameters in CDRs</i>	358
7.2.3	<i>Composite CDRs</i>	359
7.3	Transfer Account Procedure Files	359
7.4	Inter-operator Accounting of CAMEL Calls	361
7.4.1	<i>Clearing House</i>	365
7.4.2	<i>CAMEL Invocation Fee</i>	366
7.5	Correlation of Call Detail Records	366
7.5.1	<i>Call Reference Number</i>	367

---

7.5.2	<i>MF Calls</i>	368
7.5.3	<i>SCP-initiated Calls</i>	369
7.6	Global Call Reference	369
7.7	Call Party Handling CDRs	370
<b>8</b>	<b>3GPP Rel-6 and Beyond</b>	<b>371</b>
8.1	General	371
8.1.1	<i>Capability Negotiation</i>	372
8.2	Enhancements to 3GPP Rel-6	373
8.2.1	<i>Enhanced Dialed Service</i>	373
8.2.2	<i>Handover Notification Criteria</i>	375
8.2.3	<i>Enhancement to SCUDIF Control</i>	376
8.2.4	<i>Reporting User-to-user Information</i>	376
8.2.5	<i>Enhancement to User Interaction</i>	378
8.3	Enhancements to 3GPP Rel-7	379
8.3.1	<i>Trunk-originated Triggering</i>	379
<b>Appendix</b>		<b>383</b>
A.1	Overview of CAP Operations	383
A.2	Overview of MAP Operations	384
A.3	Overview of ISUP Messages	386
A.4	Overview of CAMEL Subscription Information	386
<b>References</b>		<b>389</b>
<b>Abbreviations</b>		<b>395</b>
<b>Index</b>		<b>401</b>