

Index

• Symbols and Numerics •

- & (ampersand) concatenation operator, 72, 86–87
- ⌘ (Apple menu), placing script in, 240
- ⌘ (Apple menu)⇨System Preferences⇨Accounts, 236
- ⌘ (Apple menu)⇨System Preferences⇨Date & Time, 229
- ⌘ (Apple menu)⇨System Preferences⇨Speech, 226
- * (asterisk) multiplication operator, 83
- \ (backslash) escape character, 65
- | (bar) synonym indicator, 110
- { } (brackets, curly)
 - list delimiters, 67
 - record delimiters, 16, 17
- [] (brackets, square) optional parameter indicator, 110
- ^ (caret) exponent operator, 83
- : (colon)
 - folder reference suffix, 107, 249
 - text item separator, 65
- , (comma) list separator, 17
- = (equals sign) equal to operator, 162
- ≥ (greater than or equals sign) greater than or equal to operator, 164
- > (greater than sign) greater than operator, 163
- (hyphens) comment prefix, 50
- ≤ (less than or equals sign) less than or equal to operator, 164
- <= (less than sign, equals sign) less than or equal to operator, 164
- < (less than sign) less than operator, 163–164
- (minus sign) subtraction operator, 83, 84
- ≠ (not equals sign) not equal to operator, 162
- () (parentheses)
 - handler input delimiters, 196–197
 - operator group delimiters, 89, 90
- + (plus sign) addition operator, 83, 84
- “ ” (quotation marks)
 - escaping, 65
 - text item delimiters, 16, 65
- / (slash) division operator, 83
- ~ (soft return symbol) line continuation character, 15
- 24U Appearance scripting addition, 278, 366

• A •

- a reference to operator, 107
- AA (Application Automation), 244
- Adobe discussion board, 364
- Accounts Preference dialog box, 236
- activate command, 110–111
- addition
 - arithmetic, 83
 - scripting addition, 37, 239, 277–278, 365–366
- Address Book, 223
- Adobe software
 - Acrobat Professional, 358
 - InDesign CS, 325–328
- agent
 - debugging, 231
 - described, 227
 - event, triggering on, 235–236
 - folder change, triggering on, 232–235
 - front, bringing to, 229
 - iCal, launching using, 235, 236
 - iDo Script Scheduler, launching using, 235, 236
 - iTunes, importing music into using, 239
 - iTunes, launching using, 236
 - login/logout, triggering on, 236–239
 - quitting, 232
 - reminder, 228–229
 - RSI-preventive script, 228–230
 - scheduling, 229, 235–236
 - Startup Screen display, 230
 - testing, 231

368 AppleScript For Dummies, 2nd Edition

- AIFF files, 305
 - alias
 - file, 74, 107, 118, 299, 305
 - folder, 158, 234
 - variable, storage in, 79
 - ampersand (&) concatenation operator, 72, 86–87
 - and operator, 56, 161
 - APF (Apple Filesharing Protocol), 336
 - .app files, 238
 - Apple AppleScript Users mailing list, 364
 - Apple Events feature, 26, 241, 270, 336
 - Apple Events Reference.fp7 file, 309
 - Apple Gestalt interface, 139, 140
 - Apple menu (⌘), placing script in, 240
 - Apple menu (⌘)⇨System Preferences⇨Accounts, 236
 - Apple menu (⌘)⇨System Preferences⇨Date & Time, 229
 - Apple menu (⌘)⇨System Preferences⇨Speech, 226
 - Apple Web site
 - Folder Actions tutorial, 235
 - GUI scripting resources, 354
 - PowerPoint tutorial, 320
 - Script Editor resources, 49
 - script samples, 304
 - Web service tutorial, 340
 - AppleScript folder, 11–12
 - AppleScript Language Guide Web site, 363
 - AppleScript Sourcebook Web site, 363
 - AppleScript Studio software, 147, 364
 - AppleScript Users mailing list, 364
 - AppleWorks software, 359
 - application. *See also* dictionary; *specific application*
 - activating, 110–111
 - AppleScript support, 27–29
 - attachable, 27, 253
 - background, running in, 119–120
 - bundle, 45
 - command, sending to, 51
 - container support, 96
 - copying data between applications, 133
 - file, returning application associated with, 119
 - file, specifying application associated with, 220
 - Finder as, 30, 298
 - front, bringing to, 110–111, 229, 312
 - invoking internal scripting language, 252
 - launching, 110–111, 119–120
 - object, 92, 97
 - OSA, 138, 241–242
 - path, 110, 126
 - property, 92
 - recordable, 27, 40, 251, 253, 256–258
 - referencing, 95, 97, 253–254, 255
 - saving script as, 45, 240
 - scriptable, 2, 27, 29, 251–253
 - selection dialog box, creating, 144, 152–153
 - tell command, referencing from, 97, 253–254, 255
 - tinkerable, 27, 253
 - value, 74
 - window bounds, setting, 255, 301
 - Application Automation (AA), 244
 - application class, 301, 308
 - Application⇨Hide Finder, 300
 - Applications folder, 11
 - arbitrary reference form, 96, 97–98
 - argument, operator, 86
 - arithmetic, 83–85, 268
 - as operator, 87
 - ASCII character command, 140–141
 - ASCII number command, 141
 - asterisk (*) multiplication operator, 83
 - attachable application, 27, 253
 - attribute, 29
 - audio. *See* sound
 - author contact information/Web site, 366
 - autonomous script. *See* agent
 - autowrite functionality, 42, 334
- B •**
- background, running application in, 119–120
 - backslash (\) escape character, 65
 - backup, 124, 145, 204
 - backward compatibility, 50
 - bar (!) synonym indicator, 110
 - Bare Bones software
 - BBEdit, 254
 - MailSmith, 250
 - beep command, 143, 151
 - begins with operator, 85, 165

- Big Cat plug-in, 364
 - binary number, 14
 - Boolean value, 69
 - bounds rectangle, 255, 301
 - Bove, Tony (*iLife '04 All-in-One Desk Reference For Dummies*), 341
 - brackets, curly ({ })
 - list delimiters, 67
 - record delimiters, 16, 17
 - brackets, square ([]) optional parameter indicator, 110
 - bug, 30. *See also* debugging
 - bulletproofing, 185. *See also* error handling
 - bundle, 45
 - Burnett, Steve (*Mac OS X Bible, Jaguar Edition*), 224
 - button
 - Cancel button, 144, 148, 171
 - default, specifying, 16, 20, 145, 146
 - dialog box, inserting in, 16, 145–146
 - OK button, 149
 - user choice, determining, 18, 188
- C •**
- calendar utility, 235. *See also* iCal software
 - California Traffic Conditions Web Service, 338–339
 - Cancel button, 144, 148, 171
 - Canvas software, 358
 - caret (^) exponent operator, 83
 - case (text)
 - checking, 285–286
 - sensitivity, 77, 161, 292–293
 - Chambers, Mark (*Mac OS X Panther All-in-One Desk Reference For Dummies*), 136, 333
 - character, entering special, 48
 - chart class, 312, 318
 - chart object class, 318
 - Chartsmith software, 358
 - choose application command, 144, 152–153
 - choose color command, 144, 158
 - choose file command, 51, 144, 155–156, 222
 - choose file name command, 156–157
 - choose folder command, 144, 157–158, 222
 - choose from list command, 144, 149–151
 - choose URL command, 144, 154
 - class. *See also specific class*
 - counting items in, 113–114
 - described, 92
 - element, 94, 245
 - inheritance, 246, 297
 - list item, selecting based on class, 68
 - object, relation to, 92
 - property, 62
 - value, 28, 61–62, 73, 244–247
 - clipboard. *See also* copying
 - content, returning, 135
 - content, setting, 132–133
 - information about, returning, 111–112
 - clipboard info command, 111–112
 - clock, 229
 - close access command, 217–218
 - close for access command, 189
 - closing
 - agent, 232
 - file after reading, 207, 208, 217–218
 - file after writing to, 207, 208, 217–218
 - file close option, offering to user, 188
 - file from Script Editor File menu, 44
 - file, importance of, 189, 218
 - FileMaker Pro database, 310
 - coercing, 62–63, 106, 210–211
 - Cohen, Dennis
 - FileMaker Pro 7 Bible*, 311
 - Mac OS X Bible, Jaguar Edition*, 224
 - colon (:)
 - folder reference suffix, 107, 249
 - text item separator, 65
 - color
 - dialog box, Color Picker, 144, 158
 - RGB, 158
 - text, 43
 - comes after operator, 163
 - comes before operator, 163–164
 - comma (,) list separator, 17
 - command. *See also specific command*
 - application, sending to, 51
 - dictionary command entry, 244, 247–248
 - entering, 12
 - I/O command overview, 143–144
 - line continuation, 15
 - line ending format, 46

370 AppleScript For Dummies, 2nd Edition

- command (*continued*)
 - line wrap, 41, 43
 - script, directing back to, 256
 - string, entering in, 13, 16
 - value returned by, 109
 - variable, using as parameter, 111
 - commenting script, 50, 205, 265–266
 - comparison operator, 57, 85, 160–161, 162–168
 - compatibility, backward, 50
 - compilation
 - application reference resolution, 254
 - described, 14
 - error display, 13, 21–22, 268
 - initiating, 13, 44
 - property reset during, 204
 - components, returning all, 138
 - Connect to Server dialog box, 154
 - considering command, 162, 171, 292–293
 - constant, 72
 - Contact software, 357
 - container
 - application support, 96
 - class, 246
 - counting items in, 113–114
 - described, 94
 - element as, 94
 - referencing every object in, 98
 - referencing middle object in, 103
 - referencing object in based on filter, 96, 99–100
 - referencing object in based on ID property, 100–101
 - referencing object in based on index position, 101–103
 - referencing object in based on name, 103–104
 - referencing object in based on position relative to another object, 106–107
 - referencing random object in, 97–98
 - referencing range of objects in, 105–106
 - window property, 246
 - contains operator, 85, 166
 - continue command, 285–286
 - copy command, 79–80, 112–113, 298
 - copying. *See also* clipboard
 - AppleScript code, 47
 - applications, data between, 133
 - file, 298
 - value, 112–113
 - count command, 113–114
 - Create software, 360
 - cron utility, 235
 - current date command, 84, 114–115
 - cutting/pasting script, 47
- D •
- Dartmouth Macscript listserv, 364
 - data structure, 62
 - data value, 73
 - database. *See also* FileMaker Pro software
 - field, 52
 - transaction, 292
 - date
 - arithmetic, 84–85
 - calendar utility, 235
 - current, returning, 84, 114–115
 - file creation/modification date, returning, 118
 - file, finding by modification date, 262–263
 - format support, 70
 - value, 70–71
 - Date & Time System Preference dialog box, 229
 - debugging
 - agent, 231
 - commenting script, aiding via, 265–266
 - described, 259
 - development cycle, place in, 38
 - divide by zero error, 268
 - event log, monitoring, 270–275
 - handler, advantages of using modular, 261–264
 - identifying problem, 267–268
 - property name, aiding by giving distinctive, 275
 - prototyping, rapid, 265
 - Script Editor, using, 231, 271
 - steps, 266–267
 - syntax problem, 249–250
 - testing debug solution, 276
 - testing script incrementally, 264
 - variable, considerations when using global, 260–261
 - variable name considerations, 261

- variable value, checking, 269
 - word, reserved, 267
 - delay command, 115–116, 331
 - desktop
 - image, changing, 30
 - path, 126
 - development line, script, 344
 - dialog box, custom
 - application selection dialog box, 144, 152–153
 - button default, specifying, 16, 20, 145, 146
 - button, inserting, 16, 145–146
 - Cancel button, 144, 148, 171
 - coercing output, 147–148
 - Color Picker, 144, 158
 - creating, 13
 - error handling, 148
 - error in script execution, displaying to user on, 188–189
 - file name entry dialog box, 156–157
 - file selection dialog box, 144, 155–156
 - folder selection dialog box, 144, 157–158
 - icon, displaying in, 145
 - if command, input handling using, 168–173
 - login dialog box, 237
 - password input dialog box, 337
 - record returned by, 17, 147
 - text, specifying, 13, 16, 145
 - URL selection dialog box, 144, 154
 - value returned by, 147–148, 149
 - wait time, specifying, 145
 - dictionary
 - command entry, 244, 247–248
 - described, 28
 - Excel, 317
 - Finder, 243, 244, 297–298
 - Image Events, 321
 - Intaglio, 258
 - Mail, 334
 - MailSmith, 250
 - opening, 27, 44, 251
 - property entry, 246
 - reliability, 248–249, 251
 - Safari, 330
 - System Events, 307–308
 - value type entry, 244–247
 - Word, 258, 312
 - Digital Hub scripting addition, 239
 - disk
 - class, 246, 247
 - iDisk service, 334–335
 - iPod disk, searching, 305
 - listing disks, 120–121
 - local volume property, 305
 - referencing, 121
 - returning disks currently mounted, 120–121, 242–243
 - space, returning free, 304–305
 - startup disk path, returning, 126
 - startup disk, referencing, 93
 - system disk, 246
 - value type, 244–245
 - display dialog command
 - button returned property, 188
 - buttons keyword, 16
 - default answer property, 16
 - default button property, 16, 20
 - if command, input handling using, 168–173
 - parameter overview, 145
 - syntax, 145
 - division (arithmetic), 83, 84, 268
 - do menu command, 311
 - do script command, 252, 311
 - do shell script command, 136–138
 - do Visual Basic command, 258
 - Dock, placing script in, 224, 240
 - document folder, 126
 - documenting script, 38–39
 - does not come after operator, 164
 - does not contain operator, 166
 - does not equal operator, 162
 - drag-and-drop script, 219–222
 - DragThing software, 360
 - Dreamweaver software, 361
 - DVD, accessing using Digital Hub, 239
 - DVD Player software, 349
- E •**
- editing AppleScript. *See* writing AppleScript
 - element, 94, 245
 - e-mail, scripting, 332–334
 - end statement, 169

372 AppleScript For Dummies, 2nd Edition

- ends with operator, 165
 - English, AppleScript resemblance to, 12–13, 249
 - Entourage software, 334
 - EOF (end of file), 206–207, 212–213, 215–216
 - equal operator, 162
 - equals sign (=) equal to operator, 162
 - error command, 191
 - error handling
 - bulletproofing, 185
 - detecting error, 188
 - dialog box, displaying to user on script error, 188–189
 - dialog box error handling, 148
 - failure, flagging, 188
 - file opening, 186–189, 209
 - I/O, 148
 - message, custom, 191
 - message, returning variable containing, 190
 - multiple errors, catching, 191
 - object causing error, referencing, 190
 - selecting error to respond to, 191
 - success, flagging, 188, 189
 - try command, 148, 186–191
 - value problem, 191
 - variable containing error message, returning, 190
 - variable containing error number, returning, 190
 - variable containing result list, returning, 190
 - Essential Sub-Routines Web site, 363
 - Eudora software, 359
 - event
 - agent, triggering on, 235–236
 - Apple Events feature, 26, 241, 270, 336
 - log, 41, 270–275
 - System Events feature, 238, 307–308, 352
 - every reference form, 96, 98, 99–100
 - Example Scripts folder, 14, 223
 - Excel software
 - address, relative, 317
 - autofilling, 317–318
 - chart class, 312, 318
 - chart object class, 318
 - creating spreadsheet, 316
 - Dictionary, 317
 - formula, working with, 316–317
 - modifying spreadsheet, 316
 - Project Gallery, 316
 - range, working with, 317
 - series object, 318
 - sorting, 317
 - Web site, 357
 - execute find command, 315
 - execution, pausing, 115–116
 - EXIF (Exchangeable Image File Format), 220
 - exit statement, 178
 - exponentiation, 83
 - expression
 - and command, combining expressions in, 161
 - described, 56
 - evaluation, 56–57
 - operator, 56
 - or command, combining expressions in, 161
 - regular expression, 278
 - result variable, assigning expression value to, 116
 - extension, 37, 43
- F •**
- FaceSpan software, 147, 364
 - field, database, 52
 - file. *See also* writing data to file
 - alias, 74, 107, 118, 299, 305
 - application associated with, returning, 119
 - application associated with, specifying, 220
 - busy status, returning, 119
 - close option, offering to user, 188
 - closing after reading, 207, 208, 217–218
 - closing after writing to, 207, 208, 217–218
 - closing from Script Editor File menu, 44
 - closing, importance of, 189, 218
 - copying, 298
 - creator, returning, 118
 - date created/modified, returning, 118
 - date modified, finding by, 262–263
 - deleting, 22
 - EOF, 206–207, 212–213, 215–216
 - existence, checking, 299

- extension, returning, 118
- icon position, returning, 118
- index, numeric, 245
- information about, returning, 116–119
 - locked property, 93, 119, 247
- mark, 207–208, 212
- moving, 248, 298
- name entry dialog box, creating, 156–157
- name, returning, 118, 119
- object definition by Finder, 93
- opening, 44, 186–189, 206, 217, 220–226
- path, 120, 282, 284
- project, finding file belonging to, 305–307
- referencing, 107–108, 206, 214, 216, 245
- script object, loading from, 288–289
- script object, storing in, 286–288
- selection dialog box, creating, 144, 155–156
- size, returning, 118
- summary of content, generating, 134
- text file, searching, 178–180, 181–182
- text file, specifying application associated with, 220
- transferring to remote computer, 124
- type, returning, 118, 119
- value, 74
- variable, assigning to, 74
- version property, 93
- version, reverting to previous, 46–47
- version string, returning, 119
- visibility status, returning, 118
- File file System: data.storage is already open message, 186
- File⇨Open Dictionary, 27
- File⇨Save, 21
- FileMaker Pro 7 Bible* (Cohen and Schwartz), 311
- FileMaker Pro software
 - command, sending to, 51
 - database, closing, 310
 - database, opening, 52, 309
 - database, searching, 51–53, 310
 - database, specifying, 51
 - e-mail, copying to, 333–334
 - field, 52, 310
 - front, bringing to, 110–111
 - launching, 110–111
 - Mariner Write, sending data to, 54
 - record, adding, 309–310
 - record, selecting, 52
 - records, counting, 52–53, 311
 - referencing, 95
 - sorting, 52, 311
 - tell command, 51
 - transaction, 292
 - Web data, importing, 242
 - Web site, 357
- FileMatic software, 365
- file_path script object, 282, 284–285, 288–289
- filter reference form, 96, 99–100
- find object, 315
- Finder
 - alias, returning file associated with, 299
 - application, as, 30, 298
 - class inheritance, 297
 - copying file, 298
 - desktop image, changing using Finder script, 30
 - Dictionary, 243, 244, 297–298
 - disk availability, returning, 242
 - disk space, returning free, 304–305
 - Display option, 299
 - Event Log entry, 270–271
 - existence of file/folder, checking, 299
 - File object definition by, 93
 - hiding, 300
 - Icon view, 299
 - moving file, 298
 - project, finding file belonging to, 305–307
 - properties, setting multiple simultaneously, 299
 - property inheritance, 297
 - referencing, 255
 - remote computer, running on, 336–337
 - toolbar, adding script to, 224–226
 - whose clause, using with, 265
 - window bounds, setting, 255, 301
 - window, tiling, 300–304
- Finder got an error message, 249, 256
- FindFilesX utility, 361
- finding and replacing text, 48, 103–104
- Fireworks software, 361
- flowcharting, 38–39
- folder
 - agent, triggering on folder change, 232–235
 - alias, 158, 234

374 AppleScript For Dummies, 2nd Edition

folder (*continued*)

- content, returning, 121–123, 182
- disk, returning folders on, 120–121
- document folder, 126
- existence, checking, 299
- information about, returning, 116–119
- listing folders, 120, 121–123, 182
- object, identifying as folder, 118, 119
- package folder, 118
- path, 5, 126, 324
- referencing, 107
- selection dialog box, creating, 144, 157–158
- size, returning, 225–226
- window coordinates, returning, 119, 234–235

Folder Actions feature, 232–235

folder class, 297

font, 43, 48, 313

Freehand MX software, 358

front, bringing application to, 110–111, 229, 312

FruitMenu utility, 240

function, remote, 338

• G •

Gestalt interface, 139, 140

get command, 116

get eof command, 206, 212–213

get url command, 252

GMT (Greenwich Mean Time), 135–136

goal, identifying, 34–35

GoLive software, 361

GraphicConverter software, 358

greater than or equals sign (\geq) greater than or equal to operator, 164

greater than sign ($>$) greater than operator, 163

GUI (Graphical User Interface) scripting, 330, 351–354

• H •

handler

- calling, 170, 194–197, 285

- commenting, 266

- debugging advantages of using modular, 261–264

- defining, 194

- described, 193

- Digital Hub handler, 239

- inheritance, 283, 285

- input delimiters, 196–197

- input-empty, 196

- list, sending result to, 199

- overriding, 285

- parameter, positional, 196

- passing data between handlers, 198–201

- preposition, 201–202

- readability of script, improving using, 261–262

- side effect, 200–201

- variable, calling handler using, 194–195

- variable, using in, 197, 275

hardwired reference, 127–128

hex number, 14

HTML 4 For Dummies, 4th Edition (Pitts and Tittel), 330

HTML (HyperText Markup Language), 330

hyphens (—) comment prefix, 50

• I •

iCal software, 235–236, 350

icon

- dialog box, displaying in, 145

- position, returning, 118

ID

- property, 100–101

- reference form, 96, 100–101

IDE (Integrated Development Environment), 221

iDisk service, 334–335

iDo Script Scheduler software, 235, 236, 365

iDVD software, 347–349

if command

- condition execution order, 165

- display dialog command input,

- handling using, 168–173

- else clause, 19, 20, 55, 172–173

- end if clause, 21, 57

- introduced, 18–19

- nesting control statement within, 172

- nesting within another `if` command, 171
 - recorded script, 256
 - repeat statement, using in, 178
 - syntax, 159–160
 - value returned by command, using, 109
 - ignoring command, 294
 - iLife software suite, 341. *See also specific application*
 - iLife '04 All-in-One Desk Reference For Dummies* (Bove and Rhodes), 341
 - iListen software, 226
 - Illustrator software, 358
 - image
 - desktop image, changing, 30
 - dragging and dropping, 221
 - EXIF data, 220
 - format, converting, 322
 - metadata, returning, 220–221, 321
 - naming image file, 323
 - opening, 221, 322
 - reading, 73
 - rotating, 322
 - scaling, 322
 - searching, 346–347
 - tag, 220
 - Image Events feature, 321–322
 - iImagine Video software, 358
 - importing
 - FileMaker Pro, Web data into, 242
 - iTunes, music into, 239, 305
 - InDesign CS software, 325–328
 - index
 - file index, numeric, 245
 - reference form, 96, 101–103
 - info for command, 116–119
 - inheritance, 246, 283–285, 297
 - initializing variable, 267
 - input value, 81
 - input/output. *See* I/O (input/output)
 - instance, 92, 281, 282
 - Intaglio software, 256–258, 358
 - integer value, 62, 63–64
 - Integrated Development Environment (IDE), 221
 - Interarchy software, 359
 - Internet, logging on to, 242
 - I/O (input/output). *See also* dialog box, custom
 - button user choice, determining, 18, 188
 - choice list, creating, 144, 149–151
 - command overview, 143–144
 - error handling, 148
 - introduced, 143
 - speech, inputting, 152, 226
 - speech, outputting, 48
 - stopping script if no user choice made, 147
 - value, output, 81
 - iPhoto software, 105, 345–347, 353–354
 - iPod, searching, 305
 - is contained by operator, 167
 - is equal to operator, 162
 - is in operator, 167
 - is less than or equal to operator, 164
 - is not contained by operator, 167
 - is not equal to operator, 162
 - is not greater than operator, 164
 - is not greater than or equal to operator, 163–164
 - is not in operator, 167
 - is not less than or equal to operator, 163
 - is not operator, 162
 - is operator, 162
 - isn't operator, 162
 - iStopMotion software, 360
 - item class, 246, 247, 297
 - iTunes software
 - artist, finding based on frequency of play, 342–345
 - Digital Hub, interfacing with, 239
 - importing music into, 239, 305
 - playlist, building, 342
 - ranking metric, 345
 - searching, 342–345
 - sorting, 344, 345
- 1 •
- JPEG files, 322

376 AppleScript For Dummies, 2nd Edition

• K •

keyword searching, 181–182

• L •

language

application internal scripting language,
invoking, 252

running script, specifying when, 290

Late Night Software

Property List Tools, 366

Script Debugger, 221, 231, 365

XML Tools, 278, 366

XSLT Tools, 278, 366

launch command, 119–120

launching

agent, scheduling, 229, 235–236

agent, triggering on event, 235–236

agent, triggering on folder change,
232–235

agent, triggering on login/logout, 236–239

FileMaker Pro, 110–111

iTunes, 236

network application, 111

script, drag-and-drop, 219–222

script from Finder toolbar, 224–229

script from Script Editor, 222–224

script using iCal, 235–236

script using iDo Script Scheduler, 235, 236

script using speech, 226

Word, 111, 312

less than or equals sign (\leq) less than or
equal to operator, 164

less than sign, equals sign (\leq) less than or
equal to operator, 164

less than sign ($<$) less than operator,
163–164

Library palette, 42

line

continuation, 15

ending format, 46

wrap, 16, 41, 43

list

choice list, creating, 144, 149–151

counting items in, 114

delimiters, 67

described, 67

disks, listing, 120–121

empty, 98

error occurrence, returning result list
previous to, 190

folders, listing, 120, 121–123, 182

handler result, sending to, 199

length property, 67

operators, 67

record compared, 17

reference form, 67

repeat with command, using with,
180–182

rest property, 67

selecting item in based on class, 68

separator character, 17

sorting, 67, 301

string, coercing list to, 106

value, 67–68

list disks command, 120–121

list folder command, 120, 121–123, 182

Litt, Samuel (*Mac OS X Bible, Panther
Edition*), 235

load script command, 288–289

loading script object from file, 288–289

location of AppleScript files, 11

log

command, 273–274

event, 41, 270–275

Log History window, 42, 43

log out command, 238

logging on to remote computer, 123

logical operator, 85, 160–168. *See also*
specific operator

login

agent, triggering on, 236–239

dialog box, custom, 237

Internet, logging on to, 242

script, 237

logout, triggering agent on, 236–239

loop

infinite, 179, 180

repeat command, 51, 175–179, 183, 256,
257–258

repeat forever command, 182–184

repeat times command, 182

repeat until command, 178–179, 180

repeat while command, 179–180

repeat with command, 180–182

variable, 176–177, 183

• M •

- .Mac iDisk service, 334–335
- Mac News Network Web site, 330
- Mac OS Stuff software, 359
- Mac OS X Bible, Jaguar Edition* (Burnett, Cohen, and Poole), 224
- Mac OS X Bible, Panther Edition* (Litt), 235
- Mac OS X Panther All-in-One Desk Reference For Dummies* (Chambers), 136, 333
- machine
 - descriptor, 337
 - value, 74
- MacLink Plus utility, 361
- macro versus AppleScript, 35
- MacScripter Web site, 364
- Macscript listserv, 364
- Mail Forward software, 359
- Mail software, 332–334
- MailSmith software, 250
- Mansfield, Richard (*XML All-in-One Desk Reference For Dummies*), 338
- Mariner software
 - Calc, 357
 - Write, 49, 54–55, 254
- math. *See also* number
 - addition, 83
 - date arithmetic, 84–85
 - division, 83, 84
 - exponentiation, 83
 - modulus, 84
 - multiplication, 83
 - operator overview, 81–85
 - subtraction, 83, 85
- message
 - class, 334
 - error message, custom, 191
 - error message, returning variable containing, 190
 - file, writing to, 208
- metadata, image, 220–221, 321–322
- method, 338, 339
- metric conversion, 71–72
- middle reference form, 96, 103
- minus sign (-) subtraction operator, 83, 84
- missing value value, 225–226
- mod operator, 84
- mount volume command, 123–124
- move command, 248, 298
- moving file, 248, 298
- Mozilla, 332
- multiplication (arithmetic), 83
- multi-user operating system, 224

• N •

- name reference form, 96, 103–104
- naming
 - e-mail rule, 332
 - image file, 323
 - property, 275
 - script for reading data, 205
 - script for writing data, 205
 - variable, 51, 75–77, 261
- nesting
 - described, 96
 - if statement, control statement within, 172
 - if statement within another if statement, 171
 - indentation, 96
 - repeat statement, 178
 - tell statement, 95, 254
- network. *See also* remote computer,
 - accessing
 - APF, 336
 - application on, launching, 111
 - machine value, 74
 - Personal File Sharing feature, 335
 - Web service, 338–340
- new document command, 54
- Nisus Writer Express software, 332
- not equals sign (\neq) not equal to operator, 162
- not operator, 167
- Now software, 357
- number
 - ASCII character, converting to integer, 141
 - ASCII character, returning, 140–141
 - random, generating, 129–130
 - reading from file, 214
 - rounding, 130–131
 - value, 73
 - writing to file, 210

378 AppleScript For Dummies, 2nd Edition

• 0 •

Obermeier, Barbara (*Photoshop cs All-in-One Desk Reference For Dummies*), 323

object. *See also* Object Model; *specific object*

application object, 92, 97

bounds rectangle, 255, 301

class, relation to, 92

container as, 94

container, referencing every object in, 98

container, referencing middle object in, 103

described, 92

element object, 94

error-causing object, referencing, 190

filter, referencing based on, 96, 99–100

folder, identifying as, 118, 119

ID property, referencing based on, 100–101

index position, referencing based on, 101–103

instance, 92, 281, 282

name, referencing based on, 103–104

position relative to another object, referencing based on, 106–107

property, 91–92

random object, referencing, 97–98

range of objects, referencing, 105–106

reference versus, 93

tell command, referencing in, 94, 95, 97, 253–254, 255

Object Model, 29, 241–242. *See also* class; object; property

offset command, 124–125

OK button, 149

Omni Outliner software, 362

Omni Web software, 359

on statement, 194–195

Open Dictionary command, 27

open for access command, 186, 188, 206, 217

open location command, 329

Open Scripting Architecture (OSA), 138, 241–242

opening. *See also* launching

dictionary, 27, 44, 251

file, 44, 186–189, 206, 217, 220–226

FileMaker Pro database, 52, 309

image, 221

Web page, 329–330

operator. *See also specific operator*

argument, 86

Boolean value, 69

coercion, 87

comparison, 57, 85, 160–161, 162–168

concatenation, 72, 86–87

date value, 70

expression evaluation, 56–57

integer value, 64

introduced, 56

list value, 67

logical, 85, 160–168

math, 81–85

parentheses, grouping using, 89, 90

precedence, 88–90

real value, 64

record value, 68

reference value, 69, 88

string value, 65

variable, using with, 82

or operator, 161

OSA (Open Scripting Architecture), 138, 241–242

Outliner software, 362

output value, 81. *See also* I/O (input/output)

overriding handler, 285

• p •

package folder, 118

PackUpandGo utility, 361

page setup, 47

paragraph, 65

parentheses ()

handler input delimiters, 196–197

operator group delimiters, 89, 90

parsing, 67, 93

password

account, remote, 123, 124, 336

input dialog box, creating, 337

protecting, 124, 137, 336

UNIX shell script, 137

- path
 - application, 110, 126
 - desktop, 126
 - file, 120, 282, 284
 - folder, 5, 126, 324
 - introduced, 5–6
 - read operation, 206
 - startup disk, 126
 - UNIX syntax, 6
 - write operation, 206
 - path to command, 126–129
 - pausing execution, 115–116
 - permission, 207, 209
 - Personal File Sharing feature, 335
 - PhotoMover software, 359
 - Photoshop cs All-in-One Desk Reference For Dummies* (Obermeier), 323
 - Photoshop software, 28, 120, 323–325, 337–338, 358
 - PhotoToWeb software, 361
 - Pitts, Natanya (*HTML 4 For Dummies, 4th Edition*), 330
 - PlainTalk feature, 226
 - plug-in software, 43, 364
 - plus sign (+) addition operator, 83, 84
 - Poole, Lon (*Mac OS X Bible, Jaguar Edition*), 224
 - PowerPoint software, 319–320, 357
 - PreFab software
 - UI Actions, 365
 - UI Browser, 353, 365
 - Preferences dialog box, 41, 43–44, 332
 - printing script, 47
 - process, 308
 - programming, scripting as, 25–26
 - project, finding file belonging to, 305–307
 - Project Gallery, Excel, 316
 - property. *See also specific statement or object*
 - application property, 92
 - compilation, reset during, 204
 - defining, 203–204
 - described, 92–93
 - dictionary property entry, 246
 - Finder, setting multiple properties simultaneously using, 299
 - global variable compared, 203
 - inheritance, 283, 297
 - naming, 275
 - object property, 91–92
 - record labeled entry, 68
 - reference form, 96, 104–105
 - r/o, 247
 - value, 72, 104–105, 203–204, 247
 - Property List Tools scripting addition, 366
 - prototyping, rapid, 265
- **Q** •
- QuickKeys software, 35, 365
 - QuickTime Player software, 360
 - quotation marks (“ ”)
 - escaping, 65
 - text item delimiters, 16, 65
- **R** •
- RagTime software, 359–360
 - random number command, 129–130
 - range reference form, 97, 105–106
 - ranking metric, 345
 - rapid prototyping, 265
 - read command
 - backing up data before using, 204
 - introduced, 73
 - parameter overview, 214–215
 - storage_file_name property, 205
 - syntax, 214
 - value returned, 215
 - readability of script, improving using handler, 261–262
 - reading data
 - backing up data before, 204
 - bytes, specific number of, 214
 - character, stopping at specific, 214
 - closing file after, 207, 208, 217–218
 - delimiting items to read, 214
 - file mark, 207–208, 212
 - handler, 209, 210
 - image, 73
 - multiple items, 211
 - naming script for, 205
 - number value, 214
 - opening file for, 206, 217
 - path, 206
 - referencing file, 206, 214
 - start position, specifying, 207–208, 215
 - stop position, specifying, 214, 215

380 AppleScript For Dummies, 2nd Edition

- read-only (r/o) property, 247
- real value, 64
- record
 - accessing item in, 17, 68
 - delimiting, 16, 17
 - dialog box, returned by, 17, 147
 - FileMaker Pro record, adding, 309–310
 - FileMaker Pro record, selecting, 52
 - FileMaker Pro records, counting, 52–53, 311
 - filtering, 99
 - list compared, 17
 - property, 68
 - repeat with command, using with, 180, 182
 - value, 68
- recordable application, 27, 40, 251, 253, 256–258
- rectangle, bounds, 255, 301
- Red, Green, Blue (RGB) color, 158
- reference
 - application, referencing, 95, 97, 253–254, 255
 - arbitrary reference form, 96, 97–98
 - complete, 95
 - container, reference form action on, 96–97
 - counting items in, 114
 - data versus, 92
 - described, 91, 92
 - disk, referencing, 121
 - error-causing object, referencing, 190
 - every reference form, 96, 98, 99–100
 - file, referencing, 107–108, 206, 214, 216, 245
 - filter reference form, 96, 99–100
 - folder, referencing, 107
 - hardwired, 127–128
 - ID reference form, 96, 100–101
 - index reference form, 96, 101–103
 - information needed in, 94
 - list reference form, 67
 - middle reference form, 96, 103
 - name reference form, 96, 103–104
 - object versus, 93
 - parsing, 93
 - partial, 95
 - property reference form, 96, 104–105
 - range reference form, 97, 105–106
 - relative reference form, 97, 106–107
 - startup disk, referencing, 93
 - street address analogy, 92
 - string reference form, 65
 - tell command, referencing object in, 94, 95, 253–254
 - value, 69–70, 88
 - variable, referencing, 93
- regular expression, 278
- relative reference form, 97, 106–107
- reminder script, 228–229
- remote computer, accessing. *See also* network
 - alias considerations, 107
 - Apple Events, enabling remote, 336
 - backup, 124
 - file, transferring, 124
 - Finder, 336–337
 - function, remote, 338
 - logging on, 123
 - machine descriptor, 337
 - password, 123, 124, 336
 - Photoshop, running on remote computer, 337–338
 - volume, mounting remote, 123–124, 335–336
 - zone, 124
- Remote Procedure Calling (RPC), 338
- repeat command
 - body, 175–176
 - change_amount property, 177
 - change_value property, 177
 - counter, 176–177
 - exit statement, 178
 - first_value property, 177
 - FORTRAN, 51
 - if statement, using in, 178
 - loop variable, 176–177, 183
 - max_value property, 177
 - nesting, 178
 - recorded script, 256, 257–258
 - step_size property, 176
 - text search operation, using in, 178–180
- repeat forever command, 182–184
- repeat times command, 182
- repeat until command, 178–179, 180
- repeat while command, 179–180
- repeat with command, 180–182
- repetitive stress injury (RSI) prevention script, 228–230

reply command, 333
 reserved word, 76, 267
 Results History window, 42, 43
 Retrospect utility, 361
 return statement, 196
 reveal command, 299
 reverse keyword, 67
 reverting to previous version of
 AppleScript file, 46–47
 RGB (Red, Green, Blue) color, 158
 Rhodes, Cheryl (*iLife '04 All-in-One Desk Reference For Dummies*), 341
 r/o (read-only) property, 247
 round command, 130–131
 RPC (Remote Procedure Calling), 338
 RSI (repetitive stress injury) prevention
 script, 228–230
 run script command, 289–290
 running script. *See* launching

• S •

Safari browser, 242, 330–331
 Satimage scripting addition, 278, 366
 saving
 application, script as, 45, 240
 bundle, 45
 importance of saving your work, 21
 line ending format, specifying, 46
 Script Editor File menu, from, 21, 44–46
 text, script as, 45
 say command, 143, 151–152
 scheduling, 229, 235–236
 Schwartz, Stephen (*FileMaker Pro 7 Bible*), 311
 scope, variable, 197–198
 Script Assistant, 41, 43
 script command, 279
 Script Debugger software, 221, 231, 365
 script development line, 344
 Script Editor
 About Script Editor menu, 43
 accessing, 11
 Apple Web site resources, 49
 autowrite functionality, 42, 334
 Compile button, 13
 cost, 39
 debugging using, 231, 271
 Event Log pane, 271
 File menu, 21, 44–47
 Font menu, 48
 Format menu, 48
 Help menu, 48
 Info pane, 40, 41
 launching script from, 222–224
 Library palette, 42
 Line Wrap option, 43
 Log History window, 42, 43
 Navigation bar, 42, 48
 Open Dictionary window, 27
 OS X, installed with, 39
 plug-in, 43
 Results History window, 42, 43
 Run button, 22, 221
 Run Only check box, 46
 Save option, 21
 Script Assistant feature, 41, 43
 Script menu, 48, 222–224
 Script pane, 41, 42
 Startup Screen check box, 46
 Stay Open check box, 46
 toolbar, 40–41, 48
 version described in this book, 40
 View menu, 48
 Window menu, 48
 script object
 creating, 279–282
 file, loading from, 288–289
 file, storing in, 286–288
 scriptable application, 2, 27, 29, 251–253
 scripting addition, 37, 239, 277–278, 365–366
 scripting components command, 138
 ScriptWeb Web site, 364
 searching
 AIFF files, 305
 FileMaker Pro, 51–53, 310
 find object, 315
 image, 346–347
 iPod, 305
 iTunes, 342–345
 keyword, 181–182
 modification date, file by, 262–263
 project file, 305–307
 regular expression, 278
 text file, 178–180, 181–182
 Web page text, 242
 Word document, 315

382 AppleScript For Dummies, 2nd Edition

- select object, 315
 - series object, 318
 - set command, 17, 18, 78–80, 131–132
 - set eof command, 215–216
 - set the clipboard to command, 132–133
 - set volume command, 133–134
 - shell script, 136–138
 - side effect, handler, 200–201
 - Simple Object Access Protocol (SOAP), 338, 339, 340
 - SiteSucker software, 359
 - size
 - file size, returning, 118
 - folder size, returning, 225–226
 - script size, maximum, 41
 - text, sizing, 43
 - slash (/) division operator, 83
 - Smile software, 365
 - SmileLab software, 360
 - SOAP (Simple Object Access Protocol), 338, 339, 340
 - soft return symbol (-) line continuation character, 15
 - software development methodology, 33
 - sort command, 52, 58, 317, 345
 - sorting
 - Excel, 317
 - FileMaker Pro, 52, 311
 - iTunes, 344, 345
 - list, 67, 301
 - text, 163
 - sound
 - beeping, 143, 151
 - speech, inputting, 152, 226
 - speech, outputting, 48, 143, 151–152
 - volume, setting, 133–134
 - special character, entering, 48
 - spelling, checking, 48
 - stability, 45, 50
 - StampInStone software, 358
 - start log command, 272–273
 - starts with operator, 165
 - startup disk, 93, 126
 - Startup Items
 - Accounts Preference dialog Startup Items tab, 236
 - folder, 211
 - Startup Screen, 46, 230
 - state, 292
 - Stay Open option, 228
 - Still Life software, 360
 - stock quote, loading from Web page, 330–332
 - stop log command, 271–272
 - store script command, 286–288
 - string. *See* text
 - strong type checking, 261
 - Stuffit Deluxe utility, 361
 - Style software, 362
 - style, text, 47, 72–73, 313
 - subroutine, 197. *See also* handler
 - subtraction (arithmetic), 83, 85
 - sugaring, syntactic, 160
 - summarize command, 134
 - Synchronize! Pro X utility, 361
 - syntax defined, 3
 - system
 - alert beep, 143, 151
 - disk, 246
 - system attribute command, 138–140
 - System Events feature, 238, 307–308, 352
- T •**
- tab, entering in script, 43
 - tag, photograph, 220
 - tell command
 - application, referencing, 97, 253–254, 255
 - described, 243
 - FileMaker Pro, scripting using, 51
 - Finder, scripting using, 30, 242
 - nesting, 95, 254
 - object, referencing, 94, 95, 97, 253–254, 255
 - script, directing command back to, 256
 - syntax, 253
 - target, default, 301
 - transaction clause, 292
 - whose clause, 245, 265
 - Word, scripting using, 95
 - testing
 - agent, 231
 - debug solution, 276
 - development process, place in, 37–38
 - drag-and-drop script, 221–222
 - importance of, 37
 - incremental, 264

- Tex-Edit Plus software, 362
 - text
 - alphabetizing, 163
 - appending string, 20
 - ASCII character, converting to integer, 141
 - ASCII character, returning, 140–141
 - case, checking, 285–286
 - case sensitivity, 77, 161, 292–293
 - character, entering special, 48
 - color, 43
 - command, entering string in, 13, 16
 - comparing strings, 161, 162, 163–168, 292–294
 - concatenating, 20, 72
 - counting items in string, 113–114
 - deleting, 47
 - delimiting string, 16
 - dialog box text, specifying, 13, 16, 145
 - escaping, 65
 - file version string, returning, 119
 - finding and replacing, 48, 103–104
 - finding based on position, 106
 - font, 43, 48, 313
 - greater than operator, using with, 163
 - integer value, coercing to/from string, 62
 - item delimiter property, 65–66, 148, 235, 282
 - item separator, 65–66
 - length string property, 61–62
 - line ending format, 46
 - list, coercing to string, 106
 - location of substring, returning, 124–125
 - offset of string, returning, 124–125
 - paragraph, 65
 - parsing, 67
 - PowerPoint text box, 320
 - reference form, string, 65
 - saving script as, 45
 - searching text file, 178–180, 181–182
 - searching Web page text, 242
 - searching Word document, 315
 - selecting, 47
 - sizing, 43
 - soft return, inserting, 15
 - sorting, 163
 - speech, outputting, 48
 - spelling, checking, 48
 - style, 47, 72–73, 313
 - summary, generating, 134
 - underscore character, entering, 76
 - Unicode, 73
 - UTF-16, 73
 - value, string, 64–67
 - white space, 293
 - word defined, 65
 - Word document, manipulating in, 312–313
 - word object, 92
 - word, reserved, 76, 267
 - words, counting, 114
 - wrap, 16, 41, 43
 - writing string value to file, 189
 - Text Wrangler software, 362
 - the clipboard command, 135
 - TIFF files, 322
 - tiling, window, 300–304
 - time
 - accuracy, 229
 - agent, scheduling, 229, 235–236
 - clock, 229
 - current, returning, 85, 114–115
 - date value, 70–71
 - dialog box wait time, specifying, 145
 - GMT, returning difference between
 - computer clock and, 135–136
 - reminder script, 228–229
 - time to GMT command, 135–136
 - TimeEqualsMoney software, 357
 - timeout error, 291
 - tinkerable application, 27, 253
 - Tittel, Ed (*HTML 4 For Dummies, 4th Edition*), 330
 - Toast with Jam utility, 361
 - transaction, 292
 - try command, 148, 186–191
 - 24U Appearance scripting addition, 278, 366
 - type checking, strong, 261
- U •**
- UI Browser software, 353, 365
 - UIEI (UI Element Inspector) utility, 352–353
 - underscore character, entering, 76
 - Undo command, 47
 - Unicode text, 73
 - Uniform Resource Locator (URL)
 - get url command, 252
 - selection dialog box, creating, 144, 154

384 AppleScript For Dummies, 2nd Edition

unit value, 71–72

UNIX

 cron utility, 235

 path syntax, 6

 shell script, 136–138

Unsanitys FruitMenu utility, 240

UptoDate software, 357

URL Manager Pro software, 359

URL (Uniform Resource Locator).

See also Web page

 get url command, 252

 selection dialog box, creating, 144, 154

user friendliness, 37

user input. *See* I/O (input/output)

UTF-16 character encoding, 73

• U •

value

 application, 74

 Boolean, 69

 class, 28, 61–62, 73, 244–247

 coercing, 62–63, 106, 210–211

 command, returned by, 109

 constant, 72

 copying, 112–113

 data, 73

 date, 70–71

 described, 61

 dialog box, returned by, 147–148, 149

 dictionary value type entry, 244–247

 disk value type, 244–245

 error handling, 191

 file, 74

 handler, calling using, 195–197

 if command, using returned value in, 109

 input, 81

 integer, 62, 63–64

 list, 67–68

 machine, 74

 missing value, 225–226

 number, 73

 output, 81

 property, 72, 104–105, 203–204, 247

 real, 64

 record, 68

 reference, 69–70, 88

 string, 64–67

 styled text, 72–73

 type checking, strong, 261

 Unicode text, 73

 unit, 71–72

 variable value, checking when

 debugging, 269

 variable value, setting, 17, 18, 112–113,

 116, 131–132

 writing to file, specifying data type

 when, 216

variable

 alias storage in, 79

 argument, 194

 case sensitivity, 77

 checking content, 18–19

 class property, 62

 command parameter, using as, 111

 debugging, checking value when, 269

 debugging considerations when using

 global, 260–261

 debugging variable problem, 267

 described, 17

 error message, containing, 190

 error number, containing, 190

 error result list, containing, 190

 expression evaluation, 56–57

 file storage in, 74

 global, 199–200, 203, 260–261, 280

 handler, calling using, 194–195

 handler, using in, 197, 275

 initializing, 267

 italic, denoting for, 78

 local, 197, 198

 naming, 51, 75–77, 261

 operator, using with, 82

 parameter, 194

 reading data into, 73

 referencing, 93

 repeat command loop variable,

 176–177, 183

 scope, 197–198

 script, entering in, 78–79

 The variable `_` is not defined

 message, 198

 type checking, strong, 261

 value, checking when debugging, 269

 value, setting, 17, 18, 112–113, 116,

 131–132

 word, reserved, 76, 267

View⇧Customize Toolbar, 41

- Virtual PC software, 360
- Visual Basic, 258
- voice
 - inputting, 152, 226
 - outputting, 48, 143, 151–152
- volume (disk)
 - disk object local volume property, 305
 - mounting remote, 123–124, 335–336
 - volume (sound), setting, 133–134
- **W** •
- Wagner, Richard (*XML All-in-One Desk Reference For Dummies*), 338
- waking script up. *See* agent
- Web page. *See also* URL (Uniform Resource Locator)
 - FileMaker Pro, importing Web data into, 242
 - HTML, 330
 - opening, 329–330
 - stock quote, loading from, 330–332
 - text, searching, 242
- Web service, 338–340
- white space, 293
- window
 - bounds rectangle, 255, 301
 - container window property, 246
 - coordinates, returning, 119, 234–235
 - positioning, 301
 - tiling, 300–304
- with timeout command, 291
- word class, 92
- Word software
 - alignment, 313
 - creating document, 313
 - Dictionary, 258, 312
 - figure, working with, 313–316
 - find object, 315
 - font, 313
 - front, bringing to, 312
 - insertion point, 315
 - launching, 111, 312
 - modification date, finding document by, 262–263
 - searching document, 315
 - select object, 315
 - style, applying, 313
 - table, working with, 313–314
 - tell command, 51
 - text, manipulating, 312–313
 - workflow, 234
 - write command, 204, 205, 216, 217
- writing AppleScript. *See also* Script Editor
 - autowrite functionality, 42, 334
 - character, entering special, 48
 - command, entering, 12
 - copying script, 47
 - deleting text, 47
 - end statement, entering first, 169
 - finding and replacing text, 48
 - flowcharting, 38–39
 - font, 43, 48
 - goal, identifying, 34–35
 - line continuation, 15
 - line wrap, 16, 41, 43
 - reformatting by AppleScript, 13
 - selecting text, 47
 - spelling, checking, 48
 - steps, 33–39
 - string, entering, 13
 - structure of script, determining basic, 36
 - tab, entering, 43
 - Undo command, 47
- writing data to file
 - appending, 213
 - backing up data before, 204
 - bytes, specific number of, 216
 - closing file after, 207, 208, 217–218
 - coercing, 210–211
 - data type, specifying, 216
 - file mark, 207–208, 212
 - handler, 209, 210
 - message, 208
 - multiple items, 209
 - naming script for, 205
 - number value, 210
 - opening file for, 188, 206, 217
 - path, 206
 - permission, 207, 209
 - referencing file, 206, 216
 - start position, specifying, 207–208, 213, 216
 - string value, 189
 - version number, 209, 210

386 AppleScript For Dummies, 2nd Edition

• X •

X Methods Web site, 338, 339, 340
*XML All-in-One Desk Reference For
Dummies* (Wagner and Mansfield), 338
XML Tools scripting addition, 278, 366
XSLT Tools scripting addition, 278, 366

• Y •

You Synchronize utility, 361

• Z •

zero, dividing by, 268
zone, remote computer, 124