

Index

• Numerics •

- 2 to 4 months old, 36, 61
- 4 to 6 months old, 35–36, 61
- 6 to 12 months old
 - bedtime routine for, 76–79
 - developmental milestones, 85–86
 - falling asleep on her own, 81
 - lovies (transitional objects) for, 83–84
 - naps for, 84–85
 - need for limits, 14, 80–82
 - safety matters, 82–83
 - setting baby's internal clock, 62, 79–80, 131
 - sleeping through the night, 73–76, 81–82
 - stranger anxiety of, 221
- 12 to 18 months old
 - bedtime routine for, 90–91
 - lovies (transitional objects) for, 96
 - safety matters, 95
 - separation anxiety of, 88–93
 - setbacks in your routine, dealing with, 92–93
 - sleep patterns, monitoring, 94
 - transitioning to one nap a day, 95–96
- 18 months to 2 years old. *See also* toddler
 - crib rocking and head-banging, 100
 - giving up the bedtime bottle, 106–108
 - moving from crib to big bed, 108–110
 - night terrors and nightmares of, 101, 102–104
 - sleepwalking and sleep-talking, 104–106
 - tooth-grinding during sleep, 101
 - underlying changes for, 98–99
- 2 through 3 years old. *See also* toddler
 - baby-to big-person conflict, 112–114
 - bedtime routine, 114–118
 - bogeyman, fear of, 124–126
 - magical thinking of, 113, 214
 - moving from crib to big bed, 118

- naptime, phasing out, 118–121
- potty training, 121–124
- stress over life changes, 213–214

• A •

- AAP (American Academy of Pediatrics), 65, 192, 201, 208
- acetaminophen (drug), 199, 206
- active child, 41–42, 46–47
- adopted baby, 157–160
- Adopting For Dummies* (Barr and Carlisle), 160
- adrenaline, 204
- adult sleepovers, after divorce, 231
- age
 - to begin preschool, 91–92, 167
 - beginning to walk, 87
 - for crawling, 87
 - for potty training, 121
 - for sleeping through the night, 10, 36, 74
- albuterol (drug), 204–205
- alcohol, drinking, 137, 138, 141
- all you need is love (permissive) parenting style, 50, 51, 52
- allergies, as cause of colic, 69, 70
- all-night sleeping. *See also* disruptions to sleep
 - baby's readiness for, 10, 36, 74–75
 - at 4 to 6 months old, 10, 61
 - guiding baby to, 62–64
 - helping toddlers with, 117–118
 - importance of, 15, 18–19
 - overview, 73–74
 - parents' feelings about, 10–14, 18–19, 75–76, 242
 - setbacks, dealing with, 93–94
 - setting limits, with love, 80–82
 - 6 to 12 months old, 73–76
- American Academy of Pediatrics (AAP), 65, 192, 201, 208
- amoxicillin (drug), 205
- anger, toddler expressing, 152

antibiotics, 197
anxiety. *See also* fears; separation anxiety
 anxiety
 about day care, toddler's, 176–178
 over illness in the family, 226–227
 stranger anxiety, 221
apnea monitor, 192–193
asthma, 204–205, 209
attention deficit/hyperactivity disorder, 211
au pair, 169–170
authoritarian (drill sergeant)
 parenting style, 50, 51, 52, 53
authoritative (gentle boss) parenting style, 50, 51, 52
autism, 210

• B •

baby. *See also* newborn baby (1 to 2 months); 6 to 12 months old
 adopted baby, 157–160
 average hours of sleep for, 37–38
 changing baby's expectations, 14–17
 childcare for, 221
 with colic, 68–71
 co-sleeping with, 130–131, 141, 147
 creating a book about, 149–150
 crib for, 150–151
 effect on sibling's bedtime behavior, 146
 4 to 6 months old, 35–36, 61
 front carrier for, 157
 making room for, 146–148
 needs of, 9–10, 13
 nursery for, 143
 pacifier use, 67–68
 phasing out co-sleeping with, 143
 preparing siblings for, 148–151
 safety matters, 64–67
 sibling's jealousy of, 152–153
 sleeping position for, 65–66
 sleeping through the night, 62–64
 stages of sleep for, 33, 34–37, 186
 stopping breathing, 131–132
 2 to 4 months old, 36, 61
 wants versus needs, 13, 20

Baby & Toddler Meals For Dummies (Simmons, Simmons, and Warren), 236
Baby Massage For Dummies (Bagshaw and Fox), 78
baby oil, 236
baby-carrier, front, 157
baby-in-your-big-bed plan
 options for, 136–137
 pros and cons, 130–132
 safety precautions, 140–142
babysitter
 choosing, 171–173
 leaving toddler with, 91
babysitting class, 172
back, baby sleeping on, 65–66
bad news, hiding from child, 222
Bagshaw, Joanne (*Baby Massage For Dummies*), 78
Barr, Tracy (*Adopting For Dummies*), 160
bassinette, 133
baths
 before bedtime, 78
 for relieving separation anxiety, 90
 tips for, 236
 for twins, 163
 with your child, 236
bed. *See also* crib
 bassinette, 133
 for co-sleeping, 141–142
 sidecar, 133
 transferring from crib to, 108–110, 117–118
 waterbed, 66, 141
bedroom for child
 for older twins, 163–164
 safety matters, 82–83, 109, 121
 shared custody issues, 230
 sharing with other siblings, 232
 toddler, 143–144
bedsheets
 for co-sleeping, 141–142
 reducing risk of SIDS, 66
 warming up for bedtime, 237
bedtime routine. *See also* disruptions to sleep; naps
 adjustments, making, 242
 adopted baby, 160

- books for, 243–244
 - charting, 94
 - establishing, 76–79
 - getting dressed for bed, 77
 - long-term view, 247
 - for multiple children, 153–157
 - music for, 79
 - parents in charge of, 235–236
 - phasing out naps, 120
 - pitfalls to avoid, 239–242
 - resuming after minor illness, 202–203
 - setbacks, dealing with, 92–93
 - setting a time for, 76
 - shared custody issues, 229, 231
 - 6 to 12 months old, 76–79
 - sleep-friendly environment for, 237–238
 - sleeping on the couch, 66, 142, 242
 - 12 to 18 months old, 90–91
 - for twins, 161–162, 163
 - 2 through 3 years old, 114–118
 - bedtime stories, 243–244
 - bedwetting, 122, 123, 211
 - behavior modification specialist, 210
 - benefits of sleep, 21, 22–24
 - Bennett, Shoshana (*Postpartum Depression For Dummies*), 19
 - biological (internal) clock (circadian rhythm)
 - co-sleeping benefits for, 131
 - described, 58–59
 - newborns developing, 59
 - overview, 25–27
 - setting baby's, 62, 79–80, 131
 - birth to 6 months old. *See also* newborn baby (1 to 2 months)
 - childcare for, 221
 - colic, myths and facts, 68–71
 - 4 to 6 months old, 35–36, 61
 - pacifier use, 67–68
 - safety matters, 64–67
 - sleeping through the night, 62–64
 - 2 to 4 months, 36, 61
 - bogeyman, fear of, 124–126
 - books. *See also* reading to your child
 - for bedtime, 243–244
 - homemade, 149–150, 215
 - memory book, 227
 - personalized picture book, 219
 - bottle-feeding
 - baby with heartburn, 71
 - formulas, 70
 - giving up the bedtime bottle, 107–108
 - nipple confusion from, 80
 - reducing nighttime feedings, 80
 - twins, 162–163
 - brain
 - electrical activity during sleep, 28–29, 35
 - function in sleep-wake cycle, 25–27
 - sleep needs of, 21, 22–24
 - stages of sleep controlled by, 27
 - brain waves
 - delta wave, 29, 30
 - during REM sleep, 33
 - breastfeeding
 - allergic reaction to, 70
 - co-sleeping during, 133
 - nipple confusion, 80
 - pacifier's affect on, 68
 - reducing nighttime feedings, 80
 - risk of SIDS reduced with, 67
 - twins, 162–163
 - breathing, stopped, 131–132
 - Brown, Margaret Wise (*Goodnight Moon*), 243
 - bruxism (tooth-grinding) during sleep, 101
 - bubble bath, 236
 - budenoside (inhaled steroid), 205
- C •
- caffeine from colas and chocolate, 236
 - calendars
 - for adopted baby, 158
 - for day care, 178
 - helping children through life changes, 215
 - for parents' vacation, 219
 - for shared custody, 229–230
 - calming techniques. *See also* baths; music; reading to your child; songs for bedtime
 - for active children, 41–42
 - car rides, 118–119
 - cuddling and rocking your child, 236

calming techniques (*continued*)

massage, 44, 78, 202

strolling before bed, 237

calorie shifting, 79–80

“Canon in D” (Pachelbel), 245

car rides, 118–119

carbon dioxide (CO₂), 131–132

caregiver. *See also* childcare; day care; preschool

au pair, 169–170

babysitter, 91, 171–173

co-sleeping with child, 141

emergency information for, 175

helping with bedtime, 120

nanny, 120, 169

relatives, 168–169

Carlisle, Katrina (*Adopting For Dummies*), 160

cartoons, 154

charts

bedtime, 94

for developmental milestones, 85–86

emergency information chart, 175

mature sleep cycle, 32

sample chart of 10-month old, 86

Sample Co-Sleeping Assessment Chart, 138

chest rub, 202

chicken soup, 202

chickenpox, 197

child life worker, 227

childcare. *See also* day care; preschool

au pair, 169–170

for bedtime, 154

for child under 6 months old, 221

drop-and-run policy, 171

leaving toddler at, 91

nanny, 120, 169

relatives for, 168–169

safety matters, 154, 175–176

12 to 18 months old, 91

for vacations without your child, 219–220

children. *See* baby; newborn baby (1 to 2 months); toddler

Choosing Childcare For Dummies (Douglas), 171

chronic illness. *See also* health concerns; minor illness

effect on sleep, reducing, 207–210

most common, 206–207

support for, 208

Web sites, 208

cigarette smoke

co-sleeping unsafe with, 137, 138, 140

dangers during pregnancy, 140

as risk factor for SIDS, 65, 66

circadian rhythm (internal clock)

co-sleeping benefits for, 131

described, 58–59

newborns developing, 59

overview, 25–27

setting baby's, 62, 79–80, 131

clock, for toddler, 115, 120

clothing

for baby's bedtime, 77

diapers, 118, 122

for potty training, 124

underpants, switching to, 118

Codey, Mary Jo (*Postpartum Depression For Dummies*), 19

colds and flu

caring for child with, 197

cold and cough medication, 141, 199–200

holistic methods for, 200–201

newborn baby protected from, 196

colic, myths and facts, 68–71

communications skills, developing, 99

confidence, parents gaining, 19–20

consciousness, beginning, 98

consistency, importance of, 53, 138, 240–241

cortisol, 197, 203

co-sleeping

after divorce, 230–231

assessing your situation, 137–139

assessment chart, 138

baby-in-your-big-bed plan, 130–132, 136–137, 140–142

for child with cold or flu, 202

examples of, 139
 intimacy issues, 134, 135–136
 issues and solutions, 138
 length of time for, 135
 with newborn baby, 130–131, 141, 147
 no-smoking rule, 137, 138, 140
 options for, 136–137
 phasing out, 142–144
 prevalence of, 131–132
 pros and cons, 134–136
 risk of SIDS, 67, 132
 room temperature needs, 140
 safety matters, 131–132, 137, 139–142
 Sample Co-Sleeping Assessment
 Chart, 138
 separate-bed, same-room strategy,
 133, 136
 with toddler, 117, 142
 couch
 child sleeping on, 242
 dangers of sleeping on, 142
 risk of SIDS, 66
 cough and cold medication, 199–200
 cough suppressant
 (dextromethorphan), 206
 crawling, age for, 87
 crib
 for newborn baby, 150–151
 nighttime potty, logistics of, 122–123
 renting new, 220
 safety matters, 82–83
 switching to big bed from, 108–110,
 117–118
 for twins, 161
 crib rocking, 100
 crying. *See also* sleeping through
 the night
 checking on child, 82, 93
 with colic, 68–69
 dealing with, 92–93
 helping baby fall asleep on her own,
 75, 81–82
 parents' fears about, 11–12
 siblings kept awake with, 156
 cuddling and rocking your child, 236
 custody issues, 229–231

• D •

day care. *See also* caregiver;
 childcare
 child's anxiety about, 166–168
 combining types of, 178
 easing toddler's anxiety about,
 176–178
 emergency information for, 175
 finding, 170–171
 in-home, 168–170, 175
 naps at, 166–167, 173–175
 parent visiting, 221
 safety matters, 175–176
 daylight savings time, adjusting to, 220
 death. *See also* sudden infant death
 syndrome (SIDS)
 of child, 64–67
 of loved one, 227–228
 decongestant, over-the-counter, 205
 deep sleep, 29–31, 36
 delta wave, 29, 30
 depression, parents', 19
 desire
 awakening at 18 months, 98–99
 managing during sleep, 31
 need versus, 80–81
 2 through 3 years, 113
 development
 birth to 2 months old, 58–61
 4 to 6 months old, 35–36, 61
 of mature sleep cycle, 35–36
 milestones, 85–86
 premature babies, 182–185, 193–194
 of REM (rapid eye movement) sleep,
 35–36
 of stages of sleep, 34–37, 186
 2 to 4 months old, 36, 61
 in the womb, 182–183
 developmental disability, 210
 dextromethorphan (cough
 suppressant), 206
 diaper rash, 200
 diapers, 118, 122
 diarrhea, 202
 diphenhydramine (antihistamine), 206
 disappointment versus trauma, 10–12

disruptions to sleep. *See also*
long-term health issues
adopting a baby, 159–160
bringing home newborn baby, 146
co-sleeping, 134
daylight savings time, adjusting
to, 220
developmental milestones, 85–86
holidays and vacations, 241
moving to a new home, 217
night terrors, 101, 102–104
nightmares, 101–102
overview, 17
premature babies, 17, 188–189
sleepwalking and sleep-talking,
104–106
tooth-grinding, 101

divorce
breaking the news, 228
child's thoughts about, 228
shared custody, 229–231

doctor
for long-term health issues, 208
when to call, 198

dolphin baby, 33

Douglas, Ann (*Choosing Childcare For Dummies*), 171

Down syndrome, 210

dreams. *See also* REM (rapid eye movement) sleep
function of, 33–34
nightmares, 101–104
in REM (rapid eye movement) sleep,
31, 33
Sigmund Freud on, 103

drill sergeant (authoritarian)
parenting style, 50, 51, 52, 53

drinking alcohol before bed, 137, 138

drop-and-run policy, 171

● E ●

18 months to 2 years old. *See also*
toddler
crib rocking and head-banging, 100
giving up the bedtime bottle, 106–108
moving from crib to big bed, 108–110
night terrors and nightmares,
101, 102–104

sleepwalking and sleep-talking,
104–106
tooth-grinding during sleep, 101
underlying changes for, 98–99
electrical activity during sleep,
28–29, 35
elemental formula, 70
emergency information chart, 175
emergency room, when to go, 198
emotions. *See also* anxiety; fears
anger, toddler expressing, 152
changes in newborn, 151–152
guilt, 18–19, 225
sleep as rest for, 23
energy from sleep, 24
environment. *See also* sounds
lighting, 77, 84
sleep-friendly, 237–238
temperature, 44, 66–67, 140, 238
eucalyptus oil, 202

● F ●

falling asleep on his own, 74, 75,
81–82

fears. *See also* separation anxiety
about day care, toddler's, 176–178
bogeyman, 124–126
night terrors and nightmares,
101, 102–104
over illness in the family, 226–227
stranger anxiety, 221
of traumatizing a child, 10–12

feeding. *See also* bottle-feeding;
breastfeeding
calorie shifting, 79–80
newborn baby, 59–61
nodding off during, 96
phasing out naps, 119
premature babies, 188
reducing nighttime feedings, 79–80
snacks, 236
twins, 162–163

fetus
sleeping, 34
stages of development, 182

fever, 198–199, 201

fish and reptiles, 26

flashlight, for child, 126

fluticasone (inhaled steroid), 205
 food allergies, 70
 4 to 6 months old, 35–36, 61
 Fox, Ilene (*Baby Massage For Dummies*), 78
 “Frere Jacques” (song), 246
 Freud, Sigmund (psychiatrist), 103
 front baby-carrier, 157
 front, sleeping on, 65

• G •

gadgets and gimmicks, 67
 gate, 109, 117
 Gaylord, James (*Your Baby's First Year For Dummies*), 80
 gentle boss (authoritative) parenting style, 50, 51, 52
 GERD (gastroesophageal reflux disease), 70–71
Goodnight Moon (Brown), 243
 growth hormone, 30
 growth rate
 birth to 6 months, 58
 slowed, 211
 guidance, 14
 guilt, 18–19, 225

• H •

Hagan, Michelle (*Your Baby's First Year For Dummies*), 80
 head-banging, 100
 health concerns. *See also* long-term health issues; medication
 allergies, 69, 70
 baby stops breathing, 131–132
 colic, myths and facts, 68–71
 heartburn, baby with, 70–71
 long-term, child with, 206–210
 parents need for sleep, 18–19
 premature babies, 182–183, 188–189
 sleep apnea, 137, 211–212
 snoring, 23, 210–211
 helping your baby get to sleep, 75
 hippocampus, 23
 holistic methods, 200–201
 homemade books, 215
 hospital, loved one in, 226

hours of sleep
 average, 37–38
 6 to 12 months old, 84–85
 humidifier, for colds, 197, 202
 hunger in newborn, 59–61
 “Hush Little Baby” (lullaby), 245
 hyperactivity, 210
 hypnic jerk, 28
 hypothalamus, 25

• I •

ibuprofen, 199, 206
 illness in the family. *See also* health concerns; long-term health issues; minor illness
 child's guilt about, 225
 easing anxiety about, 226–227
 explaining the situation, 223–225
 explaining the word “sick,” 225
 keeping your child in the loop, 222
 maintaining normalcy for baby or young toddler, 223
 older toddler and preschooler, 223–228
 reassuring baby during, 223
 resources, 226–227
 sample story, 224
 Web sites, 227
 imagination, beginnings of, 98–99
 immunization (vaccine) reactions, 199, 205, 206
 infant. *See also* newborn baby (1 to 2 months); 6 to 12 months old
 adopted baby, 157–160
 affect on sibling's bedtime behavior, 146
 average hours of sleep for, 37–38
 changing their expectations, 14–17
 childcare for, 221
 with colic, 68–71
 co-sleeping with, 130–131, 141, 147
 creating a book about, 149–150
 crib for, 150–151
 4 to 6 months old, 35–36, 61
 front carrier for, 157
 making room for, 146–148
 needs of, 9–10, 13
 nursery for, 143

infant (*continued*)

- pacifier use, 67–68
 - phasing out co-sleeping with, 143
 - preparing siblings for, 148–151
 - safety matters, 64–67
 - sibling's jealousy of, 152–153
 - sleeping position for, 65–66
 - sleeping through the night, 62–64
 - stages of sleep for, 33, 34–37, 186
 - stopping breathing, 131–132
 - 2 to 4 months old, 36, 61
 - wants versus needs, 13, 20
- infant formulas, 70
- inflammation, 201
- inhaled steroids, for asthma, 205
- in-home day care, 168–170, 175
- ink stamps, as lovies, 96
- internal clock (circadian rhythm)
- co-sleeping benefits for, 131
 - described, 58–59
 - newborns developing, 59
 - overview, 25–27
 - setting baby's, 62, 79–80, 131
- intimacy, parents', 134

• J •

- jealousy, sibling's, 152–153
- jet lag, 26

• L •

- learning style
- toddler's, 115
 - visual or tactile, 115–116
- life changes
- child's stress over, 213–214
 - daylight savings time, 220
 - divorce, 228–231
 - illness and death, 222–228
 - moving to a new home, 216–218
 - remarriage, 231–232
 - stay-at-home parent returns to work, 221
 - talking with child about, 214–215
 - traveling with (and without) your child, 218–220
 - visual aids for, 215

light sleep, 28–29

lighting

- for baby's bedtime, 77
 - flashlight, 126
 - for naps, 84
 - night light, 124, 126
- limits, setting, 14, 80–82
- log for sleep
- described, 85–86, 247
 - sample chart of 10-month old, 86
 - Sleep Log and Milestones, 94, 248–249
 - Week-Long 24-hour Sleep Watch, 247–248

long-term health issues. *See also* health concerns; minor illness effect on sleep, reducing, 207–210 most common, 206–207 support for, 208 Web sites, 208

lovies (transitional objects), 83–84, 91, 96

lullabies, 244

• M •

- magical thinking, 113, 214
- mammals, 24, 26
- massage
- before bedtime, 78
 - chest rub, 202
 - for sensory sensitive child, 44
- mature sleep cycle. *See also* sleeping through the night chart, 32 development of, 35–36
- medication
- for asthma, 204–205
 - cold and cough, 141, 199–200
 - co-sleeping, cautions for, 141
 - fever reducers, 198–200
 - inhaled steroids, for asthma, 205
 - ointments, 200
 - safety matters, 199
 - sedating, 141, 205–206
 - stimulating, 204–205
- melatonin, 25
- mellow child, 45, 48

- memories, building, 23–24, 29
 memory book, 227
 methylphenidate (drug), 205
 milestones. *See also* life changes;
 separation anxiety
 adjusting bedtime routines
 during, 242
 effect on sleep, 85–86
 pulling up to a stand, 83
 for 6 to 12 months old, 85–86
 Sleep Log and Milestones chart, 94
 milk, 202
 Milne, A. A. (*When We Were Very Young*), 243–244
 minor illness. *See also* health
 concerns; illness in the family;
 long-term health issues
 bedtime routine suspended
 during, 196
 colds and flu, 196, 197–202
 colic, 68–71
 diaper rash, 200
 diarrhea, 202
 doctor, when to call, 198
 fever, 198–199
 medications, 198–200, 204–206
 newborns shielded from, 196, 197
 non-medicinal comforting methods,
 201–202
 resuming your routine after, 202–203
 vaccine reactions, 199
 movies, 126
 moving to a new home, 216–218
 muscle twitch, in sleep, 28
 music. *See also* songs for bedtime;
 sounds
 for bedtime, 79
 songs for bedtime, 243–246
 for toddler's quiet time, 120–121
 Muth, Jon J. (*When We Were Very Young*), 243–244
- **N** •
- nanny, 120, 169
 naps. *See also* bedtime routine
 average hours of sleep for, 37–38
 coordinating newborn and
 toddler's, 157
 at home after starting school, 167
 for in-home childcare, 175
 lighting for, 84
 for newborn baby, 157
 noise-proofing for, 85
 phasing out, 36–37, 119–121
 at preschool and day care, 166–167,
 171, 173–175
 quiet time replacing, 120–121
 reducing to one a day, 95–96
 for 6 to 12 months old, 84–85
 toys for, 85
 for 2 through 3 years old, 118–119
 during vacation, 219
 weekend wakers avoiding, 167
 National Library of Medicine, 208
 needs and wants
 changing child's expectations for,
 14–17
 described, 12–13, 80–81
 example of, 20
 negotiations, 16
 newborn baby (1 to 2 months). *See also* baby
 adopted baby, 157–160
 circadian rhythm (internal clock)
 of, 59
 co-sleeping with, 130–131, 141, 147
 development of, 58
 naps for, 157
 needs of, 9–10
 nursing needs, 59–61
 preparing siblings for, 148–151
 protection from minor illness, 196
 siblings' feelings toward, 151–153
 stages of sleep for, 34–35, 36, 186
 night light
 for child's bedroom, 126
 for potty training, 124
 night terrors, 101, 102–104
 nightmares, 101–104
 nighttime. *See also* sleeping through
 the night
 average hours of sleep, 37–38
 babies sleep cycles, 186
 reducing feedings during, 79–80
 separation anxiety during, 90–91
 use of lights during, 126
 nipple confusion, 80

noise-proofing
 avoiding arguments before
 bedtime, 238
 losing your temper, avoiding, 241
 for naps, 85
 tips for, 237–238
non-medicinal comforting methods,
 201–202
nursery for baby, 143
nursing. *See* bottle-feeding;
 breastfeeding

• O •

object permanence, 88
occupational therapist, 210
oils and fragrances, 236
ointments for diaper rash, 200
outlets (wall sockets), childproofing,
 106, 109

• P •

Pachelbel, Johann (“Canon in D”), 245
pacifier
 for bedtime, 84
 pros and cons, 67–68
 reducing risk of SIDS, 66
packing for move, child’s help
 with, 216
pajamas, 124
parallel stories (social stories), 215
parenting styles
 authoritarian (drill sergeant), 50, 51,
 52, 53
 authoritative (gentle boss), 50, 51, 52
 effect on child’s sleep, 50–52
 evaluating yours’, 52–54
 overview, 49
 permissive (all you need is love),
 50, 51, 52
parents. *See also* co-sleeping
 adult sleepovers, after divorce, 231
 agreeing on a parenting style, 53–54
 avoiding arguments before
 bedtime, 238
 bathing with baby, 236
 being in charge, 114, 235–236

 changing you and your child’s
 expectations, 14–17
 child taking the place of, 230–231
 consistency needed from,
 138, 240–241
 death of, 227
 depression of, 19
 divorce, 228–231
 fear of traumatizing a child, 10–12
 feeling guilty, 18–19
 gaining confidence, 19–20
 parenting style, 49–54
 personality type, 45–48
 remarriage of, 231–232
 saying “Goodbye” to child,
 177, 178, 219
 setting limits, with love, 14, 80–82
 sleep needs of, 18, 141
 stay-at-home parent returns to
 work, 221
 staying firm, 144
 understanding wants versus needs,
 12–13
 viewed as omnipotent, 113
Parent-to-Parent (support group), 208
pattern for sleep. *See* sleeping through
 the night; stages of sleep
pediatrician, 44, 198
permissive (all you need is love)
 parenting style, 50, 51, 52
personality type
 active child, 41–42, 46–47
 mellow child, 45, 48
 overview, 39–40
 parents’, 45–48
 quiet or cautious child, 42–43, 47
 role in sleep, 40
 sensory-sensitive child, 43–44, 47–48
personalized picture book, 219
petroleum jelly, 200
phenylephrine (drug), 205
photos
 of day-care center or preschool, 176
 for moving day, 216
physical therapist, 210
pineal gland, 25
pituitary gland, 30
plants, 26

platypus baby, 33
 poetry, for bedtime, 243–244
 poetry of sleep, 22–24
 position for sleeping
 front versus back, 65
 SIDS risk, 65–66
Postpartum Depression For Dummies
 (Bennett and Codey), 19
 potty chair, portable, 124
 potty training
 age to begin, 121
 daytime dryness, 122
 diapers-to-underpants, 118
 sleeping in a crib, 122–123
 staying dry all night, 121–122
 toddler needing help at night, 123
 using the bathroom on their own,
 123–124
 power, toddler's use of, 13
 predictability, need for, 91
 pregnancy
 smoking during, 140
 trimesters, 182
 premature babies
 apnea monitor for, 192–193
 degree of prematurity, 182–183
 feeding at night, 43
 forgetting to breathe, 184
 medical issues, 182–184, 188–189
 safety matters, 189–191
 sleep challenges, 186, 188–189, 194
 sleep pattern, growing into, 186–188
 special needs of, 185–186
 stages of development, 182–185,
 193–194
 sudden infant death syndrome
 (SIDS) in, 65
 swaddling, 190–191
 weight gain, 188, 193–194
 preschool. *See also* day care
 age to begin, 91–92, 167
 child's anxiety about, 166–168, 177
 choosing, 170–171
 emergency information for, 175
 naps at, 173–175
 propping child up in bed, 201
 PubMed (Web site), 208

• Q •

quiet or cautious child, 42–43, 47
 quiet time, for toddler, 120–121

• R •

rapid eye movement (REM) sleep.
 See also dreams
 described, 31, 33–34
 development of, 30, 35–36
 of fetus, 34
 newborn baby, 186
 reading to your child. *See also* books
 before bedtime, 78
 bedtime stories, 243–244
 benefits of, 237
 for relieving separation anxiety, 90
 twins, 163
 reflux or gastroesophageal reflux
 disease (GERD), 70–71
 REM (rapid eye movement) sleep.
 See also dreams
 described, 31, 33–34
 development of, 30, 35–36
 of fetus, 34
 newborn baby, 186
 remarriage, 231–232
 rest time, 119
 rhymes for bedtime, 244
 rocking and head-banging, 100
 rolling over on baby, 131, 137, 141

• S •

safety matters
 alcohol, drinking, 137, 138, 141
 baby's crib, 82–83
 bedroom for child, 121
 caregivers', 154
 choosing a babysitter, 172
 co-sleeping, 139–142
 day care, 175–176
 drinking alcohol before bed, 137, 138
 emergency information for
 caregivers, 175
 medication dosages, 199

- safety matters (*continued*)
 - premature babies, 189–191
 - rolling over on baby, 131, 137, 141
 - sleeping on the couch, 142
 - sleepwalking, 105–106
 - suffocation risks of co-sleeping, 131
 - swaddling, 191
 - switching from crib to big bed, 109
- same-bed-same-room plan
 - options for, 136–137
 - pros and cons, 130–132
 - safety precautions, 140–142
- same-room, separate-bed plan, 133, 136
- saying “Goodbye” to child, 177, 178, 219
- scents, 44
- schedule strip, for toddler, 115–116
- SCN (suprachiasmatic nucleus), 25–27
- sedating medication, 141, 205–206
- self-centered thinking, child’s, 214, 228
- sense of control, giving toddlers, 115
- sensory-sensitive child, 43–44, 47–48
- separate-bed, same-room strategy, 133, 136
- separation anxiety. *See also* fears
 - beginning preschool, 167–168, 177
 - beginnings of, 88–89
 - effect on sleep, 89, 113
 - quiet or cautious child with, 42
 - relieving, 90–92
 - setbacks, 92–93
- setting limits, with love, 14, 80–82
- Shakespeare, William
 - (playwright/poet), 22, 23
- shared custody, after divorce, 229–231
- show tunes, 245
- siblings
 - bedtime routine, multiple, 153–156
 - feelings toward newborn baby, 151–153
 - helping toddler get ready for bed, 154
 - introducing to adopted baby, 158–159
 - kept awake by crying baby, 156
 - moving to a new bedroom, 150–151
 - new baby’s effect on bedtime
 - behavior, 146
 - preparing for new baby’s arrival, 148–151
 - from remarriage, 232
 - sharing a room, 147–148
 - “sick,” explaining to child, 225
- sidecar, 133
- SIDS (sudden infant death syndrome)
 - after one year, 95
 - apnea monitors, 192
 - described, 65
 - premature baby’s risk, 190
 - protecting your child from, 64–67
 - risk factors for, 132, 140, 141
 - Web site, 64–65
- singing to baby, 78. *See also* songs
 - for bedtime
- 6 to 12 months old
 - bedtime routine for, 76–79
 - developmental milestones, 85–86
 - falling asleep on her own, 81
 - lovies (transitional objects), 83–84
 - naps for, 84–85
 - need for limits, 14, 80–82
 - safety matters, 82–83
 - setting baby’s internal clock, 62, 79–80, 131
 - sleeping through the night, 73–76, 81–82
 - stranger anxiety of, 221
- sleep apnea
 - defined, 137
 - monitor for, 192–193
 - warning signs, 211–212
- sleep arousal
 - described, 30–31
 - increased during co-sleeping, 130
 - night terrors during, 103
 - sleepwalking and sleep-talking
 - during, 104–105
- sleep disorders
 - sleep apnea, 137, 211–212
 - snoring, 210–211
- sleep log
 - described, 85–86, 247
 - sample chart of 10-month old, 86

- Sleep Log and Milestones, 94, 248–249
- Week-Long 24-hour Sleep Watch, 247–248
- sleep pattern. *See* sleeping through the night; stages of sleep
- sleeping position
- front versus back, 65
 - SIDS risk, 65–66
- sleeping through the night. *See also* disruptions to sleep
- baby's readiness for, 10, 36, 74–75
 - for 4 to 6 months old, 10, 61
 - guiding baby to, 62–64
 - helping toddlers with, 117–118
 - importance of, 15, 18–19
 - overview, 73–74
 - parents' feelings about, 10–14, 18–19, 75–76, 242
 - setbacks, dealing with, 93–94
 - setting limits for, 80–82
 - for 6 to 12 months old, 73–76, 81–82
- sleep-talking and sleepwalking, 104–106
- sleep-wake cycle, 25. *See also* internal clock (circadian rhythm)
- sling, 236
- smoking
- co-sleeping unsafe with, 137, 138, 140
 - dangers during pregnancy, 140
 - as risk factor for SIDS, 65, 66
- snacks, 236
- snoring, 23, 210–211
- snuggling with your child, 236
- social stories (parallel stories), 215
- sofa couch
- child sleeping on, 242
 - dangers of sleeping on, 142
 - risk of SIDS, 66
- songs for bedtime. *See also* music
- “Canon in D” (Pachelbel), 245
 - “Frere Jacques,” 246
 - “Hush Little Baby” (lullaby), 245
 - lullabies, 244
 - show tunes, 245
 - “Twinkle, Twinkle Little Star,” 245–246
- sounds. *See also* music
- arguments before bedtime, avoiding, 238
 - for bedtime, 237–238
 - losing your temper, avoiding, 241
 - for sensory sensitive child, 44
 - special bag, for toddler, 152–153, 154
 - spindles, 29
 - stages of sleep. *See also* dreams
 - average hours of sleep, 37–38
 - before birth, 34
 - deep sleep, 29–31, 36
 - development of, 34–37, 186
 - light sleep, 28–29
 - mature sleep cycle, 32, 35–36, 187–188
 - for newborn baby, 34–35, 58, 186
 - overview, 27
 - for premature baby, 187
 - REM (rapid eye movement), 30, 31, 33–34, 35–36, 186
- stay-at-home parent returns to work, 221
- steam, for colds, 202
- stimulating medication, 204–205
- stomach acid, 69, 70–71
- stories for bedtime, 243–244
- stranger anxiety, 221
- strangers, friends, relatives, toddler meeting, 91
- strolling, 237
- sucking, baby's fondness for, 67
- suction bulb, 202
- sudden infant death syndrome (SIDS)
- after one year, 95
 - apnea monitors, 192
 - described, 65
 - premature baby's risk, 190
 - protecting your child from, 64–67
 - risk factors for, 132, 140, 141
 - Web site, 64–65
- suffocation risks, co-sleeping, 131
- support group, 208
- suprachiasmatic nucleus (SCN), 25–27
- swaddling
- an active child, 42
 - premature babies, 190–191

• T •

talking with child
 about life changes, 214–215
 active child, 42
 teeth, pacifier's effect on, 68
 television shows, 119, 126
 temperature
 for baby's room, 66–67
 for co-sleeping, 140
 for sensory sensitive child, 44
 for sleeping, 238
 therapist, 210
 thermostat, setting, 238
 tobacco smoke
 co-sleeping unsafe with, 137, 138, 140
 dangers during pregnancy, 140
 as risk factor for SIDS, 65, 66
 toddler. *See also* 18 months to 2 years old; 2 through 3 years old
 average hours of sleep, 37–38
 bedroom for, 143–144
 changing their expectations, 14–17
 co-sleeping considerations, 142, 143–144
 crying game, 156
 finicky, 155–156
 naptime, 95–96
 needs of, 13
 negotiating with, 16
 quiet time for, 120–121
 special bag for, 152–153, 154
 vacationing with, 218–219
 wants versus needs, 13, 20
 toilet training
 age to begin, 121
 daytime dryness, 122
 diapers-to-underpants, 118
 sleeping in a crib, 122–123
 staying dry all night, 121–122
 toddler needing help at night, 123
 using the bathroom on their own, 123–124
 tooth-grinding (bruxism), 101
 toys, 85, 91
 transitional objects (lovies), 83–84, 91, 96
 trauma versus disappointment, 10–12

traveling with (and without) your child, 159, 218–220
 trimesters, 182
 trimethoprim/sulfamethoxazole (antibiotic), 206
 Tufts University (Web site), 208
 12 to 18 months old
 bedtime routine for, 90–91
 lovies (transitional objects) for, 96
 safety matters, 95
 separation anxiety of, 88–93
 setbacks in your routine, dealing with, 92–93
 sleep patterns, monitoring, 94
 transitioning to one nap a day, 95–96
 “Twinkle, Twinkle Little Star” (song), 245–246
 twins
 asking for help with, 160–161
 bedtime routine, 163
 feeding, 162–163
 separate rooms for older twins, 163–164
 sleep logistics, 161–162
 2 through 3 years old. *See also* toddler
 baby-to big-person conflict, 112–114
 bedtime routine, 114–118
 bogeyman, fear of, 124–126
 magical thinking of, 113, 214
 moving from crib to big bed, 118
 naptime, phasing out, 118–121
 potty training, 121–124
 stress over life changes, 213–214
 2 to 4 months old, 36, 61

• U •

underpants, switching to, 118

• V •

vacations
 bedtime disruptions from, 241
 how long to leave a child, 220
 leaving child at home, 219–220
 toddlers difficulty with, 91
 with your child, 218–219

vaccine (immunization) reactions,
199, 205, 206
videos, 154
viruses, 201
visual aids
calendars, 215
homemade books, 215
parallel stories (social stories), 215
preparing for life changes with, 215
visual or tactile learners, 115–116

• *W* •

walking
age to begin, 87
strolling before bed, 237
wall sockets (outlets), childproofing,
106, 109
walls, sleeping baby, 142
wants and needs
changing child's expectations for,
14–17
described, 12–13, 80–81
example of, 20
warming up the bed sheets, 237
waterbed, 66, 141

Web sites
American Academy of Pediatrics
(AAP), 201
illness in the family, 227
long-term health issues, 208
Parent-to-Parent, 208
PubMed, 208
sudden infant death syndrome
(SIDS), 64–65
weekend wakers, 167
weight gain
birth to 6 months, 58
premature babies, 188, 193–194
wetting the bed, 122, 123. *See also*
potty training
When We Were Very Young (Milne and
Muth), 243–244
white noise, 44
winding down for bedtime, 77–78,
239–240
womb, stages of development in,
182–183

• *Y* •

Your Baby's First Year For Dummies
(Gaylord and Hagan), 80

