

SUBJECT INDEX

- Active schedule, 331–337, 345, 399, 409–410, 414. *See also* Nondelay schedule
- Active subproblem, 50
- Activity network. *See* Network model; Project scheduling; Series-parallel precedence structure
- Activity-on-arc (AOA) network. *See* Network model, activity
- Activity-on-node (AON) network. *See* Network model, activity
- Adjacent pairwise interchange (API), 17–18, 36–37
- for Johnson's rule, 232–234
 - for the E/T problem, 89
 - for the family scheduling problem, 302–303
 - for the F -problem with precedence constraints, 175
 - for the F -problem, 20–21
 - for the L_{\max} -problem, 21–22
 - for the T -problem, 25–28
 - in batch processing, 302–303, 319
 - in neighborhood search, 66–69, 342–345, 411–412
 - in stochastic scheduling, 126, 145
 - modified, 411–412
 - within blocks, 342–345
- Adjacent Pairwise Interchange (API) Heuristic, 254–257, 262, 265–267
- Adjusting procedure (mechanism), 333
- Agreeable parameters, 25–26
- and nonsimultaneous arrivals, 173–174
 - and related jobs, 175
 - in the dynamic U -problem, 174
 - in the stochastic flow shop problem, 266–267
 - in the stochastic T -problem, 126
 - in the stochastic U -problem, 155–156
 - in the T -problem, 25–26
- Alldifferent constraint, 78, 131
- Allocation decision, 4–6, 31, 200–201, 213, 219–222, 301, 311, 372, 381, 409
- Allowance per operation (A/OPN) rule, 359, 362, 365–366
- Anticipated work in next queue (AWINQ) rule, 352–353
- AOA (activity-on-arrow). *See* Network model, activity
- AON (activity-on-node). *See* Network model, activity
- API Heuristic. *See* Adjacent Pairwise Interchange Heuristic
- API. *See* Adjacent pairwise interchange
- Assembly coordination model (ACM), 420–426, 429, 436

484 SUBJECT INDEX

- Assembly tree (intree), 208
Assignment problem, 188
Association, stochastic, 124–127, 452–453
 linear, 125–127, 154–156, 190, 261–262, 268, 418, 452–458
Asymptotic optimality, 148–149, 205, 208, 217, 222, 238, 257–258, 260–261, 267
Availability
 batch, 285, 301, 309–313, 321
 item, 285, 309–310
Backtracking, 51, 186
Batch
 availability. *See* Availability, batch
 flow. *See* Availability, batch
 processing model, 301, 313–321
Beta distribution, 387–389, 392–393, 418
Block, 101–103, 150–151, 169–170, 172–174, 330, 342–345, 411–412
Blocking. *See* Flow shop
Booking resources. *See* Hierarchical balance
Bottleneck (critical) machine, 10, 166, 239–241, 295, 338–342. *See also* Shifting bottleneck procedure
Branch and bound, 47–54, 57–58, 63, 133, 195, 321
 and the parallel-machine model, 202
 for the burn-in model, 320
 for the dynamic C_{\max} -problem, 170, 172
 for the dynamic L_{\max} -problem, 170, 172
 for the dynamic T -problem, 173
 for the E/T -problem, 103–104
 for the flow shop makespan problem, 237–241
 for the job shop problem, 336–342
 for the resource-constrained project scheduling problem, 401–404, 407, 414
 for the stochastic $E(\max\{g\})$ -problem, 121
 for the T -problem, 48–53
 for the traveling salesperson problem, 184–189
Buffer
 hidden, 450
 of capacity, 450
 project, 429. *See also* Safety time; Stochastic balance
 time. *See* Safety time
Burn-in model, 318–320
Bus scheduling problem. *See* Passenger transportation
Campbell, Dudek, and Smith (CDS) algorithm, 242–243, 248
Capacity, effect on stochastic processing time, 450
Central limit theorem, 149, 192, 386, 438, 447, 449, 455. *See also* Lognormal central limit theorem
Chain, 178–181, 195, 211–212, 330, 379
Closest unvisited city algorithm, 189–190, 246
 C_{\max} -problem. *See* Maximum completion time
Coefficient of variation (cv), 262, 423, 338–439, 446, 449, 451, 456, 458
 squared (scv), 262, 456–457
Complete enumeration, 41, 47, 148, 205. *See also* Implicit enumeration
Completion rate
 decreasing (DCR), 218, 450–451
 increasing (ICR), 218, 222, 450–451
Complexity theory, 6. *See also* NP-hard
Composite bound, 402
Composite job, 302–303
CON due date rule, 29–30, 174, 361–362, 364
Connectivity, 342–343, 345
Construction heuristic procedure, 61–63, 80.
 See also Priority rule
 parallel, 408–409, 413
 serial, 408–410, 413
Contiguity constraint, 178
Convexity
 and positive Jensen gap, 122, 389
 in setting due dates and release dates, 151.
 See also Convexity of the PSB model
 LP model as proof of, 295, 429, 433, 439
 of the consistent subplot problem, 295
 of the PSB model, 427, 429, 433
Correlation. *See* Stochastic dependence
Crashing (time/cost trade-off)
 deterministic, 381–385
 stochastic, 436–440
Critical activity, 379–382, 390–393. *See also* Criticality
Critical fractile, 142–144, 146, 149, 260, 459–470.
 See also Critical ratio
Critical machine. *See* Bottleneck machine
Critical path, 209, 222, 330, 342, 345, 379, 389, 393, 398, 420, 422, 427, 435
 calculations, 377–380, 406, 411
 nominal, 386, 388–390, 392
Critical path method (CPM), 372, 376–385, 393–394, 399, 404–405, 410, 414, 434, 436, 440. *See also* Program evaluation and review technique
Critical ratio, 420, 423–425, 432, 461–467, 469.
 See also Critical fractile
 priority dispatching rule. *See* Priority rule
Critical subplot, 275–276, 279, 294

SUBJECT INDEX 485

- Criticality (index), 391–392, 420, 422–425, 429, 433–434, 440. *See also* Project scheduling, stochastic balance
 local, 435. *See also* Hierarchical balance
- DCR. *See* Completion rate, decreasing
- Decomposition tree. *See* Series-parallel precedence structure
- Delivery time, 169–170, 338–339
- Delta priority rule, 413
- Dense schedule, 263–265, 267
- Deterministic counterpart, 109, 115–117, 119, 122–123, 127–128, 132–133
 of the parallel-machine makespan problem, 218–220
 of the PERT model, 386, 390–391, 441
 of the stochastic E/T problem, 147–150
 of the stochastic flow shop problem, 251–254, 256–259, 261–262, 267
 of the stochastic L_{\max} -problem, 122
 of the stochastic T_{\max} -problem, 122
 of the stochastic T -problem, 123
 of the stochastic traveling salesperson problem, 190, 195
- DFR (decreasing failure rate). *See* Completion rate, decreasing
- Discrete processor, 313–314, 320
- Disjunctive arc, 329–330, 338–343
- Disjunctive constraint, 473, 476
- Dispatching, 58–64, 80, 104
 in the dynamic job shop, 349–350, 352–370
 in the dynamic single-machine model, 168–169, 172–173, 189, 195
 in the flow shop with blocking, 247
 in the job shop, 333
 in the parallel-machine model, 202, 205, 208, 214, 216, 219–222
 in the resource-constrained project scheduling problem, 408–410, 414
 with priority rules, 336–337, 346, 408, 410, 411–414
- Dominance property, 43–47, 49–50, 54, 181.
See also Dominant set
 for early/tardy problems, 88
 for flow shop problems, 228
 for lot streaming problems, 274, 287, 296
 for the burn-in model, 318–321
 in stochastic sequencing, 120, 123–127, 133, 262
- Dominance relationship, 265, 274, 364, 367, 469
- Dominant set, 14, 88, 473
 in the E/T problem, 88–92, 94, 99–101
 in the flow shop problem, 229, 238, 244–245, 247
 in the job shop problem, 328, 331, 333, 345
 in the restricted version of the E/T problem, 94, 99
 with nonsimultaneous arrivals, 167–168
- Due date, 11–12, 21–29, 87, 109, 358, 419.
See also Family due date; Operation due date
 as decision, 28–31, 87, 93–94, 99, 101, 258–261
 in safe scheduling, 138–152, 220–221, 457–458
 in the dynamic job shop, 361
 common, 87–101, 104, 141–143, 149, 193–194
 distinct, 101–104, 143–149
 modified. *See* Modified due date
 project, 386, 420–436
 tight, 29–30, 138–145
- Dummy activity, 375–376, 426
- Dynamic programming, 37–42, 53–54, 57–58, 121, 133, 181, 320–321
 and stochastic scheduling, 121, 123, 133, 157
 and the parallel-machine model, 202, 214, 222
 computer implementation, 41–42, 45–47
 for the E/T problem, 95, 100
 for the F -problem with batch availability, 311–312
 for the F -problem with batch processing and dynamic arrivals, 317–318
 for the F -problem with general precedence structure, 181
 for the F_W -problem in family scheduling, 303
 for the L_{\max} -problem in family scheduling, 306
 for the T -problem, 39–40, 43–46
 for the traveling salesperson problem, 183–184
 for the U -problem, 41
- Dynamic job shop model, 337, 349–370
 conditional mean tardiness (CMT), 360, 369
 mean flowtime, 349, 354–357, 369–370
 mean tardiness (MT), 349, 360–370
 proportion of jobs tardy (PT), 357, 360–361, 363–365, 368–369. *See also* Service level
- Dynamic arrivals. *See* Nonsimultaneous arrivals
- Earliest due date (EDD) rule, 21–22, 102, 104, 132, 358–361
 and related jobs, 176
 and stochastic feasibility, 152–156
 and the late finish time priority, 408, 413
 and the L_{\max} -problem, 21–22, 120
 and the L_{\max} -problem with batch processing, 314
 and the stochastic T -problem, 126–127
 and the stochastic U -problem, 158. *See also* Stochastic feasibility
 and the T -problem, 26, 28–29, 61, 63

486 SUBJECT INDEX

- Earliest due date (EDD) rule (*Continued*)
and the T_{\max} -problem, 22, 31, 36, 120
and the U -problem, 24
as a priority dispatching rule, 353, 360, 365
dynamic adaptation, 168, 171
in biased random sampling, 66
in family scheduling, 301, 304–305
in Smith's rule, 23–24
in stochastic scheduling, 109, 115–117
nondelay implementation, 171–173
- Earliest release date (ERD) rule, 169, 174, 314
as a priority dispatching rule, 353–354
- Earliness/Tardiness (E/T) problem, 86–105.
See also Due date, common and distinct
in project scheduling, deterministic, 419–420
in project scheduling, stochastic, 420–436.
See also Stochastic balance
restricted version, 88, 92–99
stochastic counterpart, 145–151, 161, 468
unrestricted version, 88–94, 97–98, 100–101
with job-dependent costs, 100–103
with quadratic costs, 99–100
- Early event time (ET), 377–380, 384
- Early finish time (EF), 377, 400, 403
- Early start schedule, 405–407
- Early start time (ES), 377, 400–406, 419,
427–428
- Elite solutions, 345
- Economic balance, stochastic. *See* Stochastic
balance
- Elimination, 49–51, 186
- Enhanced neighborhood, 343–345
- ERD. *See* Earliest release date
- Error bound, 203, 205
- Evolutionary Solver, 75–79, 127, 131, 134, 158
- Excel, 75–79, 127–132, 445, 448, 457
- Exponential distribution, 218–220, 252–257, 260,
262, 267–268, 362, 446–447, 449–451
completion rate (processing rate), 218,
252–253
computer simulation, 446
in examples, 219–220, 253, 257, 436–437
memoryless property, 437, 451
- F -problem. *See* Total flowtime
- Family due date, 305
- Family scheduling model, 300–309
- Feasibility
check (stochastic), 154
constraint, 4, 384
stochastic, 138–140, 152, 154–156
- First Come First Served (FCFS) rule, 336, 348,
353–357, 363, 365, 368
- First fit decreasing (FFD) procedure, 207
- First Off First On (FOFO) rule, 173, 352
- First-only-empty (FOE) algorithm, 314–315
- Float, 379–381
free, 380
independent, 380
safety, 380
total, 380
- Flow allowance, 29, 358–359, 361, 363–367, 369
- Flow shop, 225–248, 272–273, 295–296, 306, 309,
315, 321, 325–327, 333, 351, 398, 418
2-machine, 230–235
3-machine, 236–237
 m -machine, 236–247
no wait, 245–247
ordered, 237, 243–244, 274, 294
stochastic, 251–267
with blocking, 244–245, 247
- Flowtime, 12–13, 15–21, 30, 109, 113–114, 116.
See also Total flowtime; Total weighted
flowtime
and inventory, 15–16, 19–21, 86, 354
mean. *See* Dynamic job shop model
- Full-batch schedule, 314–315, 317
- Fundamental partition. *See* Lot streaming
- F_w -problem. *See* Total weighted flowtime
- Gantt chart, 2–3, 16, 293, 408
in the job shop problem, 327–328, 331, 333
predictive, 153, 432–434, 439
- Genetic algorithm, 74–76, 345. *See also*
Evolutionary Solver
- Gilmore and Gomory algorithm, 245
- Global left shift, 331
- Global optimum, 68–70, 427, 429
- Greedy procedure, 61, 80
for the traveling salesperson problem, 189
for the T_w -problem, 62–64, 69
- Group technology, 271, 301–306, 308–309, 313,
320
- Head-body-tail (HBT) problem, 169–172
in the shifting bottleneck procedure, 338–341,
346
- Heuristic procedure (heuristic), 4–8, 48, 57–81,
100
for single-machine problems, 57–81
for stochastic scheduling, 133–134, 141,
145–149, 152, 158, 162, 192, 221, 251,
254–257, 262, 265–268
for the dynamic F -problem, 173
for the family scheduling problem, 320
for the flow shop makespan problem, 241–243,
247–248, 251, 254–257, 262, 265–268
for the job shop problem, 333, 336–346

SUBJECT INDEX 487

- for the lot streaming problem, 295
- for the parallel-machine F_w -problem, 215–218
- for the parallel-machine makespan problem, 202, 205, 207–208
- for the resource-constrained project scheduling problem, 400, 407–414
- for the restricted version of the E/T problem, 95–96, 99
- for the traveling salesperson problem, 189–190
- Hierarchical balance, 434–436. *See also* Stochastic balance
- ICR (increasing completion rate). *See* Completion rate
- IFR (increasing failure rate). *See* Completion rate
- Implicit (curtailed) enumeration, 41, 47–48, 53, 205, 414
- Implicit subproject, 434–435
- Inserted idle time, 14, 101–104, 109. *See also* Active schedule
 - in lower bound calculations, 239
 - in the dynamic single-machine model, 166–169, 195
 - in the flow shop problem, 227
 - in the job shop problem, 328
 - in the stochastic E/T problem, 149–152, 161
- Insertion procedure, 61, 66, 80
 - for the flow shop problem, 236, 243
 - for the T -problem, 62
 - for the traveling salesperson problem, 189–190
 - for the T_w -problem, 62–63, 69
- Integer programming (IP), 273, 279, 285, 414, 432, 471–477
- Interdictive graph, 389–390, 427
- Inventory, 15–16, 19–21, 86, 271, 354. *See also* Flowtime
 - safety stock (as analogue of safety time), 137, 160
- Item availability. *See* Availability, item
- Jensen gap, 122, 219, 251, 257–258, 262–265, 267–268, 389, 393
- Job shop, 3, 8, 261, 268, 325–346, 398, 418
 - closed, 351
 - dynamic, 346, 349–370
 - extended (to project scheduling), 372, 399–404
 - pure, 351
- Johnson's approximate method, 236
- Johnson's extended rule, 236
- Johnson's Heuristic (the deterministic counterpart sequence), 254, 256–258, 260–262, 265–268
 - tie-breaking rule (for variance reduction), 254, 265
- Johnson's Rule, 230–236, 247, 252–254, 256–258, 260–262, 265–267, 296, 306
 - in family scheduling, 307–308
- Jumptracking, 51–52
- Just-in-time (JIT), 86, 104, 244, 272
- Largest tail (LT) procedure, 169–172, 338–341
- Late finish time (LF), 377, 408
- Late finish time (LFT) priority, 408–410, 412–413
- Late event time (LT), 377–380
- Late start schedule, 405–407, 420
- Late start time (LS), 278, 288, 377, 420
- Late start time (LST) priority, 412–413
- Lateness, 12, 21, 114, 175, 357. *See also* Maximum lateness
 - maximum minimal lateness, 23, 413
- Least work remaining (LWKR) rule, 336–337, 352–354
- Lexicographic ordering, 210
- Linear association, *see* Association
- Linear programming (LP), 283–285, 295, 384–385, 429, 431–432, 438–440, 442–443
 - as proof of convexity. *See* Convexity
- List scheduling, 202–208, 214, 216, 222, 413. *See also* Construction heuristic procedure
- Local left shift, 328
- Local optimality, 37, 68–72, 80, 343, 427, 429, 433
- Logical constraint (relationship), 327, 373–376, 379, 393. *See also* Precedence constraint
- Logical feasibility, 408, 410–413. *See also* Logical constraint
- Lognormal central limit theorem, 262, 449, 455
- Lognormal distribution, 262, 445, 447–451, 455, 457
 - and linear association, 455, 457
 - and stochastic capacity, 449
 - in examples, 127–128, 159, 423, 433, 437
 - computer simulation, 127–128, 448
- Longest path, 209, 330, 339, 343, 379, 381, 390–392, 401, 420, 427. *See also* Critical path
- Longest processing time (LPT), 89, 91, 97
 - LPT/SPT sequence. *See* V-shaped sequence
 - and Johnson's Rule, 231, 236
 - and the ordered flow shop, 244
 - in the job shop problem, 337
 - in the resource-constrained project scheduling problem, 408, 410, 413
 - list scheduling procedure, 205–209, 219–220, 222
- Longest expected processing time (LEPT), 126–127, 219–220, 222

488 SUBJECT INDEX

- Longest weighted processing time (LWPT), 215–216
LWPT/SWPT sequence, 100
Look-ahead procedure, 168, 172, 179, 189, 195, 208
Loose schedule, 5, 263–265
Lot streaming problem, 271–297
 continuous version, 273–277, 279–284, 286–287
 discrete version, 273, 277–279, 284–285, 287–289
 fundamental partition, 292–295
 linear programming formulation, 283–284
 partition set, 286. *See also* fundamental partition
 with consistent sublots, 274–285, 290–292
 with equal sublots, 290–291, 295–297
 with intermittent idling, 274, 290–291
 with no idling, 274, 276, 280–281, 283–284, 290–291
 with three or more machines, 281–295
 with two machines, 273–281
 with variable sublots, 285–292
Lower bound, 49–54, 172, 184–187, 202, 206–207, 273, 278, 320. *See also* Branch and bound
 for F_W in the parallel-machine problem, 215
 for release dates in stochastic balance calculations, 422–424, 426–427
 in flow shop scheduling, 236–241, 247
 in job shop scheduling, 339, 341
 in resource-constrained project scheduling, 401–404, 406–407
Machine-based bound, 239
Makespan, 13, 93, 182, 195, 321. *See also* Maximum completion time
 in a GT solution, 302
 in the flow shop model, 229–247, 251–267, 475–476
 in the flow shop with family setups, 306–309
 in the head-body-tail (HBT) problem, 169–171
 in the job shop model, 330–331, 337–345
 probability distribution of, 142–143, 191–193, 220–221, 258–260, 263, 267, 385–389, 456–458, 469
 project, 398–415, 419, 420
 with a batch processor, 314–316
 with lot streaming, 272–292, 294–297
 with parallel machines, 201–212, 217–222
Maximum completion time, 13, 93, 112, 116.
 See also Makespan
 C_{\max} -problem, 13
 dynamic version, 169–170
 in safe scheduling, 141–143, 194–195, 259–261, 264–268, 457–458. *See also* Due date in safe scheduling
 in the stochastic counterpart, 112, 116, 122, 251–259, 261–268
 with sequence-dependent setup times, 182–190, 195
Maximum cost problem, 34–36
 stochastic counterpart 109, 117–122, 133
 with precedence constraints, 176
Maximum flowtime (F_{\max}), 13, 15–16, 19–20
Maximum lateness, 21–23, 112, 115–116
 L_{\max} -problem, 120, 122, 132
 dynamic version, 171–173, 175–176.
 See also Head-body-tail problem
 with a batch processor, 314
 with job families, 304–306, 320
Maximum tardiness, 13, 21–23, 109, 112, 115–116, 238
 T_{\max} -problem, 35, 117, 120, 122, 132
 dynamic version, 167, 171–172
 relation to resource-constrained project scheduling, 408, 413
 with precedence constraints, 175–176
Memoryless property. *See* Exponential distribution
Minimum slack time (MST) rule 22–23, 66
 as a dispatching rule, 353, 358–361, 366, 413
Modified API. *See* Adjacent pairwise interchange, modified.
Modified due date (MDD) rule, 28, 51, 68, 80, 370
 as a dispatching rule, 59–61, 353, 361–362, 365, 367
 nondelay implementation, 173
 weighted version (WMDD), 60, 62–63
Modified operation due date (MOD) rule, 362, 364, 367–370
Most work remaining (MWKR), 336–337
Multifit algorithm, 207–208
Nearly optimal solutions, 6, 192
Neighborhood search, 66–70, 80, 100, 103.
 See also Genetic algorithm; Simulated annealing; Tabu search
 and minimizing D , 141
 for the flow shop problem, 243
 for the job shop problem, 327, 333, 342–346
 for the parallel-machine makespan problem, 202, 205
 for the resource-constrained project scheduling problem, 410–412
 in the stochastic E/T problem, 149, 152
 in the stochastic flow shop problem, 251, 254.
 See also Adjacent Pairwise Interchange Heuristic

SUBJECT INDEX 489

- Network model, 208–210, 214, 329–330, 339
 activity, 372–394, 398–415, 420–421, 434–436
 activity-on-arc (AOA), 373–376, 393
 activity-on-node (AON), 373, 376, 393
 series-parallel precedence structure, 179–181, 389
- Network methods. *See* Project scheduling
- News vendor model. *See* Critical ratio; Stochastic balance
- Nominal makespan, 263–264, 266
- Nondelay dispatching procedure, 169, 408–410.
See also Inserted idle time
- Nondelay schedule, 331–333, 335–337, 352, 408–410. *See also* Active schedule
- Nonsimultaneous (dynamic) arrivals, 166–176, 195, 314–315, 317–318, 321. *See also* Dynamic job shop
- Normal distribution, 146–149, 192, 194, 255–257, 260, 262–263, 265–267, 386, 397, 437–438, 447, 449, 451, 455, 457, 467–470
 computer simulation, 447
 in examples, 139, 142–144, 147, 191–192, 256, 389, 457
- NP-complete, 6
- NP-hard, 6, 54, 93, 133, 317
 E/T problem with distinct due dates, 101
 F -problem for the burn-in model, 321
 F -problem for the flow shop, 244
 F_W -problem with batch availability, 310
 F_W -problem with parallel machines, 214
 HBT problem, 169, 338
 in the ordinary sense, 54, 93, 100. *See also* Pseudopolynomial algorithm
 in the strong sense, 54, 202, 407
 integer programming, 432
 L_{\max} -problem with family scheduling, 305–306
 L_{\max} -problem with nonsimultaneous arrivals, 171
 makespan problem with parallel machines, 202, 208
 makespan problem with parallel machines and related jobs, 209–210
 resource-constrained project scheduling problem, 407
 restricted version of the E/T problem, 95
 stochastic T - and T_W -problems, 133
 stochastic U -problem with service-level constraints, 152, 156
 T - and T_W -problems, 29, 54
 three-machine makespan problem for the flow shop, 236
 traveling salesperson problem, 183
 unrestricted version of the E/T problem with nonidentical costs, 100
 U -problem with nonsimultaneous arrivals, 174
 U_W -problem, 25
 Number of operations (NOP) due date rule, 361, 364, 369–370
 Number of tardy jobs, 13, 24, 86
 U -problem, 24–25, 41
 dynamic version, 172, 174
 stochastic version, 112, 115, 118, 122, 132–133, 138, 152–160
 weighted version, 25, 41, 80
- Operation due date, 359, 361
- Operation Due Date (ODD) rule, 353, 359, 362, 364–367
 as a dispatching rule, 353
- Operation milestone, 359, 362, 364, 366–367, 370, 376
- Operation slack time (OST) rule, 360, 362, 364, 366
- Optimality principle, 38. *See also* Dynamic programming
- Optimization methods, 34–54
- Ordered flow shop. *See* Flow shop
- Origin node, 374
- Palmer's slope index, 242
- Parkinson distribution, 445, 449–451
- Passenger transportation, safe scheduling examples, 2, 5, 193, 429–433
- Partition set. *See* Lot streaming
- Perfect schedule, 88
- Performance guarantee, 203, 205, 208. *See also* Asymptotic optimality
- Performance measure (objective), 12–13, 34, 87, 109, 138–139, 141–143, 145–146, 156–157, 354, 359, 385, 419–421, 426.
See also Regular measure
 secondary, 23, 92–93, 101, 423, 426
- Permutation schedule, 11, 14, 168, 172, 327, 333
 in the flow shop problem, 227–230, 236, 238, 244, 247
 in the flow shop problem with no wait, 245
 in the flow shop problem with time lags, 235
 in the stochastic flow shop problem, 252, 263
- PERT. *See* Program evaluation and review technique
- Planning, 2, 4, 29, 271, 372, 389, 393–394
- Polynomial algorithm, 6, 54, 103, 214, 237, 245, 279

490 SUBJECT INDEX

- Precedence constraint (relation), 166, 174–181, 195, 208–211, 225, 325, 327, 329–330, 373–376, 385, 398–399, 401–402, 411, 427
 soft, 414, 418, 427
- Predecessor, 166, 174–175, 329, 338–339, 350, 378, 408, 412, 420, 426–428
 direct, 174, 178, 211, 225, 334, 380, 399–400
- Predictive Gantt chart. *See* Gantt chart
- Preemption, 14, 109, 271
 in the dynamic single-machine model, 166–168
 in the parallel-machine model, 201–203, 211–212, 222
 in the resource-constrained project scheduling problem, 415
 in the shifting bottleneck algorithm, 340
 preempt-repeat mode, 167–168, 172, 195
 preempt-resume mode, 167–168, 172, 195
- Priority rule, 28, 141, 336
 allowance-based, 358, 365–366
 critical ratio, 366–367
 due date, 369
 dynamic, 353
 for resource constrained project scheduling, 408, 412–413
 global, 352, 354–355
 local, 352
 modified operation due date, 367–368
 slack-based, 358, 366
 static, 352
- Probabilistic. *See* Stochastic
- Process batch, 272
- Processing plus waiting time (PPW) due date rule, 361, 364
- Program evaluation and review technique (PERT), 372–373, 376, 385–394, 399, 414, 418, 434, 440. *See also* Critical path method (CPM)
- Project buffers. *See* Buffer
- Project scheduling, 268, 372–394, 398–415, 418–441
 hierarchical, 434–436. *See also* Stochastic balance
 network models. *See* Network models, activity resource-constrained. *See* Resource-constrained project scheduling
 stochastic, 385–393, 418–441
- PSB (project stochastic balance) model, 426–434. *See also* Stochastic balance
- Pseudopolynomial algorithm, 54, 95, 100, 202
- Pyramid sequence (SPT/LPT), 244, 274, 282, 294
- Quadratic earliness/tardiness cost, 99–100
- Random sampling (for seed generation), 63–66, 80
 biased, 64–66, 80, 412–414
- Regular measure, 13–14, 37, 86, 105, 137, 166, 228, 328, 331, 345, 399, 471
- Reduction, 184, 186–187
- Regularity condition, 204–205, 258
- Related jobs, 166, 174–181, 208–212, 373, 411
- Release date, 11–12, 29–30, 102, 149–152, 160–161, 167–176, 247, 314–315, 317–318, 338, 353, 358
 active, 150, 152, 427, 436–437, 455
 as safe scheduling decisions, 138, 149–152, 247, 454–456
 criticality of. *See* Stochastic balance
 different, 166
 in projects, 413, 418–439, 441
 inactive, 427
- Renewable resource, 399
- Resource-constrained project scheduling, 398–415
 construction heuristics, 408–410
 parallel, 408–410, 413
 serial, 408–410, 413
 lower bounds, 401–404, 406–407
 neighborhood search, 410–412
 priority lists, 408–414
- Restricted neighborhood, 345
- Reversed problem, 170, 172, 229, 273, 279, 281, 405, 408
- Risk solver, 127–133, 158, 221, 256
- Routing matrix, 326, 329, 351
- Run-in time, 307–308
- Run-out time, 307–308
- Safe scheduling, 5, 137–161
 and the traveling salesperson problem, 191–195
 for project scheduling, 418–441
 for the flow shop problem, 251–252, 258–263, 267–268
 with linearly associated random variables, 154–156, 190, 261–262, 418, 433, 452–456
- Safety time, 2, 5, 7, 105, 137–138, 143, 146–148, 160–161, 195, 264–265, 267–268, 420, 436, 439, 441, 457–458, 460, 467–468
- Sample-based optimization, 112, 114–117, 133, 422–426. *See also* Simulation; Stored sample
- Sample size
 for sample-based optimization, 112–113, 116, 129–130, 133, 423–425
 for the random sampling heuristic, 64–66
- Scenario, 112–115, 139, 152, 192, 220, 313, 423–425, 429, 433, 459

- Scheduling, 1
- Schedulable activity, 399–401, 403, 408–410
- Schedulable operation, 329, 334–335
- Schedule generation procedure, 333–337, 400, 408–410
- Search techniques, 63–75
- Secondary measure. *See* Performance measure
- Semiactive schedule, 328–331, 342
- Sequence-dependent setup times, 166, 181–195, 246, 301. *See also* Traveling salesperson problem
- Series-parallel precedence structure, 179–181, 195
decomposition tree, 180–181, 195
network structure, 389
- Service level (SL), 5, 137, 145–146, 191–194, 220–221, 258–261, 389, 429, 436–438, 456–458. *See also* Dynamic job shop, proportion of jobs tardy
constraint, 137–139, 157, 193–194. *See also* Feasibility, stochastic
maximizing for a given due date, 193
maximizing the minimum, 117
optimal, 142–144, 148, 420, 422, 425, 438, 461–462. *See also* Criticality; Stochastic balance
target, 137–141, 153, 155, 425, 434. *See also* Constraint
- Setup time, 11–12, 108, 165, 178
attached, 235, 280, 307, 309
separable, 235, 280, 308
sequence-dependent, 166, 181–195, 221, 246, 301
- Shifting bottleneck procedure, 337–342, 345–346
- Shortest expected processing time (SEPT) rule, 109
and minimizing $E(F)$, 113–115
and minimizing $E(T)$, 126–127
and minimizing U , 154–155
and parallel machines, 222
and safe scheduling, 145
in simulation, 113, 355, 370
SEPT/EDD, 126–127
- Shortest processing time (SPT) rule, 17, 104
and Johnson's Rule, 231, 236
and minimizing F , 17–18, 58, 354–357
and minimizing F in the ordered flow shop, 244
and minimizing J (inventory), 19
and minimizing L , 21
and minimizing maximum waiting time, 19
and minimizing T , 26, 28–30
and minimizing total completion time, 19
and minimizing total waiting time, 19
dynamic adaptation, 168
in relief (RSPT), 356–357
in the burn-in model, 319–320
in the dynamic job shop, 352–357, 359–360, 366–370
in the E/T problem, 89–92, 97–98, 101
in the family scheduling model, 301, 302
in the F -problem with batch availability, 311, 313
in the job shop problem, 336–337
in the stochastic counterpart, 109
nondelay implementation, 173
SPT/LPT sequence. *See* Pyramid sequence
string-based version, 177–179, 181, 195
truncated (TSPT), 353, 356–357, 360
with list scheduling, 214
- Shortest remaining processing time (SRPT) rule, 168
- Shortest weighted expected processing time (SWEPT) rule, 109, 115, 222
- Shortest weighted processing time (SWPT) rule, 20–21, 31, 37, 60, 65
in the dynamic F_W -problem, 173
in the E/T problem. *See* LWPT/SWPT sequence
in the family scheduling model, 302–303
in the parallel-machine problem, 215–217, 222
- Simulated annealing, 72–74, 80, 343, 345, 410
for the family scheduling problem, 321
for the flow shop problem, 243
- Simulation, 5–6, 8, 109, 112–113, 127–133, 160, 220–222, 252, 260, 263–265, 267, 389, 392, 429, 435. *See also* Sample-based optimization
job shop, 349–370
of random variables, 445–448
reproducible, 352. *See also* Stored sample
- Single-machine problem, 10–31, 34–54
- Single-pass procedure (single-pass mechanism), 333
- Skyline bound, 407
- Slack (in project scheduling). *See* Float
- Slack (SLK) due date rule, 29–30, 107, 174, 361–362, 364
- Slack per operation (S/OPN) rule, 353, 359, 362, 366–367
- Slack time, 22–23, 353, 358–360
- SLK. *See* Slack due date rule
- Smallest critical ratio (SCR) rule, 359, 366–367
- Smallest operation critical ratio (OCR) rule, 360, 366–367
- Smith's Rule, 23–24
- Sorting rule, 57–60, 68, 80, 148–149, 232–234, 254–245, 257
- SPT. *See* Shortest processing time

492 SUBJECT INDEX

- Stable sequence, 254–257
- Start lag. *See* Time lag
- Static priority, 58–59, 352–353
- Statistical independence. *See* Stochastic independence
- Stochastic association. *See* Association, stochastic
- Stochastic balance (economic), 420–441. *See also*
 Safety time
 ACM model (assembly coordination), 420–426
 hierarchical, 434–436
 in crashing. *See* Crashing
 PSB model (project stochastic balance), 426–434
- Stochastic counterpart, 108–134, 137
 of the dynamic problem, 172
 of the E/T problem, 145–152, 161, 418–441, 455
 of the flow shop problem, 251–258, 262–267
 of the F_w -problem with chains, 195
 of the parallel-machine makespan problem, 202, 205, 218–220
 of the traveling salesperson model, 190
- Stochastic crashing. *See* Crashing
- Stochastic dependence, 111–112, 124, 161, 385, 452–454
- Stochastic dominance, 123–127, 133, 145, 193, 254, 262, 451–457, 469–470
- Stochastic independence, 111, 115, 124–126, 149, 154, 161, 251, 257–261, 386–394, 420, 426, 436–437, 447, 449, 452–458, 470
- Stochastic ordering, 124–126. *See also* Stochastic dominance
 and minimizing D , 145
 and minimizing T , 126–127
 and minimizing U , 153–156
- Stochastic scheduling, 7, 108–134, 137–161, 190–195, 217–222, 251–268, 385–394, 420–441
- Stop lag. *See* Time lag
- Stored sample, 112–113, 115, 139, 151, 158, 160–161, 192, 252, 255–256, 260, 263, 267, 352, 391, 418, 423–427, 429–434, 438, 454. *See also* Simulation
- Straddling job, 89, 93–94, 98
- String, 176–181, 195, 302, 307
- Subproject, implicit, 435. *See also* Hierarchical balance
- Successor, 174, 176, 178, 180, 208–211, 225, 334, 338–339, 352, 399, 401
- SWEPT. *See* Shortest weighted expected processing time
- SWPT. *See* Shortest weighted processing time
- Synchronous manufacturing, 272
- T -problem. *See* Total tardiness
- Tabu search, 70–72, 80
 for the family scheduling problem, 321
 for the flow shop problem, 243
 for the job shop problem, 343, 345–346
 for the resource-constrained project scheduling problem
- Talwar's Heuristic, 254–255
- Talwar's Rule, 254, 258, 262, 265, 267
- Tardiness, 12, 76
- Temporal analysis, 376–381, 386, 394, 405
- Terminal job, 208–210
- Terminal node (event), 374, 377, 379, 426
- Throughput, 4, 169, 272
- Tie-breaking rules
 and Johnson's Rule, 234
 in Johnson's Heuristic (for variance reduction), 254, 265–266
 in priority lists for project scheduling, 408, 413
- Tightness, 29–30, 138, 141, 161, 192, 361–362, 364–365, 369
- Time/cost trade-off. *See* Crashing
- Time lag, 234–235, 308
- Timeliness, 4
- Total completion time, 19
- Total cost, 34, 36, 39, 49
 total cost with crashing, 381–383, 436, 438–439
 total E/T cost (deterministic), 88–91, 94–98, 101–104, 419–420
 total expected cost, 109–110, 137–138
- Total flowtime, 12, 16–19, 30, 57, 86, 101
 as a secondary measure, 23
 F -problem, 13, 20, 58, 122, 132
 dynamic version, 168, 173
 for the burn-in model, 318–320
 for the flow shop, 244
 for the job shop, 337, 346
 in batch processing, 302–304, 310–314, 317–321
 stochastic counterpart, 109, 113–116, 195
 with batch processing and dynamic arrivals, 317–318, 321
 with chains, 178–181, 195
 with dynamic arrivals, 173
 with groups of jobs, 302
 with parallel machines, 213–214, 221–222
 with precedence constraints, 175
 with series-parallel precedence structure, 179–180
 with strings, 176–178, 195
 in simulation, 112–113
- Total lateness, 21, 112, 114–117, 122, 132
- Total string flowtime, 176–177

SUBJECT INDEX 493

- Total tardiness, 12, 25, 86, 116, 152, 161
- T*-problem, 12–13, 25–29, 31, 34, 36–37, 39, 43–44, 46–54, 59, 61, 68, 75, 93, 320, 471–476
- dynamic version, 166–167, 172–173
- in the flow shop model, 238, 272
- in the job shop model, 346, 349
- stochastic counterpart, 109–112, 116, 122–123, 126, 128–132, 152
- trade-off with tightness, 141–145, 192–193, 450. *See also* Stochastic balance
- with parallel machines, 222
- Total unit penalty. *See* Number of tardy jobs
- Total weighted flowtime, 19–21, 31
- F_W -problem, 20, 31, 36, 40–41
- stochastic counterpart, 115–116, 132, 426–436
- with batch processing, 302–304, 310, 314, 320–321
- with dynamic arrivals, 173
- with job families, 302–304, 320
- with parallel chains, 178–181, 195
- with parallel machines, 213–217, 222
- with series-parallel precedence structure, 195
- with strings, 177–178, 195, 302
- Total weighted tardiness, 29, 41, 43, 57, 118
- T_W -problem, 43–44, 54, 60, 62, 80
- test problems, 84–85
- Total work (TWK) due date rule, 29–31, 174, 361–362, 364–365, 369–370
- Trial solution, 48–54, 187
- Trial value (makespan), 207, 278, 288–289, 315
- Transfer batch, 234–235, 272
- Transfer lag, 235
- Transitivity, 37, 124, 167–168, 234–237, 265, 452
- Traveling salesperson problem (TSP) 182–195
- in the flow shop with blocking, 244–245, 247
- in the flow shop with no wait, 246–247
- in the safe scheduling problem, 191–195
- stochastic counterpart 190
- Turnaround, 4, 12, 15, 353–354, 356–357
- TWK. *See* Total work due date rule
- T_W -problem. *See* Total weighted tardiness
- U*-problem. *See* Number of tardy jobs
- Uniform distribution, 237, 445–447, 451
- computer simulation, 445
- in examples, 112, 153, 259, 465
- Uniform machines, 208, 214
- Unrelated machines, 208, 214
- Variance effect, 266
- V-shaped sequence, 90, 94–97, 99, 104, 149
- WMDD. *See* Modified due date rule, weighted
- Worst-case performance bound, 204, 206–207, 210–211, 238
- WSPT. *See* Shortest weighted processing time (SWPT)

P1: OTA/XYZ P2: ABC
subind JWBS013-Baker

March 5, 2009 13:28

Printer Name: Yet to Come