

# Index

## • Symbols •

<> (angled brackets), use of, 41  
' (apostrophe), beginning commands with, 41  
: (colon), using with drawing scale, 83  
= (equal sign), using with drawing scale, 83  
[] (square brackets), using, 39, 41  
\_ (underscore), beginning commands with, 41

## • A •

actions, accepting and undoing, 40  
ALIASEDIT command, using, 7  
aliases. *See* keyboard shortcuts  
Alt key, using, 42  
anchor bolt  
    centering crosshairs for, 62  
    drawing, 60–61  
    drawing nut for, 61–64  
Angle units, choosing settings for, 80  
angled brackets (<>), use of, 41  
Angular dimensional constraint, 380  
angular unit types, choosing, 91–92  
annotation scales, assigning to text, 35, 253–255  
annotations. *See also* text  
    adding to drawings, 243  
    enhancements to, 18  
    leaving space for, 87  
annotative constraints, converting dimensional  
    constraints to, 387–388  
annotative dimensions, using, 285–286  
annotative hatching, creating, 304–306  
annotative objects  
    introduction of, 280  
    manipulating, 35–36, 83–84  
annotative property  
    assigning to text styles, 244  
    creating dimension styles with, 280  
annotative scaling, using with plotted  
    drawings, 74  
annotative text  
    creating, 247  
    verifying, 253  
ANSI plot sheet sizes, examples of, 85  
ANSI31 pattern, selecting, 71  
APERTURE system variable, using, 424  
apostrophe ('), beginning commands with, 41  
Application Menu, opening, 20–21, 51  
ARC command, buttons and menu, 165–166  
architectural drawing scales. *See* drawing scales  
architectural plot sheet sizes, examples of, 85  
Architectural units, using, 80, 94  
arcs  
    converting to circles, 220  
    drawing, 169–171  
    elliptical, 171–172  
    making longer or shorter, 214–216  
    specifying endpoints of, 160  
ARRAY command. *See also* copying  
    buttons and modify menu, 198  
    using, 66–68, 210–212  
ATCs (Autodesk Authorized Training Centers),  
    finding, 416  
ATTDEF command, running, 349  
ATTDIA system variable, using, 351  
attribute definitions, using with blocks, 345  
attribute values  
    editing, 352  
    prompting for, 351  
attributes  
    features of, 348–349  
    as text fields, 348  
    uses of, 352  
AUGI (Autodesk User Groups International)  
    Web site, 417  
Auto Constrain settings, using, 395–396  
AutoCAD  
    DWG file formats for, 14  
    efficient use of, 46  
    features of, 12–13  
    MS-DOS heritage of, 11–12  
    origin of, 12  
    releases of, 17–18  
    starting, 51  
    tutorials, 18  
    upgrading, 16–17  
AutoCAD 2006, creating DWG files for, 16  
AutoCAD 2010  
    system requirements, 17  
    types of drawings in, 12–13  
AutoCAD Classic workspace, 23  
AutoCAD LT, limitations of, 15–16

AutoCAD resources. *See* Autodesk online resources; Web sites

AutoCAD shortcut, creating, 51

AutoCAD versus AutoCAD LT

- buying online, 419
- customization options, 420
- data extraction, 422
- Express Tools, 420
- external reference (xref) tools, 421
- MLINE versus DLINE, 422
- price, 419
- Reference Manager utility, 422
- sheet sets, 421
- standards checking, 421
- 3D abilities, 419–420

AutoCAPS feature, using, 258

Autodesk Design Review program

- downloading, 406
- printing files with, 411

Autodesk online resources, 415–417. *See also* Web sites

Autodesk Seek button, 132

## • B •

background color, default for, 22

background masking, using, 259, 293

base plate

- adding objects to, 67–68
- creating, 55–60
- stretching, 70

base points

- versus displacements, 201
- specifying, 203, 343

BATTMAN command, using, 422

BEDIT command, using, 348

bitmaps. *See* raster images

Block Attribute Manager, availability of, 422

block definitions

- creating, 342–345
- creating for attribute definitions, 351
- modifying, 348
- naming, 346
- purging, 353–354

Block Editor, using, 348, 357–358, 362

blocks. *See also* Edit Block Definition dialog box

- advantages of, 340–341
- applications for, 371
- defining parameters and actions for, 360–362
- versus dynamic blocks, 355
- entering descriptions for, 344
- entering insertion point for, 346
- entering rotation angle for, 346
- entering scale for, 346

- exploding, 353
- versus external reference (xref)
  - drawings, 364–365
- inserting, 345–347
- inserting with attribute definitions, 351
- overview of, 339–340
- using attribute definitions with, 345
- using in drawings, 340
- viewing names of, 343
- versus xref (external reference)
  - drawings, 364–365
  - versus xrefs, 371–372

Blocks panel, accessing, 166

blogs, accessing, 415–416

blue, number for, 125

bolt. *See* anchor bolt

BREAK command

- buttons and modify menu, 198–199
- using, 172, 216–217

bulleted lists, creating, 260–262

BURST command, using with blocks, 353

buttons

- checking in status bar, 140
- switching display of, 138
- turning off, 52

ByLayer object properties, using, 121–123

## • C •

Can't find... message, receiving, 404

cell styles, choosing for tables, 266

cell values, entering in tables, 268

center point, specifying for polygons, 163

CHAMFER command

- buttons and modify menu, 199
- using, 217–218

Cheat Sheet, using, 86, 94

CHSPACE Express tool, availability of, 220

CIRCLE command

- buttons and menu, 165–166
- using, 60–61, 168

circles

- converting arcs to, 220
- drawing, 167–168
- filling, 174–175
- specifying diameters for, 168
- specifying radii for, 163

circular arrays, configuring, 211

Classic Colors, restoring, 22

classic look, going for, 30–31, 50

CLASSLAYER command, using, 127

Clip option, using with images, 374

Clipboard-related commands, 204–205

clouds, drawing, 165–166, 175–176

- Coincident geometric constraint, 389, 391, 395
- Collinear geometric constraint, 389
- colon (:), using with drawing scale, 83
- color object property, using, 121, 123
- color scheme, resetting, 22
- color-based plot styles, features of, 323
- color-dependent plot styles, choosing, 324–325
- colors
  - limiting use with layers, 325
  - mapping to shades of gray, 329
  - plotting, 329–330
  - specifying for layers, 56–57, 124–125
- columns
  - hatching, 71–72
  - reordering, 128
  - setting up, 263–264
  - specifying in tables, 267
  - stretching, 70
  - types of, 262
- command aliases, listing, 7, 38. *See also* keyboard shortcuts
- command line
  - echoing values on, 53
  - entering drawing commands from, 153
  - expanding to text window, 40
  - leaving in default configuration, 41–42
  - observing, 41
  - typing coordinates at, 142
- command options
  - activating, 39, 41
  - displaying and choosing, 199–200
  - in square brackets ([ ]), 41
- command prompt, location of, 23
- command window, use of, 37, 51
- command-first editing
  - with MOVE command, 201–203
  - overview of, 180–181
  - selection options, 185
  - using ERASE command in, 186–187
- commands. *See also* drawing commands
  - activating options for, 38
  - cycling through, 42
  - displaying, 42, 62
  - displaying menu options for, 145
  - echoing, 41
  - entering from keyboard, 6–7
  - improvements to, 18
  - listing, 55
  - repeating, 171
  - running from keyboard, 38–40
  - transparent, 41
  - typing keyboard shortcuts for, 38
- comments, entering, 271
- Concentric geometric constraint, using, 389, 394
- constraints. *See also* geometric constraints
  - applying, 391, 395–396
  - deleting, 393
  - versus dimensions, 386–388
  - displaying, 396
  - dynamic, 381
  - editing in Parameters Manager, 386
  - support for, 379
- construction geometry, adding, 394–395
- construction lines, drawing, 154
- Convert dimensional constraint, 380
- CONVERTPSTYLES command, using, 324
- coordinates
  - choosing level of precision for, 91
  - display modes, 141–142
  - displaying for crosshairs, 57
  - entering, 140
  - picking for points, 201
  - typing at command line, 142
- coordinates readout, contents of, 32
- COPY command
  - buttons and modify menu, 198
  - using, 200–201, 203–204
- COPYCLIP command, using, 204–205
- copying. *See also* ARRAY command; OFFSET command
  - grips, 192–193
  - hatch properties, 301
  - layers between drawings, 133–135
  - layouts in paper space, 108–109
  - named objects, 133
  - objects between drawings, 204–205
- COPYPASTE command, using, 204–205
- corners, rounding and thickening, 58–59
- crosshairs
  - appearance of, 65
  - centering for anchor bolt, 62
  - closing, 424
  - displaying coordinates for, 57
  - displaying locations of, 32
  - finding X,Y location of, 140
  - forcing movement of, 139
  - as pickbox, 425
  - using POLAR tracking mode with, 33
- crosshatching, adding to columns, 71
- crossing selection boxes, using, 68–70, 183–184, 205
- CTB (color-dependent plot style table) files
  - contents of, 323
  - testing, 326
  - using, 328–329
  - verifying, 329
- Ctrl key. *See* keyboard shortcuts
- curves, drawing commands for, 165–166
- cyan, number for, 125

## • D •

- D (Diameter) option, selecting, 61
- data extraction capabilities, 353, 422
- DDE (direct distance entry) precision tool, using, 139, 148
- DDPTYPE command, using with points, 177
- Decimal Degrees units, explained, 80
- defpoints, including in dimensions, 276–277, 290–291
- design intent
  - considering for constraints, 393
  - defined, 377
- Design Web Format (DWF). *See* DWF (Design Web Format)
- DesignCenter
  - adding favorites to, 135
  - features of, 43, 131–133
  - keyboard shortcut, 43, 133–134
- DGN files, using, 356
- diameter, specifying for circles, 168
- Diameter dimensional constraint, 380
- digital signatures, using on Internet, 399, 411–412
- DIMASSOC system variable, using, 294, 424
- DIMBASELINE command, using, 291–292
- DIMBREAK command, using, 293
- DIMCONTINUE command, using, 291–292
- DIMDISASSOCIATE command, using, 294
- dimension geometry, editing, 292–293
- dimension lines, aligning and placing, 290
- dimension objects, creating, 424
- dimension position, locating, 382
- dimension scale, options for, 287
- dimension styles
  - adjusting settings for, 283–287
  - advisory about, 282
  - borrowing, 280
  - copying between drawings, 133–135
  - creating, 280
  - creating and managing, 281–282
  - Primary Units options for, 287
  - setting, 289
- dimension text
  - adding tolerances to, 287
  - controlling appearance of, 284–285
  - Fit options for, 285–286
- Dimension toolbar, turning on, 279
- dimensional constraints
  - converting to annotative constraints, 387–388
  - displaying values for, 384
  - example of, 381–383
  - features of, 379–380, 384
  - formatting appearance of, 384
  - naming, 385–386
  - types of, 387
  - using with geometric constraints, 396
- dimensioning commands
  - accessing, 279
  - examples of, 280
- dimensioning drawings, 286
- dimensions
  - adding, 274
  - associativity of, 278–279
  - versus constraints, 386–388
  - defined, 273
  - drawings, 291–292
  - driven, 380
  - linear, 288–291
  - making annotative, 291
  - parts of, 275–277
  - setting layers for, 289
  - showing in systems of measure, 287
  - side-by-side, 291
  - types of, 278
  - updating, 274–275
  - use of, 274
  - viewing direction of, 285
- DIMJOGLINE command, using, 291–292
- DIMREASSOCIATE command, using, 294
- DIMREGEN command, using, 294
- DIMSCALE system variable, using with REVCLLOUD, 176
- DIMSPACE command, using, 293
- discussion groups, participating in, 415
- displacements versus base points, 201
- display resolution requirements, 17
- dithering, overriding, 329
- DIVIDE command, using with points, 178
- DL (Double Line), drawing, 161
- DLINE command versus MLINE, 422
- documents, listing and opening, 26–27
- DONUT command
  - buttons and menu, 165–166
  - using, 174–175
- drafting efficiency, improving, 339
- Drafting Settings dialog box, opening, 94–95
- Draw panel, commands in, 166
- drawing area
  - drawing on, 46
  - right-clicking in, 145
  - Shift+right-clicking in, 145
- drawing commands. *See also* commands
  - for curves, 165–166
  - entering from command line, 153
  - interactivity of, 152
  - for linear objects, 152
- drawing datasets, downloading, 379
- drawing limits, setting, 52, 93–94

- drawing notes, creating, 260–262
  - drawing objects
    - attaching hyperlinks to, 410
    - viewing, 65
  - drawing properties, entering, 96–97
  - drawing samples, downloading, 224, 245
  - drawing scales. *See also* SCALE command
    - defined, 248
    - determining, 82, 84
    - versus drawing scale factor, 83
    - examples of, 83–84
    - plotting to, 317–318
    - selecting, 86–87
  - drawing setup, importance of, 78–79
  - drawing sheets, representing, 102
  - drawing status bar, turning on, 36, 254
  - drawing templates
    - creating from DWG files, 97–99
    - defaults for, 88
    - defined, 88
    - starting, 52, 89–90
    - versions of, 90
  - drawing units
    - choosing, 79–82
    - setting up, 90–92
  - drawing utilities, availability of, 26
  - drawing windows
    - control buttons in, 24
    - maximizing, 25
    - restoring, 25
    - title bar in, 24
  - drawings. *See also* transmitted drawings
    - adding annotations to, 243
    - best practices, 117–118
    - choosing orientation for, 107
    - closing, 26
    - creating, 25
    - dimensioning, 286
    - displaying when open, 132
    - e-mailing, 26
    - exporting, 26
    - extents of, 91
    - inserting into other drawings, 347
    - intelligence of, 383
    - opening, 25, 52
    - plotting, 72–75
    - printing, 26
    - publishing, 26
    - removing objects from, 188
    - saving, 25–26, 54, 59, 63, 67, 70–71, 75
    - securing on Internet, 411–412
    - setting up, 90
    - standard, 317
    - starting, 51
    - starting from templates, 52
    - types in AutoCAD 2010, 12–13
  - DRAWORDER command, using, 259
  - DTEXT command
    - adding text with, 250–252
    - justification options, 250
    - using, 242, 249
  - DUCS (Dynamic User Coordinate System), explained, 33
  - DWF (Design Web Format), using, 375–376
  - DWF files
    - capabilities of, 407
    - versus DWFx, 406
    - versus DWG files, 407
    - making with ePlots, 407–408
    - making with PUBLISH command, 408–410
    - missing during transmittal, 404
    - protecting with passwords, 412
    - using on Internet, 398
  - DWG files
    - compatibility with, 15–16
    - creating templates from, 97–99
    - creating title blocks from, 87
    - dragging to insert blocks, 347
    - versus DWFs, 376
    - features of, 13–14
    - files referenced by, 400
    - organizing in folders, 369
    - saving, 55
    - sending and receiving, 399–400
    - using hyperlinks with, 410
  - DXF format, saving files to, 16
  - DYN (Dynamic Input), using, 33, 153
  - DYN button, using with Plate layer, 57–58
  - dynamic blocks
    - applications for, 356
    - versus blocks, 355
    - constraints for, 363
    - creating, 357–360
    - manipulating, 363
    - testing, 360
  - dynamic constraints, 387
  - dynamic input
    - displaying command options for, 54
    - turning off, 59
- E •**
- EATTEDIT command, using, 352, 422
  - Edit Block Definition dialog box, using, 357–361.
    - See also* blocks
  - editing
    - attribute values, 352
    - best practices for, 199
    - changing object properties, 220

editing (*continued*)  
 hatch objects, 308  
 plot styles, 322  
 single-line text, 252  
 styles of, 179–180  
 xref files, 367–368

editing commands, availability of, 198–199  
 editing style, choosing, 180–181

ELLIPSE command  
 buttons and menu, 165–166  
 using, 171–172

elliptical arcs  
 converting to ellipses, 220  
 creating, 171–172

e-mailing drawings, 26

endpoints  
 considering with object snaps, 144  
 specifying for arcs, 170–171  
 specifying for polylines, 160

Engineering units, using, 80, 91, 94

Enter key  
 accepting actions with, 40  
 advisory about, 203  
 repeating last command with, 171  
 using spacebar as, 41

ePlots, making DWF files with, 407–408. *See also*  
 plotting

ePlotting scenarios, 407

equal (=) sign, using with drawing scale, 83

Equal geometric constraint, using, 390, 394

ERASE command  
 buttons and modify menu, 198  
 using, 186–187

Esc key, undoing actions with, 40

ETRANSMIT command  
 sending files with, 400–402  
 using on Internet, 398

Excel, importing tables from, 269

EXPLODE command  
 buttons and modify menu, 199  
 using with dimensions, 293  
 using with polylines, 158

exporting drawings, 26

Express Tools, using, 29–30, 420

expressions, using in Parameters Manager, 385

EXTEND command  
 buttons and modify menu, 198  
 using, 214–216

extension lines  
 including in dimensions, 276  
 specifying origins of, 289

external references (xrefs). *See* xrefs (external references)

External References palette, using, 43, 366, 370–371

## • F •

F1 (online help window) key, pressing, 46–47

F2 (Text Window) key, pressing, 40

feet and inches, working in, 142

file name, typing, 54

file path problems, using Reference Manager  
 for, 404–405

files, saving and renaming, 89

FILLET command  
 buttons and modify menu, 199  
 using, 58–59, 217–218

Find and Replace feature, accessing, 264–265

Fit to Paper option, using, 84

Fit to Paper scale, plotting with, 318, 320

folders  
 displaying in DesignCenter, 132  
 navigating to, 54  
 starting AutoCAD in, 425

font files, transmitting, 402

font mapping, using FMP files with, 401

fonts  
 availability of, 244–245  
 verifying, 257

Fractional units, explained, 80

fractions, Stack/Unstack feature for, 259

FTP (File Transfer Protocol), sending files  
 with, 403

## • G •

gaps  
 creating in lines, 216–217  
 filling in with JOIN command, 218–221

geometric constraints. *See also* constraints  
 applying, 383–384  
 explained, 378  
 object snaps for, 389  
 types of, 389–390  
 using, 390–395  
 using with dimensional constraints, 396

graphical versus non-graphical objects, 117

graphics card requirement, 17

green, number for, 125

grid, displaying, 91, 95, 96

GRID button, 33

grid display precision tool, 139

grip editing modes  
 copy option in, 192–193  
 MOVE, 192  
 STRETCH, 189–191, 193–195

grip editing, word-wrapping width, 264

GROUP command, using, 341

group filters, using with layers, 129

**• H •**

hand pointer, appearance of, 65  
 hard disk space requirements, 17  
 Hatch and Gradient dialog box, displaying,  
   71, 299, 304  
 hatch area, selecting, 299–301  
 hatch boundaries, defining, 306–307  
 HATCH command, starting, 299  
 hatch objects  
   editing, 308  
   finding area of, 308  
 hatch options  
   displaying, 297–298  
   selecting, 300  
 hatch palettes, clicking and dragging, 307  
 hatch patterns  
   choosing, 302–303  
   entering angle and scale for, 303–304  
 hatches  
   previewing, 300  
   using Match Properties button with, 308  
 hatching  
   non-annotative, 303–304  
   using, 297–298  
 Help menu, accessing, 46  
 History tab, 132  
 Horizontal dimensional constraint, using,  
   380, 386  
 horizontal distance, measuring, 95  
 Horizontal geometric constraint, using, 390, 392  
 horizontal linear dimensions, creating, 288–291  
 HP plotters, Windows system driver for, 332  
 hyperlinks  
   adding to objects, 398  
   using with DWF files, 410

**• I •**

icons, switching display of, 138  
 images, clipping, 374  
 imperial units  
   creating drawings in, 52  
   drawing template for, 88  
   versus metric units, 82  
 inches and feet, working in, 142  
 indent distances, entering, 262  
 InfoCenter, features of, 23, 25  
 In-Place Text Editor  
   AutoCAPS feature in, 258  
   closing, 258  
   opening, 252, 256–257  
   using with multileaders, 271  
 installation types, 29

Internet Explorer requirement, 17  
 Internet features  
   availability of, 398–399  
   digital signatures, 411–412  
   password protection, 411–412  
 ISO plot sheet sizes, examples of, 85  
 ISO-25 dimension style, availability of, 281

**• J •**

JOIN command  
   buttons and modify menu, 199  
   using, 218–221  
 justification of text, changing, 250–251, 256

**• K •**

keyboard, running commands from, 6–7, 38–40  
 keyboard coordinates, entry  
   formats for, 140–141  
 keyboard shortcuts. *See also* command aliases  
   copying and pasting, 204  
   DesignCenter palette, 133–134  
   DYN (Dynamic Input), 153  
   groups, 342  
   object snap menu, 143–144  
   online help, 46–47  
   palettes, 43  
   Properties palette, 119  
   QuickCalc palette, 43  
   saving drawings, 25–26, 59, 63, 70–71, 75  
   switching between open documents, 26  
   Text Window, 40  
   typing for commands, 38

**• L •**

layer filters, creating, 129  
 Layer Properties Manager palette  
   closing, 57  
   described, 43, 122  
   displaying, 56  
 layer tools, availability of, 129–130  
 layers  
   adding, 56  
   adding descriptions to, 127  
   applying colors to, 124–125  
   applying to layers, 124–125  
   assigning linetypes to, 125–126  
   assigning lineweights to, 126–127  
   changing, 119  
   copying between drawings, 133–135  
   creating, 124

layers (*continued*)

- current, 119, 127
  - defined, 119
  - drawing rectangles on, 55–60
  - limiting use of colors with, 325
  - listing, 58
  - locking, 130
  - as named objects, 130
  - naming, 56, 124
  - organizing, 120
  - organizing objects in, 119
  - purging, 354
  - selecting lineweights for, 127
  - setting for blocks, 345
  - setting for dimensions, 289
  - using, 55
  - using with xrefs, 367
  - visibility modes, 128–129
- LAYERSTATES command, entering, 129
- LAYISO command, using, 130
- Layout tabs
- displaying, 102–103, 319
  - hiding, 114
  - plotting, 320
- layouts
- changing in paper space, 108–109
  - copying between drawings, 133–135
  - copying in paper space, 108–109
  - creating half-size plots of, 320
  - creating in paper space, 105–108
  - displaying, 232
  - in paper space, 114
  - plotting, 114
- LAYOUTWIZARD command, using, 105–106
- leaders
- drawing, 270–271
  - types of, 269–270
- Length units, choosing settings for, 80
- LENGTHEN command, buttons and modify menu, 198
- limits. *See* drawing limits
- LINE command
- features of, 152, 154
  - versus PLINE, 157–158, 161
  - starting, 38, 143
  - using, 154–156
- Line option, selecting for polylines, 160–161
- line segments, drawing, 39
- line thickness, specifying, 33
- line width, changing for polylines, 159
- Linear dimensional constraint, using, 380, 382–383
- linear dimensions, using, 278, 288–291
- linear objects, commands for, 152
- linear units, setting in model space, 90–92

lines. *See also* multilines

- commands for drawing, 154
  - creating gaps in, 216–217
  - ending, 156
  - making longer or shorter, 206, 214–216
  - non-orthogonal, 288
  - reversing direction of, 221
  - starting, 155
  - stretching, 206–208
- Linetype name, selecting for layers, 125–126
- linetype object property, using, 121, 123
- linetypes
- copying between drawings, 133–135
  - loading, 128
- lineweight object property, using, 121, 123
- lineweights
- adjusting for plots, 320
  - effect of CTB plot styles on, 326
  - indicating, 326
  - plotting, 327
  - selecting for layers, 127
- Lock/Unlock buttons, 35–36
- LWT (Lineweight) display mode, 33

## • M •

- magenta, number for, 125
- magnifying glass, appearance of, 65
- margin allowance, considering, 87
- Markup Set Manager palette, using, 43
- Match Properties, using, 220
- Maximize Viewport button, 35
- maximizing drawing windows, 25
- MBUTTONPAN system variable, using, 226
- MEASURE command, using with points, 178
- MEASUREGEOM command, using, 142
- MEASUREMENT system variable, use of, 82
- measurement systems, considering, 79–80
- memory requirement, 17
- MENUBAR system variable, using, 50, 424
- metric system

  - drawing template for, 88
  - versus imperial units, 82
  - use of, 80

- metric units, creating drawings in, 52
- midpoints, seeking, 144–145
- Minimize Viewport button, 35
- MIRROR command, buttons and modify menu, 198
- MIRRTXT system variable, using, 424–425
- mleaders (multileaders)

  - drawing, 270–271
  - features of, 269–270
  - options for, 272

- MLINE (multiline) command
    - versus DLINE, 422
    - using, 161
  - Model and Layout
    - buttons, 34
    - tabs, 102–103, 114, 319
  - Model button, identifying, 109
  - model space
    - attaching plot styles to, 323
    - defined, 101
    - entering drawing properties in, 96–97
    - versus paper space, 44–45, 109
    - plotting, 72–75, 114
    - plotting from, 91
    - setting drawing limits in, 92–94
    - setting grid and snap intervals in, 94–96
    - setting units in, 90–92
    - toggleing between paper space, 34, 232
    - verifying, 110
    - viewports in, 111
  - MODEL/PAPER button, explained, 34
  - monochrome.ctb plot style, using, 74
  - MOVE command
    - buttons and modify menu, 198
    - using, 200–203
    - using with grips, 192
  - MSPACE command
    - entering, 109
    - versus PSPACE, 232
    - using, 234
  - MTEXT command
    - justification options, 250
    - options for, 258
    - using, 242, 249, 255–259
  - MTEXTTOOLBAR system variable, changing
    - value of, 257
  - multileaders. *See* mleaders (multileaders)
  - multiline text objects, editing, 264–265
  - multilines, drawing, 161. *See also* lines
- **N** •
- named objects. *See also* objects
    - copying with DesignCenter, 133
    - importance of, 117
    - organization of, 130
    - purging, 354
    - selecting multiple, 133
    - types of, 130–131
  - named plot styles
    - avoiding use of, 326
    - choosing, 324–325
    - converting, 324
    - introduction of, 323
  - named views
    - creating, 229–231
    - restoring, 231
  - NEW command, alternative to, 89, 98–99
  - New Features Workshop help option, 47
  - non-printing reference grid, displaying, 139.
    - See also* printing
  - notes-with-arrows, creating, 269
  - noun-verb editing, overview of, 180
  - numbered lists, creating, 260–262
  - nut, drawing for anchor bolt, 61–64
- **O** •
- object lineweights, using, 327
  - object pairs, modifying, 217–218
  - object properties
    - avoiding assignment of, 121
    - changing, 220
    - controlling, 121–122
    - examples of, 121
    - guidelines for assignment of, 123
    - managing, 117
    - use of, 118
  - object selection
    - completing, 185
    - types of, 183
    - verifying, 186
  - object snap menus, displaying, 145–146
  - object snap modes
    - selecting, 146
    - turning on, 62
  - object snap overrides, using, 143–145, 147
  - object snap precision tool, 139
  - Object Snap Tracking (OTRACK), using, 33, 148
  - object snaps
    - for geometric constraints, 389
    - versus snaps, 149
    - using, 143
  - object versus drawing properties, 96
  - objects. *See also* named objects
    - breaking into two pieces, 217
    - connecting with grips, 191
    - copying using grip editing, 193
    - drawing with precision, 143–147
    - graphical versus non-graphical, 117
    - grouping with blocks, 341
    - hiding, 334
    - improving selection of, 66
    - making invisible, 360
    - organizing in layers, 119–120
    - removing from drawings, 188
    - removing from selection sets, 184
    - selecting, 66

- objects (*continued*)
    - selecting for blocks, 343
    - selecting for STRETCH command, 205
    - selecting one by one, 182
    - stretching with grips, 194–195
    - types of, 117
    - using ARRAY command with, 66–68
  - OFFSET command. *See also* copying buttons and modify menu, 198
    - using, 58–60, 212–213
    - using with PLINE, 161
  - online help window (F1), opening, 46–47
  - Open Drawings tab, options on, 132–134
  - options, choosing defaults for, 41
  - Options button, clicking, 26
  - Options dialog box, opening, 181
  - orientation
    - choosing for drawings, 107
    - choosing for plots, 316
  - ORTHO button, 33, 63
  - Ortho mode precision tool
    - described, 139, 147
    - turning off, 206
    - using with grips, 195
  - orthogonal, constraining to, 393
  - OSNAP (Object snap). *See* object snaps
  - OSNAP button, using with DTEXT command, 250
  - OTRACK (Object Snap Tracking), using, 33, 148
- p •**
- page setups, creating, 330–331
  - palettes
    - versus dialog boxes, 42
    - examples of, 42–43
    - locking, 36
    - opening, 43
  - Pan and Zoom buttons, explained, 34
  - panning
    - defined, 64–65, 224
    - drawings, 225
    - and zooming, 225
  - paper
    - considering, 84–87
    - simulating for drawing, 78
  - paper sizes, choosing, 107, 320
  - paper space
    - arranging viewports in, 107–108
    - changing layouts in, 108–109
    - copying layouts in, 108–109
    - layouts and plotting in, 114
    - locking display in, 113
    - versus model space, 44–45, 109
    - setting up layouts in, 102–105
    - tooggling between model space, 34, 232
    - verifying, 110
    - viewports in, 111–114
    - zooming in, 233–234
  - paper space layouts, 320
    - creating, 105–108
    - plotting, 319–321
  - Paragraph dialog box, opening, 262
  - paragraph text, explained, 249
  - Parallel geometric constraint, using, 389, 393
  - parameter markers
    - placing for dynamic blocks, 358
    - placing on object geometry, 361
  - Parameters Manager, using, 385–386
  - parametric constraints, using STRETCH command with, 381
  - parametric drawing
    - availability of, 18
    - benefits of, 377–378
    - explained, 138
  - parametric rules, categories of, 378
  - Parametric tab in Ribbon, 30
  - parts libraries, linking to, 132
  - password protection, using on Internet, 399, 411–412
  - PC3 files, saving changes to, 333
  - PDMODE item, using with points, 178
  - PDSIZE item, using with points, 178
  - PEDIT command
    - using with OFFSET, 213
    - using with polylines, 158
  - Perpendicular geometric constraint, using, 389, 393
  - pick points
    - indicating for hatch palettes, 307
    - using with hatch areas, 299–301
  - Pick Points option, using with hatches, 71
  - PICKBOX system variable, using, 425
  - plates
    - circling, 60–61
    - stretching, 70
  - PLINE command. *See also* Polyline option
    - features of, 152, 154
    - versus LINE command, 157–158, 161
    - using, 157–161
    - using OFFSET with, 161
    - using with geometric constraints, 390
  - plot area, specifying, 333–334
  - Plot button, location of, 73, 320
  - Plot dialog box
    - displaying, 313–315, 328
    - options in, 332–334
    - using tooltips for, 332
  - plot offset
    - plotting, 320
    - specifying, 334
  - plot options, choosing in Plot dialog box, 334

- plot scale, choosing, 320
- plot sheet sizes, examples of, 85
- plot stamp, toggling, 333
- plot style object property, using, 121, 123
- plot style tables
  - selecting, 328
  - using plot styles in, 323
- plot styles
  - attaching to model space, 323
  - color-based, 323
  - color-dependent, 322
  - creating, 324–326
  - editing, 322
  - named, 322
  - using, 323
- plots
  - creating, 313–317
  - generating in background, 334
  - half-size, 318, 320
  - making with PUBLISH command, 408–410
  - previewing, 316–317
  - rotating, 334
- plotted lineweights, controlling, 327–329
- plotter, choosing for layouts, 106
- plotter colors, availability of, 330
- Plotter Configuration Editor dialog box
  - making changes in, 333
  - opening, 332
- plotter drivers, accessing, 332
- Plotter Manager, using, 312
- plotting. *See also* ePlots
  - automating, 334
  - in color, 329–330
  - defined, 309–310
  - drawings, 72–75
  - to files, 333
  - with Fit to Paper scale, 318
  - lineweights, 327
  - from model space, 91
  - in paper space, 114
  - paper space layouts, 319–321
  - versus printing, 310
  - to scale, 317–318
  - selecting Printer/Plotter for, 332
- plotting devices, recognizing, 311–312
- plotting problems, troubleshooting, 335
- plotting services, considering, 330
- POINT command, using, 178
- point objects
  - creating, 178
  - purpose of, 177
  - visibility of, 178
- points
  - defined, 176–177
  - defining for STRETCH command, 206
  - entering, 140–142
  - locating, 139
  - picking, 139
  - picking coordinates of, 201
  - specifying, 203
  - specifying for lines, 155–156
  - specifying for polylines, 159
- polar arrays, configuring, 211
- POLAR tracking mode, explained, 33
- polar tracking, using, 139, 148, 206
- PolarSnap precision tool, using, 139, 148–149
- POLYGON command
  - using, 40–41, 152, 154, 162–164
  - using with anchor bolt, 61–64
- polygonal crossing section, using, 208
- polygons, features of, 162–163
- Polyline option, choosing, 59. *See also* PLINE command
- polylines
  - donuts as, 174–175
  - drawing with curved segments, 160–161
  - drawing with straight segments, 158–160
  - offsetting, 213
  - reversing direction of, 221
  - using EXPLODE command with, 158
  - using PEDIT command with, 158
  - using with geometric constraints, 392
- precision
  - versus accuracy, 138
  - checking with MEASUREGEOM command, 142
  - enforcing with object snaps, 147
  - importance of, 137–138
  - techniques, 147–149
  - techniques for specifying points, 203
  - tools and techniques, 139
- precision level
  - choosing, 91
  - importance to objects, 118
- Printer/Plotter name, specifying, 320
- printers, verifying, 311–312
- printing. *See also* non-printing reference grid
  - drawings, 26, 72–75
  - files with Autodesk Design Review, 411
  - versus plotting, 310
  - viewport boundaries, 114
- properties. *See* object properties
- Properties palette
  - changing settings in, 293
  - keyboard shortcut, 43, 119
  - location of, 118
  - toggling on and off, 119
  - using, 220
- property filters, using with layers, 129
- PSPACE command
  - entering, 109
  - versus MSPACE, 232
  - using, 235

**PUBLISH** command  
 making DWF files with, 408–410  
 versus PUBLISHTOWEB, 410  
 using, 105  
 using on Internet, 398  
**Publish** dialog box, using with plots and DWF files, 409–410  
**Publish to Web** feature, using on Internet, 398  
 publishing drawings, 26  
**PURGE** command  
 using with block definitions, 353–354  
 using with named objects, 131

## • Q •

**QDIM** command, using, 292  
**QNEW** (Quick NEW) command,  
 running, 89, 98–99  
**QP** (Quick Properties)  
 enabling, 34  
 versus Properties palette, 118  
**Quick Access toolbar**  
 features of, 25  
 location of, 23, 73  
 versus Quick View, 104–105  
**Quick Properties** panel, using, 220  
**Quick View Drawings** button, explained, 34  
**Quick View image** panel, opening, 319–321  
**Quick View Layouts** button, explained, 34  
**Quick View Layouts** panel, opening, 328  
**Quick View layouts**, using in paper space,  
 104–105, 108  
**QuickCalc** palette, 43

## • R •

radial dimensions, 278, 380  
 radius  
 drawing for circles, 167  
 setting for fillet, 59, 218  
 specifying for circle, 163  
 specifying for circles, 168  
**RAM** requirements, 17  
 raster files, features of, 355  
 raster images  
 attaching, 373–374  
 clipping, 374  
 incorporating in drawings, 372–373  
 size of, 374  
 sources of, 372  
 speeding up use of, 374–375  
**RAY** command, features of, 152, 154

**Realtime** option  
 panning with, 226  
 using with ZOOM command, 65, 224–225  
**RECTANG** command  
 repeating, 58  
 starting, 57  
 using, 152, 154, 162  
 rectangles  
 drawing on layers, 55–60  
 stretching, 383  
 rectangular array, creating, 210–212  
 red, number for, 125  
**REFEDIT** command, using with xrefs, 368, 421  
 reference files, enhancement to, 18  
**Reference Manager** utility  
 accessing, 422  
 launching, 404–405  
 using on Internet, 398  
 regeneration, occurrence of, 236–237  
**Relative Path** option, using with DWG files, 369  
 relative X,Y coordinates, locating, 140–141  
**REMEMBERFOLDERS** system variable,  
 using, 425  
**Restore** button, using, 25  
**REVCLOUD** command  
 buttons and menu, 165–166  
 using, 175–176  
**REVERSE** command, using, 199, 221  
**Ribbon**  
 docking, 29  
 location of, 23  
 locking, 36  
 tabs in, 29–30  
 using slideout panels with, 166  
**ROLLOVERTIPS** system variable, using, 425.  
*See also* tooltips  
**Rotate Action**, using with blocks, 361  
**ROTATE** command  
 buttons and modify menu, 198  
 using, 209  
 rows, specifying in tables, 267  
 rule-based drawing. *See* parametric drawing  
 running object snaps  
 enabling and disabling, 250  
 setting, 146–147  
 turning off, 63, 143  
 turning on, 33

## • S •

**Save Drawing As** dialog box, opening, 54, 97  
**SAVEAS** command, using with DWG files, 16

- saving
    - drawings, 25–26, 67, 70–71, 75
    - and renaming files, 89
  - SCALE command, using, 198, 209–210. *See also* drawing scales; viewport scale
  - scale factor, considering, 82
  - SCALELISTEDIT command. *See* viewport scale
  - scaling plots, 317–318
  - screen colors, mapping to plotted lineweights, 323, 327–328
  - screen space, freeing up, 36
  - screened lines, creating, 323
  - scroll bars, using, 226
  - scroll wheel, zooming and panning with, 226
  - search bar, typing in, 26–27
  - security features on Internet, 411–412
  - Select Color dialog box
    - displaying, 56
    - using with layers, 124–125
  - Select Linetype dialog box, opening, 125–126
  - Select Object option, using with linear dimensions, 290
  - Select Reference File dialog box
    - displaying, 366
    - using with raster images, 373
  - selection boxes, using, 182–184
  - selection options
    - listing, 185
    - setting, 181
  - selection sets
    - defined, 182
    - removing objects from, 184
    - undoing erasure of, 188
  - selection-first editing, overview of, 180
  - sending strategies
    - DWG files, 399–400
    - ETRANSMIT command, 400–402
    - FTP (File Transfer Protocol), 403
    - troubleshooting, 403–404
  - service bureaus, considering for plotting, 330
  - SETBYLAYER command, using, 123
  - shapes, constraining, 390–391
  - Sheet Set Manager palette, using, 43
  - sheet sets
    - automating plotting with, 334
    - availability of, 421
    - DST file for, 401
    - opening, 25
  - sheet sizes
    - availability of, 84–85
    - selecting, 86–87
  - shots versus views, 229
  - ShowMotion command, effect of, 35
  - SHX fonts
    - availability of, 244–245
    - transmitting, 402
  - single-line text
    - editing, 252
    - explained, 249
  - slideout panels, using with Ribbon, 166
  - Smooth geometric constraint, 390
  - snap
    - versus osnap (object snap), 149
    - turning on, 95
  - Snap and Grid settings, displaying, 53–54
  - SNAP button, using, 33, 53
  - Snap mode, using, 66, 139, 147
  - spacebar, using as Enter key, 41
  - spaces, indicating, 43
  - spelling, checking, 264–265
  - SPLINE command, using, 165–166, 173
  - square brackets ([ ]), using, 39, 41
  - status bar
    - checking buttons in, 140
    - location of, 23, 32
    - settings, 32–37
  - SteeringWheel function, explained, 34–35, 229
  - STRETCH command
    - buttons and modify menu, 198
    - using, 68–70, 200–201, 205–208
    - using with geometric constraints, 395
    - using with grips, 189–191, 193–195
    - using with parametric constraints, 381
  - style definitions, purging, 354
  - style families, creating, 282
  - Substituting... message, receiving, 404
  - symbol instances, editing, 341
  - Symmetric geometric constraint, 390
  - system requirements, 17
  - system variables, 423–426
- T •
- tab distances, entering, 262
  - table styles, copying between drawings, 133–135
  - tables
    - creating, 265–266
    - creating and editing, 267–269
    - exporting, 269
    - importing from Excel, 269
  - tabs, Model versus layout, 102
  - Tangent geometric constraint, 390
  - templates. *See* drawing templates
  - temporary overrides, using, 149

text. *See also* annotations

- adding with DTEXT command, 250–252
- aligning, 252
- assigning annotation scales to, 253–255
- drawings, 242

text character, specifying insertion point for, 251

text commands, accessing, 166

text fields

- attributes as, 348
- creating, 259–260

text height

- calculating, 248–249
- changing, 256
- plotted, 248
- specifying, 251
- verifying, 257

text justification, changing, 250–251

text objects, types of, 249

text rotation, specifying, 251

text styles

- assigning annotative property to, 244
- components of, 244
- copying between drawings, 133–135
- selecting and creating, 245–247

Text Window, displaying, 40

title bars, hierarchy of, 24–25

title blocks, using, 87, 107

TOLERANCE command, using with dimensions, 287

Tool Palettes, using, 43, 347

TOOLBAR command, using with dimensions, 279

toolbars

- displaying, 31
- locking, 36

tooltips, availability of, 32. *See also* ROLLOVERTIPS system variable

TOOLTIPS system variable, using, 426

transmittal setup, sending with ETRANSMIT, 402

transmitted drawings, troubleshooting, 403–404. *See also* drawings

tree view pane, using in DesignCenter, 132–134

TRIM command, using, 172, 198, 214–216

TrueType fonts, availability of, 244–245

Trusted Autodesk DWG tray icon, 36

TTF font files, transmitting, 402

tutorials, accessing, 18

## • U •

UCS icon, location of, 110

underscore ( ), beginning commands with, 41

undoing actions, 40

units. *See* drawing units

upgrading, 16–17

uppercase letters

- showing command names in, 6–7, 39
- using in drawings, 258

UPROTATESASSOC system variable, using, 426

user groups, participating in, 416–417

## • V •

values

- choosing defaults for, 41
- echoing on command line, 53

vector drawings

- converting raster images into, 373
- explained, 372

verb-noun editing

- with MOVE command, 201–203
- overview of, 180–181
- selection options, 185
- using ERASE command in, 186–187

Vertical dimensional constraint, 380

vertical distance, measuring, 95

Vertical geometric constraint, using, 390, 392

vertical linear dimensions, creating, 288–291

view boundaries, saving, 230–231

VIEW command, using, 229–231

View Manager dialog box, opening, 229

View tab in Ribbon, 30, 43

View Transitions dialog box, displaying, 228

viewing devices, availability of, 229

viewing drawing objects, 65

viewing position

- changing, 223
- panning, 224

viewport boundaries, printing, 114

viewport scale, specifying in paper space, 112. *See also* SCALE command

viewports

- arranging in paper space, 107–108
- enhancements to, 18
- maximizing and minimizing, 236
- in model space, 111
- in paper space, 111–114
- rotating, 426
- rotating paper space, 113
- shaded models in, 334

views versus shots, 229

visibility states

- creating geometry for, 358, 360
- defined, 356
- making objects invisible for, 360
- renaming, 359

VISRETAIN system variable, using, 426

Vista system requirements, 17  
 VPMAX command, using, 236  
 VPMIN command, using, 236  
 VPROTATEASSOC system variable, setting, 114  
 VTOPTIONS command, using, 228

## • W •

Web features, basis of, 406  
 Web sites. *See also* Autodesk online resources  
   AUGI (Autodesk User Groups International), 417  
   AutoCAD and AutoCAD LT, 419  
   Autodesk Design Review program, 406, 411  
   Autodesk resources, 415–416  
   blogs, 416  
   drawing datasets, 379  
   drawing samples, 245  
   file samples, 224  
   FTP utility (CuteFTP), 403  
   My Feedback Portal, 415  
   plotter colors, 330  
   tutorials, 18  
   user groups, 417  
   weights and measures, 80  
 Windows system driver for HP plotters, 332  
 weights and measures, resource for, 80  
 white, number for, 125  
 window selection boxes, using, 183–184  
 windows. *See* drawing windows  
 Windows system printer, selecting, 332–334  
 Windows XP system requirements, 17  
 word-wrapping width, changing, 264  
 workspaces  
   changing appearance of, 22  
   defined, 22  
   opening, 22–23  
   saving, 103  
   switching between, 31  
   verifying, 51

## • X •

X,Y location, determining, 140  
 X,Y,Z location, displaying for crosshairs, 32  
 X versus Y spacing, using with grid, 95

XLINE command, features of, 152, 154  
 XOPEN command  
   opening external references with, 421  
   using with xrefed drawings, 368  
 xref clipping feature, availability of, 371  
 xref paths  
   best practices, 405  
   storing, 367–369  
   using Reference Manager with, 404  
 xref tools, availability of, 421  
 XREFNOTIFY system variable, using, 364  
 xrefs (external references)  
   applications for, 371  
   attaching, 365–367  
   automatic update feature, 365  
   versus blocks, 364–365, 371  
   changing layer colors of, 426  
   creating and editing, 367–368  
   defined, 355  
   distinguishing from drawings, 426  
   editing with REFEDIT, 421  
   managing, 370–371  
   opening with XOPEN, 421  
   overview of, 364–365  
   using layers with, 367  
   using List view with, 370  
   using VISRETAIN system variable with, 426

## • Y •

yellow, number for, 125

## • Z •

ZOOM All command, using, 91  
 Zoom button, location of, 54  
 ZOOM command, using, 224–225, 227–228  
 ZOOM options, choosing, 232  
 zooming  
   defined, 64  
   in drawings, 65  
   in and out, 223  
   and panning, 225  
   in paper space, 233–234  
 zooming into limits, 94

