

Index

Note: Figures and Table are indicated by *italic page numbers*, Boxes by **bolded numbers**;
IRMS = isotope ratio mass spectrometry.

- accreditation 101
- 'Adam' case 190
- AIR (atmospheric air) standard 6
 - ¹⁵N/¹⁴N isotope ratio 6
- n*-alkanes, IRMS secondary standards 132
- amino acids, racemization of 33
- ammonium nitrate
 - bulk isotope analysis 114, 116, 171–2, 182–3
 - hygroscopicity 108, 109, 183
 - total δ²H versus true δ²H values 106, 108
- amphetamines 154–7
 - δ¹⁵N/δ¹³C bivariate plots 157
- ANFO (ammonium nitrate + fuel oil) 171
- animals, hydrogen sources 19
- anthrax attacks 214
- anthrogenic activity, δ¹⁵N in soil affected by 28
- anti-doping control 47–8, 224–35
- arson attacks
 - data on 188
 - matchstick evidence 184–9
- atmospheric gases, monitoring of 45
- atomic number 3
- atomic percent 5
 - approximation to δ notation 6
- atomic structure 3–4
- Australian Federal Police, Forensic Operations Laboratory, explosives studies 109, 169, 170, 172, 182–3

- Barclay, Dave 147
- Bayesian analysis 94–9

- BEVABS (European Office for Wine, Alcohol and Spirit Drinks) 38, 49
- beverages, authenticity and provenance 39–41
- bio-apatite 193
 - acid digest of carbonate from 238–9
 - diagenetic changes 24–5
 - silver phosphate prepared from 196, 209, 236–8
 - and source water 20–2, 192
- biochemical processes, isotopic fractionation in 11–12, 15, 20, 186
- bioterrorism 214
- birefringence pattern analysis, plastic bags 216, 217
- bivariate plots
 - advantages 222
 - drugs 44, 157
 - explosives 171, 172–3, 174
 - matchsticks 188
 - paints 97
 - parcel tapes 219, 220
 - plastic bags 217
 - wines 41
- BKA (Bundeskriminalamt, Weisbaden, Germany) 154, 155
- bone bio-apatite, acid digest of carbonate from 238–9
- bone carbonate, diagenetic changes 24
- bone collagen, diagenetic changes 32
- bone diagenesis 24–5

- bone phosphate (bio-apatite)
 - and ^{18}O in source water 19–23, 196
 - sample preparation for ^{18}O isotope analysis 196, 209, 236–9
- bone remodelling 23, 193, 210
- Brand, Willi 81, 103
- Brazil, cannabis/marijuana 149–50
- Brenna, Tom 103
- BSIA (bulk stable isotope analysis) 77
 - compared with CSIA 81
 - drugs 161, 162
 - explosives 114, 116, 170–8
 - foodstuffs 42
 - generic considerations 104–5
 - isobaric interference 104–5
 - matchsticks 185–8
 - MDMA synthesis products 161, 162
 - particular considerations for ^2H -BSIA 105–16
 - see also* ^{13}C -BSIA; EA-IRMS; ^2H -BSIA; TC/EA-IRMS
- bulk isotope analysis *see* BSIA
- C_3 -plants 25
 - and $\delta^{13}\text{C}$ values 40, 203
 - see also* grapes; sugar beet
- C_4 -plants 25
 - and $\delta^{13}\text{C}$ values 40, 203, 208
 - see also* corn (maize); sugar cane
- ^{13}C -BSIA 77
 - matchsticks 185–8
- ^{13}C -CSIA 79
 - air pollutants 45
 - anti-doping control 47–8, 224
 - drugs 152, 154
- ^{14}C bomb-pulse analysis 194, 202
- ^{14}C radioisotope analysis 194
- calibration, in CF-IRMS 85
- calibration materials 5–6, 74, 85
- Calvin–Benson cycle 25
- cannabis 149–50, 153
- carbon
 - fixation processes 25, 26
 - isotopes 4, 5, 6
 - sources 25, 26, 192–3
 - stable isotopic distribution 25–7
- carbon-12 (^{12}C) 4
 - natural abundance 6
- carbon-13 (^{13}C) 4
 - abundance analysis 69, 71
 - calibration and reference material(s) 5, 7, 85, 89
 - isotope analysis 46, 71, 77, 88, 104, 149–50, 185–6, 238–9
 - natural abundance 6
 - organic reference materials 7, 89
 - in single-seed vegetable oils 39
 - see also* $\delta^{13}\text{C}$
- carbonated beverages 39–40
- cellulose nitrate, ^2H -BSIA 116
- CF-IRMS (continuous flow isotope ratio mass spectrometry) 33–4, 74–6
 - applications 45, 216, 218, 219
 - basis 69
 - calibration in 85
 - contrasted with dual-inlet IRMS 118–19
 - key dates in development 76
 - laboratory set-up 123–35
 - quality control in 85–6
- CF-IRMS laboratory
 - equipment and tools 130, 131
 - forensic laboratory considerations 129–30
 - gas supply 126–9
 - infrastructure and services 130–1
 - initial considerations 123
 - location 124
 - power supply 125–6
 - pre-installation requirements 124
 - setting up 123–35
 - space allocation 125
 - temperature control 124, 125
- chain-of-custody documentation 158, 211
 - lacking in anti-doping laboratory 226
- CHAMP profiling method 163–4
- chemical processes, isotopic fractionation in 11–12, 15
- chemically identical compounds, isotopic differences 8, 9
- chemometrics 91–4
- chlorates 170
- chromatographic isotope effect, in GC/C-IRMS 118–20
- chromatography *see* gas chromatography; GC/C-IRMS; liquid chromatography
- cling film, forensic examination of 217
- cluster analysis 91, 162
 - see also* hierarchical cluster analysis
- cocaine 152–4
- collagen, stable isotopic make-up 32
- compound-specific isotope analysis *see* CSIA
- continuous flow isotope ratio mass spectrometry *see* CF-IRMS
- Coplen, Tyler 103

- copper sulfate 105–6
 - anhydrous 106
- corn syrup 193
- counterfeit pharmaceuticals 42–3, 44
- counterfeiting and piracy, OECD report on 36–7, 43
- cranio-facial reconstruction 190, 202, 207
- CSIA (compound-specific isotope analysis) 78–84
 - applications 41, 42, 45, 47–8
 - compared with BSIA 81
 - and compound identification 79–81
 - generic considerations for 116–20
 - polar non-volatile organic compounds 83–4
 - see also* ^{13}C -CSIA; GC/C-IRMS
- culture media, stable isotope signatures 215
- Curran, Jim xxii
- cyclotrimethylenetrinitramine *see* RDX

- δ notation 5, 73
 - approximation to atomic percent 6
 - calculation 6
 - listed for various elements (reference materials) 7
- $\delta^{13}\text{C}$
 - in body pools and tissues 31, 32
 - in reference materials 7
 - scale correction of measured values 88–90
 - in testosterone metabolites 226–8
 - trophic level shift 30, 31
- $\delta^{13}\text{C}/\delta^{18}\text{O}$ bivariate plots
 - drugs 44
 - paints 97
- $\delta^2\text{H}$
 - calibration material 5–6
 - non-exchangeable hydrogen 108, 110
 - reference materials 7, 87, 88
 - relationship with $\delta^{18}\text{O}$ in meteoric precipitation 18
 - scale correction of measured values 87–8
 - total versus true values 106, 108–13
 - trophic level shift 31–2
- $\delta^2\text{H}/\delta^{13}\text{C}$ bivariate plots
 - matchsticks 188
 - paints 97
 - plastic bags and tapes 217, 219, 220
 - wines 41
- $\delta^2\text{H}/\delta^{18}\text{O}$ bivariate plots, paints 97
- $\delta^{15}\text{N}$
 - factors affecting values 27–30, 199, 203
 - in reference materials 7
 - trophic level shift 27–30
- $\delta^{15}\text{N}/\delta^{13}\text{C}$ bivariate plots
 - drugs 157
 - explosives 174
- $\delta^{15}\text{N}/\delta^{18}\text{O}$ bivariate plots, ammonium nitrate 171
- $\delta^{18}\text{O}$
 - in bone/tooth phosphate
 - relationship with $\delta^{18}\text{O}$ in carbonate 24, 239
 - relationship with $\delta^{18}\text{O}$ in source water 22, 23, 196, 209, 239
 - in cooked food 22
 - geographical distribution in precipitation 191, 213
 - in reference materials 7
 - relationship with $\delta^2\text{H}$ in precipitation 18
- $\delta^{34}\text{S}$, differences between marine, freshwater and terrestrial sources 34–5

- databases 101, 223
 - drugs 165, 167
- Daubert's principles 147
- de Groot, Pier 103
- dental enamel *see* tooth enamel
- deuterium (^2H or D) 4
- diagenetic changes
 - bio-apatite in bone and teeth 24–5
 - structural proteins 32–3
- diet
 - isotope signatures and 22, 29–32, 34–5, 191–2, 198, 199–200, 203, 211
 - marine-based vs freshwater/terrestrially sourced 30, 34
- DNA cross-matching 190, 211
- Doyle, Sean 169
- DR (dynamic range) of δ values 168
- drugs
 - database 167–8
 - differentiation of 149–68
- dry samples, analysis of 105–6
- dual-inlet IRMS 74
 - applications 45
 - contrasted with CF-IRMS 118–19
- Dublin, $\delta^2\text{H}$ values for tap water 208
- Dublin Royal Canal, murder victim's body 206, 208–11
- dynamic scale compression 87

- EA-IRMS (elemental analysis isotope ratio mass spectrometry) 75, 76
 - compared with GC-MS 68
 - organic secondary standards 134

- Earth's atmosphere
 - components 19, 27
 - standard based on 6, 27
- Ecstasy
 - dataset 167–8
 - statistical analysis 92, 93, 154–5, 168
 - see also* MDMA
- Ehleringer, Jim 20, 150
- elephants' eating habits 46
- 'Emde' synthesis (of methamphetamine from ephedrine) 165, 166
- enrichment factors 12–13, 180
 - hexamine/RDX 181
- environmental forensics 43, 45–6
- ephedrine
 - isotopic signatures 164, 165, 166
 - methamphetamine synthesized from 165–6
 - sources 165, 165
- everyday use of stable isotope forensics 26–48
- exchangeable hydrogen 108, 110, 183
 - equilibration of samples 110–11
 - molar exchange fraction 111, 241
- expert witnesses, judges' discretion on probing 146–7
- explosives 169–83
 - bulk isotope analysis 114, 116, 170–8
 - laboratories studying 169, 170
 - see also* ammonium nitrate; PETN; RDX; Semtex
- Faraday cup collectors
 - advantages 72
 - isotope analysis of CO₂ 69, 70, 71, 72
- Farmer, Nicola 184, 188, 189, 221
- fatty acid esters, IRMS secondary standards 132–3
- FEL (Forensic Explosive Laboratory) 169
- femur (bone), turnover rate 23, 193, 210
- fertilizers, $\delta^{15}\text{N}$ values 28
- fire scenes, matching matchsticks from 188–9
- FIRMS (Forensic Isotope Ratio Mass Spectrometry) network 101, 169
 - inter-laboratory comparisons organized by 100, 103, 108, 112
 - members 155, 218
 - project on applications of IRMS 100
- fish
 - determination of source 42
 - statistical analysis 93–4
- fitness-for-purpose of methods/procedures 145–6, 223
- flavours and fragrances, authenticity and provenance 42
- folic acid, $\delta^{13}\text{C}/\delta^{15}\text{N}$ bivariate plots 44
- food chain, trophic level shift in 29–32
- food forensics 37–42
- forensic IRMS laboratory
 - sample reception/storage/preparation 129–30
 - security considerations 129
- forensic science
 - fit-for-purpose methods/procedures used 145–6, 223
 - meaning of term 147, 148
- fractionation factors 12, 13, 180
 - hexamine/RDX 181
- Fraser, Isla 26, 208
- freshwater animals, $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values 26, 30
- fruit juices, authenticity and provenance 40–1
- Frye principle 146
- FSA (Food Standards Agency – UK) 38, 49
- FTIR (Fourier transform infrared) spectroscopy, applications 180, 219, 221
- funding of research 100, 101
- gas chromatography, peak identification in 230–5
- gas supply for IRMS laboratory 126–9
- GC/C-IRMS (gas chromatography with combustion/isotope ratio mass spectrometry) 45, 79, 80
 - compared with GC-MS 68
 - derivatizing agents for 134
 - interfaced with mass spectrometry 81, 82, 230
 - isotopic calibration during 116–17
 - organic secondary standards 134
 - for urinary steroids 230–5
- GC-MS (gas chromatography/mass spectrometry)
 - combined with IRMS systems 222, 230
 - compared with IRMS systems 68
 - peak detection in 231–2
- geographic location, isotope abundance and 17, 190–1, 198, 203, 205, 211–12
- GISP (Greenland Ice Sheet Precipitation) water reference material 7, 88
- GMWL (Global Meteoric Water Line) 18
- GNIP (Global Network of Isotopes in Precipitation) data 190–1, 209
- grape juice 40
- Gröning, Manfred 103
- grip-seal plastic bags 217
- groundwater contamination 45–6, 94

- ^2H -BSIA
 - dry/water-free samples 105–6
 - ionization quench effect 113–16
 - matchsticks 187–8
 - MDMA synthesis products 161, 162
 - particular considerations for 105–16
 - total $\delta^2\text{H}$ vs true/non-exchangeable $\delta^2\text{H}$ values 106, 108–13
- hair *see* human hair
- Hatch–Slack cycle 25
- heroin 150–2, 153
- hexamine (hexamethylenetetraamine)
 - bulk isotope analysis 114, 173–6
 - RDX synthesized from 174
- hierarchical cluster analysis 91–2
 - hexamine samples 174–5, 176
 - MDMA samples 93, 163
- Hoogewerff, Jurian xxii, 213
- human hair
 - ^{13}C isotope analysis 29, 203, 204
 - ^2H isotope analysis 108, 110–13, 201–2, 203, 204, 205, 240–1
 - $\delta^{15}\text{N}/\delta^{13}\text{C}$ bivariate plots 26, 31
 - ^{15}N isotope analysis 30, 199–200, 203, 204
 - ^{18}O isotope analysis 200, 204, 205
 - provenance of person 197–201
 - ^{34}S isotope analysis 34, 203, 204
 - sample preparation procedure 110–11, 240
- human provenancing 34, 100, 108, 191, 194, 212, 213
- human remains
 - identification of 190–211
 - working with 211, 212
- human tissue, stable isotope abundance variation 191–4
- hydrogen
 - isotopes 4, 6, 16
 - sources/precursor pools 18, 19, 192, 193
 - stable isotopic distribution 16–19
- hydrogen-1 (^1H) 4
 - natural abundance 6, 16
- hydrogen-2 (^2H) 4
 - calibration and reference material(s) 5–6, 7, 16, 85, 87
 - geographical variation 17
 - isotope analysis 19, 76, 77, 86, 105–16, 154, 163, 200–1
 - natural abundance 6, 16
 - see also* $\delta^2\text{H}$; ^2H -BSIA
- hydrogen exchange 108, 110, 183
- hydrogen gas, isotope effects on bond strength 10
- hydrogen peroxide
 - dilution effects on $\delta^2\text{H}$ and $\delta^{18}\text{O}$ values 177, 178
 - stable isotope analysis 176–7
- hydrological cycle 16
- hydroxyapatite 193
- IAEA (International Atomic Energy Authority), reference materials 6, 7
- ICP-MS (inductively coupled mass spectrometry), applications 216, 218, 219, 220, 221
- IEDs (improvised explosive devices), post-blast debris 217–18
- ILCs (International Laboratory Comparisons) 100, 103, 112
- infrared spectroscopy, isotopologues 10–11
- instrument drift 86
- instrumentation 72–84
- international reference materials 7
- inverse chromatographic isotope effect, in GC/C-IRMS 118–19, 119–20
- ionization quench effect 113–16
- IRMS (isotope ratio mass spectrometry)
 - basis 69–70
 - compared with mass spectrometry 67–71
 - instrumentation 72–84
 - laboratory (CF-IRMS) set-up and running 123–35
 - potential pitfalls 104–5, 113–16, 182–3
 - reference materials 7
- isobaric interference 104–5
- isoscapes (isotopic maps) 150, 191
- isotope, origin of word 3
- isotope effects 10, 11–12
 - in GC/C-IRMS during sample injection 117–18
- isotope standards 5–6
- isotopic calibration, in GC/C-IRMS 116–17
- isotopic fractionation
 - in acetylation of morphine 151
 - causes 10, 11–14, 15, 16, 20, 26
 - causes in GC/C-IRMS 117
 - of various light elements 16–17, 20, 113
- Jeffreys, Alec J., Prof. Sir xxi
- keratin 33, 100
- kinetic isotope effects 10, 11–12

- Kovats indices 232
Kreuzer-Martin, Helen 214
- LA-ICP-MS (laser ablation inductive coupled mass spectrometry), analysis of document paper 216
- LA-MC-ICP-MS (laser ablation multicollector inductive coupled mass spectrometry), ^{34}S data from hair 34
- lavender oil 41–2
- LC-IRMS (liquid chromatography with isotope ratio mass spectrometry) 83–4
- lead, sources 197
- lead isotope ratio ($^{206}\text{Pb}/^{207}\text{Pb}$) analysis 197
- likelihood ratios 94
examples of use 94–9, 173
- linear retention indices 232
- Lock, Claire 171, 174, 175, 176, 178
- LSVEC (lithium carbonate) reference material 7, 88, 238
- maize oil 38
- marijuana 149–50, 153
- marine animals, $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values 26, 30
- marine-based diets 30, 34
- mass discrimination 10, 15
in GC/C-IRMS sample injection 117–18
- mass number 4
- mass spectrometry
compared with isotope ratio mass spectrometry 67–71
SIM mode 67, 68, 69, 180, 182
- matchsticks 184–9
 ^{13}C -bulk isotope analysis 185–6
 ^2H -bulk isotope analysis 187–8
independent (non-IRMS) analytical techniques 189
matching fire scene samples 188–9
 ^{18}O -bulk isotope analysis 186–7
sample preparation 185
- MDMA (3,4-methylenedioxy-*N*-methylamphetamine)
bivariate plots 159
impurity profiling 163–4
isotopic analysis of seized Ecstasy tablets 93, 154–5, 157
precursors 155
synthesis and isotopic signature 157–64
- meat protein-rich diet, $\delta^{15}\text{N}$ values 208
- methamphetamine, synthesis and isotopic signature 164–7
- microbial isotope forensics 214–15
- molar exchange fraction, of exchangeable hydrogen 111, 241
- morphine 150–2, 153
- MSA (Mass Spec Analytical Ltd) 155, 218
- MTBE (methyl *tert*-butyl ether) 45–6
- multivariate stable isotope analysis
drugs 155, 167–8, 222
explosives 172, 173, 183
foodstuffs 42
whisky 41
wildlife 46
- mutilated murder victims, identification of 190, 206, 208–11
- ‘Nagai’ synthesis (of methamphetamine from ephedrine) 165, 166
- naproxen, $\delta^{13}\text{C}/\delta^{18}\text{O}$ bivariate plots 44
- natural and semisynthetic drugs 149–54
- Newfoundland (Canada), human remains 201–6, 207
- NFI (Netherlands Forensic Institute) 216, 218
- NicDaeid, Niamh 157, 164, 189
- nitrogen
isotopes 6
sources 30, 192
stable isotopic distribution 27–33
- nitrogen-14 (^{14}N), natural abundance 6
- nitrogen-15 (^{15}N)
calibration and reference material(s) 6, 7
dietary influences on abundance in tissues 30, 193
isotope analysis 27, 30, 46, 77, 149–50
natural abundance range 6, 27, 171
see also $\delta^{15}\text{N}$
- nitrogen cycle, isotopic fractionation in 27, 29
- nitrogen-rich compounds, overlap of hydrogen and nitrogen GC peaks 114–16
- non-exchangeable $\delta^2\text{H}$ values 108
- nutritional stress, effect on $\delta^{15}\text{N}$ values 199–200
- ^{18}O -bulk isotope analysis, matchsticks 186–7
- ocean water 16
see also VSMOW standard
- OECD (Organization for Economic Cooperation and Development), on counterfeiting and piracy 36–7, 43
- oil spills and pollution 45
- olive oil, adulteration of 38–9
- omnivores, $\delta^{15}\text{N}$ values 199, 208

- On-line Isotopes-in-Precipitation Calculator 191
- organic ¹³C reference materials 7, 89
- organic secondary standards 103, 132–4, 135
- origin of product 8
 - example(s) 9
- ovo-lacto ‘vegetarian’ δ¹⁵N values 199
- oxygen
 - isotopes 6, 20
 - sources/precursor pools 20, 186, 192, 193
 - stable isotopic distribution 19–25
- oxygen-16 (¹⁶O), natural abundance 6, 20
- oxygen-17 (¹⁷O), natural abundance 6, 20
- oxygen-18 (¹⁸O)
 - abundance in source water 20–3, 209–10
 - calibration and reference material(s) 5–6, 7, 20
 - geographical variation 17
 - isotope analysis 76, 77, 104, 196, 200, 205, 209, 236–9
 - isotopic analysis of CuSO₄ 106
 - natural abundance 6, 20
 - see also δ¹⁸O
- P2P (1-phenyl-2-propanone) 155
- paints
 - likelihood ratios used in analysis 94–9
 - list of white paints from various sources 95–6
- paper (printer or photocopier) 215–16
 - physical characteristics 215
- parcel tape 218–21
- particulate organic matter (POM), marine
 - compared with freshwater source 26
- peak inversions [in gas chromatography] 233
- peak overlap [in gas chromatography] 234
- per mil scales 5
- perchlorates 170
- peroxide explosives 176–7
- PETN (pentaerythritoltetranitrate) 170, 173
- petrochemicals, isotope abundance in 69
- pharmaceuticals, counterfeit 42–3, 44
- physicochemical processes, isotopic
 - fractionation in 12, 13–14, 15
- plant material, δ²H as indicator of source water 18
- plastic bags, forensic examination of 216–17
- plastics, forensic examination of 216–18
- PMK (piperonyl methyl ketone) 155
 - MDMA synthesized from 157, 158
 - synthesis from safrole 157, 158
- pollution source differentiation 46, 94
- Pong Su* heroin samples 151–2
- position-specific isotope analysis see PSIA
- power supply for IRMS laboratory 125–6
- precipitation, isotopic composition 18, 19, 190–1, 213
- precursor pools
 - carbon 31
 - hydrogen 18–19
 - oxygen 20
- 5β-pregnanediol, as reference compound for testosterone metabolites 228
- premium natural products, authenticity and provenance 41–2
- pressure-sensitive adhesive (PSA) tapes 218–21
- principal component analysis 91
- principle of identical treatment 85, 102, 111, 112, 165, 185, 232, 241
- proficiency
 - FIRMS Network’s advice on 101
 - importance of 145, 147, 224
- provenance (provenancing)
 - of drug 150, 152, 155, 156, 167, 168
 - of explosives 183
 - of foodstuffs 18–19, 38–42
 - of human remains and living people 21, 22, 34, 190–213
 - of matchsticks 187
- pseudoephedrine
 - isotopic signatures 165
 - methamphetamine synthesized from 166
- PSIA (position-specific isotope analysis) 81–3
 - applications 40, 82–3
- quality control, in CF-IRMS 85–6
- radioisotopes 3
- rain see precipitation
- ratio-of-ratios approach (in calculation of δ value) 73–4
- Rayleigh processes, isotopic fractionation in 13–14, 16–17
- RDX (cyclotrimethylenetrinitramine)
 - bulk isotope analysis 114, 173, 174
 - synthesis from hexamine 174
- reference materials 7, 74
 - organic secondary standards 103, 132–4, 135
- relative retention [gas chromatography] 231
 - IUPAC definition 232
- relative retention time, use of term in gas chromatography 232

- Republic of Ireland
immigrants' fingerprints records 208
see also Dublin
retention times [GC], factors affecting 233
rib bones, turnover rate 23, 193
- safrole, piperonyl methyl ketone synthesized
from 157, 158
- sample preparation 102–3
human remains 196, 208
matchsticks 185
- sample preparation procedures 236–41
- scale correction 86–90
of measured $\delta^{13}\text{C}$ values 88–90
of measured $\delta^2\text{H}$ values 87–8
- scale definitions 5–6
for ^{13}C 5, 85
for ^2H 5–6, 85, 87
for ^{15}N 6
for ^{18}O 5–6
for ^{34}S 6
- Schimmelman, Arndt 103, 135
'Scissor Sisters' case 206, 208–11
- sea bass 93–4
- sea spray effect 35
- seawater
dissolution of CO_2 26–7
evaporation of 17
see also ocean water
- seaweed and kelp 35
- Semtex 94, 173
see also PETN; RDX
- silver phosphate, preparation from bio-apatite
196, 209, 236–8
- single-seed vegetable oils, authenticity and
provenance 38–9
- 'skull from the sea' 194–7
- SLAP (Standard Light Antarctic Precipitation)
water reference material 7, 87
- snow fall *see* precipitation
- Soddy, Frederick 3
- soft fruit, $\delta^2\text{H}$ as indicator of source water 18–19
- source of product 8
example(s) 9
- source water
and bone bio-apatite 20–2
and bone ^{18}O 20–3, 209–10
and $\delta^2\text{H}$ for soft fruit 18–19
and $\delta^2\text{H}$ for wood/matchsticks 187
geographical variation of ^2H and ^{18}O
abundance 17, 190–1
- stable isotope dilution assay 120
- stable isotopes
meaning of term 3–4
natural abundance variation 5–7
- standard operating procedures 100, 102
- statistical analysis 91–9
- steroids, detection of exogenous 47–8
- strontium isotope ratio ($^{87}\text{Sr}/^{86}\text{Sr}$) analysis 197,
203
- structural proteins
 $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values affected by diet 30–1
diagenetic changes 32–3
see also bone collagen; hair keratin
- sugar
beet- or cane-sourced 7, 9, 25, 69
isotope variation 6–7, 9
- sulfur
isotopes 6
stable isotopic distribution 33–5
- sulfur-32 (^{32}S), natural abundance 6
- sulfur-33 (^{33}S), natural abundance 6
- sulfur-34 (^{34}S)
calibration material 6
natural abundance 6, 34
see also $\delta^{34}\text{S}$
- sulfur isotope analysis, techniques used 33–4
- synthetic drugs 154–68
- SYSTAT software 92, 162
- TC/EA-IRMS (thermal conversion/elemental
analysis isotope ratio mass
spectrometry) 77, 78
organic secondary standards 134
sample preparation 197
- temperature control, IRMS laboratory 124, 125
- testosterone
detection of exogenous 47–8, 224–35
metabolic pathway 227
- testosterone metabolism, and ^{13}C isotopic
composition 226–8
- testosterone metabolites
 $\delta^{13}\text{C}$ values 226
 $\delta^2\text{H}$ values 48
- thermodynamic isotope effects 10, 12
- tooth enamel
diagenetic changes 24–5, 203
 ^{18}O abundance 193
strontium isotope ratios 203, 205
- triacetone triperoxide 176
- trinitrotoluene, ^2H -BSIA 116
- trivariate plots

- advantages 222
- Ecstasy tablets 92
- RDX precursor (hexamine) 175
- synthetic MDMA samples 162
- trophic ecology, isotopic fractionation and 26–7, 27–8
- trophic level shift
 - isotopic fractionation associated with 28, 29–32
 - practical example 30
- Urey, Harold C. 4
- VCDT (Vienna Canyon Diablo Troilite)
 - standard 6
 - $^{34}\text{S}/^{32}\text{S}$ isotope ratio 6, 34
- vegan, $\delta^{15}\text{N}$ values 30, 199
- vegetable oils, authenticity and provenance 38–9
- VPDB (Vienna Pee Dee Belemnite) standard 5, 85, 239
 - $^{13}\text{C}/^{12}\text{C}$ isotope ratio 6
 - lower-end anchor for 7, 88
- VSMOW (Vienna-Standard Mean Ocean Water)
 - standard 6, 74, 85, 239
 - $^2\text{H}/^1\text{H}$ isotope ratio 6, 16
 - lower-end anchor for 7, 87
 - $^{18}\text{O}/^{16}\text{O}$ isotope ratio 6
- WADA (World Anti-Doping Agency)
 - accredited laboratories 225
 - certified method for testosterone metabolites 224
- water
 - calibration material for ^2H and ^{18}O 6, 74, 85, 87
 - $\delta^2\text{H}$ as indicator of source 17, 19
 - isotopic fractionation between liquid and vapour 16–17, 113
 - reference materials for ^2H and ^{18}O 7, 74, 87
 - volume on Earth 16
 - see also* source water
- water-free samples, analysis of 105–6
- whisky, authenticity and provenance 41
- wildlife forensics 46–7
- wines, authenticity and provenance 40, 41
- wood
 - bulk isotope analysis 185–8
 - see also* matchsticks
- World Health Organization (WHO), on counterfeit pharmaceuticals 42–3
- XRF (X-ray fluorescence spectrometry), applications 216, 219, 220, 221
- Zero-Blank autosampler 106, 107

